

Literaturverzeichnisse 2020

Inhaltsverzeichnis

[03-2020: Literaturverzeichnis Paech](#)

[03-2020: Literaturverzeichnis Zimmermann, Balcarek](#)

[03-2020: Literaturverzeichnis Rogoschin](#)

[03-2020: Literaturverzeichnis Fink](#)

[03-2020: Literaturverzeichnis Engelhardt, Jerosch](#)

[03-2020: Literaturverzeichnis Frings](#)

[03-2020: Literaturverzeichnis Fehske](#)

[04-2020: Literaturverzeichnis Ruf](#)

[04-2020: Literaturverzeichnis Pitzen](#)

[04-2020: Literaturverzeichnis Petrovics](#)

[04-2020: Literaturverzeichnis Fürstenberg, Pitzen](#)

[04-2020: Literaturverzeichnis Heck](#)

[04-2020: Literaturverzeichnis Duchac](#)

[05-2020: Literaturverzeichnis Niemier](#)

[05-2020: Literaturverzeichnis Schulz](#)

[05-2020: Literaturverzeichnis Liefring](#)

[05-2020: Literaturverzeichnis Emmerich](#)

[05-2020: Literaturverzeichnis Adermann, Holtschmit](#)

[05-2020: Literaturverzeichnis Steinmetz](#)

[05-2020: Literaturverzeichnis Steinmetz, Kladny](#)

Literatur zum Beitrag

Daniel Paech, Erhan Basad, Laurent Kintzelé:

Radiologische Diagnostik und Klassifikationen femuropatellarer Dysplasien

1. Dejour, H., et al., Factors of patellar instability: an anatomic radiographic study. *Knee Surgery, Sports Traumatology, Arthroscopy*, 1994. 2(1): p. 19–26.
2. Kim, Y.-M., Y.-B. Joo, Patellofemoral osteoarthritis. *Knee surgery & related research*, 2012. 24(4): p. 193.
3. Schmeling, A., Aktuelle Aspekte der patellofemorale Instabilität. 2010: Stiftung zur Förderung der Arthroscopie.
4. Berruto, M., et al., Patellofemoral instability: classification and imaging. *Joints*, 2013. 1(2): p. 7.
5. Koëter, S., et al., Minimal rotation aberrations cause radiographic misdiagnosis of trochlear dysplasia. *Knee Surgery, Sports Traumatology, Arthroscopy*, 2006. 14(8): p. 713–717.
6. Lippacher, S., et al., Observer agreement on the Dejour trochlear dysplasia classification: a comparison of true lateral radiographs and axial magnetic resonance images. *The American journal of sports medicine*, 2012. 40(4): p. 837–843.
7. Insall, J., E. Salvati E, Patella position in the normal knee joint. *Radiology*, 1971. 101(1): p. 101–104.
8. Laukenmann, S., Messverfahren und Klassifikationen in der muskuloskeletalen Radiologie Waldt, Eiber, Wörtler Thieme Verlag, 2011
9. Shabshin, N., et al., MRI criteria for patella alta and baja. *Skeletal Radiology*, 2004. 33(8): p. 445–450.
10. Waldt, S., Rummeny E, Bildgebung der patellofemorale Instabilität. *Der Radiologe*, 2012. 52(11): p. 1003–1011.
11. Laurin, C.A., et al., The abnormal lateral patellofemoral angle: a diagnostic roentgenographic sign of recurrent patellar subluxation. *The Journal of bone and joint surgery. American volume*, 1978. 60(1): p. 55–60.
12. Wiberg, G., Roentgenographic and anatomic studies on the femoropatellar joint. With special reference to chondromalacia patellae. *Acta orthop scand*, 1941. 12: p. 319–410.
13. Baumgartl, F., Das Kniegelenk: Erkrankungen, Verletzungen und ihre Behandlung mit Hinweisen für die Begutachtung. 2013: Springer-Verlag.
14. Strobl, W., F. Grill, Die Patellaluxation. *Der Orthopäde*, 1998. 27(3): p. 197–205.
15. Schaer, H, Die Patella partita, in Ergebnisse der Chirurgie und Orthopädie: Siebenundzwanzigster Band, E. Payr and M. Kirschner, Editors. 1934, Springer Berlin Heidelberg: Berlin, Heidelberg. p. 1–53.
16. Bennett, G.E., Operation for hypertrophied patella. *JBJS*, 1922. 4(3): p. 593–599.
17. Scott, J, W.S. Taor, The “small patella” syndrome. *The Journal of bone and joint surgery. British volume*, 1979. 61(2): p. 172–175.
18. Dejour, D, Le Coultre, B, Osteotomies in patello-femoral instabilities. *Sports medicine and arthroscopy review*, 2018. 26(1): p. 8–15.
19. Dejour, D., Saggin P, The sulcus deepening trochleoplasty—the Lyon’s procedure. *International orthopaedics*, 2010. 34(2): p. 311–316.
20. Goutallier, D., Bernageau J, Lecudonnet, B, The measurement of the tibial tuberosity. Patella groove distanced technique and results (author’s transl). *Revue de chirurgie orthopédique et réparatrice de l’appareil moteur*, 1978. 64(5): p. 423–428.
21. Schoettle, P.B., et al., The tibial tuberosity–trochlear groove distance; a comparative study between CT and MRI scanning. *The Knee*, 2006. 13(1): p. 26–31.
22. Williams, A.A., et al., The relationship between tibial tuberosity–trochlear groove distance and abnormal patellar tracking in patients with unilateral patellar instability. *Arthroscopy: The Journal of Arthroscopic & Related Surgery*, 2016. 32(1): p. 55–61.

Literatur zum Beitrag

Felix Zimmermann, Peter Balcarek:

Der patellofemorale Schmerz. Ursachen und Diagnostik

1. Barton CJ, Bonanno D, Levinger P, Menz HB: Foot and Ankle Characteristics in Patellofemoral Pain Syndrome: a Case Control and Reliability Study. *J Orthop Sports Phys Ther* 2010; 40: 286–296
2. Barton CJ, Levinger P, Menz HB, Webster KE: Kinematic Gait Characteristics Associated with Patellofemoral Pain Syndrome: a Systematic Review. *Gait & Posture* 2009; 30: 405–416
3. Becher C, Attal R, Balcarek P, et al.: Validierung der deutschsprachigen Version des Banff Patellofemorales Instabilitäts-Instrument 2.0. *Arthroskopie* 2018; 31: 157–164
4. Boden, Pearsall, Garrett, Feagin: Patellofemoral Instability: Evaluation and Management. *J Am Acad Orthop Surg* 1997; 5: 47–57
5. Boling M, Padua D, Marshall S, Guskiewicz K, Pyne S, Beutler A: Gender Differences in the Incidence and Prevalence of Patellofemoral Pain Syndrome. *Scand J Med Sci Sports* 2010; 20: 725–730
6. Callaghan MJ, Selfe J: Has the incidence or prevalence of patellofemoral pain in the general population in the United Kingdom been properly evaluated?: *Physical Therapy in Sport* 2007; 8: 37–43
7. Caton J, Deschamps G, Chambat P, Lerat JL, Dejour H: Les rotules basses. A propos de 128 observations: Les rotules basses. *Rev Chir Orthop Reparatrice Appar Mot* 1982; 68: 317–325
8. Cowan SM, Crossley KM, Bennell KL: Altered hip and trunk muscle function in individuals with patellofemoral pain. *Br J Sports Med* 2009; 43: 584–588
9. Crossley KM, van Middelkoop M, Callaghan MJ, Collins NJ, Rathleff MS, Barton CJ: 2016 Patellofemoral Pain Consensus Statement from the 4th International Patellofemoral Pain Research Retreat, Manchester. Part 2: Recommended Physical Interventions (Exercise, Taping, Bracing, Foot Orthoses and Combined Interventions. *Br J Sports Med* 2016; 50: 844–852
10. Crossley KM, Zhang W-J, Schache AG, Bryant A, Cowan SM: Performance on the Single-Leg Squat Task Indicates Hip Abductor Muscle Function. *Am J Sports Med* 2011; 39: 866–873
11. Dammerer D, Liebensteiner MC, Kujala UM, et al.: Validation of the German Version of the Kujala Score in Patients with Patellofemoral Instability: a Prospective Multi-Centre Study. *Arch Orthop Trauma Surg* 2018; 138: 527–535
12. Davis IS, Powers CM: Patellofemoral pain syndrome: proximal, distal, and local factors, an international retreat, April 30-May 2, 2009, Fells Point, Baltimore, MD. *J Orthop Sports Phys Ther* 2010; 40: A1–16
13. Dejour D, Reynaud P, Lecoultrre B: Douleurs et instabilité rotulienne. Essai de classification. *Med Hyg (Geneve)* 1998: 1466–1471
14. Dickschas J, Harrer J, Pfefferkorn R, Strecker W: Operative Treatment of Patellofemoral Maltracking with Torsional Osteotomy. *Arch Orthop Trauma Surg* 2012; 132: 289–298
15. Dowling GJ, Murley GS, Munteanu SE, et al.: Dynamic Foot Function as a Risk Factor for Lower Limb Overuse Injury: a Systematic Review. *J Foot Ankle Res* 2014; 7: 53
16. Dye SF: The Pathophysiology of Patellofemoral Pain: a Tissue Homeostasis Perspective. *Clin Orthop Relat Res* 2005: 100–110
17. Eijkenboom JFA, Waarsing JH, Oei EH, Bierma-Zeinstra SMA, van Middelkoop M: Is Patellofemoral Pain a Precursor to Osteoarthritis?: Patellofemoral Osteoarthritis and Patellofemoral Pain Patients Share Aberrant Patellar Shape Compared with Healthy Controls. *Bone Joint Res* 2018; 7: 541–547
18. Engelhardt M., Grim C., Neher S.: *Das Sportlerknie*. Georg Thieme Verlag KG Stuttgart New York, 2020
19. Ford KR, Myer GD, Hewett TE: Valgus Knee Motion During Landing in High School Female and Male Basketball Players. *Med Sci Sports Exerc* 2003; 35: 1745–1750
20. Franciozi CE, Ambra LF, Albertoni LJB, et al.: Increased Femoral Anteversion Influence over Surgically Treated Recurrent Patellar Instability Patients. *Arthroscopy* 2017; 33: 633–640
21. Fucentese SF, Roll A von, Koch PP, Epari DR, Fuchs B, Schottle PB: The Patella Morphology in Trochlear Dysplasia-a Comparative MRI Study. *Knee* 2006; 13: 145–150
22. Gose JC, Schweizer P: Iliotibial Band Tightness. *J Orthop Sports Phys Ther* 1989; 10: 399–407
23. Hand CJ, Spalding TJW: Association Between Anatomical Features and Anterior Knee Pain in a „Fit“ Service Population. *J R Nav Med Serv* 2004; 90: 125–134
24. Herbst KA, Barber Foss KD, Fader L, et al.: Hip Strength Is Greater in Athletes Who Subsequently Develop Patellofemoral Pain. *Am J Sports Med* 2015; 43: 2747–2752
25. Holme TJ, Henckel J, Hartshorn K, Cobb JP, Hart AJ: Computed Tomography Scanogram Compared to Long Leg Radiograph for Determining Axial Knee Alignment. *Acta Orthop* 2015; 86: 440–443
26. Huberti HH, Hayes WC: Patellofemoral Contact Pressures. the Influence of Q-Angle and Tendofemoral Contact: Patellofemoral contact pressures. *J Bone Joint Surg Am* 1984; 66: 715–724
27. Hudson Z, Darthuy E: Iliotibial Band Tightness and Patellofemoral Pain Syndrome: a Case-Control Study. *Man Ther* 2009; 14: 147–151
28. Hughston JC: Subluxation of the patella. *J Bone Joint Surg Am* 1968; 50: 1003–1026
29. Kaiser P, Schmoelz W, Schoettle P, Zwierzina M, Heinrichs C, Attal R: Increased Internal Femoral Torsion Can Be Regarded as a Risk Factor for Patellar Instability – a Biomechanical Study. *Clin Biomech (Bristol, Avon)* 2017; 47: 103–109
30. Kaya D, Citaker S, Kerimoglu U, et al.: Women with Patellofemoral Pain Syndrome Have Quadriceps Femoris Volume and Strength Deficiency. *Knee Surg Sports Traumatol Arthrosc* 2011; 19: 242–247
31. Kaya D, Doral MN: Is There Any Relationship Between Q-Angle and Lower Extremity Malalignment? *Acta Or-*

- thop Traumatol Turc 2012; 46: 416–419
32. Liska F, Deimling C von, Otto A, et al.: Distal Femoral Torsional Osteotomy Increases the Contact Pressure of the Medial Patellofemoral Joint in Biomechanical Analysis. *Knee Surg Sports Traumatol Arthrosc* 2019; 27: 2328–2333
33. Lorenz A, Müller O, Kohler P, Wünschel M, Wülker N, Leichtle UG: The Influence of Asymmetric Quadriceps Loading on Patellar Tracking-an in Vitro Study. *Knee* 2012; 19: 818–822
34. Loudon JK, Wiesner D, Goist-Foley HL, Asjes C, Loudon KL: Intrarater Reliability of Functional Performance Tests for Subjects With Patellofemoral Pain Syndrome. *J Athl Train* 2002; 37: 256–261
35. MacIntyre NJ, Hill NA, Fellows RA, Ellis RE, Wilson DR: Patellofemoral Joint Kinematics in Individuals with and Without Patellofemoral Pain Syndrome. *J Bone Joint Surg Am* 2006; 88: 2596–2605
36. Maclachlan LR, Collins NJ, Matthews MLG, Hodges PW, Vicenzino B: The Psychological Features of Patellofemoral Pain: a Systematic Review. *Br J Sports Med* 2017; 51: 732–742
37. Petersen W, Ellermann A, Gösele-Koppenburg A, et al.: Patellofemoral Pain Syndrome. *Knee Surg Sports Traumatol Arthrosc* 2014; 22: 2264–2274
38. Piva SR, Goodnite EA, Childs JD: Strength Around the Hip and Flexibility of Soft Tissues in Individuals with and Without Patellofemoral Pain Syndrome. *J Orthop Sports Phys Ther* 2005; 35: 793–801
39. Powers CM: The Influence of Altered Lower-Extremity Kinematics on Patellofemoral Joint Dysfunction: a Theoretical Perspective. *J Orthop Sports Phys Ther* 2003; 33: 639–646
40. Powers CM, Heino JC, Rao S, Perry J: The influence of patellofemoral pain on lower limb loading during gait. *Clinical Biomechanics* 1999; 14: 722–728
41. Powers CM, Witvrouw E, Davis IS, Crossley KM: Evidence-based framework for a pathomechanical model of patellofemoral pain: 2017 patellofemoral pain consensus statement from the 4th International Patellofemoral Pain Research Retreat, Manchester, UK: part 3. *Br J Sports Med* 2017; 51: 1713–1723
42. Prins MR, van der Wurff P: Females with patellofemoral pain syndrome have weak hip muscles: a systematic review. *Australian Journal of Physiotherapy* 2009; 55: 9–15
43. Salsich GB, Long-Rossi F: Do Females with Patellofemoral Pain Have Abnormal Hip and Knee Kinematics During Gait? *Physiother Theory Pract* 2010; 26: 150–159
44. Sanchis-Alfonso V: Holistic Approach to Understanding Anterior Knee Pain. *Clinical Implications. Knee Surg Sports Traumatol Arthrosc* 2014; 22: 2275–2285
45. Sanchis-Alfonso V, Tey M, Monllau JC: A Novel Association Between Femoroacetabular Impingement and Anterior Knee Pain. *Pain Res Treat* 2015; 2015: 937431
46. Schoettle PB, Zanetti M, Seifert B, Pfirrmann CWA, Fucentese SF, Romero J: The Tibial Tuberosity-Trochlear Groove Distance; a Comparative Study Between CT and MRI Scanning. *Knee* 2006; 13: 26–31
47. Schwane BG, Goerger BM, Goto S, Blackburn JT, Aguilar AJ, Padua DA: Trunk and Lower Extremity Kinematics During Stair Descent in Women with or Without Patellofemoral Pain. *J Athl Train* 2015; 50: 704–712
48. Seitlinger G, Scheurecker G, Högl R, Labey L, Innocenti B, Hofmann S: Tibial tubercle-posterior cruciate ligament distance: a new measurement to define the position of the tibial tubercle in patients with patellar dislocation. *Am J Sports Med* 2012; 40: 1119–1125
49. Silva DdO, Briani RV, Pazzinatto MF, Ferrari D, Aragão FA, Azevedo FMD: Reduced Knee Flexion Is a Possible Cause of Increased Loading Rates in Individuals with Patellofemoral Pain. *Clin Biomech (Bristol, Avon)* 2015; 30: 971–975
50. Souza RB, Powers CM: Predictors of Hip Internal Rotation During Running: an Evaluation of Hip Strength and Femoral Structure in Women with and Without Patellofemoral Pain. *Am J Sports Med* 2009; 37: 579–587
51. Thomas MJ, Wood L, Selfe J, Peat G: Anterior Knee Pain in Younger Adults as a Precursor to Subsequent Patellofemoral Osteoarthritis: a Systematic Review. *BMC Musculoskelet Disord* 2010; 11: 201
52. van Cant J, Pineux C, Pitance L, Feipel V: Hip Muscle Strength and Endurance in Females With Patellofemoral Pain: A Systematic Review with Meta-Analysis. *Int J Sports Phys Ther* 2014; 9: 564–582
53. van Haver A, Roo K de, Beule M de, et al.: The Effect of Trochlear Dysplasia on Patellofemoral Biomechanics: a Cadaveric Study with Simulated Trochlear Deformities. *Am J Sports Med* 2015; 43: 1354–1361
54. Ward SR, Terk MR, Powers CM: Patella Alta: Association with Patellofemoral Alignment and Changes in Contact Area During Weight-Bearing. *J Bone Joint Surg Am* 2007; 89: 1749–1755
55. Wu C-C, Shih C-H: The Influence of Iliotibial Tract on Patellar Tracking. *Orthopedics* 2004; 27: 199–203
56. Zimmermann F, Liebensteiner MC, Balcarek P: The Reversed Dynamic Patellar Apprehension Test Mimics Anatomical Complexity in Lateral Patellar Instability. *Knee Surg Sports Traumatol Arthrosc* 2019; 27: 604–610

Literatur zum Beitrag

Jana Rogoschin, Ingo Volker Rembitzki, Wolfgang Potthast:

Konservative Behandlung patellofemoraler Pathologien

1. Ahtiainen J.P., Pakarinen A., Alen M., Kraemer W.J., Häkkinen K., 2003. Muscle hypertrophy, hormonal adaptations and strength development during strength training in strength-trained and untrained men, *Eur J Appl Physiol* (2003) 89: 555.
2. Akarcali I., Tugay N., Kaya D., Atay A., Doral M.N., The role of high voltage electrical stimulation in the rehabilitation of patellofemoral pain, *The Pain Clinic*, 14:3, 207–212.
3. Barton CJ, Lack S, Hemmings S, Tufail S, Morrissey D. The 'best practice guide to conservative management of patellofemoral pain': incorporating level 1 evidence with expert clinical reasoning. *Br J Sports Med* 2015; 49: 923–934.
4. Bazett-Jones D.M., Huddleston W., Cobb S., O'Connor K., Earl-Boehm J.E., 2017. Acute Responses of Strength and Running Mechanics to Increasing and Decreasing Pain in Patients with Patellofemoral Pain. *J Athl Train.*; 52(5):411–421.
5. Becher C, Schumacher T, Fleischer B, Ettinger M, Smith T, Ostermeier S (2015) The effects of a dynamic patellar realignment brace on disease determinants for patellofemoral instability in the upright weight-bearing condition. *J Orthop Surg Res* 19(10):126.
6. Besier T.F., Draper C.E., Gold G.E., Beaupre G.S., Delp S.L., 2005. Patellofemoral joint contact area increases with knee flexion and weight-bearing. *J Orthop Res.*; 23(2):345–350.
7. Callaghan M.J., Selfe J., 2012. Patellar taping for patellofemoral pain syndrome in adults. *Cochrane Database Syst Rev.*;(4):CD006717.
8. Celik D., Argut S.K., Türker N., Kilicoglu O.I., 2019. The effectiveness of superimposed neuromuscular electrical stimulation combined with strengthening exercises on patellofemoral pain: A randomized controlled pilot trial. *J Back Musculoskeletal Rehabil.*: 1–7.
9. Chang WD, Chen FC, Lee CL, Lin HY, Ping-Tung Lai PT, 2015. Effects of Kinesio Taping versus McConnell Taping for Patellofemoral Pain Syndrome: A Systematic Review and Meta-Analysis, *Evid Based Complement Alternat Med.*; 2015: 471208.
10. Coburn S.L., Barton C.J., Filbay S.R. et al., 2018. Quality of life in individuals with patellofemoral pain: A systematic review including meta-analysis. *Phys Ther Sport.*; 33:96–108.
11. Collins N., Crossley K., Beller E., Darnell R., McPoil T., Vicenzino B., 2009. Foot orthoses and physiotherapy in the treatment of patellofemoral pain syndrome: randomised clinical trial. *BMC Musculoskelet Disord.*; 9:27.
12. Collins N.J., Barton C.J., van Middelkoop M. et al., 2018. Consensus statement on exercise therapy and physical interventions (orthoses, taping and manual therapy) to treat patellofemoral pain: recommendations from the 5th International Patellofemoral Pain Research Retreat, Gold Coast, Australia, 2017, *Br J Sports Med*; 0: 1–9.
13. Crossley K., Bennell K., Green S., Cowan S., McConnell J., 2002. Physical Therapy for Patellofemoral Pain A Randomized, Double-Blinded, Placebo-Controlled Trial; *THE AMERICAN JOURNAL OF SPORTS MEDICINE*; 30(6), 857–865.
14. Davis IS, Powers CM. Patellofemoral pain syndrome: proximal, distal and local factors, an international retreat, April 30–May 2, 2009, FellsPoint, Baltimore, MD. *J Orthop Sports Phys Ther* 2010; 40: A1–16.
15. Dursun N., Dursun E., Kilic Z., 2001. Electromyographic Biofeedback-Controlled Exercise Versus Conservative Care for Patellofemoral Pain Syndrome, *Arch Phys Med Rehabil*; 82, 1692–1695.
16. Glaviano N.R., Saliba S., 2016. Impairment based rehabilitation for patellofemoral pain patients. *The Physician and sportsmedicine*; 44(3).
17. Glaviano N.R., Marshall A.N., Mangum C., et al. 2019. Impairment-Based Rehabilitation With Patterned Electrical Neuromuscular Stimulation and Lower Extremity Function in Individuals With Patellofemoral Pain: A Preliminary Study. *Journal of Athletic Training*; 54(3):255–269
18. Grelsamer R.P., 2000. Patellar malalignment. *J Bone Joint Surg*; 82:1639–50.
19. Higgins J., Savovic J., Page M. J., Sterne J.A.C. on behalf of the RoB2 Development Group, 2019. Revised Cochrane risk-of-bias tool for randomized trials (RoB 2). <https://sites.google.com/site/riskofbiastool/welcome/rob-2-0-tool/current-version-of-rob-2>, download 29.01.2020.
20. Hoffman J.R., Im J., Rundell K.W. et al., 2003. Effect of muscle oxygenation during resistance exercise on anabolic hormone response. *Med Sci Sports Exerc*; 35(11):1929–34.
21. Kaya D., Yüksel I., Callaghan M.J. et al., 2013. High voltage pulsed galvanic stimulation adjunct to rehabilitation program for patellofemoral pain syndrome: a prospective randomized controlled trial. *Fizyoterapi Rehabilitasyon*; 24(1):01–08.
22. Khayambashi K., Fallah A., Movahedi A., Bagwell J., Powers C., 2014. Posterolateral hip muscle strengthening versus quadriceps strengthening for patellofemoral pain: a comparative control trial. *Arch Phys Med Rehabil*; 95(5):900–7.
23. Lankhorst N.E., Bierma-Zeinstra S.M., van Middelkoop M., 2012. Risk factors for patellofemoral pain syndrome: a systematic review. *Journal of Orthopaedic and Sports Physical Therapy*; 42(2):81–94.
24. Lun V.M., Wiley J.P., Meeuwisse W.H., Yanagawa T.L., 2005. Effectiveness of patellar bracing for treatment of patellofemoral pain syndrome. *Clin J Sport Med.*; 15(4):235–40.
25. Martimbianco ALC1, Torloni MR, Andriolo BN, Porfírio GJ, Riera R., 2017. Neuromuscular electrical stimulation (NMES) for patellofemoral pain syndrome. *Cochrane Database Syst Rev.*; 12: CD011289.
26. McConnell J, 1996. Management of patellofemoral problems. *Man Ther* 1: 60–66.
27. Moher D, Liberati A, Tetzlaff J, Altman DG, The PRISMA Group, 2009. Preferred Reporting Items for Systematic Reviews and Meta-Analyses: The PRISMA Statement. *PLoS Med* 6(7): e1000097.

28. Mullaney MJ, Fukunaga T., 2018. Current concepts and treatment of patellofemoral compressive issues. *Int J Sports Phys Ther.*; 11(6):891–902.
29. Østerås B., Østerås H., Torstensen T.A., 2013. Long-term effects of medical exercise therapy in patients with patellofemoral pain syndrome: results from a single-blinded randomized controlled trial with 12 months follow-up. *Physiotherapy*; 99(4):311–6.
30. Petersen W, Ellermann A, Rembitzki IV et al., 2014. The Patella Pro study – effect of a knee brace on patellofemoral pain syndrome: design of a randomized clinical trial *BMC Musculoskelet Disord.*; 15: 200.
31. Rathleff M.S., Roos E.M., Olesen J.L., Rasmussen S., 2015. Exercise during school hours when added to patient education improves outcome for 2 years in adolescent patellofemoral pain: a cluster randomised trial. *Br J Sports Med.*; 49(6):406–12.
32. Riva J.J., Malik K.M.P., Burnie S.J., Endicott A.R., Busse J.W., 2012. What is your research question? An introduction to the PICOT format for clinicians. *J Can Chiropr Assoc.*; 56(3): 167–171.
33. Saltychev M, Dutton RA, Laimi K, Beaupré GS, Virolainen P, Fredericson M, 2018. Effectiveness of conservative treatment for patellofemoral pain syndrome: A systematic review and meta-analysis. *J Rehabil Med.*; 50(5):393–401.
34. Sisk D., Fredericson M., 2019. Update of Risk Factors, Diagnosis, and Management of Patellofemoral Pain. *Curr Rev Musculoskelet Med.*; 12(4):534–541.
35. Smith R.M., Boden B.P., Sheehan F.T., 2018. Increased Patellar Volume/Width and Decreased Femoral Trochlear Width Are Associated With Adolescent Patellofemoral Pain. *Clin Orthop Relat Res.*; 476(12):2334–2343.
36. Smith B.E., Hendrick P., Bateman M. et al., 2019. A loaded self-managed exercise programme for patellofemoral pain: a mixed methods feasibility study. *BMC Musculoskelet Disord* 20, 129.
37. Willy R.W., Høglund L.T., Barton C.J. et al., 2019. Clinical Practice Guidelines Linked to the International Classification of Functioning, Disability and Health From the Academy of Orthopaedic Physical Therapy of the American Physical Therapy Association, *Journal of Orthopaedic & Sports Physical Therapy*; 49(9):9.

Literatur zum Beitrag

Christian Fink, Elisabeth Abermann, Mirco Herbort:

Minimal invasive Rekonstruktion des medialen patellofemorales Ligaments (MPFL) mit der Quadrizepssehne

1. Bollier M, Fulkerson J, et al. (2011). Technical failure of medial patellofemoral ligament reconstruction. *Arthroscopy* 27(8): 1153–1159
2. Christiansen SE, Jacobsen BW, et al. (2008). Reconstruction of the medial patellofemoral ligament with gracilis tendon autograft in transverse patellar drill holes. *Arthroscopy* 24(1): 82–87
3. Fink C, Steensen R, Gföller P, Lawton R. (2018) Quadriceps Tendon Autograft Medial Patellofemoral Ligament Reconstruction. *Curr Rev Musculoskeletal Med.* Jun; 11(2):209–220
4. Fink C, Veselko M, Herbort M, Hoser C. (2014) MPFL reconstruction using a quadriceps tendon graft: part 2: operative technique and short term clinical results. *Knee* 21(6):1175–1179
5. Fink C, Veselko M, Herbort M, Hoser C. (2014) Minimally invasive reconstruction of the medial patellofemoral ligament using quadriceps tendon. *Arthrosc Tech* 12; 3(3): 325–329
6. Fisher, B., J. Nyland, et al. (2010). Medial patellofemoral ligament reconstruction for recurrent patellar dislocation: a systematic review including rehabilitation and return-to-sports efficacy. *Arthroscopy* 26(10): 1384–1394
7. Frosch K-H, Schmeling A (2016) A new classification system of patellar instability and patellar maltracking. *Archives of orthopaedic and trauma surgery* 136:485–497
8. Gföller P, Hoser C, Runer A, Abermann E, Wierer G, Fink C (2019) Medial patellofemoral ligament (MPFL) reconstruction using quadriceps tendon autograft provides good clinical, functional and patient-reported outcome measurements (PROM): a 2-year prospective study. *Knee Surg Sports Traumatol Arthrosc* 27(8):2426–2432
9. Herbort M, Hoser C, Domnick C, Raschke MJ, Lenschow S, Weimann A, Kösters C, Fink C (2014) MPFL reconstruction using a quadriceps tendon graft: part 1: biomechanical properties of quadriceps tendon MPFL reconstruction in comparison to the Intact MPFL. A human cadaveric study. *Knee* 21(6):1169–1174
10. Herbst E, Hoser C, Hildebrandt C, Raschner C, Hepperger C, Pointner H, Fink C (2015). Functional assessments for decision-making regarding return to sports following ACL reconstruction. Part II: clinical application of a new test battery. *Knee Surg Sports Traumatol Arthrosc* 23(5):1283–1291
11. Macura M, Veselko M. (2010) Simultaneous reconstruction of ruptured anterior cruciate ligament and medial patellofemoral ligament with ipsilateral quadriceps grafts. *Arthroscopy* 26(9):1258–1262
12. Maeno S, Hashimoto D et al. (2010). Medial patellofemoral ligament reconstruction with hanger lifting procedure. *Knee Surg Sports Traumatol Arthrosc* 18(2): 157–160
13. Matthews JJ, Schranz P (2010). Reconstruction of the medial patellofemoral ligament using a longitudinal patellar tunnel technique. *Int Orthop* 34(8): 1321–1325
14. Noyes FR, Albright JC (2006). Reconstruction of the medial patellofemoral ligament with autologous quadriceps tendon. *Arthroscopy* 22(8): 904 e901–907
15. LeGrand AB, Greis PE et al. (2007). MPFL reconstruction. *Sports Med Arthrosc* 2: 72–77
16. Lenschow S, Schliemann B et al. (2013) Medial patellofemoral ligament reconstruction: fixation strength of 5 different techniques for graft fixation at the patella. *Arthroscopy* 29(4):766–773
17. Nelitz M, Dornacher D et al. (2011) The relation of the distal femoral physis and the medial patellofemoral ligament. *Knee Surg Sports Traumatol Arthrosc* 19(12):2067–2071
18. Schöttle, P, Schmeling A et al. (2009). Anatomical reconstruction of the medial patellofemoral ligament using a free gracilis autograft. *Arch Orthop Trauma Surg* 129(3): 305–309
19. Schöttle P, Hensler D et al. (2010). Anatomical double-bundle MPFL reconstruction with an aperture fixation. *Knee Surg Sports Traumatol Arthrosc* 18(2): 147–151
20. Shah JN, Howard JS et al. (2012) A Systematic Review of Complications and Failures Associated With Medial Patellofemoral Ligament Reconstruction for Recurrent Patellar Dislocation. *Am J Sports Med* 40(8):1916–1923
21. Steensen, RN, Dopirak RM, Maurus PB. (2005) A simple technique for reconstruction of the medial patellofemoral ligament using a quadriceps tendon graft. *Arthroscopy* 21(3): 365–370

Literatur zum Beitrag

Lars Victor Engelhardt, Jörg Jerosch:

Indikationen und Technik einer kombinierten MPFL- und Trochleoplastik

1. Ahmad CS, McCarthy M, Gomez JA, Shubin Stein BE. The moving patellar apprehension test for lateral patellar instability. *Am J Sports Med* 2009; 37(4):791–796
2. Amis AA, Firer P, Mountney J, Senavongse W, Thomas NP. Anatomy and biomechanics of the medial patellofemoral ligament. *Knee* 2003; 10: 215–220
3. Amis AA, Oguz C, Bull AM, Senavongse W, Dejour D. The effect of trochleoplasty on patellar stability and kinematics: a biomechanical study in vitro. *J Bone Joint Surg Br* 2008; 90: 864–869
4. Arendt EA, Moeller A, Agel J. Clinical outcomes of medial patellofemoral ligament repair in recurrent (chronic) lateral patella dislocations. *Knee Surg Sports Traumatol Arthrosc* 2011; 19: 1909–1914
5. Banke IJ, Kohn LM, Meidinger G, et al. Combined trochleoplasty and MPFL reconstruction for treatment of chronic patellofemoral instability: a prospective minimum 2-year follow-up study. *Knee Surg Sports Traumatol Arthrosc* 2014; 22: 2591–2598
6. Blønd L. Arthroscopic deepening trochleoplasty for chronic anterior knee pain after previous failed conservative and arthroscopic treatment. Report of two cases. *Int J Surg Case Rep* 2017; 40: 63–68
7. Blønd L, Haugegaard M. Combined arthroscopic deepening trochleoplasty and reconstruction of the medial patellofemoral ligament for patients with recurrent patella dislocation and trochlear dysplasia. *Knee Surg Sports Traumatol Arthrosc* 2014; 22: 2484–2490
8. Camathias C, Studer K, Kiapour A, Rutz E, Vavken P. Trochleoplasty as a Solitary Treatment for Recurrent Patellar Dislocation Results in Good Clinical Outcome in Adolescents. *Am J Sports Med* 2016; 44: 2855–2863
9. Chouteau J. Surgical reconstruction of the medial patellofemoral ligament. *Orthop Traumatol Surg Res* 2016; 102(1): 189–194
10. Dejour D, Byn P, Ntagiopoulos PG. The Lyon's sulcus-deepening trochleoplasty in previous unsuccessful patellofemoral surgery. *Int Orthop* 2013; 37: 433–439
11. Dejour H, Walch G, Nove-Josserand L, Guier C. Factors of patellar instability: an anatomic radiographic study. *Knee Surg Sports Traumatol Arthrosc* 1994; 2(1): 19–26
12. Dhinsa BS, Bhamra JS, James C, Dunnet W, Zahn H. Patella fracture after medial patellofemoral ligament reconstruction using suture anchors. *Knee* 2013; 20: 605–608
13. Donell ST, Joseph G, Hing CB, Marshall TJ. Modified Dejour trochleoplasty for severe dysplasia: operative technique and early clinical results. *Knee* 2006; 13: 266–273
14. Fucntese SF, Schöttle PB, Pfirrmann CW, Romero J. CT changes after trochleoplasty for symptomatic trochlear dysplasia. *Knee Surg Sports Traumatol Arthrosc* 2007; 15: 168–174
15. Fucntese SF, Zingg PO, Schmitt J, Pfirrmann CW, Meyer DC, Koch PP. Classification of trochlear dysplasia as predictor of clinical outcome after trochleoplasty. *Knee Surg Sports Traumatol Arthrosc* 2011; 19: 1655–1661
16. Grelsamer RP, Dejour D, Gould J. The pathophysiology of patellofemoral arthritis. *Orthop Clin North Am* 2008; 39: 269–274
17. Herschel R, Hasler A, Tscholl PM, Fucntese SF. Visual-palpatory versus fluoroscopic intraoperative determination of the femoral entry point in medial patellofemoral ligament reconstruction. *Knee Surg Sports Traumatol Arthrosc* 2017; 25(8): 2545–2549
18. Lippacher S, Dejour D, Elsharkawi M, et al. Observer agreement on the Dejour trochlear dysplasia classification: a comparison of true lateral radiographs and axial magnetic resonance images. *Am J Sports Med* 2012; 40: 837–843
19. Lippacher S, Dreyhaupt J, Williams SR, Reichel H, Nelitz M. Reconstruction of the Medial Patellofemoral Ligament: Clinical Outcomes and Return to Sports. *Am J Sports Med* 2014; 42(7): 1661–1668
20. Maenpaa H, Lehto MU. Patellofemoral osteoarthritis after patellar dislocation. *Clin Orthop Relat Res* 1997; 339: 156–162
21. Metcalfe AJ, Clark DA, Kemp MA, Eldridge JD. Trochleoplasty with a flexible osteochondral flap: results from an 11-year series of 214 cases. *Bone Joint J* 2017; 99: 344–350
22. Naendrup JH, Marche B, de Sa D, et al. Vancomycin-soaking of the graft reduces the incidence of septic arthritis following ACL reconstruction: results of a systematic review and meta-analysis. *Knee Surg Sports Traumatol Arthrosc* 2019; Jan 17 [Epub ahead of print]
23. Nelitz M, Dreyhaupt J, Lippacher S. Combined trochleoplasty and medial patellofemoral ligament reconstruction for recurrent patellar dislocations in severe trochlear dysplasia: a minimum 2-year follow-up study. *Am J Sports Med* 2013; 41: 1005–1012
24. Nelitz M, Dreyhaupt J, Williams SR, Dornacher D. Combined supracondylar femoral derotation osteotomy and patellofemoral ligament reconstruction for recurrent patellar dislocation and severe femoral anteversion syndrome: surgical technique and clinical outcome. *Int Orthop* 2015; 39(12): 2355–2362
25. Nelitz M, Williams RS, Lippacher S, Reichel H, Dornacher D. Analysis of failure and clinical outcome after unsuccessful medial patellofemoral ligament reconstruction in young patients. *Int Orthop* 2014; 38: 2265–2272
26. Nomura E, Horiuchi Y, Inoue M. Correlation of MR imaging findings and open exploration of medial patellofemoral ligament injuries in acute patellar dislocations. *Knee* 2002; 9: 139–143
27. Ren B, Zhang X, Zhang L, et al. Isolated trochleoplasty for recurrent patellar dislocation has lower outcome and higher residual instability compared with combined MPFL- and trochleoplasty: a systematic review. *Arch Orthop Trauma Surg* 2019; 139(11): 1617–1624
28. Sanchis-Alfonso V, Coloma-Saiz J, Herrero-Herrero M, Prades-Piñón J,

- Ramírez-Fuentes C. Evaluation of anterior knee pain patient: clinical and radiological assessment including psychological factors. *Annals of Joint* 2018; 3: 26
29. Schöttle PB, Fucentese SF, Pfirrmann C, Bereiter H, Romero J. Trochleoplasty for patellar instability due to trochlear dysplasia: A minimum 2-year clinical and radiological follow-up of 19 knees. *Acta Orthop* 2005; 76: 693–698
30. Schöttle PB, Schell H, Duda G, Weiler A. Cartilage viability after trochleoplasty. *Knee Surg Sports Traumatol Arthrosc* 2007; 15(2): 161–167
31. Schöttle PB, Schmeling A, Rosenstiel N, Weiler A. Radiographic landmarks for femoral tunnel placement in medial patellofemoral ligament reconstruction. *Am J Sports Med* 2007; 35(5): 801–804
32. Schuttler KF, Struwer J, Roessler PP, et al. Patellofemoral osteoarthritis after insall's proximal realignment for recurrent patellar dislocation. *Knee Surg Sports Traumatol Arthrosc* 2013; 22: 2623–2628
33. Servien E, Fritsch B, Lustig S, et al. In vivo positioning analysis of medial patellofemoral ligament reconstruction. *Am J Sports Med* 2011; 39(1): 134–139
34. Shah JN, Howard JS, Flanigan DC, Brophy RH, Carey JL, Lattermann C. A systematic review of complications and failures associated with medial patellofemoral ligament reconstruction for recurrent patellar dislocation. *Am J Sports Med* 2012; 40: 1916–1923
35. Steiner TM, Torga-Spak R, Teitge RA. Medial patellofemoral ligament reconstruction in patients with lateral patellar instability and trochlear dysplasia. *Am J Sports Med* 2006; 34(8): 1254–1261
36. Stephen JM, Kaider D, Lumpaopong P, Deehan DJ, Amis AA. The effect of femoral tunnel position and graft tension on patellar contact mechanics and kinematics after medial patellofemoral ligament reconstruction. *Am J Sports Med* 2014; 42(2): 364–372
37. Stuberger W, Temme J, Kaplan P, Clarke A, Fuchs R. Measurement of tibial torsion and thigh-foot angle using goniometry and computed tomography. *Clin Orthop* 1991; 272: 208–212
38. Tanner SM, Garth WP Jr, Soileau R, Lemons JE. A modified test for patellar instability: the biomechanical basis. *Clin J Sport Med* 2003; 13(6): 327–338
39. Thauinat M, Erasmus PJ. The favourable anisometry: an original concept for medial patellofemoral ligament reconstruction. *Knee* 2007; 14(6): 424–428
40. Utting MR, Mulford JS, Eldridge JD. A prospective evaluation of trochleoplasty for the treatment of patellofemoral dislocation and instability. *J Bone Joint Surg Br* 2008; 90: 180–185
41. Vollnberg B, Koehlytz T, Jung T, et al. Prevalence of cartilage lesions and early osteoarthritis in patients with patellar dislocation. *Eur Radiol* 2012; 22: 2347–2356
42. von Engelhardt LV, Fuchs T, Weskamp P, Jerosch J. Effective patellofemoral joint stabilization and low complication rates using a hardware-free MPFL reconstruction technique with an intra-operative adjustment of the graft tension. *Knee Surg Sports Traumatol Arthrosc* 2018; 26(9): 2750–2757
43. von Engelhardt LV, Raddatz M, Bouillon B, et al. How reliable is MRI in diagnosing cartilaginous lesions in patients with first and recurrent lateral patellar dislocations? *BMC Musculoskelet Disord* 2010; 11: 149
44. von Engelhardt LV, Weskamp P, Lahner M, Spahn G, Jerosch J. Deepening trochleoplasty combined with balanced medial patellofemoral ligament reconstruction for an adequate graft tensioning. *World J Orthop* 2017; 8(12): 935–945
45. von Knoch F, Bohm T, Burgi ML, von Knoch M, Bereiter H. Trochleoplasty for recurrent patellar dislocation in association with trochlear dysplasia. A 4- to 14-year follow-up study. *J Bone Joint Surg Br* 2006; 88(10): 1331–1335
46. Wagner D, Pfalzer F, Hingelbaum S, Huth J, Mauch F, Bauer G. The influence of risk factors on clinical outcomes following anatomical medial patellofemoral ligament (MPFL) reconstruction using the gracilis tendon. *Knee Surg Sports Traumatol Arthrosc* 2013; 21: 318–324
47. Wasiak J, Feller JA, Richmond AK. Medial patellofemoral ligament reconstruction as an isolated or combined procedure for recurrent patellar instability. *Knee Surg Sports Traumatol Arthrosc* 2014; 22(10): 2470–2476

Literatur zum Beitrag

Jannik Frings, Matthias Krause, Karl-Heinz Frosch:

Komplikationen und Revisionsstrategie nach Trochleoplastik

- Arendt EA, Askenberger M, Agel J, Tompkins MA: Risk of redislocation after primary patellar dislocation: A clinical prediction model based on magnetic resonance imaging variables. *Am J Sports Med* 2018; 46: 3385–3390
- Balcarek P, Oberthur S, Hopfensitz S, Frosch S, Walde TA, Wachowski MM et al.: Which patellae are likely to redislocate? *Knee Surg Sports Traumatol Arthrosc* 2014; 22: 2308–2314
- Banke IJ, Kohn LM, Meidinger G, Otto A, Hensler D, Beitzel K et al.: Combined trochleoplasty and MPFL reconstruction for treatment of chronic patellofemoral instability: a prospective minimum 2-year follow-up study. *Knee Surg Sports Traumatol Arthrosc* 2014; 22: 2591–2598
- Blond L, Haugegaard M: Combined arthroscopic deepening trochleoplasty and reconstruction of the medial patellofemoral ligament for patients with recurrent patella dislocation and trochlear dysplasia. *Knee Surg Sports Traumatol Arthrosc* 2014; 22: 2484–2490
- Camathias C, Studer K, Kiapour A, Rutz E, Vavken P: Trochleoplasty as a solitary treatment for recurrent patellar dislocation results in good clinical outcome in adolescents. *Am J Sports Med* 2016; 44: 2855–2863
- Carstensen SE, Feeley SM, Diduch DR: Manipulation under anesthesia with lysis of adhesions is effective in arthrofibrosis after sulcus-deepening trochleoplasty: a prospective study. *Orthop J Sports Med* 2019; 7: 2325967119864868
- Dejour H, Walch G, Nove-Josserand L, Guier C: Factors of patellar instability: an anatomic radiographic study. *Knee Surg Sports Traumatol Arthrosc* 1994; 2: 19–26
- Frings J, Krause M, Akoto R, Wohlmuth P, Frosch KH: Combined distal femoral osteotomy (DFO) in genu valgum leads to reliable patellar stabilization and an improvement in knee function. *Knee Surg Sports Traumatol Arthrosc* 2018; 26: 3572–3581
- Frings J, Krause M, Wohlmuth P, Akoto R, Frosch KH: Influence of patient-related factors on clinical outcome of tibial tubercle transfer combined with medial patellofemoral ligament reconstruction. *Knee* 2018; 25: 1157–1164
- Frosch KH, Schmeling A: A new classification system of patellar instability and patellar maltracking. *Arch Orthop Trauma Surg* 2016; 136: 485–497
- Fucetese SF, Zingg PO, Schmitt J, Pfirrmann CW, Meyer DC, Koch PP: Classification of trochlear dysplasia as predictor of clinical outcome after trochleoplasty. *Knee Surg Sports Traumatol Arthrosc* 2011; 19: 1655–1661
- Hopper GP, Leach WJ, Rooney BP, Walker CR, Blyth MJ: Does degree of trochlear dysplasia and position of femoral tunnel influence outcome after medial patellofemoral ligament reconstruction? *Am J Sports Med* 2014; 42: 716–722
- Jaquith BP, Parikh SN: Predictors of recurrent patellar instability in children and adolescents after first-time dislocation. *J Pediatr Orthop* 2017; 37: 484–490
- Laidlaw MS, Feeley SM, Ruland JR, Diduch DR: Sulcus-deepening trochleoplasty and medial patellofemoral ligament reconstruction for recurrent patellar instability. *Arthrosc Tech* 2018; 7: e113–e123
- Longo UG, Vincenzo C, Mannering N, Ciuffreda M, Salvatore G, Bertoni A, et al.: Trochleoplasty techniques provide good clinical results in patients with trochlear dysplasia. *Knee Surg Sports Traumatol Arthrosc* 2018; 26: 2640–2658
- Metcalfe AJ, Clark DA, Kemp MA, Eldridge JD: Trochleoplasty with a flexible osteochondral flap: results from an 11-year series of 214 cases. *Bone Joint J* 2017; 99-B: 344–350
- Nelitz M, Dreyhaupt J, Lippacher S: Combined trochleoplasty and medial patellofemoral ligament reconstruction for recurrent patellar dislocations in severe trochlear dysplasia: a minimum 2-year follow-up study. *Am J Sports Med* 2013; 41: 1005–1012
- Nelitz M, Lippacher S, Reichel H, Dornacher D: Evaluation of trochlear dysplasia using MRI: correlation between the classification system of Dejour and objective parameters of trochlear dysplasia. *Knee Surg Sports Traumatol Arthrosc* 2014; 22: 120–127
- Pfirrmann CW, Zanetti M, Romero J, Hodler J: Femoral trochlear dysplasia: MR findings. *Radiology* 2000; 216: 858–864
- Ren B, Zhang X, Zhang L, Zhang M, Liu Y, Tian B, et al.: Isolated trochleoplasty for recurrent patellar dislocation has lower outcome and higher residual instability compared with combined MPFL and trochleoplasty: a systematic review. *Arch Orthop Trauma Surg* 2019; 139: 1617–1624
- Rouanet T, Gougeon F, Fayard JM, Remy F, Migaud H, Pasquier G: Sulcus deepening trochleoplasty for patellofemoral instability: A series of 34 cases after 15-year postoperative follow-up. *Orthop Traumatol Surg Res* 2015; 101: 443–447
- Salonen EE, Magga T, Sillanpaa PJ, Kiekara T, Maenpaa H, Mattila VM: Traumatic patellar dislocation and cartilage injury: a follow-up study of long-term cartilage deterioration. *Am J Sports Med* 2017; 45: 1376–1382
- Schottle PB, Fucetese SF, Pfirrmann C, Bereiter H, Romero J: Trochleoplasty for patellar instability due to trochlear dysplasia: a minimum 2-year clinical and radiological follow-up of 19 knees. *Acta Orthop* 2005; 76: 693–698
- Schottle PB, Romero J, Schmeling A, Weiler A: Anatomical reconstruction of the medial patellofemoral ligament using a free gracilis autograft. *Arch Orthop Trauma Surg* 2008; 128: 479–484
- Song GY, Hong L, Zhang H, Zhang J, Li X, Li Y et al.: Trochleoplasty versus nontrochleoplasty procedures in treating patellar instability caused by severe trochlear dysplasia. *Arthroscopy* 2014; 30: 523–532
- Stefanik JJ, Zumwalt AC, Segal NA, Lynch JA, Powers CM: Association between measures of patella height, morphologic features of the trochlea, and patellofemoral joint alignment: the MOST study. *Clin Orthop Relat Res* 2013; 471: 2641–2648
- van Sambeek JDP, van de Groes SAW, Verdonschot N, Hannink G:

Trochleoplasty procedures show complication rates similar to other patellar-stabilizing procedures. *Knee Surg Sports Traumatol Arthrosc* 2018; 26: 2841–2857

28. Verdonk R, Jansegers E, Stuyts B: Trochleoplasty in dysplastic knee trochlea. *Knee Surg Sports Traumatol Arthrosc* 2005; 13: 529–533

29. von Knoch F, Bohm T, Burgi ML, von Knoch M, Bereiter H: Trochleoplasty for recurrent patellar dislocation in association with trochlear dysplasia. A 4- to 14-year follow-up study. *J Bone Joint Surg Br* 2006; 88: 1331–1335

30. Zaffagnini S, Previtali D, Tamborini S, Pagliuzzi G, Filardo G, Candrian C:

Recurrent patellar dislocations: trochleoplasty improves the results of medial patellofemoral ligament surgery only in severe trochlear dysplasia. *Knee Surg Sports Traumatol Arthrosc* 2019; 27:

Literatur zum Beitrag

Kai Fehske:

Operative Therapie von Patella-Frakturen

1. Bonazza NA, Lewis GS, Lukosius EZ et al. (2018) Effect of Transosseous Tunnels on Patella Fracture Risk After Medial Patellofemoral Ligament Reconstruction: A Cadaveric Study. *Arthroscopy* 34:513–518
2. Bostrom A (1972) Fracture of the patella. A study of 422 patellar fractures. *Acta Orthop Scand Suppl* 143:1–80
3. Carpenter JE, Kasman RA, Patel N et al. (1997) Biomechanical evaluation of current patella fracture fixation techniques. *J Orthop Trauma* 11:351–356
4. Cho JH (2013) Percutaneous cannulated screws with tension band wiring technique in patella fractures. *Knee Surg Relat Res* 25:215–219
5. Ellwein A, Lill H, Deyhazra RO et al. (2019) Outcomes after locked plating of displaced patella fractures: a prospective case series. *Int Orthop* 43:2807–2815
6. Gehr J, Friedl W (2001) Probleme der Zuggurtungsosteosynthese von Patellafrakturen und deren Konsequenzen für weitere Implantatentwicklungen. *Chirurg* 72:1309–1317; discussion 1317–1308
7. John J, Wagner WW, Kuiper JH (2007) Tension-band wiring of transverse fractures of patella. The effect of site of wire twists and orientation of stainless steel wire loop: a biomechanical investigation. *Int Orthop* 31:703–707
8. Konan S, Sandiford N, Unno F et al. (2016) Periprosthetic fractures associated with total knee arthroplasty: an update. *Bone Joint J* 98-B:1489–1496
9. Labitzke R (1977) Laterale Zuggurtung – sofort belastungsstabile Osteosynthese der Patellafraktur. *Arch Orthop Unfallchir* 90:77–87
10. Labitzke R (1997) Zuggurtungen – Richtiges und Falsches am Beispiel der Patellafraktur. *Chirurg* 68:638–642
11. Lazaro LE, Cross MB, Lorich DG (2014) Vascular anatomy of the patella: implications for total knee arthroplasty surgical approaches. *Knee* 21:655–660
12. Lazaro LE, Wellman DS, Pardee NC et al. (2013) Effect of computerized tomography on classification and treatment plan for patellar fractures. *J Orthop Trauma* 27:336–344
13. Lazaro LE, Wellman DS, Sauro G et al. (2013) Outcomes after operative fixation of complete articular patellar fractures: assessment of functional impairment. *J Bone Joint Surg Am* 95:e96 91–98
14. Lebrun CT, Langford JR, Sagi HC (2012) Functional outcomes after operatively treated patella fractures. *J Orthop Trauma* 26:422–426
15. Lennox IA, Cobb AG, Knowles J et al. (1994) Knee function after patellectomy. A 12- to 48-year follow-up. *J Bone Joint Surg Br* 76:485–487
16. Levack B, Flannagan JP, Hobbs S (1985) Results of surgical treatment of patellar fractures. *J Bone Joint Surg Br* 67:416–419
17. Ling M, Zhan S, Jiang D et al. (2019) Where should Kirschner wires be placed when fixing patella fracture with modified tension-band wiring? A finite element analysis. *J Orthop Surg Res* 14:14
18. Lotke PA, Ecker ML (1981) Transverse fractures of the patella. *Clin Orthop Relat Res*:180–184
19. Mc LH (1947) Repair of major tendon ruptures by buried removable suture. *Am J Surg* 74:758–764
20. Mcgreal G, Reidy D, Joy A et al. (1999) The biomechanical evaluation of polyester as a tension band for the internal fixation of patellar fractures. *J Med Eng Technol* 23:53–56
21. Me M, M A, R S (1990) *Manual of internal fixation: Techniques recommended by the AO-ASIF*. Springer, Heidelberg
22. Mehdi M, Husson JL, Polard JL et al. (1999) Resultats du traitement des fractures de la rotule par haubanage pre-rotulien. Analyse d'une serie de 203 cas. *Acta Orthop Belg* 65:188–196
23. Moore TB, Sampathi BR, Zamorano DP et al. (2018) Fixed angle plate fixation of comminuted patellar fractures. *Injury* 49:1203–1207
24. Muller EC, Frosch KH (2019) Patellafrakturen. *Chirurg* 90:243–254
25. Pesch S, Kirchhoff K, Biberthaler P et al. (2019) Patellafrakturen. *Unfallchirurg* 122:225–237
26. Scolaro J, Bernstein J, Ahn J (2011) Patellar fractures. *Clin Orthop Relat Res* 469:1213–1215
27. Smith ST, Cramer KE, Karges DE et al. (1997) Early complications in the operative treatment of patella fractures. *J Orthop Trauma* 11:183–187
28. Sorensen KH (1964) The Late Prognosis after Fracture of the Patella. *Acta Orthop Scand* 34:198–212
29. Taylor BC, Mehta S, Castaneda J et al. (2014) Plating of patella fractures: techniques and outcomes. *J Orthop Trauma* 28:e231–235
30. Torchia ME, Lewallen DG (1996) Open fractures of the patella. *J Orthop Trauma* 10:403–409
31. Weber MJ, Janecki CJ, Mcleod P et al. (1980) Efficacy of various forms of fixation of transverse fractures of the patella. *J Bone Joint Surg Am* 62:215–220
32. Wild M, Windolf J, Flohé S (2010) Patellafrakturen. *Der Unfallchirurg* 113:401–412
33. Wright PB, Kosmopoulos V, Cote RE et al. (2009) FiberWire is superior in strength to stainless steel wire for tension band fixation of transverse patellar fractures. *Injury* 40:1200–1203
34. Wurm S, Augat P, Buhren V (2015) Biomechanical Assessment of Locked Plating for the Fixation of Patella Fractures. *J Orthop Trauma* 29:e305–308
35. Zderic I, Stoffel K, Sommer C et al. (2017) Biomechanical evaluation of the tension band wiring principle. A comparison between two different techniques for transverse patella fracture fixation. *Injury* 48:1749–1757

Literatur zum Beitrag

Daniel Paech, Erhan Basad, Laurent Kintzelé:

Radiologische Diagnostik und Klassifikationen femuropatellarer Dysplasien

1. Dejour, H., et al., Factors of patellar instability: an anatomic radiographic study. *Knee Surgery, Sports Traumatology, Arthroscopy*, 1994. 2(1): p. 19–26.
2. Kim, Y.-M., Y.-B. Joo, Patellofemoral osteoarthritis. *Knee surgery & related research*, 2012. 24(4): p. 193.
3. Schmeling, A., Aktuelle Aspekte der patellofemorale Instabilität. 2010: Stiftung zur Förderung der Arthroskopie.
4. Berruto, M., et al., Patellofemoral instability: classification and imaging. *Joints*, 2013. 1(2): p. 7.
5. Koëter, S., et al., Minimal rotation aberrations cause radiographic misdiagnosis of trochlear dysplasia. *Knee Surgery, Sports Traumatology, Arthroscopy*, 2006. 14(8): p. 713–717.
6. Lippacher, S., et al., Observer agreement on the Dejour trochlear dysplasia classification: a comparison of true lateral radiographs and axial magnetic resonance images. *The American journal of sports medicine*, 2012. 40(4): p. 837–843.
7. Insall, J., E. Salvati E, Patella position in the normal knee joint. *Radiology*, 1971. 101(1): p. 101–104.
8. Laukenmann, S., Messverfahren und Klassifikationen in der muskuloskeletalen Radiologie Waldt, Eiber, Wörtler Thieme Verlag, 2011
9. Shabshin, N., et al., MRI criteria for patella alta and baja. *Skeletal Radiology*, 2004. 33(8): p. 445–450.
10. Waldt, S., Rummeny E, Bildgebung der patellofemorale Instabilität. *Der Radiologe*, 2012. 52(11): p. 1003–1011.
11. Laurin, C.A., et al., The abnormal lateral patellofemoral angle: a diagnostic roentgenographic sign of recurrent patellar subluxation. *The Journal of bone and joint surgery. American volume*, 1978. 60(1): p. 55–60.
12. Wiberg, G., Roentgenographic and anatomic studies on the femoropatellar joint. With special reference to chondromalacia patellae. *Acta orthop scand*, 1941. 12: p. 319–410.
13. Baumgartl, F., Das Kniegelenk: Erkrankungen, Verletzungen und ihre Behandlung mit Hinweisen für die Begutachtung. 2013: Springer-Verlag.
14. Strobl, W., F. Grill, Die Patellaluxation. *Der Orthopäde*, 1998. 27(3): p. 197–205.
15. Schaer, H, Die Patella partita, in Ergebnisse der Chirurgie und Orthopädie: Siebenundzwanzigster Band, E. Payr and M. Kirschner, Editors. 1934, Springer Berlin Heidelberg: Berlin, Heidelberg. p. 1–53.
16. Bennett, G.E., Operation for hypertrophied patella. *JBJS*, 1922. 4(3): p. 593–599.
17. Scott, J, W.S. Taor, The “small patella” syndrome. *The Journal of bone and joint surgery. British volume*, 1979. 61(2): p. 172–175.
18. Dejour, D, Le Coultre, B, Osteotomies in patello-femoral instabilities. *Sports medicine and arthroscopy review*, 2018. 26(1): p. 8–15.
19. Dejour, D., Saggin P, The sulcus deepening trochleoplasty—the Lyon’s procedure. *International orthopaedics*, 2010. 34(2): p. 311–316.
20. Goutallier, D., Bernageau J, Lecudonnet, B, The measurement of the tibial tuberosity. Patella groove distanced technique and results (author’s transl). *Revue de chirurgie orthopédique et réparatrice de l’appareil moteur*, 1978. 64(5): p. 423–428.
21. Schoettle, P.B., et al., The tibial tuberosity–trochlear groove distance; a comparative study between CT and MRI scanning. *The Knee*, 2006. 13(1): p. 26–31.
22. Williams, A.A., et al., The relationship between tibial tuberosity–trochlear groove distance and abnormal patellar tracking in patients with unilateral patellar instability. *Arthroscopy: The Journal of Arthroscopic & Related Surgery*, 2016. 32(1): p. 55–61.

Literatur zum Beitrag

Daniel Paech, Erhan Basad, Laurent Kintzelé:

Radiologische Diagnostik und Klassifikationen femuropatellarer Dysplasien

1. Dejour, H., et al., Factors of patellar instability: an anatomic radiographic study. *Knee Surgery, Sports Traumatology, Arthroscopy*, 1994. 2(1): p. 19–26.
2. Kim, Y.-M., Y.-B. Joo, Patellofemoral osteoarthritis. *Knee surgery & related research*, 2012. 24(4): p. 193.
3. Schmeling, A., Aktuelle Aspekte der patellofemorale Instabilität. 2010: Stiftung zur Förderung der Arthroscopie.
4. Berruto, M., et al., Patellofemoral instability: classification and imaging. *Joints*, 2013. 1(2): p. 7.
5. Koëter, S., et al., Minimal rotation aberrations cause radiographic misdiagnosis of trochlear dysplasia. *Knee Surgery, Sports Traumatology, Arthroscopy*, 2006. 14(8): p. 713–717.
6. Lippacher, S., et al., Observer agreement on the Dejour trochlear dysplasia classification: a comparison of true lateral radiographs and axial magnetic resonance images. *The American journal of sports medicine*, 2012. 40(4): p. 837–843.
7. Insall, J., E. Salvati E, Patella position in the normal knee joint. *Radiology*, 1971. 101(1): p. 101–104.
8. Laukenmann, S., Messverfahren und Klassifikationen in der muskuloskeletalen Radiologie Waldt, Eiber, Wörtler Thieme Verlag, 2011
9. Shabshin, N., et al., MRI criteria for patella alta and baja. *Skeletal Radiology*, 2004. 33(8): p. 445–450.
10. Waldt, S., Rummeny E, Bildgebung der patellofemorale Instabilität. *Der Radiologe*, 2012. 52(11): p. 1003–1011.
11. Laurin, C.A., et al., The abnormal lateral patellofemoral angle: a diagnostic roentgenographic sign of recurrent patellar subluxation. *The Journal of bone and joint surgery. American volume*, 1978. 60(1): p. 55–60.
12. Wiberg, G., Roentgenographic and anatomic studies on the femoropatellar joint. With special reference to chondromalacia patellae. *Acta orthop scand*, 1941. 12: p. 319–410.
13. Baumgartl, F., Das Kniegelenk: Erkrankungen, Verletzungen und ihre Behandlung mit Hinweisen für die Begutachtung. 2013: Springer-Verlag.
14. Strobl, W., F. Grill, Die Patellaluxation. *Der Orthopäde*, 1998. 27(3): p. 197–205.
15. Schaer, H, Die Patella partita, in Ergebnisse der Chirurgie und Orthopädie: Siebenundzwanzigster Band, E. Payr and M. Kirschner, Editors. 1934, Springer Berlin Heidelberg: Berlin, Heidelberg. p. 1–53.
16. Bennett, G.E., Operation for hypertrophied patella. *JBJS*, 1922. 4(3): p. 593–599.
17. Scott, J, W.S. Taor, The “small patella” syndrome. *The Journal of bone and joint surgery. British volume*, 1979. 61(2): p. 172–175.
18. Dejour, D, Le Coultre, B, Osteotomies in patello-femoral instabilities. *Sports medicine and arthroscopy review*, 2018. 26(1): p. 8–15.
19. Dejour, D., Saggin P, The sulcus deepening trochleoplasty—the Lyon’s procedure. *International orthopaedics*, 2010. 34(2): p. 311–316.
20. Goutallier, D., Bernageau J, Lecudonnet, B, The measurement of the tibial tuberosity. Patella groove distanced technique and results (author’s transl). *Revue de chirurgie orthopédique et réparatrice de l’appareil moteur*, 1978. 64(5): p. 423–428.
21. Schoettle, P.B., et al., The tibial tuberosity–trochlear groove distance; a comparative study between CT and MRI scanning. *The Knee*, 2006. 13(1): p. 26–31.
22. Williams, A.A., et al., The relationship between tibial tuberosity–trochlear groove distance and abnormal patellar tracking in patients with unilateral patellar instability. *Arthroscopy: The Journal of Arthroscopic & Related Surgery*, 2016. 32(1): p. 55–61.

Literatur zum Beitrag

Daniel Paech, Erhan Basad, Laurent Kintzelé:

Radiologische Diagnostik und Klassifikationen femuropatellarer Dysplasien

1. Dejour, H., et al., Factors of patellar instability: an anatomic radiographic study. *Knee Surgery, Sports Traumatology, Arthroscopy*, 1994. 2(1): p. 19–26.
2. Kim, Y.-M., Y.-B. Joo, Patellofemoral osteoarthritis. *Knee surgery & related research*, 2012. 24(4): p. 193.
3. Schmeling, A., Aktuelle Aspekte der patellofemorale Instabilität. 2010: Stiftung zur Förderung der Arthroskopie.
4. Berruto, M., et al., Patellofemoral instability: classification and imaging. *Joints*, 2013. 1(2): p. 7.
5. Koëter, S., et al., Minimal rotation aberrations cause radiographic misdiagnosis of trochlear dysplasia. *Knee Surgery, Sports Traumatology, Arthroscopy*, 2006. 14(8): p. 713–717.
6. Lippacher, S., et al., Observer agreement on the Dejour trochlear dysplasia classification: a comparison of true lateral radiographs and axial magnetic resonance images. *The American journal of sports medicine*, 2012. 40(4): p. 837–843.
7. Insall, J., E. Salvati E, Patella position in the normal knee joint. *Radiology*, 1971. 101(1): p. 101–104.
8. Laukenmann, S., Messverfahren und Klassifikationen in der muskuloskeletalen Radiologie Waldt, Eiber, Wörtler Thieme Verlag, 2011
9. Shabshin, N., et al., MRI criteria for patella alta and baja. *Skeletal Radiology*, 2004. 33(8): p. 445–450.
10. Waldt, S., Rummeny E, Bildgebung der patellofemorale Instabilität. *Der Radiologe*, 2012. 52(11): p. 1003–1011.
11. Laurin, C.A., et al., The abnormal lateral patellofemoral angle: a diagnostic roentgenographic sign of recurrent patellar subluxation. *The Journal of bone and joint surgery. American volume*, 1978. 60(1): p. 55–60.
12. Wiberg, G., Roentgenographic and anatomic studies on the femoropatellar joint. With special reference to chondromalacia patellae. *Acta orthop scand*, 1941. 12: p. 319–410.
13. Baumgartl, F., Das Kniegelenk: Erkrankungen, Verletzungen und ihre Behandlung mit Hinweisen für die Begutachtung. 2013: Springer-Verlag.
14. Strobl, W., F. Grill, Die Patellaluxation. *Der Orthopäde*, 1998. 27(3): p. 197–205.
15. Schaer, H, Die Patella partita, in Ergebnisse der Chirurgie und Orthopädie: Siebenundzwanzigster Band, E. Payr and M. Kirschner, Editors. 1934, Springer Berlin Heidelberg: Berlin, Heidelberg. p. 1–53.
16. Bennett, G.E., Operation for hypertrophied patella. *JBJS*, 1922. 4(3): p. 593–599.
17. Scott, J, W.S. Taor, The “small patella” syndrome. *The Journal of bone and joint surgery. British volume*, 1979. 61(2): p. 172–175.
18. Dejour, D, Le Coultre, B, Osteotomies in patello-femoral instabilities. *Sports medicine and arthroscopy review*, 2018. 26(1): p. 8–15.
19. Dejour, D., Saggin P, The sulcus deepening trochleoplasty—the Lyon’s procedure. *International orthopaedics*, 2010. 34(2): p. 311–316.
20. Goutallier, D., Bernageau J, Lecudonnet, B, The measurement of the tibial tuberosity. Patella groove distanced technique and results (author’s transl). *Revue de chirurgie orthopédique et réparatrice de l’appareil moteur*, 1978. 64(5): p. 423–428.
21. Schoettle, P.B., et al., The tibial tuberosity–trochlear groove distance; a comparative study between CT and MRI scanning. *The Knee*, 2006. 13(1): p. 26–31.
22. Williams, A.A., et al., The relationship between tibial tuberosity–trochlear groove distance and abnormal patellar tracking in patients with unilateral patellar instability. *Arthroscopy: The Journal of Arthroscopic & Related Surgery*, 2016. 32(1): p. 55–61.

Literatur zum Beitrag:

Michael Ruf, Deborah Schray, Gregor Ostrowski, Tobias Pitzen

Skoliose im Kindesalter (early onset scoliosis)

1. Akbarnia, B.A., et al., Dual growing rod technique followed for three to eleven years until final fusion: the effect of frequency of lengthening. *Spine (Phila Pa 1976)*, 2008. 33(9): p. 984–90
2. Akbarnia, B.A., et al., Next generation of growth-sparing techniques: preliminary clinical results of a magnetically controlled growing rod in 14 patients with early-onset scoliosis. *Spine (Phila Pa 1976)*, 2013. 38(8): p. 665–70
3. Berven S, Bradford DS. Neuromuscular scoliosis: causes of deformity and principles for evaluation and management. *Semin Neurol*. 2002;22(2):167–178
4. Bess, S., et al., Complications of growing-rod treatment for early-onset scoliosis: analysis of one hundred and forty patients. *J Bone Joint Surg Am*, 2010. 92(15): p. 2533–43
5. Campbell, R.M., Jr., VEPTR: past experience and the future of VEPTR principles. *Eur Spine J*, 2013. 22 Suppl 2(Suppl 2): p. S106–17
6. Charles, Y.P., et al., Progression risk of idiopathic juvenile scoliosis during pubertal growth. *Spine (Phila Pa 1976)*, 2006. 31(17): p. 1933–42
7. Dimeglio, A., Growth in pediatric orthopaedics. *J Pediatr Orthop*, 2001. 21(4): p. 549–55
8. Dimeglio, A., Canavese F, The growing spine: how spinal deformities influence normal spine and thoracic cage growth. *Eur Spine J*, 2012. 21(1): p. 64–70
9. Dimeglio A, Bonnel F. Growth of the spine. In Raimondi AJ (ed). *The pediatric spine, principles of pediatric neurosurgery*. Springer-Verlag 1989:39
10. Dobbs, M.B., et al., Prevalence of neural axis abnormalities in patients with infantile idiopathic scoliosis. *J Bone Joint Surg Am*, 2002. 84(12): p. 2230–4
11. El-Hawary, R. and B.A. Akbarnia, Early Onset Scoliosis – Time for Consensus. *Spine Deform*, 2015. 3(2): p. 105–106
12. Flynn, J.M., et al., Psychological dysfunction in children who require repetitive surgery for early onset scoliosis. *J Pediatr Orthop*, 2012. 32(6): p. 594–9
13. Gollogly, S., et al., The volume of lung parenchyma as a function of age: a review of 1050 normal CT scans of the chest with three-dimensional volumetric reconstruction of the pulmonary system. *Spine (Phila Pa 1976)*, 2004. 29(18): p. 2061–6.
14. Gupta, P., L.G. Lenke, and K.H. Bridwell, Incidence of neural axis abnormalities in infantile and juvenile patients with spinal deformity. Is a magnetic resonance image screening necessary? *Spine (Phila Pa 1976)*, 1998. 23(2): p. 206–10.
15. Karol, L.A., et al., Pulmonary function following early thoracic fusion in non-neuromuscular scoliosis. *J Bone Joint Surg Am*, 2008. 90(6): p. 1272–81.
16. Katz, D.E., et al., Brace wear control of curve progression in adolescent idiopathic scoliosis. *J Bone Joint Surg Am*, 2010. 92(6): p. 1343–52
17. Khoshbin, A., et al., Outcomes of bracing in juvenile idiopathic scoliosis until skeletal maturity or surgery. *Spine (Phila Pa 1976)*, 2015. 40(1): p. 50–5
18. McCarthy, R.E. and F.L. McCullough, Shilla Growth Guidance for Early-Onset Scoliosis: Results After a Minimum of Five Years of Follow-up. *J Bone Joint Surg Am*, 2015. 97(19): p. 1578–84
19. Mehta, M.H., Growth as a corrective force in the early treatment of progressive infantile scoliosis. *J Bone Joint Surg Br*, 2005. 87(9): p. 1237–47
20. Muirhead, A. and A.N. Conner, The assessment of lung function in children with scoliosis. *J Bone Joint Surg Br*, 1985. 67(5): p. 699–702
21. Pahys, J.M., A.F. Samdani, and R.R. Betz, Intraspinal anomalies in infantile idiopathic scoliosis: prevalence and role of magnetic resonance imaging. *Spine (Phila Pa 1976)*, 2009. 34(12): p. E434–8
22. Pehrsson, K., et al., Long-term follow-up of patients with untreated scoliosis. A study of mortality, causes of death, and symptoms. *Spine (Phila Pa 1976)*, 1992. 17(9): p. 1091–6.
23. Ridderbusch, K., et al., Preliminary Results of Magnetically Controlled Growing Rods for Early Onset Scoliosis. *J Pediatr Orthop*, 2017. 37(8): p. e575–e80.
24. Ruf, M., *Kongenitale Skoliose*, in *Wirbelsäule interdisziplinär*, F.M. Wolfgang Börm, Viola Bullmann, Christian Knop, Editor. 2017, Schattauer Verlag: Stuttgart. p. 369–74
25. Ruf, M., et al., Hemivertebra resection and osteotomies in congenital spine deformity. *Spine (Phila Pa 1976)*, 2009. 34(17): p. 1791–9.
26. Schreiber, S., et al., The effect of Schroth exercises added to the standard of care on the quality of life and muscle endurance in adolescents with idiopathic scoliosis-an assessor and statistician blinded randomized controlled trial: „SOSORT 2015 Award Winner“. *Scoliosis*, 2015. 10: p. 24
27. Stücker, R., [The growing spine : Normal and abnormal development]. *Orthopäde*, 2016. 45(6): p. 534–9
28. Teoh, K.H., et al., Metallosis following implantation of magnetically controlled growing rods in the treatment of scoliosis: a case series. *Bone Joint J*, 2016. 98-b(12): 1662–7
29. Thurlbeck, W.M., Postnatal human lung growth. *Thorax*, 1982. 37(8): p. 564–71
30. Weinstein, S.L., et al., Design of the Bracing in Adolescent Idiopathic Scoliosis Trial (BrAIST). *Spine (Phila Pa 1976)*, 2013. 38(21): p. 1832–41
31. Wilkinson, J.T., et al., Curve Modulation and Apex Migration Using Shilla Growth Guidance Rods for Early-onset Scoliosis at 5-Year Follow-up. *J Pediatr Orthop*, 2019. 39(8): p. 400–5

Literatur zum Beitrag

Tobias Pitzen, Ute Heiler, Holger Meinig, Michael Ruf:

Die komplizierte Halswirbelsäule

1. Ghogawala Z, Coumans JV, Benzell EC, Stabile LM, Barker FG. Ventral versus dorsal decompression for cervical spondylotic myelopathy: surgeons' assessment of eligibility for randomization in a proposed randomized controlled trial: results of a survey of the Cervical Spine Research Society. *Spine* 2007 Feb 15;32(4):429–36.
2. Lawrence BD, Jacobs WB, Norvell DC, Hermsmeyer JT, Chapman JR, Brodke DS. Anterior versus posterior approach for treatment of cervical spondylotic myelopathy: a systematic review. *Spine* 2013 Oct 15;38(22 Suppl 1): S173–82
3. Liu X, Min S, Zhang H, Zhou Z, Wang H, Jin A. Anterior corpectomy versus posterior laminoplasty for multilevel cervical myelopathy: a systematic review and meta-analysis. *Eur Spine J*. 2014 Feb;23(2):362–72
4. Ogungbemi A, Elwell V, Choi D, Robertson F. Permanent endovascular balloon occlusion of the vertebral artery as an adjunct to the surgical resection of selected cervical spine tumors: A single center experience. *Interv Neuroradiol*. 2015 Aug;21(4):532–7
5. Papavero L, Schmeiser G, Kothe R, Boszczyk B, Heese O, Kawaguchi Y, MacDowall A, Olerud C, Paidakakos N, Panagiotou A, Pitzen T, Richter M, Riew KD, Stevenson A, Tan L, Ueshima R, Yau YH, Mayer M. Degenerative Cervical Myelopathy: A Seven-Letter Coding System That Supports Decision Making for the Surgical Approach. *Neurospine*. 2020 Mar;17(1):164–171
6. Pitzen T, Lane C, Goertzen D, Dvorak M, Fisher C, Barbier D, Steudel WI, Oxland T. Anterior cervical plate fixation: biomechanical effectiveness as a function of posterior element injury. *J Neurosurg*. 2003 Jul;99(1 Suppl):84–90
7. Pitzen T, Berthold C, Obid P, Ruf M. Osteotomy Techniques for the Cervical Spine: Correction within the Sagittal and Coronal Plane including Halo Traction. In: Koller H, Robinson Y: *Cervical Spine Surgery: Standard and advanced techniques*. Springer 2019.
8. Zoarski GH, Seth R. Safety of unilateral endovascular occlusion of the cervical segment of the vertebral artery without antecedent balloon test occlusion. *AJNR Am J Neuroradiol*. 2014 May; 35(5):856–61

Literatur zum Beitrag

Janis Petrovics, Tobias Pitzen, Carl Hans Fürstenberg:

Endoskopische Wirbelsäulenchirurgie bei lumbalem Bandscheibenvorfall

1. Burman MS. Myeloscapy or the direct visualization of the spinal canal and its contents J Bone Joint Surg 1931; 13:695–696
2. Chen X et al. Complication rates of different discectomy techniques for symptomatic lumbar disc herniation: a systematic review and meta-analysis. European Spine Journal (2020): 1–19
3. Gibson JNA, Subramanian AS, Scott CEH. A randomised controlled trial of transforaminal endoscopic discectomy vs microdiscectomy. Eur Spine J 2017; 26:847–56.
4. Kambin P, Brager MD. Percutaneous posterolateral discectomy. Anatomy and mechanism. Clin Orthop Relat Res;(223):145–54. 1987
5. Kambin P, Gellmann H. Percutaneous lateral discectomy of the lumbar spine: A preliminary report. Clin Orthop 174:127–132, 1983
6. Kapetanakis S, Gkantsinikoudis N, Chaniotakis C, Chraitoudis G, Givissis P. Percutaneous transforaminal endoscopic Diskektomy for the treatment of lumbar disc herniations in obese Patients: Health – Related quality of life assessment in a 2-years follow-up. World Neurosurgery 113 (2018): e836-e649
7. Olinger A, Hildebrandt U, Mutschler W, et al. First clinical experience with an endoscopic retroperitoneal approach for anterior fusion of lumbar spine fractures from levels T12 to L5. Surg Endosc 1999; 13:1215–1219
8. Ooi Y, Satoh Y, Morisaki N. Myeloscapy: The possibility of observing the lumbar intrathecal space by use of an endoscope. Endoscopy 5:901–906, 1973
9. Ooi Y, Satoh Y, Morisaki N. Myeloscapy. Int Orthop 1:107–111, 1977
10. Pool JL. Direct visualization of dorsal nerve roots of the cauda equina by means of the myeloscope. Arch Neurol. Psychol 1938: 1308–1312
11. Pool JL. Myeloscapy: Diagnosis inspection of the cauda equina by means of the endoscope. Bu Neurol. Inst NY, 1983, 7:178–189
12. Pool JL. Myeloscapy: Intrathecal endoscopy. Surgery 11.169–182, 1942
13. Ruetten S, Komp M, Merk H, Godolias G. Full-endoscopic interlaminar and transforaminal lumbar discectomy versus conventional microsurgical technique: a prospective, randomized, controlled study. Spine 33(9):931 2008
14. Ruetten S, Komp M, Merk H, et al. Recurrent lumbar disc herniation after conventional discectomy: a prospective, randomized study comparing full-endoscopic interlaminar and transforaminal versus microsurgical revision. J Spinal Disord Tech 2009;22:122–9.
15. Ruetten S, Komp M, Merk H, et al. Use of newly developed instruments and endoscopes: full-endoscopic resection of lumbar disc herniations via the interlaminar and lateral transforaminal approach. J Neurosurg Spine 2007; 6:521–30
16. Sean M Barber, Jonathan Nakhla, Sanjay Konakondla, Jared S Fridley, Adetokunbo A Oyelese, Ziya L Gokaslan, Albert E Telfeian. Outcome of endoscopic discectomy compared with open microdiscectomy and tubular microdiscectomy for lumbar disc herniation: A meta – Analysis. J Neurosurg Spine 2019 Sep 6; 1–14
17. Sen RD, White-Dzuro G, Ruzevick J, et al. Intra- and Perioperative Complications Associated with Endoscopic Spine Surgery: A Multi-Institutional Study. World Neurosurg 2018;120:e1054–60.
18. Shen J. Fully endoscopic transforaminal discectomy under local anesthesia for thoracic disc herniation: A case serie. J Spine 2018, S7
19. Tacconi L et al. Endoscopic Approach Technique for Recurrent Lumbar Pro-lapsed Disc. NeuroQuantology 17.5 (2019)
20. Weinstein JN, Tosteson TD, Lurie JD, et al. Surgical vs nonoperative treatment for lumbar disk herniation: the Spine Patient Outcomes Research Trial (SPORT): a randomized trial. JAMA 2006;296:2441–50.

Literatur zum Beitrag

Carl Hans Fürstenberg, Tobias Pitzen:

Management der akuten traumatischen cervikalen Querschnittlähmung

1. Bauer D, Kowalski R: Effect of spinal immobilization devices on pulmonary function in the healthy, nonsmoking man. *Ann Emerg Med* 1988;17: 915–918
2. Bracken MB, Shepard MJ, Collins WF, et al: A randomized, controlled trial of methylprednisolone or naloxone in the treatment of acute spinal-cord injury. Results of the Second National Acute Spinal Cord Injury Study. *N Engl J Med* 1990;322: 1405–1411
3. Bracken MB, Shepard MJ, Holford TR, et al: Administration of methylprednisolone for 24 or 48 hours or tirilazad mesylate for 48 hours in the treatment of acute spinal cord injury. Results of the Third National Acute Spinal Cord Injury Randomized Controlled Trial. *National Acute Spinal Cord Injury Study*. *JAMA* 1997;277: 1597–1604
4. Burton JH, Dunn MG, Harmon NR, et al: A statewide, prehospital emergency medical service selective patient spine immobilization protocol. *J Trauma* 2006;61: 161–167
5. Casha S, Christie S: A systematic review of intensive cardiopulmonary management after spinal cord injury. *J Neurotrauma* 2011;28: 1479–1495
6. Catz A, Itzkovich M, Agranov E, et al: SCIM-spinal cord independence measure: a new disability scale for patients with spinal cord lesions. *Spinal Cord* 1997;35: 8506
7. Catz A, Itzkovich M, Tesio L, et al: A multicenter international study on the Spinal Cord Independence Measure, version III: Rasch psychometric validation. *Spinal Cord* 2007;45: 275–291
8. Davies G, Deakin C, Wilson A: The effect of a rigid collar on intracranial pressure. *Injury* 1996;27: 647–649
9. Del Rossi G, Heffernan TP, Horodyski M, et al: The effectiveness of extrication collars tested during the execution of spine-board transfer techniques. *Spine J* 2004;4: 619–623
10. Devivo MJ: Epidemiology of traumatic spinal cord injury: trends and future implications. *Spinal Cord* 2012;50: 365–372
11. Divi SN, Schroeder GD, Mangan JJ, et al: Management of acute traumatic central cord syndrome. A narrative review. *Global Spine J* 2019 May; 9(1 Suppl): 89S-97S
12. Fehlings MG, Vaccaro A, Wilson JR et al.: Early versus delayed decompression for traumatic cervical spinal cord injury: results of the Surgical Timing in Acute Spinal Cord Injury Study (STASCIS). *PLoS ONE* 2012;7(2): e32037
13. Hassid VJ, Schinco MA, Tepas JJ et al.: Definitive establishment of airway control is critical for optimal outcome in lower cervical spinal cord injury. *J Trauma* 2008;65: 1328–1332
14. Haut ER, Kalish BT, Efron DT et al.: Spine immobilization in penetrating trauma: more harm than good? *J Trauma* 2010;68: 115–120; discussion 20–21
15. Hoffman JR, Mower WR, Wolfson AB et al.: Validity of a set of clinical criteria to rule out injury to the cervical spine in patients with blunt trauma. National Emergency X-Radiography Utilization Study Group. *N Engl J Med* 2000;343: 94–99
16. Hurlbert RJ, Hadley MN, Walters BC et al.: Pharmacological therapy for acute spinal cord injury. *Neurosurgery* 2013;72(Suppl 2):93–105
17. Liew SC, Hill DA: Complication of hard cervical collars in multi-trauma patients. *Aust N Z J Surg* 1994;64: 139–140
18. Maynard FM Jr, Bracken MB, Creasey G et al.: International Standards for Neurological and Functional Classification of Spinal Cord Injury. American Spinal Injury Association. *Spinal Cord* 1997;35: 266–274
19. Ryken TC, Hadley MN, Walters BC et al.: Radiographic assessment. *Neurosurgery* 2013;72(Suppl 2): 54–72
20. Snyder EY, Teng YD: Stem cells and spinal cord repair. *N Engl J Med* 2012;366: 1940–1942
21. Theodore N, Hadley MN, Aarabi B et al.: Prehospital cervical spinal immobilization after trauma. *Neurosurgery* 2013;72(Suppl 2): 22–34
22. Yelamartyh PKK, Chhabra HS, Vaccaro A et al.: Management and prognosis of acute traumatic cervical central cord syndrome: Systematic review and spinal cord-spine trauma study group position statement. *Eur Spine J* 2019 Oct;28(10): 2390–2407
23. [No authors listed]: Arbeitskreis Querschnittlähmung der Deutschen gesetzlichen Unfallversicherung (DGUV)
24. [No authors listed]: Facts and figures. Secondary facts and figures. <http://www.spinal-research.org/research-matters/spinal-cord-injury/facts-and-figures>
25. [No authors listed]: Spinal cord injury facts and figures at a glance. *J Spinal Cord Med* 2014;37: 479–480

Literatur zum Beitrag:

Tobias Heck, Elena Boebel, Michael Fritz

Multimodale Therapie bei chronischer Lumbago

1. Ballantine J, Opioid therapy in chronic pain. *Phys Med Rehabil Clin N Am.* 2015; 26:201–218
2. Baron R, Strumpf M: *Praktische Schmerztherapie*, Heidelberg: Springer Verlag 2007: 122–134
3. Brinkhaus B, Witt CM, Jena S et al.: Acupuncture in Patients with Chronic Low Back Pain A Randomized Controlled Trial. *Arch Intern Med.* 2006; 166:450–457
4. Bühren A, Flenker I, Jacobowsk C et al. *Medikamente – schädlicher Gebrauch und Abhängigkeit. Leitfaden für die ärztliche Praxis.* Online: <http://www.bundesaerztekammer.de/downloads/LeitfadenMedAbhaengigkeit.pdf>. Zugegriffen: 31.03.2020
5. Catella-Lawson F et al.: Cyclooxygenase inhibitors and the antiplatelet effect of aspirin. *N Engl J Med.* 2001; 345(25):1809–1817
6. Chang MC: Efficacy of pulsed radiofrequency stimulation in patients with peripheral neuropathic pain: A narrative review. *Pain Physician* 2018; 21:E225–E234
7. Chenot J, Greitemann B, Kladny B, Petzke F, Pflingsten M, Schorr S. *Nichtspezifischer Kreuzschmerz.* *Dtsch Arztebl* 2017; 114: 883–890
8. Chou R, Turner JA, Devine EB et al. The effectiveness and risks of long-term opioid therapy for chronic pain: a systematic review for a National Institutes of Health Pathways to Prevention Workshop. *Ann Intern Med.* 2015;162(4):276–286
9. Chou R, Deyo R, Friedly J et al. Nonpharmacologic therapies for low back pain: A systematic review for an American College of Physicians Clinical Practice Guideline. *Ann Intern Med.* 2017;166:493–505
10. Dahl J, Lundgren T, Hayes S: *Living Beyond Your Pain: Using Acceptance and Commitment Therapy to Ease Chronic Pain.* Oakland, CA: New Harbinger Publications, 2006
11. Deer T: *Atlas of Implantable Therapies for Pain Management*, New York, Heidelberg: Springer Verlag 2011: 9–54
12. Delitto A, George SZ, Van Dillen L et al.: *Low Back Pain: Clinical Practice Guidelines Linked to the International Classification of Functioning, Disability, and Health from the Orthopaedic Section of the American Physical Therapy Association.* *J Orthop Sports Phys Ther.* 2012; 42: A1–57
13. Diener H-C, Maier C: *Die Schmerztherapie*, München: Verlag Urban u. Fischer 2009: 400–416
14. Eckardt A: *Kreuzschmerzen – Epidemiologie, Klassifizierung und ein Überblick über die aktuellen Leitliniempfehlungen.* OUP 2012; 1:480–483
15. Endean A, Palmer K, Coggon D: Potential of MRI findings to refine case definition for mechanical low back pain in epidemiological studies: A systematic review. *Spine* 2011; 36:160–169
16. Enthoven WT, Roelofs PD, Deyo RA, van Tulder MW, Koes BW: Non-steroidal anti-inflammatory drugs for chronic low back pain. *Cochrane Database Syst Rev* 2016; 2: CD012087
17. Erdine S, Bilir A, Cosman ER, et al.: Ultrastructural changes in axons following exposure to pulsed radiofrequency fields. *Pain Pract* 2009; 9:407–417
18. Fischer J: *Schmerztherapie mit Lokalanästhetika*, Stuttgart: Thieme Verlag 2010: 114–129
19. Glombiewski JA: Expositionstherapie bei chronischen Rückenschmerzen. *Schmerz* 2018; 32: 274–282
20. Guzman J, Esmail R, Karjalainen K, et al.: Multidisciplinary rehabilitation for chronic low back pain: systematic review. *BMJ* 2001; 322:1511–1516
21. Haake M, Müller HH, Schade-Brittinger C et al.: German Acupuncture Trials (Gerac) For Chronic Low Back Pain Randomized, Multicenter, Blinded, Parallel-Group Trial With 3 Groups. *Arch Intern Med.* 2007; 167:1892–1898
22. Hashmi JA et al.: Shape shifting pain: chronification of back pain shifts brain representation from nociceptive to emotional circuits. *Brain* 2013; 136; 2751–2768
23. Häuser W.: 2. Aktualisierung der S3 Leitlinie „Langzeitanwendungen von Opioiden bei chronischen nicht-tumorbedingten Schmerzen (LONTS). *Der Schmerz* 2020; 34 in Druck
24. Häuser W, Fitzcharles MA, Radbruch L et al.: Cannabinoide in der Schmerz- und Palliativmedizin. *Dtsch Arztebl* 2017; 114: 627–634
25. Hagiwara S, Iwasaka H, Takeshima N et al.: Mechanisms of analgesic action of pulsed radiofrequency on adjuvant-induced pain in the rat: roles of descending adrenergic and serotonergic systems. *Eur J Pain* 2009; 13:249–252
26. Hasenbring M, Hallner D, Klase B: Psychologische Mechanismen im Prozess der Schmerzchronifizierung — unter- oder überbewertet? *Schmerz* 2001; 6:442–447
27. Hatzenbühler M, Fresenius M, Heck M, Benrath J: *Repetitorium Schmerztherapie*, Heidelberg: Springer Verlag 2007: 153–160
28. Hayden JA, van Tulder MW, Malmivaara A et al.: Exercise therapy for treatment of non-specific low back pain. *Ann Intern Med.* 2005; 142:765–775
29. Hoch E, Friemel C, Schneider M (Hrsg). *Cannabis: Potenzial und Risiko Eine wissenschaftliche Bestandsaufnahme.* Berlin, Heidelberg: Springer Verlag 2019
30. Jarvik JG, Hollingworth W, Heagerty PJ, et al.: Three-year incidence of low back pain in an initially asymptomatic cohort: clinical and imaging risk factors. *Spine* 2005; 30:1541–8
31. Jerosch J, Heisel J: *Das lumbale Facetensyndrom*, Heidelberg: Springer Verlag 2006: 68–98, 103–138
32. Klessinger S, Legat M, Schneider M: Evidenzbasierte interventionelle Schmerztherapie. *Der Schmerz* 2020; 34:123–126
33. Krämer J: *Bandscheibenbedingte Erkrankungen*, Stuttgart: Thieme Verlag 2006: 220–303
34. Kröner-Herwig B: Schmerz – eine Gegenstandsbeschreibung. In: Basler HD, Franz C, Kröner-Herwig B, Rehfisch HP (Hrsg): *Psychologische Schmerztherapie.* Berlin: Springer, 2004: 3–15

35. Kugler M: Neuromodulation in der Schmerztherapie, Stuttgart: Thieme Verlag 2014: 33–75, 99–101
36. Kumar K, Taylor RS, Jacques L: The effects of spinal cord stimulation in neuropathic pain are sustained: a 24-month follow-up of the prospective randomized controlled multicenter trial of the effectiveness of spinal cord stimulation. *Neurosurgery* 2008;63:762–770
37. Lépine J P, Briley M: The epidemiology of pain in depression. *Hum Psychopharmacol* 2004; 19 Suppl 1: S3–7
38. Liedl A, Knaevelsrud C: PTBS und chronische Schmerzen: Entstehung, Aufrechterhaltung und Zusammenhang – ein Überblick. *Der Schmerz* 2008; 22: 644–651
39. Lutz J, von Sachsen J, Arnold B et al.: Ist die interdisziplinäre multimodale Schmerztherapie in Gefahr? *Schmerz* 2020; 34:127–132
40. Manchikanti L, Fellows B, Singh, V: Understanding psychological aspects of chronic pain in interventional pain management. *Pain Physician* 2002; 5(1): 57–82
41. Meyer K, Sprott H, Mannion A: Cross-cultural adaptation, reliability and validity of the German version of the pain catastrophizing scale. *J Psychosom Res* 2008; 64(5): 469–478
42. Niemier K, Seidel W: Funktionelle Schmerztherapie des Bewegungssystems, Heidelberg: Springer Verlag 2009: 235–244
43. Nilges P, Rief W: F.45.41 Chronische Schmerzstörung mit somatischen und psychischen Faktoren. *Der Schmerz*; 24: 209–212
44. Nobis HG, Rolke R: Herausforderung Schmerz. In: Nobis HG, Rolke R, Graf-Baumann T (Hrsg) *Schmerz – eine Herausforderung*. Berlin, Heidelberg: Springer, 2016: 1–15
45. North RB, Kidd DH, Farrokhi F et al.: Spinal cord stimulation versus repeated lumbosacral spine surgery for chronic pain: a randomized, controlled trial. *Neurosurgery* 2005; 56:98–106
46. Otis JD, Keane TM, Kerns RD: An examination of the relationship between chronic pain and posttraumatic stress disorder. *J Rehabil Res Dev* 2003; 40(5): 397–406
47. Petri H: Interaktionspotenzial traditioneller NSAR und der Coxibe. *Dtsch Arztebl Int* 2019; 116: 140–144
48. Pflingsten M: Multimodale Verfahren – auf die Mischung kommt es an! *Schmerz* 2001; 15: 492–498
49. Pflingsten M: Vermeidungsverhalten und Rückenschmerzen – Ansätze für neue therapeutische Wege? *Phys Med Rehab Kuror* 2003; 13(5): 276–282
50. Pressemitteilung Barmer Baden-Württemberg: <https://www.barmer.de/presse/bundeslaender-aktuell/baden-wuerttemberg/archiv-pressemitteilungen/archiv-2016/arzt-report-2016--50460>. Zugegriffen am 24.04.2020
51. Reinecke H, Weber C, Lange K, Simon M, Stein C, Sorgatz H: Analgesic efficacy of opioids in chronic pain: recent meta-analyses. *Br J Pharmacol* 2015; 172(2):324–333
52. Rommel O: Operative Eingriffe ohne interdisziplinäre Abklärung vermeiden. *Nervenarzt* 2019; 90:194–196
53. S3-Leitlinie „Funktionelle Körperbeschwerden“. AWMF-Reg.-Nr. 051–001. Online: https://www.awmf.org/uploads/tx_szleitlinien/051-001_S3_Funktionelle_Koerperbeschwerden_2018-11.pdf. Zugegriffen am 09.04.2020
54. Schäfer R, Bölter R, Faber R et al.: Tangential, nicht frontal. Annäherung an eine schwierige Patientengruppe. *PiD* 2008; 9:252–259
55. Scharrer M, Ebenbichler G, Pieber K, et al.: A systematic review on the effectiveness of medical training therapy for subacute and chronic low back pain. *Eur J Phys Rehabil Med* 2012; 48:361–30
56. Schmidt CO, Raspe H, Pflingsten M et al.: Back pain in the German adult population: prevalence, severity, and sociodemographic correlation in a multiregional survey. *Spine* 2007; 32:2005–2011
57. Schneider M, Klessinger S: Diagnostische und therapeutische Interventionen an der Lendenwirbelsäule. *OUP* 2019; 8: 523–527
58. Schlereth T. et al., Diagnose und nicht interventionelle Therapie neuropathischer Schmerzen, S2k-Leitlinie, 2019, in: Deutsche Gesellschaft für Neurologie (Hrsg.), Leitlinien für Diagnostik und Therapie in der Neurologie. Online: www.dgn.org/leitlinien. Zugegriffen am 20.04.2020
59. Sdrulla AD, Guan Y, Raja SN: Spinal cord stimulation: Clinical efficacy and potential mechanisms. *Pain Pract.* 2018; 18: 1048–1067
60. Sites BD, Beach ML, Davis M: Increases in the use of prescription opioid analgesics and the lack of improvement in disability metrics among users. *Reg Anesth Pain Med* 2014;39(1):6–12
61. Soyka M, Queri S, Küfner H, Rösner S: Wo verstecken sich 1,9 Millionen Medikamentenabhängige? *Der Nervenarzt* 2005; 76(1): 72–77
62. Taghizadeh H, Benrath J: Psychische und psychiatrische Komorbiditäten in der Schmerztherapie. In Taghizadeh H, Benrath J (Hrsg): *Pocket Guide Schmerztherapie*. Berlin, Heidelberg: Springer, 2019: 513–525
63. Tesarz J, Seidler G, Eich W: Schmerzen behandeln mit EMDR. Stuttgart: Klett-Cotta, 2018
64. Urquhart D, Wluka A, van Tulder M et al. Efficacy of Low-Dose Amitriptyline for Chronic Low Back Pain A Randomized Clinical Trial *Intern Med.* 2018; 178:1474–1481
65. van Tulder MW, Touray T, Furlan AD, et al. Muscle relaxants for non-specific low back pain. *Cochrane Database Syst Rev* 2003;(2):CD004252
66. Weinschenk S. Neural therapy—A review of the therapeutic use of local anesthetics. *Acupunct Relat Ther* 2012; 1: 5–9
67. Werber A., Schiltenswolf M.: Chronische Rückenschmerzen. *Nervenarzt* 2012 ; 83:243–258
68. Wiedemann M: Peripheres Biofeedback. In: Haus K, Held C, Kowalski A et al. (Hrsg): *Praxisbuch Biofeedback und Neurofeedback*. Berlin, Heidelberg: Springer, 2016: 25–43
69. Woby SR, Roach NK, Urmston M, Watson PJ: The relation between cognitive factors and levels of pain and disability in chronic low back pain patients presenting for physiotherapy. *Eur J Pain* 2007; 11(8): 869–877
70. Wolter D: Probleme der Opioidanalgetika-Therapie aus psychiatrischer Sicht. *DNP* 2019; 20(1): 36–41
71. Zhuk A, Schiltenswolf M, Neubauer E: Langfristige Wirksamkeit einer multimodalen Schmerztherapie bei chronischen Rückenschmerzen. *Nervenarzt* 2018; 89:546–551

Literatur zum Beitrag

Stefanie Duchac, Christian Neuhäuser, Tobias Pitzen:

Dysphagie als Komplikation nach einer Operation an der Halswirbelsäule

1. Apfelbaum, R. I., Kriskovich, M. D., & Hal-ler, J. R. (2000). On the incidence, cause, and prevention of recurrent laryngeal nerve palsies during anterior cervical spine surgery. *Spine*, 25(22), 2906–2912.
2. Bazaz, R., Lee, M. J., & Yoo, J. U. (2002). Incidence of dysphagia after anterior cervical spine surgery: a prospective study. *Spine* 27(22), 2453–8.
3. Cho, S. K., Lu, Y., & Lee, D.-H. (2013). Dysphagia following anterior cervical spinal surgery: a systematic review. *The Bone & Joint Journal*, 95(7), 868–73.
4. Duchac, S., Hielscher-Fastabend, M., Müller, H. M., et al. (2017). Swallowing Physiology after Anterior and Posterior Cervical Spine Surgery: A Comparison on Videofluoroscopy Pre- and Post-surgery. *International Journal of Neuroscience and Behavioral Science*, 5(4), 71–79.
5. Duchac, S., Hofmayer, A., Lücking, C. & Wilmskötter, J. (2020): Videofluoroskopie des Schluckaktes. Ein sprachtherapeutisches Tutorial. Schulz-Kirchner Verlag, Idstein
6. Fix, C., Drumm, J., Wilmskötter, J. et al. (2015). Dysphagien nach ventralen Halswirbelsäulenoperationen. *Forum HNO*, 17, 126–133.
7. Grasso, G., Leone, L., & Torregrossa, F. (2019). Dysphagia Prevention in Anterior Cervical Discectomy Surgery: Results from a Prospective Clinical Study. *World neurosurgery*, 125, e1176-e1182.
8. Gutierrez, S., Iwanaga, J., Pekala, P., et al. (2020). The pharyngeal plexus: an anatomical review for better understanding postoperative dysphagia. *Neurosurgical Review*, 1–10.
9. Kang, S. H., Kim, D. K., Seo, K. M., Lee, S. Y., Park, S. W., & Kim, Y. (2016). Swallowing function defined by videofluoroscopic swallowing studies after anterior cervical discectomy and fusion: A prospective study. *Journal of Korean Medical Science*, 31(12), 2020–2025.
10. Kostas N. Fountas, Eftychia Z. Kapsalaki, Leonidas G. Nikolakakos, Hugh F. Smisson, Kim W. Johnston, Arthur A. Grigorian, Gregory P. Lee, † and Joe S. Robinson, Jr, Anterior Cervical Discectomy and Fusion Associated Complications. *Spine* 2007;32: 2310–2317
11. Liu J, Hai Y, Kang N, Chen X, Zhang Y. Risk factors and preventative measures of early and persistent dysphagia after anterior cervical spine surgery: a systematic review. *Eur Spine J*. 2018;27(6):1209–1218.
12. Martin-Harris, B., Logemann, J. A., McMahon, S., Schleicher, M., & Sandidge, J. (2000). Clinical Utility of the Modified Barium Swallow. *Dysphagia*, 15, 136–141.
13. Mayo, B. C., Massel, D. H., Bohl, D. D., et al. (2019). Dysphagia Following Anterior Cervical Spine Surgery: Assessment Using an Abridged SWAL-QOL. *International journal of spine surgery*, 13(1), 102–109.
14. McHorney, C. A., Bricker, D. E., Robbins, J., Kramer, A. E., Rosenbek, J. C., & Chignell, K. A. (2000). The SWAL-QOL Outcomes Tool for Oropharyngeal Dysphagia in Adults: II. Item Reduction and Preliminary Scaling, 133, 122–133.
15. Mekata, K., Takigawa, T., Matsubayashi, J., Hasegawa, Y., & Ito, Y. (2013). Cervical spine motion during swallowing. *European Spine Journal*, 22(11), 2558–63.
16. Miles, A., Jamieson, G., Shasha, L., & Davis, K. (2019). Characterizing dysphagia after spinal surgery. *The journal of spinal cord medicine*, 1–9.
17. Miyata M, Neo M, Fujibayashi S, Ito H, Takemoto M, Nakamura T. O-C2 angle as a predictor of dyspnea and/or dysphagia after occipitocervical fusion. *Spine (Phila Pa 1976)*. 2009;34(2):184–188.
18. Muss, L., Wilmskoetter, J., Richter, K., et al. (2017). Changes in swallowing after anterior cervical discectomy and fusion with instrumentation: A pre-surgical versus postsurgical videofluoroscopic comparison. *Journal of Speech, Language, and Hearing Research*, 60(2), 785–793.
19. Neuhuber, W. (2007). Anatomie und funktionelle Neuroanatomie der oberen Halswirbelsäule. *Manuelle Medizin*, 45(4), 227–231.
20. Okano, I., Miller, C. O., Salzman, S. N., et al. (2020). Minimal Clinically Important Differences of the Hospital for Special Surgery Dysphagia and Dysphonia Inventory and Other Dysphagia Measurements in Patients Undergoing ACDF. *Clinical Orthopaedics and Related Research*®.
21. Opsenak, R., Kolarovszki, B., Benco, M., et al. (2019). Dysphagia after anterior cervical discectomy and interbody fusion—prospective study with 1-year follow-up. *Rozhl Chir*, 98, 115–120.
22. Park, J. H., Lee, S. H., Kim, E. S., & Eoh, W. (2020). Analysis of postoperative dysphagia after anterior cervical decompression and fusion. *British Journal of Neurosurgery*, 1–6.
23. Rihn, J., Kane, J., Albert, T. J., Vaccaro, A. R., & Hilibrand, A. S. (2011). What is the incidence and severity of dysphagia after anterior cervical surgery? *Clinical Orthopaedics and Related Research*, 469(3), 658–65.
24. Riley, L. H., Vaccaro, A. R., Dettori, J. R., & Hashimoto, R. (2010). Postoperative dysphagia in anterior cervical spine surgery. *Spine*, 35(9), 76–85.
25. Sasegbon, A., & Hamdy, S. (2017). The anatomy and physiology of normal and abnormal swallowing in oropharyngeal dysphagia. *Neurogastroenterology & Motility*, 29(11), e13100.
26. Smith-Hammond, C. A., New, K. C., Pietrobon, R., Curtis, D. J., Scharver, C. H., & Turner, D. A. (2004). Prospective Analysis of Incidence and Risk Factors of Dysphagia in Spine Surgery Patients Lumbar Procedures. *Spine*, 29(13), 1441–1446.
27. Starmer, H. M., Riley, L. H., Hillel, A. T., Akst, L. M., Best, S. R., & Gourin, C. G. (2014). Dysphagia, Short-Term Outcomes, and Cost of Care After Anterior Cervical Disc Surgery. *Dysphagia*, 29(1), 68–77.
28. Tian W, Yu J. The role of C2-C7 and O-C2 angle in the development of dysphagia after cervical spine surgery. *Dysphagia*. 2013;28(2):131–138.
29. Vaishnav, A. S., Saville, P., McAnany, S. et al. (2020). Is the likelihood of dysphagia different in patients undergoing one-level versus two-level anterior cervical discectomy and fusion?. *The Spine Journal*.
30. von Heymann, W., & Smolenski, U. C. (2011). Die kraniomandibuläre Dysfunktion (CMD). *Manuelle Medizin*, 49(5), 347–360.

Literatur zum Beitrag

Kay Niemier:

Nicht spezifischer Rückenschmerz oder spezifische Subgruppenbildung?

1. Albert HB, Sorensen JS, Christensen BS, et al. Antibiotic treatment in patients with chronic low back pain and vertebral bone edema (Modic type 1 changes): a double-blind randomized clinical controlled trial of efficacy. *Eur Spine J*. 2013 Apr;22(4):697–707.
2. Amelung P. Apparative Funktionsdiagnostik In Niemier K, Seidel W (Hrsg.). *Schmerzen des Bewegungssystems. Funktionell behandeln – Schmerzen lindern*. Springer Heidelberg 2011;2:81–87
3. Anochin PK. *Das funktionelle System als Grundlage der physikalischen Architektur des Verhaltensaktes (Übersicht aus dem Russ.)*. Fischer, Jena 1967
4. Antonioli S, Euler H-U, Mitsch C, Seibold G, Kohn W, Niemier K, Psczolla M, Ritz W, Seidel W, Thümmel J. Ergänzung der Begutachtungseinfaden zum Begutachtungseinfaden DRG. Begutachtung des OPS-Komplexkodes 8–977 Multimodal-nichtoperative Komplexbehandlung des Bewegungssystems, Stand 22.01.2014
5. Arnold B, Brinkschmidt T, Casser H-R, Gralow I, Irnich D, Klimczyk K, Müller G, Nagel B, Pflingsten M, Schiltenswoll M, Sittl R, Söllner W. Multimodale Schmerztherapie. Konzepte und Indikationen. *Schmerz* 2009;23:112–120
6. Baliki MN, Geha PY, Apkarian AV, Chialvo DR. Beyond feeling: chronic pain hurts the brain, disrupting the default-mode network dynamics. *J Neurosci* 2008;28:1398–1403
7. Baliki MN, Petre B, Torbey S, Herrmann KM, Huang L, Schnitzer TJ, Fields HL, Apkarian AV. Corticostriatal functional connectivity predicts transition to chronic back pain. *Nat Neurosci* 2012;15:1117–1119
8. Beyer LB, Niemier K. Funktionsstörungen am Bewegungssystem. Funktionelle Regiabilität als Grundlage eines optimalen Bewegungsergebnisses. *Manuelle Medizin* 2018;56:293–299
9. Birbaumer N, Lutzenberger W, Montoya P, Larbig W, Unertl K, Töpfner S, Grood W, Taub E, Flor H. Effects of regional anaesthesia on phantom limb pain mirrored by changes in cortical reorganization. *J Neurosci* 1997;17:5503–5508
10. Cherkin DC, Deyo RA, Wheeler K, Ciol M. Physician variation in diagnostic testing for low back pain: who you see is what you get. *Arthritis Rheum* 1994;37:15–22
11. Derlien S, Danckwerth F, Alfter S, Henning J, Hogrefe H-C, Holschmidt JH, Jungbluth A, Lang C, Menke J, Olsen G, Pioch G, Psczolla M, Seidel W, Smolenski UC, Thümmel J, Niemier K. Outcomes einer stationären multimodalen Komplexbehandlung des Bewegungssystems. Ergebnisse der Pilotphase zur ANOA-Studie. *Manuelle Medizin* 2016; 54:53–58
12. Deyo RA, Rainville J, Kent DL. What can the history and physical examination tell us about low back pain? *JAMA* 1992;268:760–5
13. Diers M, Koeppel C, Diesch E et al (2007) Central processing of acute muscle pain in chronic low back pain patients: an EEG mapping study. *J Clin Neurophysiol* 2007;24:76–83
14. Flor H. The functional organization of the brain in chronic pain. In Sandkühler J, Bromm B, Gebhard GF (Hrsg) *Nervous system plasticity and chronic pain, progress in pain research*. Elsevier Amsterdam 2000:313–322
15. Flor H. Visualisierung von Phantom- und Rückenschmerzen durch bildgebende Verfahren Implikationen für die Behandlung Orthopäde 2004;33:553–557
16. Flor H, Braun C, Elbert T et al. Extensive reorganization of primary somatosensory cortex in chronic back pain patients. *Neurosci Lett* 1997;224:5–8
17. Flor H, Ebert T, Kriet S, Wienbruch C, Pantev C, Birbaumer N, Larbig W, Taub E. Phantom limb pain as a preceptual correlate of cortical reorganization following arm amputation. *Nature* 1995;375:482–484
18. Giesecke T, Gracely RH, Clauw DJ, Nachemson A, Dück MH, Sabatowski R, Gerbershagen HJ, Williams DA, Petzke F. Zentrale Schmerzverarbeitung bei chronischem Rückenschmerz. Hinweise auf verminderte Schmerz-inhibition. *Schmerz*. 2006; 20:411–417
19. Giesecke T, Gracely RH, Grant MA, Nachemson A, Petzke F, Williams DA, Clauw DJ. Evidence of augmented central pain processing in idiopathic chronic low back pain. *Arthritis Rheum* 2004;50(2):613–623
20. <https://www.anoa-kliniken.de/home.html>; Zugriff 07.11.2018
21. https://www.awmf.org/uploads/tx_szleitlinien/033-0511_S2k_Spezifischer_Kreuzschmerz_2018-02.pdf; Zugriff 29.09.2018.
22. <http://www.icd-code.de/ops/code/8-977.html>; Zugriff 08.11.2018
23. <https://www.leitlinien.de/nvl/html/kreuzschmerz/kapitel-1>; Zugriff 29.09.2018
24. Koes BW, van Tulder MW, Thomas S. Diagnosis and treatment of low back pain. *BMJ* 2006;332:1430–4
25. Leeuw M, Houben RM, Severeijns R, Picavet HS, Schouten EG, Vlaeyen JW. Pain-related fear in low back pain: a prospective study in the general population. *Eur J Pain*. 2007 Apr;11(3):256–66.
26. Lenz FA, Garonzik IM, Zirth TA, Dougherty PM. Neuronal activity in the region of the thalamic principal sensory nucleus (ventralis caudalis) in patients with pain following amputation. *Neuroscience* 1998;86:1065–1081
27. Mallwitz J, Böger A. Multimodale Schmerztherapie aus Niemier K, Seidel W, Psczolla M, Ritz W, Holschmidt JH, Steinmetz A (Herausgeber). *Schmerzkrankungen des Bewegungssystems Multimodale interdisziplinäre Komplexbehandlung*. De Gruyter Verlag 2018
28. Niemier K. Die stationäre Behandlung von chronischen Rückenschmerzen in Deutschland. *Der BARMER GEK Krankenhausreport 2015*. *Manuelle Medizin* 2016; 54:176–180
29. Niemier K. Langzeiteffekte interventioneller Behandlungen von chronischen Schmerzen des Bewegungssystems. Retrospektive Verlaufsstudie wiederholter stationärer Behandlungen. *Schmerz* 2012;26:185–191
30. Niemier K, Amelung P, Satorie S, Ritz W, Seidel W, Kardiopulmonale De-

- konditionierung von Patienten mit chronischen Schmerzen des Bewegungssystems. *Phys Rehab Kur Med* 2007; 17: 209–214
31. Niemier K, Casser H-R, Baron R, Rathje J Untersuchungstechniken Cas-ser/Hasenbring/Becker/Baron (Hrsg.): Rückenschmerzen und Nackenschmerzen aus interdisziplinärer Sicht. Springer 2016: 121–147
 32. Niemier K, Hogräfe HC. Chronische cervicale Schmerzsyndrome. Vorstellung eines multimodalen interdisziplinären stationären Behandlungskonzepts (ANO-Konzept). *Akt Rheumatol* 2015; 40: 1–9
 33. Niemier K, Seidel W, Liefing V, Psczolla M, Beyer L, Ritz W. Von der Funktionsstörung zur Funktionskrankheit. *Manuelle Medizin – Was ist der therapeutische Ansatzpunkt*. *Manuelle Medizin* 2018;56: 253–258
 34. Niemier K, Seidel W, Psczolla M, Ritz W, Holtschmit, JH, Steinmetz A (Herausgeber). *Schmerzerkrankungen des Bewegungssystems. Multimodale interdisziplinäre Komplexbehandlung*. Degruyter 2018; ISBN: 978–3–11–049401–3
 35. Niemier K, Seidel K. Pharmacological and invasive management of chronic pain syndromes. *Proceedings of 3rd World Congress of the International Society of Physical and Rehabilitation Medicine (ISPRM), Acta Fisiatrica* 2005; 12 Suppl.
 36. Niemier K, Seidel W, Ritz W, Pioch E, Werin A Sommerfeld Assessment System: Introduction and Evaluation of an Multiprofessional Assessment System for the Differential Diagnosis of Chronic Muscolosekletal Pain Syndromes. *JOM* 2003; 25 :21
 37. Niemier K, Seidel W, Ritz W, Pioch E, Werin A. Sommerfeld Diagnostic System: Introduction and preliminary evaluation of an Multiprofessional Diagnostic System for the Differential Diagnosis of Chronic Muscolosekletal Pain Syndromes. *Proceedings of the International Society of Physical and Rehabilitation Medicine, Acta Fisiatrica* 2005; 12 Suppl. 2005
 38. Pioch E, Niemier K, Seidel W. Manual medicine in the treatment of chronic muscular skeletal pain syndromes: Evaluation of an inpatient treatment programme. *JOM* 2006; 28:4
 39. Pioch E, Seidel W. Manuelle Medizin bei chronischen Schmerzen. *Evaluation eines stationären Behandlungskonzeptes Schmerz* 2003;17:34–43
 40. Raspe H, Hüppe A, Matthis C. Theorien und Modelle der Chronifizierung: Auf dem Weg zu einer erweiterten Definition chronischer Rückenschmerzen. *Schmerz* 2003;17:359–366
 41. Steinmetz, A, Psczolla, M, Seidel, W, Niemier, K, Derlien, S, Nisser, J. Effect of subgroup-specific multimodal therapy on chronic spinal back pain and function—a prospective inpatient multicentre clinical trial in Germany *Medicine: January 2019 – Volume 98 – Issue 1 – p e13825*
 42. Treede RD. Entstehung der Schmerzchronifizierung. In Casser H-R, Hasenbrink M, Becker A, Baron R. (Hrsg.) *Rücken- und Nackenschmerzen. Interdisziplinäre Diagnostik und Therapie, Versorgungspfade, Patientenedukation, Begutachtung, Langzeitbetreuung*. Springer Berlin/Heidelberg 2016;1: 27–38
 43. Vos BP, Benoist JM, Gautron M, Guibaud G. Changes in neuronal activities in the two ventral posterior medial thalamic nuclei in an experimental model of trigeminal pain in the rat by constriction of one infraorbital nerve. *Somatosens Motor Res* 2000;17: 109–122
 44. Waberski TD, Gobbele R, Kawohl W, Cordes C, Buchner H. Immediate cortical reorganization after local anesthetic block of the thumb: source localization of somatosensory evoked potentials in human subjects. *Neurosci Lett* 2003; 347: 151–154

Literatur zum Beitrag

Jane Henny Schulz:

Subgruppenspezifische Psychotherapie in der Behandlung von chronischen Schmerz- und Funktionserkrankungen

1. Medizinisches Konzept. www.anoa-kliniken.de/medizinisches-konzept.html. Zugegriffen: 02.09.2019
2. Casser H-R, Arnold B, Gralow I, Irnich D, Klimczyk K, Nagel B, Pflingsten M, Schlitenwold M, Sittl R, Söllner W: Interdisziplinäres Assessment zur multimodalen Schmerztherapie- Indikation und Leistungsumfang. *Schmerz* 2013; 27: 363–370
3. Dohrenbusch R: Begutachtung somatoformer Störungen und chronifizierter Schmerzen, Stuttgart: Kohlhammer, 2006
4. Egle U T, Zentgraf B: Mechanismenbezogene statt schulenspezifische psychosomatische Schmerztherapie. *2009 Neurologie*; 3: 18–25
5. Emmerich, J.: Multimodale Komplexbehandlung des Bewegungssystems – Hintergründe, Entwicklung medizinischer Strukturen und Durchführung. *Manuelle Medizin* 2019; 1–8
6. Fischer G, Riedesser, P: Lehrbuch der Psychotraumatologie. Basel: Ernst Reinhardt Verlag. 1998: 69–78
7. Fischer-Kern M, Mikuttaw C, Kapusta N D et al.: Psychische Struktur bei chronischen Schmerzpatienten. *Z Psychosom Med Psychother* 2010; 56(1): 34–46
8. Gerhardt A, Hartmann M, Blumenstiel K, Tesarz J, Eich W: The prevalence rate and the role of the spatial extent of pain in nonspecific chronic back pain—a population-based study in the south-west of Germany. *Pain Med* 2014; 15: 1200–1210
9. Gerrits M, van Marwijk H, van Oppen P, van der Horst H, Penninx B: Longitudinal association between pain, and depression and anxiety over four years. *Pain* 2014;155: 53–59
10. Gubb, K: Psychosomatics Today: A Review of Contemporary Theory and Practice. *Psychoanalytic Review* 2013; 100(1), 103–142
11. Häuser W, Bernardy K: Psychotherapeutische Verfahren beim Fibromyalgiesyndrom. *Rheumatol* 2015; 74:584–590
12. Hechler T, Martin A, Blankenburg M et al.: Specialized multimodal outpatient 12, *European Journal of Pain* 2010; 15: 976–984
13. Jochims A, Ludäscher P, Bohus M, Treede R.-D., Schmahl C: Schmerzverarbeitung bei Borderline-Persönlichkeitsstörung, Fibromyalgie und Posttraumatischer Belastungsstörung. *Schmerz* 2006; 20:140–150
14. Klinger R: Psychische Schmerzmodulation. *Schmerz* 2017; 31:91–92
15. Konietzny, K., Suchan, B., Kreddig, N., Hasenbring, M. I., & Chehadi, O: Emotionsregulation und Schmerzen. *Der Schmerz* 2016; 30(5): 412–420
16. Lahmann C, Hennigsen P, Noll-Husson M: Somatoforme Schmerzen-Ein Überblick. *Psychiatria Danubina* 2010; 22: 453–458
17. Liedl A, Knaevelsrud C: PTBS und chronische Schmerzen: Entstehung, Aufrechterhaltung und Zusammenhang. *Schmerz* 2008; 22:644–651
18. Lutz J, Glier B: Probleme in der medikamentösen Therapie. In: Kröner- Hewig B, Frettlöh J, Klinger R, Nilges P (Hrsg.) *Schmerzpsychotherapie Berlin/Heidelber*: Springer Verlag, 2017: 407–426
19. Nickel R, Hardt J, Kappis B, Schwab R, Egle U T: Determinanten der Lebensqualität bei somatoformen Störungen mit Leitsymptom Schmerz — Plädoyer für eine Subgruppen-Differenzierung im ICD-11. *Z psychosom Med Psychother* 2010; 56:1. 3–22
20. Nickel, R: Chronische Schmerzen. *PiD* 2016; 17(04): 23–27
21. Nilges P, Nagel B: Was ist chronischer Schmerz? *Dtsch med Wochenschr* 2007; 132(41): 2133–2138
22. Nilges P, Rief W: Schmerzdiagnostik-Eine interdisziplinäre Aufgabe. *PiD* 2016; 4:34–38
23. Pflingsten, M., Flor, H. & Nilges, P : Psychologie und Schmerz in Deutschland. Rückblick und Ausblick. *Der Schmerz* 2015; 29(5): 544–549
24. Rief W, Treede RD, Schweiger U, Hennigsen P, Rüdell H, Nilges P: Neue Schmerzdiagnose in der deutschen ICD-10-Version. *Nervenarzt* 2009; 80:340–2
25. Schmahl und Bär: Psychopathologie und Schmerz. In: Kröner- Hewig B, Frettlöh J, Klinger R, Nilges P (Hrsg.) *Schmerzpsychotherapie. Berlin/Heidelberg*: Springer Verlag, 2017: 687–699
26. Sendera M, Sendera A: *Chronischer Schmerz*. Wien: Springer-Verlag, 2015
27. Sipos C, Rekar M, Heinold F, Thier H, Stuppe M, Richter W, Hankemeier U: Behandlung von chronischen Schmerzen bei Drogenabhängigen. *Schmerz* 2000; 14:175–185
28. Sharp T, Harvey A: Chronic pain and posttraumatic stress disorder: mutual maintenance? *Clin Psych Rev* 2001; 21(6):857–877

Literatur zum Beitrag

Volker Lieftring, Stephan Vinzelberg, Egbert Seidel, Lothar Beyer:

Von der Funktionsstörung zur Funktionserkrankung

1. AG Funktionskrankheiten in der Ärztereinigung Manuelle Medizin (ÄMM): Die Bedeutung von Funktionsstörungen im Bewegungssystem in Prävention, Kuration und Rehabilitation, Thesenpapier, zur Publikation eingereicht, Manuelle Medizin, 2019
2. Aktiv einfach so! Bewegt leben. Patienten-Infobroschüre der AOK PLUS, 2019
3. AWMF-Leitlinie Spezifischer Kreuzschmerz, DGOU, 2017
4. AWMF-Nationale VersorgungsLeitlinie Nicht-spezifischer Kreuzschmerz, 2. Auflage 2017, AWMF-Reg. Nr. nvl-007
5. AWMF-S3 Leitlinie Funktionelle Körperbeschwerden, 2019, AWMF-Reg.Nr. 051-001
6. ICF-Internationale Klassifikation der Funktionsfähigkeit, Behinderung und Gesundheit, DIMDI, 2005/2017
7. Gerbershagen HU (1997) Schmerztherapie, ein neuer Bereich ärztlicher Tätigkeit. Ärzteblatt Rheinland-Pfalz; Sonderheft 1997
8. Kaiser H, Kersting M, Schian HM, Jacobs A, Kasproski D: Der Stellenwert des EFL-Verfahrens nach Susan Isernhagen in der medizinischen und beruflichen Rehabilitation, Rehabilitation 2000: 297–306
9. Kayser R, Beyer L: Repetitorium Manuelle Medizin/Chirotherapie, Springer, 2017
10. Kendall FP, Kendall Mc Creary E, Provan PG: Muskeln. Funktionen und Tests. Urban & Fischer, München, 2001
11. Koll, S.; Rother, M.; Seidel, E. J.; Rother, I. Untersuchung der entzündlichen Komponente von Muskelschmerz nach exzentrischer Belastung bei jüngeren und älteren Erwachsenen. Phys Med Rehab Kuror 4/2014; Jhg. 24, S. 211
12. Luomajoki H, Kool J, de Bruin ED, Ayraksinen O: Movement control tests of the low back; evaluation of the difference between patients with low back pain and healthy controls, BMC Musculoskeletal Disorders Volume 9, Article number: 170 (2008)
13. Niemier K, Seidel W, Lieftring V, Psczolla M, Beyer L, Ritz W: Von der Funktionsstörung zur Funktionskrankheit. Manuelle Medizin – Was ist der therapeutische Ansatzpunkt? Manuelle Medizin 2018
14. Niemier K, Seidel W, Marnitz U (2016) Chronische Rückenschmerzen – entzündlich, funktionell, psychosomatisch? OUP 2016;5: 278–284
15. Pedersen, BK 2013, ‚Muscle as a secretory organ‘ Comprehensive Physiology, vol. 3, no. 3, pp. 1337–1362
16. Perry J: Ganganalyse: Norm und Pathologie des Gehens, Urban & Fischer, München, 2003
17. Rompe JD: Konservative Therapie der symptomatischen Gonarthrose in Zeiten der Unterfinanzierung. OUP 2019: 8: 132–138
18. Schmidlein O, Keller M, Kurz E: Testbatterie für Aktive. Functional Movement Screen, Physiopraxis (26–29), Thieme, 2013
19. Seidel EJ, Smolenski UC: Physikalische und Rehabilitative Medizin. Diagnostische und therapeutische Möglichkeiten. Ergebnisse der Konsensuskonferenz 2019/2020, Kiener, München, 2019
20. Seidel, E. J.; Hartmann, J.; Beyer, L.: Differentialdiagnostik des motorischen Stereotyps in verschiedenen Altersgruppen sowie bei Patienten mit Nacken-Schulter-Syndrom – Poster. Der Deutsche Schmerz- und Palliativtag 2008–01–28 19. Deutscher interdisziplinärer Schmerzkongress Frankfurt am Mai, 6.-8.3.2008, Abstract CD, Teil III, Part 1
21. Smolenski UC, Buchmann J, Beyer L: Janda Manuelle Muskelfunktionsdiagnostik. Theorie und Praxis, Urban & Fischer, München, 2016
22. Stein V, Greitemann B: Rehabilitation in Orthopädie und Unfallchirurgie, Springer, 2017
23. Tittel K, Seidel EJ: Beschreibende und Funktionelle Anatomie, 16. Auflage, Kiener-Verlag, 2016
24. Beyer L: Funktionsstörungen am Bewegungssystem. Teil 2: Das funktionelle System – ein Modell für die manuelle Medizin? Manuelle Medizin 2018; 56: 421–428x

Literatur zum Beitrag

Jan Emmerich:

Multimodale Komplexbehandlung
des Bewegungssystems im ANOA-Konzept

1. AWMF 2017: NVL Nicht-spezifischer Kreuzschmerz, 2. Auflage, 2017. Version 1. AWMF-Register-Nr.: nvl-007
2. Böhni U, Gautschi R: Schmerz aus Muskeln und anderen tiefen somatischen Geweben. *Manuelle Medizin* 2014; 52:190–202
3. Boden SD, Davis DO, Dina TS, et al. Abnormal magnetic-resonance scans of the lumbar spine in asymptomatic subjects. A prospective investigation. *J Bone Joint Surg Am* 1990; 72: 403–8
4. Buchmann J, Arens U, Harke G, Smolenski UC, Kayser R. Differenzialdiagnostik manualmedizinischer Syndrome bei unteren Rückenschmerzen unter Einbeziehung osteopathischer Verfahren. *Phys Med Rehab Kuror* 2012;22:79–108
5. Casser H, Hüppe M, Kohlmann T, et al. Deutscher Schmerzfragebogen (DSF) und standardisierte Dokumentation mit KEDOQ-Schmerz. *Schmerz* 2012;26(2):168–175
6. DIMDI www.dimdi.de/static/de/klasifikationen/ops/kode-suche/opshtml2018/block-8-97.8-98.htm (abgerufen 29.07.2019)
7. Engel K, Seidel W, Niemier K, Beyer L. Myofasziale Dysfunktion in der S2k-Leitlinie Spezifischer Kreuzschmerz. *Manuelle Medizin* 2018,56:2015–2021
8. Engel K, Vinzelberg S. Diagnostik. In: Niemier K, Seidel W et al. *Schmerz-erkrankungen des Bewegungssystems*. De Gruyter 2018
9. Gutmann G. Die pathogenetische Aktualitätsdiagnostik. In: Levit K, Gutmann G et al. *Functional pathology of the motor system*. *Rehabilitacia* 1975; Suppl 10/11:15–25
10. Janda V, *Manuelle Muskelfunktionsdiagnostik*. 4. Auflage, Urban & Fischer Verlag/Elsevier GmbH München 2004: 277–289
11. Nicholas MK, Linton SJ, Watson PJ, et al. Early identification and management of psychological risk factors („yellow flags“) in patients with low back pain: a reappraisal. *Phys Ther* 2011;91(5):737–753
12. Niemier K, Schmidt S, Engel K, et al. Reliabilität klinischer Tests zur funktionellen Schmerzdiagnostik. Ergebnisse einer Multicenterstudie zur Reproduzierbarkeit von funktionellen Befunden des Bewegungssystems. *Der Orthopäde* 2009; 38: 847–854
13. Niemier K, Seidel W. Der Einfluss von muskuloskelettaler Funktionsstörung auf chronische Schmerzsyndrome des Bewegungssystems. *Schmerz* 2007; 21: 139–45
14. Niemier K, Seidel W, Ritz W, Pioch E, Werin A. Sommerfeld Assessment System Introduction and Evaluation of a Multiprofessional Assessment System for the Differential Diagnosis of Chronic Musculoskeletal Pain Syndromes. *JOM* 2003;25:21
15. Niemier K, Seidel W, Liefing V, Psczolla M, Beyer L, Ritz W. Von der Funktionsstörung zur Funktionskrankheit. *Manuelle Medizin – Was ist der therapeutische Ansatzpunkt*. *Manuelle Medizin* 2018;56: 253–258
16. Niemier K. Multimodal, polypragmatisch und kostenintensiv – Rückenschmerzbehandlungen auf dem Prüfstand. *Manuelle Medizin*, 2012; 50:16–27
17. Robert Koch-Institut (Hrsg) (2012) Rückenschmerzen. Gesundheitsberichterstattung des Bundes. Heft 53. RKI, Berlin. ISBN 978–3–89606–216–1
18. SEG 4 2014: <https://www.anoakliniken.de/aerzte.html?file=files/ANOA%20Kliniken/ANOA%20allgemeine%20Unterlagen%20Stand%202018/Erg%C3%A4nzungender%20Begutachtungsleitfaden%20OPS%208-977.pdf> (abgerufen 29.07.2019)
19. Steinmetz A, et al. Effect of subgroup-specific multimodal therapy on chronic spinal back pain and function—a prospective inpatient multicentre clinical trial in Germany. *Medicine* (2019) 98:1.
20. Volhard F. *Vor die Therapie setzten die Götter die Diagnose*. Eigenverlag Hoffmann-La Roche, Grenzach – Baden, 1952
21. Sachse J, Harke G, Linz W. *Extremitätengelenke: Manuelle Untersuchung und Mobilisationsbehandlung für Ärzte und Physiotherapeuten*, 8. Auflage, Urban & Fischer Verlag/Elsevier GmbH, München, 2012

Literatur zum Beitrag

Jens Adermann, Jan Holger Holtschmit:

Interventionelle Schmerztherapie in der Behandlung chronischer Schmerzen

1. Ammendolia, C., et al. Nonoperative treatment for lumbar spinal stenosis with neurogenic claudication, in Cochrane Database of Systematic Reviews. 2013, John Wiley & Sons, Ltd.
2. Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften (AWMF) (2017). S2k-Leitlinie spezifischer Kreuzschmerz
3. Arnold B, et al. Multimodale Schmerztherapie für die Behandlung chronischer Schmerzsyndrome. *Der Schmerz* 2014; 28: 459–472
4. Arroll B, Goodyear-Smith F. Corticosteroid injections for osteoarthritis of the knee: metaanalysis. *BMJ* 2004; 328: 869
5. Bannuru RR, Schmid CH, Kent DM et al. Comparative effectiveness of pharmacologic interventions for knee osteoarthritis: a systematic review and network meta-analysis. *Ann Intern Med* 2015; 162: 46–54
6. Charalambous CP, Tryfonidis M, Sadiq S, Hirst P, Paul A. Septic arthritis following intra-articular steroid injection of the knee: a survey of current practice regarding antiseptic technique used during intra-articular steroid injection of the knee. *Clin Rheumatol.* 2003; 22: 386–90
7. Datta, S., et al. Systematic assessment of diagnostic accuracy and therapeutic utility of lumbar facet joint interventions. *Pain Physician*, 2009. 12: 437–60
8. Epstein NE. The risks of epidural and transforaminal steroid injections in the spine: Commentary and a comprehensive review of the literature. *Surg Neurol Int.* 2013; 4: S74–S93
9. Gatchel R, McGeary D, McGeary C, Lippe B: Interdisciplinary Chronic Pain Management. *American Psychologist* 2014; 69: 119–130
10. Goodman BS, Posecion LW, Mallempati S, Bayazitoglu M. Complications and pitfalls of lumbar interlaminar and transforaminal epidural injections. *Curr Rev Musculoskelet Med.* 2008; 1: 212–22
11. Kayser R, Mahlfeld K, Heyde CE. Das Konzept der stationären Stufendiagnostik bei Patienten mit lumbalem Rückenschmerz. *Orthopäde* 2008, 37: 285–299
12. Klinger R. (2011) Klassifikation chronischer Schmerzen: »Multiaxiale Schmerzklassifikation« (MASK). In: Kröner-Herwig B., Frettlöh J., Klinger R., Nilges P. (eds) *Schmerzpsychotherapie*. Springer, Berlin, Heidelberg
13. Kommission für Krankenhaushygiene und Infektionsprävention beim Robert Koch-Institut (RKI). Anforderungen an die Hygiene bei Punktionen und Injektionen. *Bundesgesundheitsblatt* 2011; 54:1135–1144
14. Manchikanti L et al. Comprehensive Review of Therapeutic Interventions in Managing Chronic Spinal Pain. *Pain Physician* 2009; 12: E123-E198
15. Manchikanti L, Hirsch JA, Pampati V, Boswell MV: Utilization of facet joint and sacroiliac joint interventions in Medicare population from 2000 to 2014: explosive growth continues! *Curr Pain Headache Rep.* 2016; 20:58
16. Manchikanti L, Malla Y, Wargo B, Cash K, Pampati V, Fellows B. A Prospective Evaluation of Complications of 10,000 Fluoroscopically Directed Epidural Injections. *Pain Physician* 2012; 15:131–140
17. Peng P et al. Challenges in accessing multidisciplinary pain treatment facilities in Canada. *Can J Anesth* 2007; 54: 977–84
18. Pereira L, Kerr J, Jolles B. Intra-articular steroid injection for osteoarthritis of the hip prior to total hip arthroplasty. *Bone Joint J* 2016; 98-B: 1027–35
19. Pflingsten M, Schöps P. Chronische Rückenschmerzen: Vom Symptom zur Krankheit. *Z Orthop Ihre Grenzgeb* 2004; 142: 146–152
20. Psczolla M. Akutstationäre konservative multimodale Behandlung komplexer und multifaktorieller orthopädischer Erkrankungen im ANOA-Konzept. *Orthopäde* 2013; 42: 829–833
21. Roberts S.T., Willick S.E., Rho M.E. et al. Efficacy of lumbosacral transforaminal epidural steroid injections: a systematic review. *Pm R* 2009; 1:657–668
22. Sorg R: Analyse der Versorgungswege von Patienten/innen mit primär therapieresistenten subakuten und chronischen Schmerzen im Deutschen Roten Kreuz Schmerz-Zentrum Mainz. Dissertation

Literatur zum Beitrag

Anke Steinmetz:

Physiotherapie und Physikalische Therapie in der Behandlung von Rückenschmerzen

1. Ärztezeitung: (11.01.2019)
[www.springermedizin.de/gesundheitspolitik/verordnungen-spitzenreiter-unspezifischer-rueckenschmerz/16391854? searchResult=11 .Physiotherapie%20 und%20r%C3% BCckenschmerz&searchBackButton=true](http://www.springermedizin.de/gesundheitspolitik/verordnungen-gesundheitspoliti k/verordnungen-spitzenreiter-unspe zifischer-ruecken-schmerz/16391854? searchResult=11 .Physiotherapie%20 und%20r%C3% BCckenschmerz&se archBackButton=true) (abgerufen 22.9.2019)
2. AWMF: NVL Nicht-spezifischer Kreuzschmerz (2017). www.awmf.org/uploads/tx_szleitlinien/nvl-007l_S3_Kreuzschmerz_2017-03.pdf (abgerufen 15.8.2019)
3. [AWMF: Leitlinie Spezifischer Kreuzschmerz (2018). https://www.awmf.org/uploads/tx_szleitlinien/033-051l_S2k_Spezifischer_Kreuzschmerz_2018-02.pdf (abgerufen 15.8.2019)
4. Franke H, Franke JD, Fryer G. Osteopathic manipulative treatment for nonspecific low back pain: a systematic review and meta-analysis. *BMC Musculoskelet Disord* 2014; 15: 286
5. Franke H, Fryer G, Ostelo RW, et al. Muscle energy technique for non-specific low-back pain. *Cochrane Database Syst Rev* 2015; 2: CD009852
6. Fritz JM et al. Early physical therapy vs usual care in patients with recent-onset low back pain: A randomized clinical trial. *JAMA* 2015; 314: 1459–67
7. Orrock PJ, Myers SP: Osteopathic intervention in chronic non-specific low back pain: a systematic review. *BMC Musculoskelet Disord* 2013; 14: 129
8. Rubinstein SM, Terwee CB, Assendelft WJ, et al. Spinal manipulative therapy for acute low-back pain. *Cochrane Database Syst Rev* 2012; 9: CD008880
9. Steinmetz A, Psczolla M, Niemier K, Seidel W, Derlien S, Nisser J: Effect of subgroup-specific multimodal therapy on chronic spinal pain and function – a prospective inpatient multi-centre clinical trial in Germany. *Medicine* 2019; 98: 1 (e13825)
10. van Middelkoop M, Rubinstein SM, Kuijpers T et al. A systematic review on the effectiveness of physical and rehabilitation interventions for chronic non-specific low back pain. *Eur Spine J.* 2011; 20: 19–39

Literatur zum Beitrag

Anke Steinmetz, Bernd Kladny:

Chronischer Kreuzschmerz ambulant, im Krankenhaus oder in der Rehabilitationsklinik

1. AWMF: Langzeitanwendung von Opioiden bei nicht tumorbedingten Schmerzen – „LONTS“ (2015). www.awmf.org/uploads/tx_szleitlinien/145-003l_S3_LONTS_2015-01.pdf (abgerufen 15.08. 2019)
2. AWMF: Leitlinie Funktionelle Körperbeschwerden (2018). www.awmf.org/uploads/tx_szleitlinien/051-001l_S3_Funktionelle_Koerperbeschwerden_2018-11.pdf (abgerufen 15.08.2019)
3. AWMF: NVL Nicht-spezifischer Kreuzschmerz (2017). www.awmf.org/uploads/tx_szleitlinien/nvl-007l_S3_Kreuzschmerz_2017-03.pdf (abgerufen 15.08.2019)
4. AWMF: Leitlinie Spezifischer Kreuzschmerz (2018). www.awmf.org/uploads/tx_szleitlinien/033-051l_S2k_Spezifischer_Kreuzschmerz_2018-02.pdf (abgerufen 15.08. 2019)
5. AWMF: S3-Leitlinie „Definition, Pathophysiologie, Diagnostik und Therapie des Fibromyalgiesyndroms“ (2017). www.awmf.org/uploads/tx_szleitlinien/145-004l_S3_Fibromyalgiesyndrom_2019-07.pdf (abgerufen 15.08. 2019)
6. Deutsche Rentenversicherung: Medizinisch-beruflich orientierte Rehabilitation (2015). www.deutsche-rentenversicherung.de/SharedDocs/Downloads/DE/Experten/infos_reha_einrichtungen/konzepte_systemfragen/konzepte/mbor_datei.pdf?__blob=publicationFile&v=1
7. Deutsche Rentenversicherung: Reha-Therapiestandards chronischer Rückenschmerz (2016). www.deutsche-rentenversicherung.de/SharedDocs/Downloads/DE/Experten/infos_reha_einrichtungen/quali_rehatherapie_standards/Rueckenschmerz/rts_rueckenschmerz_download.pdf?__blob=publicationFile&v=2 (abgerufen 02.10.19)
8. GBA Krankenhauseinweisungs-Richtlinie (2015). www.g-ba.de/downloads/62-492-1406/KE-RL_2017-03-16_iK-2017-06-08.pdf (abgerufen am 30.07.2019)
9. Mesrian A. Multimodale Schmerztherapie bei chronischen und chronifizierten Rückenschmerzen. Kriterien für den Behandlungserfolg. *Man Med* 2005;43:85-92
10. Pflingsten M, Hildebrandt J, Saur P et al. Das Göttinger Rücken Intensiv Programm (GRIP). Ein multimodales Behandlungsprogramm für Patienten mit chronischen Rückenschmerzen, Teil 4. Prognostik und Fazit. *Schmerz* 1997; 11: 30-41