

Literaturverzeichnisse 2021

Inhaltsverzeichnis

[01-2021: Literaturverzeichnis Kerschbaum, Pfeifer](#)

[01-2021: Literaturverzeichnis Ateschrang, Stöckle](#)

[01-2021: Literaturverzeichnis Kilgus et al.](#)

[01-2021: Literaturverzeichnis Rippke et al.](#)

[01-2021: Literaturverzeichnis Mader et al.](#)

[01-2021: Literaturverzeichnis Mühlendorfer-Fodor, Prommersberger](#)

[02-2021: Literaturverzeichnis Hachenberg, Kraft](#)

[02-2021: Literaturverzeichnis Rolf, Rader](#)

[02-2021: Literaturverzeichnis Savov, Windhagen, Ettinger](#)

[02-2021: Literaturverzeichnis Engelhardt, Jerosch](#)

[02-2021: Literaturverzeichnis Schröder](#)

[02-2021: Literaturverzeichnis Engelhardt, Seeger, Seipelt, Jerosch](#)

[02-2021: Literaturverzeichnis Jerosch](#)

[03-2021: Literaturverzeichnis Bork](#)

[03-2021: Literaturverzeichnis Gottfried](#)

[03-2021: Literaturverzeichnis Niewald, Knobe, Melchior](#)

[03-2021: Literaturverzeichnis Thier](#)

[03-2021: Literaturverzeichnis Gehlen, Pauder, Schwarz-Eywill](#)

[03-2021: Literaturverzeichnis Meißner et al.](#)

[03-2021: Literaturverzeichnis von Engelhardt, Jerosch](#)

[04-2021: Literaturverzeichnis Casser](#)

[04-2021: Literaturverzeichnis Uthoff, Schulz, Danneberg](#)

[04-2021: Literaturverzeichnis Jerosch, Schmid](#)

[04-2021: Literaturverzeichnis Basad](#)

[04-2021: Literaturverzeichnis Schaible](#)

[04-2021: Literaturverzeichnis Ratanski et al.:](#)

[04-2021: Literaturverzeichnis Jerosch et al](#)

Literaturverzeichnisse 2021

Inhaltsverzeichnis

[05-1021: Literaturverzeichnis Völlner, Benditz](#)

[05-1021: Literaturverzeichnis König, Forras, Seybold](#)

[05-1021: Literaturverzeichnis Pfister, Oikonomou, Heiß, Linnemann, Schierling](#)

[05-1021: Literaturverzeichnis Schöllner](#)

[05-1021: Literaturverzeichnis Siepe](#)

[05-1021: Literaturverzeichnis Böger](#)

[05-1021: Literaturverzeichnis Jerosch, Pogatzki-Zahn](#)

[06-2021: Literaturverzeichnis Schwokowski](#)

[06-2021: Literaturverzeichnis Ridder, Greitemann](#)

[06-2021: Literaturverzeichnis Rüter](#)

[06-2021: Literaturverzeichnis Schmidt, Niemeier, Rüter](#)

[06-2021: Literaturverzeichnis Arbogast](#)

[06-2021: Literaturverzeichnis Venjakob, Daentzer](#)

[06-2021: Literaturverzeichnis von Engelhardt et al.](#)

[06-2021: Literaturverzeichnis Jerosch](#)

Literatur zum Beitrag:

Maximilian Kerschbaum, Christian Pfeifer

Ätiologie und Klassifikation der Ellenbogensteife

1. Abrams GD, Bellino MJ, Cheung EV (2012) Risk factors for development of heterotopic ossification of the elbow after fracture fixation. *J Shoulder Elbow Surg* 21:1550–1554.
2. Akesson WH, Amiel D, Mechanic GL, Woo SL, Harwood FL, Hamer ML (1977) Collagen cross-linking alterations in joint contractures: changes in the reducible cross-links in periarticular connective tissue collagen after nine weeks of immobilization. *Connect Tissue Res* 5:15–19.
3. Baldwin K, Hosalkar HS, Donegan DJ, Rendon N, Ramsey M, Keenan MAE (2011) Surgical resection of heterotopic bone about the elbow: an institutional experience with traumatic and neurologic etiologies. *J Hand Surg Am* 36:798–803.
4. Bauer AS, Lawson BK, Bliss RL, Dyer GSM (2012) Risk factors for posttraumatic heterotopic ossification of the elbow: case-control study. *J Hand Surg Am* 37:1422–9.e1–6.
5. Charalambous CP, Morrey BF (2012) Posttraumatic elbow stiffness. *J Bone Joint Surg Am* 94:1428–1437.
6. Cohen MS, Schimmel DR, Masuda K, Hastings H, Muehleman C (2007) Structural and biochemical evaluation of the elbow capsule after trauma. *J Shoulder Elbow Surg* 16:484–490.
7. Garland DE (1991) A clinical perspective on common forms of acquired heterotopic ossification. *Clin Orthop Relat Res* 13–29.
8. Germscheid NM, Hildebrand KA (2006) Regional variation is present in elbow capsules after injury. *Clin Orthop Relat Res* 450:219–224.
9. Hildebrand KA, Zhang M, van Snelenberg W, King GJW, Hart DA (2004) Myofibroblast numbers are elevated in human elbow capsules after trauma. *Clin Orthop Relat Res* 419:189–197.
10. Jupiter JB, O'Driscoll SW, Cohen MS (2003) The assessment and management of the stiff elbow. *Instr Course Lect* 52:93–111.
11. Mansat P, Morrey BF (1998) The column procedure: a limited lateral approach for extrinsic contracture of the elbow. *J Bone Joint Surg Am* 80:1603–1615.
12. Morrey BF (1990) Post-traumatic contracture of the elbow. Operative treatment, including distraction arthroplasty. *J Bone Joint Surg Am* 72:601–618.
13. Morrey BF, Askew LJ, Chao EY (1981) A biomechanical study of normal functional elbow motion. *J Bone Joint Surg Am* 63:872–877.
14. Kay N. (1998) Arthrolysis of the post-traumatic stiff Elbow. In: Stanley D, Kay NR, eds. *Surgery of the Elbow. Practical and scientific Aspects*. London: Arnold: 228–234.
15. Sardelli M, Tashjian RZ, MacWilliams BA (2011) Functional elbow range of motion for contemporary tasks. *J Bone Joint Surg Am* 93:471–477.
16. Stehle J, Gohlke F (2011) [Classification of elbow stiffness and indications for surgical treatment]. *Orthopade* 40:282–290.
17. Søjbjerg JO (1996) The stiff elbow. *Acta Orthop Scand* 67:626–631.

Literatur zum Beitrag

Atesch Ateschrang, Ulrich Stöckle:

Grenzen der arthroskopischen Arthrolyse – Alternative offene Arthrolyse

Welche Möglichkeiten gibt es?

1. Bachman DR, Fitzsimmons JS, O'Driscoll SW. Safety of arthroscopic versus open or combined heterotopic ossification removal around the elbow. *Arthroscopy*. 2020;36(2):422–430
2. Cefo I, Eygendaal D (2011) Arthroscopic arthrolysis for post-traumatic elbow stiffness. *J Shoulder Elbow Surg* 20:434–439
3. Kodde IF, van Rijn J, van den Bekerom MP, Eygendaal D. Surgical treatment of post-traumatic elbow stiffness: a systematic review. *J Shoulder Elbow Surg*. 2013; 22:574-580
4. Mansat P, Morrey BF. The column procedure: a limited lateral approach for extrinsic contracture of the elbow. *J Bone Joint Surg Am*. 1998;80:1603-1615.
5. Papatheodorou LK, Baratz ME, Sotereanos DG (2013) Elbow arthritis: current concepts. *J Hand Surg Am* 38:605–613
6. Pederzini LA, Nicoletta F, Tosi M, Prandini M, Tripoli E, Cossio A (2014) Elbow arthroscopy in stiff elbow. *Knee Surg Sports Traumatol Arthrosc* 22:467–473
7. Spitler CA, Doty DH, Johnson MD, Nowotarski PJ, Kiner DW, Swafford RE, Jemison DM. Manipulation Under Anesthesia as a Treatment of Post-traumatic Elbow Stiffness *J Orthop Trauma* 2018, 32: 304-308
8. Wessel LE, Gu A, Richardson SS, Fufa DT, Osei DA. Elbow contracture following operative fixation of fractures about the elbow. *JSES Open Access* 3 2019; 261-265.
9. Willinger L, Siebenlist S, Lenich A, F Liska, Imhoff AB, Achtnich A. Arthroscopic arthrolysis provides good clinical outcome in post-traumatic and degenerative elbow stiffness. *Knee Surg Sports Traumatol Arthrosc* 2018 Jan;26(1):312-317
10. Wu X, Wang H, Meng C, Yang S, Duan D, Xu W, Liu X, Tang M, Zhao J. Outcomes of arthroscopic arthrolysis for the post-traumatic elbow stiffness. *Knee Surg Sports Traumatol Arthrosc* 2015, 23: 2715–2720
11. Zhang D, Nazarian A, Rodriguez EK. Post-traumatic elbow stiffness: Pathogenesis and current treatments. *Shoulder Elbow*. 2020, 12: 38-45

Literatur zum Beitrag:

Sofia Kilgus, Ulrich Stöckle, Kathi Thiele

Heterotope Ossifikationen im Bereich des Ellenbogens

Ursachen, Diagnostik und Therapie

1. Agarwal S, Loder S, Levi B: Heterotopic ossification following upper extremity injury. *Hand Clin* 2017; 33(2):363-373
2. Argyropoulou MI, Kostandi E, Kosta P: Heterotopic ossification of the knee joint in intensive care unit patients: early diagnosis with magnetic resonance imaging. *Crit Care* 2006; 10(5):R152
3. Beingsner DM, Patterson SD, King GJ: Early excision of heterotopic bone in the forearm. *J Hand Surg* 2000; 25(3):483-488
4. Berris T, Mazonakis M, Kachris S, Damilakis J: Peripheral organ doses from radiotherapy for heterotopic ossification of non-hip joints: is there a risk for radiation-induced malignancies? *Phys Medica PM Int J Devoted Appl Phys Med Biol Off J Ital Assoc Biomed Phys AIFB* 2014; 30(3):309-313
5. Bindu S, Mazumder S, Bandyopadhyay U: Non-steroidal anti-inflammatory drugs (NSAIDs) and organ damage: A current perspective. *Biochem Pharmacol* 2020; 180:114147
6. Brunner U: Ellenbogensteife. In: Müller PT, Hollinger B, Burkhart K (Hrsg.): *Ellenbogen - Expertise Orthopädie und Unfallchirurgie*. Stuttgart: Thieme Verlag, 2016: 289-294
7. Chen S, Yu S, Yan H: The time point in surgical excision of heterotopic ossification of post-traumatic stiff elbow: recommendation for early excision followed by early exercise. *J Shoulder Elbow Surg* 2015; 24(8):1165-1171
8. Costopoulos CL, Abboud JA, Ramsey ML: The use of indomethacin in the prevention of postoperative radio-ulnar synostosis after distal biceps repair. *J Shoulder Elbow Surg* 2017; 26(2):295-298
9. Desai MJ, Ramalingam H, Ruch DS: Heterotopic Ossification After the Arthroscopic Treatment of Lateral Epicondylitis. *Hand N Y N* 2017; 12(3):NP32-NP36
10. Dormand E-L, Banwell PE, Goodacre TE: Radiotherapy and wound healing. *Int Wound J* 2005; 2(2):112-127
11. Ford SE, Andersen JS, Macknet DM, Connor PM, Loeffler BJ, Gaston RG: Major complications after distal biceps tendon repairs: retrospective cohort analysis of 970 cases. *J Shoulder Elbow Surg* 2018; 27(10):1898-1906
12. Gofton WT, King GJ: Heterotopic ossification following elbow arthroscopy. *Arthrosc J Arthrosc Relat Surg Off Publ Arthrosc Assoc N Am Int Arthrosc Assoc* 2001; 17(1):E2
13. Hamid N, Ashraf N, Bosse MJ: Radiation therapy for heterotopic ossification prophylaxis acutely after elbow trauma: a prospective randomized study. *J Bone Joint Surg Am* 2010; 92(11):2032-2038
14. Haselhuhn K-D: Einsteifung nach Ellenbogenverletzung. *Trauma Berufskrankh* 2015; 17(1):140-147
15. Hastings H, Graham TJ: The classification and treatment of heterotopic ossification about the elbow and forearm. *Hand Clin* 1994; 10(3):417-437
16. He S-K, Yi M, Zhong G, Cen S-Q, Chen J-L, Huang F-G: Appropriate excision time of heterotopic ossification in elbow caused by trauma. *Acta Orthop Traumatol Turc* 2018; 52(1):27-31
17. Hemm F, Anastasopoulou L, Thormann U, Heiß C, Rupp M: Heterotope Ossifikationen nach gelenknahen Frakturen. *OUP* 2019; 8:220-0228
18. Hudson J, Dunphy TR, Butler RK, Mirzayan R: Indomethacin Does Not Reduce Heterotopic Ossification In Two-incision Distal Biceps Repairs. *Orthop J Sports Med* 2018; 6(7 suppl4)
19. Jo S: The stiff elbow. *Acta orthopaedica Scandinavica* 1996; 67:626-631
20. Joice M, Vasileiadis GI, Amanatullah DF: Non-steroidal anti-inflammatory drugs for heterotopic ossification prophylaxis after total hip arthroplasty: a systematic review and meta-analysis. *Bone Jt J* 2018; 100-B(7):915-922
21. Kelly EW, Morrey BF, O'Driscoll SW: Complications of repair of the distal biceps tendon with the modified two-incision technique. *J Bone Joint Surg Am* 2000; 82(11):1575-1581
22. Kodde IF, Rijn J van, Bekerom MPJ van den, Eygendaal D: Surgical treatment of post-traumatic elbow stiffness: a systematic review. *J Shoulder Elbow Surg* 2013; 22(4):574-580
23. Kransdorf MJ, Meis JM: From the archives of the AFIP. Extraskeletal osseous and cartilaginous tumors of the extremities. *Radiogr Rev Publ Radiol Soc N Am Inc* 1993; 13(4):853-884
24. Lee EK, Namdari S, Hosalkar HS, Keenan MA, Baldwin KD: Clinical results of the excision of heterotopic bone around the elbow: a systematic review. *J Shoulder Elbow Surg* 2013; 22(5):716-722
25. Lima MC, Passarelli MC, Dario V, Lebbani BR, Monteiro PHS, Ramos CD: The use of spect/ct in the evaluation of heterotopic ossification in paraplegics. *Acta Ortop Bras* 2014; 22(1):12-16
26. Liu H, Zhao J, Li Y, Xia J, Zhao S: Non steroidal anti inflammatory drugs for preventing heterotopic bone formation after hip arthroplasty. *Cochrane Database Syst Rev* 2019; 2019(7)
27. McAuliffe JA, Wolfson AH: Early excision of heterotopic ossification about the elbow followed by radiation therapy. *J Bone Joint Surg Am* 1997; 79(5):749-755
28. Meyers C, Lisiecki J, Miller S: Heterotopic Ossification: A Comprehensive Review. *JBMR Plus* 2019; 3(4)
29. Mujtaba B, Taher A, Fiala MJ: Heterotopic ossification: radiological and pathological review. *Radiol Oncol* 2019; 53(3):275-284
30. Arzneimittelkommission der deutschen Ärzteschaft: Nichtsteroidale Antirheumatika (NSAR) im Vergleich: Risiko von Komplikationen im oberen Gastrointestinaltrakt, Herzinfarkt und Schlaganfall (UAW-News International). *Deutsches Ärzteblatt* 2020; 110(29-30)
31. Park J-Y, Seo BH, Hong K-H: Prevalence and clinical outcomes of heterotopic ossification after ulnar collateral ligament reconstruction. *J Shoulder Elbow Surg* 2018; 27(3):427-434

32. Ploumis A, Belbasis L, Ntzani E, Tsekeris P, Xenakis T: Radiotherapy for prevention of heterotopic ossification of the elbow: a systematic review of the literature. *J Shoulder Elbow Surg* 2013; 22(11):1580-1588
33. Popovic M, Agarwal A, Zhang L: Radiotherapy for the prophylaxis of heterotopic ossification: a systematic review and meta-analysis of published data. *Radiother Oncol J Eur Soc Ther Radiol Oncol* 2014; 113(1):10-17. doi:10.1016/j.radonc.2014.08.025
34. Pountos I, Georgouli T, Calori GM, Giannoudis PV: Do Nonsteroidal Anti-Inflammatory Drugs Affect Bone Healing? A Critical Analysis. *Sci World J* 2012; 2012
35. Ranganathan K, Loder S, Agarwal S: Heterotopic Ossification: Basic-Science Principles and Clinical Correlates. *J Bone Joint Surg Am* 2015; 97(13):1101-1111
36. Robinson PM, MacInnes SJ, Stanley D, Ali AA: Heterotopic ossification following total elbow arthroplasty: a comparison of the incidence following elective and trauma surgery. *Bone Jt J* 2018; 100-B(6):767-771
37. Salazar D, Golz A, Israel H, Marra G: Heterotopic Ossification of the Elbow Treated With Surgical Resection: Risk Factors, Bony Ankylosis, and Complications. *Clin Orthop* 2014; 472(7):2269-2275
38. Shehab D, Elgazzar AH, Collier BD: Heterotopic ossification. *J Nucl Med Off Publ Soc Nucl Med* 2002; 43(3):346-353
39. Shehab D, Elgazzar AH, Collier BD: Heterotopic ossification. *J Nucl Med Off Publ Soc Nucl Med*. 2002; 43(3):346-353
40. Shukla DR, Pillai G, McAnany S, Hausman M, Parsons BO: Heterotopic ossification formation after fracture-dislocations of the elbow. *J Shoulder Elbow Surg* 2015; 24(3):333-338
41. Sun C, Zhou X, Yao C, Poonit K, Fan C, Yan H: The timing of open surgical release of post-traumatic elbow stiffness: A systematic review. *Medicine (Baltimore)* 2017;96(49):e9121
42. Sun Y, Cai J, Li F, Liu S, Ruan H, Fan C: The efficacy of celecoxib in preventing heterotopic ossification recurrence after open arthrolysis for post-traumatic elbow stiffness in adults. *J Shoulder Elbow Surg* 2015; 24(11):1735-1740
43. Teasell RW, Mehta S, Aubut JL: A systematic review of the therapeutic interventions for heterotopic ossification after spinal cord injury. *Spinal Cord* 2010; 48(7):512-521
44. Veltman ES, Lindenhovius ALC, Kloen P: Improvements in elbow motion after resection of heterotopic bone: a systematic review. *Strateg Trauma Limb Reconstr* 2014; 9(2):65-71
45. Wang Q, Zhang P, Li P: Ultrasonography Monitoring of Trauma-Induced Heterotopic Ossification: Guidance for Rehabilitation Procedures. *Front Neurol* 2018; 9
46. Yu S, Chen M, Fan C: Team Approach: Elbow Contracture Due to Heterotopic Ossification. *JBJS Rev*. 2017;5(1)
47. Zhang Z, Zhang Y, Wang Z, Qiu X, Chen Y: Incidence of and risk factors for the development of asymptomatic heterotopic ossification after elbow fracture fixation. *J Int Med Res* 2020; 48(2):300060519877324

Literatur zum Beitrag

Jules-Nikolaus Rippke, Natalie Mengis, Kilian Wegmann, Lars Müller, Klaus Burkhart:

Steife nach Radiuskopffprothese

Welche Fehlerquellen gibt es?

1. Athwal, G.S. et al.: Determination of correct implant size in radial head arthroplasty to avoid overlengthening: Surgical technique. *J. Bone Jt. Surg. - Ser. A.* 92, SUPPL. 1 PART 2, 250–257
2. Attum, B., Obremsky, W.: Posttraumatic elbow stiffness: A critical analysis review. *JBJS Rev.* 4, 9, 1–7
3. Burkhart, K.J. et al.: Mason-I-Fraktur – eine harmlose Verletzung? *Unfallchirurg.* 118, 1, 9–17
4. Burkhart, K.J. et al.: Mid- to long-term results after bipolar radial head arthroplasty. *J. Shoulder Elb. Surg.* 19, 7, 965–972
5. Casavant, A.M., Hastings, H.: Heterotopic Ossification about the Elbow: A Therapist's Guide to Evaluation and Management. *J. Hand Ther.* 19, 2, 255–267
6. Ehsan, A. et al.: Surgical management of posttraumatic elbow arthrofibrosis. *J. Trauma Acute Care Surg.* 72, 5, 1399–1403
7. Frank, S.G. et al.: Determination of correct implant size in radial head arthroplasty to avoid overlengthening. *J. Bone Jt. Surg. - Ser. A.* 91, 7, 1738–1746
8. Garland, D.E.: A clinical perspective on common forms of acquired heterotopic ossification. *Clin. Orthop. Relat. Res.* 263, 13–29
9. Van Glabbeek, F. et al.: Detrimental effects of overstuffing or understuffing with a radial head replacement in the medial collateral-ligament deficient elbow. *J. Bone Jt. Surg. - Ser. A.* 86, 12, 2629–2635
10. Hackl, M. et al.: Radial shortening osteotomy reduces radiocapitellar contact pressures while preserving valgus stability of the elbow. *Knee Surgery, Sport. Traumatol. Arthrosc.* 25, 7, 2280–2288
11. Hackl, M. et al.: Reliability of magnetic resonance imaging signs of posterolateral rotatory instability of the elbow. *J. Hand Surg. Am.* 40, 7, 1428–1433
12. Itamura, J. et al.: Radial head fractures: MRI evaluation of associated injuries. *J. Shoulder Elb. Surg.* 14, 4, 421–424
13. Kaplan, F.S. et al.: Heterotopic ossification. *J. Am. Acad. Orthop. Surg.* 12, 2, 116–125
14. Kim, H.M. et al.: Intraoperative fluoroscopic assessment of proper prosthetic radial head height. *J. Shoulder Elb. Surg.* 25, 11, 1874–1881
15. McAlister, I., Sems, S.A.: Arthrofibrosis After Periarticular Fracture Fixation. *Orthop. Clin. North Am.* 47, 2, 345–355
16. Michels, F. et al.: Arthroscopic management of Mason type 2 radial head fractures. *Knee Surgery, Sport. Traumatol. Arthrosc.* 15, 10, 1244–1250
17. Nalbantoglu, U. et al.: Capitellar Cartilage Injuries Concomitant With Radial Head Fractures. *J. Hand Surg. Am.* 33, 9, 1602–1607
18. Ranganathan, K. et al.: Heterotopic ossification: Basic-science principles and clinical correlates. *J. Bone Jt. Surg. - Am. Vol.* 97, 13, 1101–1111
19. van Riet, R.P. et al.: Validation of the lesser sigmoid notch of the ulna as a reference point for accurate placement of a prosthesis for the head of the radius: A cadaver study. *J. Bone Jt. Surg. - Ser. B.* 89, 3, 413–416
20. Van Riet, R.P. et al.: Capitellar erosion caused by a metal radial head prosthesis. A case report. *J. Bone Joint Surg. Am.* 86, 5, 1061–1064
21. Savoie, F.H.: Elbow Injuries: Common Problems and Solutions. *Clin. Sports Med.* 37, 2, 209–215
22. Savoie, F.H., Field, L.D.: Arthrofibrosis and complications in arthroscopy of the elbow. *Clin. Sports Med.* 20, 1, 123–129
23. Thompson, H.C. 3rd, Garcia, A.: Myositis ossificans: aftermath of elbow injuries. *Clin. Orthop. Relat. Res.* 50, 129–134
24. Vavken, P. et al.: Begleitverletzungen bei Radiuskopffrakturen Associated Injuries in Radial Head Fractures Einleitung Material und Methoden.
25. Wegmann, K. et al.: Overlengthening of the radial column in radial head replacement: a review of the literature and presentation of a classification system. *Arch. Orthop. Trauma Surg.* 0123456789, (2020)

Literatur zum Beitrag:

Konrad Mader, Kristofer Wintges, Till Orla Klatte

Posttraumatische Achsfehlstellung mit nachfolgender Ellenbogensteife

Welche Therapiekonzepte gibt es?

1. Bauer AS, Pham B, Lattanza LL. Surgical correction of cubitus varus. *J Hand Surg Am* 2016; 41: 447-52.
2. Brunner U, Lichtenberg S, Gausepohl T, Mader K. Posttraumatische Ellenbogensteife: arthroskopische, offene Arthrolyse und Distraktionsarthroplastie. *Expertise Ellenbogen*, Thieme 2016.
3. Cohen MS, Jupiter JB. Intra-articular osteotomy for malunited articular fractures of the distal end of the humerus *JSES* 2014;23:579-85
4. Fernandez F.F., Mader K. Posttraumatische Deformitäten am Ellenbogen des Kindes. *Expertise Ellenbogen*, Thieme 2016.
5. Gausepohl T, Mader K, Pennig D. Mechanical distraction in post-traumatic stiffness of the elbow in children. *JBJS AM* 2006; 88-A: 221-3.
6. Gausepohl T, Mader K. Distraktionsarthrolyse bei posttraumatischer Ellenbogensteife. *Expertise Ellenbogen*, Thieme. 2. Auflage 2021 (in revision).
7. Ivo R, Mader K, Dargel J, Pennig. Treatment of chronically unreduced complex dislocations of the elbow. *Strat Traum Limb Recon* 2009;4:49-55.
8. Levesque JN, Shah A, Ekhtiari S, Yan JR, Thornley P, Williams DS. Three-dimensional printing in orthopaedic surgery: a scoping review. *EOR* 2020; 5: 430-41.
9. Mader K, Farkondeh Fal M, John Ham, Mark Flipsen, Jakob Nüchtern, Schlickewei-Yarar S, Wintges K, Seybold D, Hollinger B. Corrective osteotomies at the distal humerus and forearm: a practical review. *Obere Extremität* 2019 14:247-55.
10. Mader K, Koslowsky TC, Gausepohl T, Pennig D. Mechanical distraction in post-traumatic stiffness of the elbow in children: *Surgical Technique*. *JBJS AM* 2007; 89-A: 26-35.
11. Mader K, Pennig D, Gausepohl T, Wulke AP. Arthrolyse des Ellenbogengelenkes *Unfallchirurg* 2004; 107: 403-14.
12. Mader K, Gausepohl T, Pennig D. Die Operationstechnik der Distraktionsarthrolyse (Arthrodiatasis) bei Ellenbogensteife. *Unfallchirurg* 2004; 107: 115-19.
13. Mader K, Klötzer S, Dobre-Sima E, Verstrecken F, Flipsen M, Großterlinden LG. Reconstruction procedures after distal radius fracture. *Obere Extremität* 2016; 11: 248-59.
14. Mader K, van der Zwan A, Koolen M, Flipsen M, Dietmar Pennig D, Ham J. Complex forearm deformities in children and adolescents: operative strategy in posttraumatic pathology. *Obere Extremität* 2015; 10: 229-39.
15. Michielsen M, van Haver A, Vanhess M, van Riet R, Verstrecken F. Use of three-dimensional technology for complications of upper limb fracture treatment. *EOR* 2019; 4: 302-12.
16. Oura K, Kunihiko O, Okada K, Tanaka H, Murase T. Corrective osteotomy assisted by computer simulation for a malunited intra-articular fracture of the distal humerus: two case reports. *Arch Orthop Trauma Surg* 2016; 136: 1499-505.
17. Pennig D, Mader K, Heck S. Distraction arthrodiatasis in elbow stiffness. *Oper Orthop Traumatol* 2009; 21: 521-32.
18. Sofelt DA, Hill BW, Anderson CP, Cole PA. Supracondylar osteotomy for treatment of cubitus varus in children: a systematic review. *Bone Joint J* 2014; 96: 691-700.
19. Sun Z, Li J, Cui H, Ruan H, Wang W, Fan C. A new pathologic classification for elbow stiffness based on our experience in 216 patients. *JSES* 2020 29,e75-e86

Literatur zum Beitrag

Marion Mühdorfer-Fodor, Karl Josef Prommersberger:

Die ulnare Neuropathie bei Ellenbogensteifen Ein Präventions- und Lösungsalgorithmus

1. Al-Malat T, Hingmann S, Homann H-H: Klinische Untersuchung der Hand. Orthopädie und Unfallchirurgie up2date 2019;14:23-39
2. Apfelberg DB, Larson SJ: Dynamic anatomy of the ulnar nerve at the elbow. Plast Reconstr Surg 1973;51:76-81
3. Bartels RH, Grotenhuis JA: Anterior submuscular transposition of the ulnar nerve. For post-operative focal neuropathy at the elbow. J Bone Joint Surg Br 2004;86:998-1001
4. Bergmeister KD, Schwarz D, Kneser U, Harhaus L: Nervenläsionen bei orthopädischen und unfallchirurgischen Eingriffen. Orthopädie und Unfallchirurgie up2date 2020;15:87-103
5. Blonna D, Huffmann GR, O'Driscoll SW: Delayed-onset ulnar neuritis after release of elbow contractures: clinical presentation, pathological findings, and treatment. Am J Sports Med 2014;42:2113-2121
6. Blonna D, Lee GC, O'Driscoll SW: Arthroscopic restoration of terminal elbow extension in high-level athletes. Am J Sports Med 2010;38:2509-2515
7. Blonna D, O'Driscoll SW: Delayed-onset ulnar neuritis after release of elbow contracture: preventive strategies derived from a study of 563 cases. Arthroscopy 2014;30:947-956
8. Cai J, Wang W, Yan H, et al.: Complications of Open Elbow Arthrolysis in Post-Traumatic Elbow Stiffness: A Systematic Review. PLoS One 2015;10:e0138547
9. Cai J, Zhou Y, Chen S, et al.: Ulnar neuritis after open elbow arthrolysis combined with ulnar nerve subcutaneous transposition for post-traumatic elbow stiffness: outcome and risk factors. J Shoulder Elbow Surg 2016;25:1027-1033
10. Caputo AE, Watson HK: Subcutaneous anterior transposition of the ulnar nerve for failed decompression of cubital tunnel syndrome. J Hand Surg Am 2000;25:544-551
11. Cohen MS, Hastings H, 2nd: Post-traumatic contracture of the elbow. Operative release using a lateral collateral ligament sparing approach. J Bone Joint Surg Br 1998;80:805-812
12. Gabel GT, Amadio PC: Reoperation for failed decompression of the ulnar nerve in the region of the elbow. J Bone Joint Surg Am 1990;72:213-219
13. Gelberman RH, Yamaguchi K, Hollstien SB, et al.: Changes in interstitial pressure and cross-sectional area of the cubital tunnel and of the ulnar nerve with flexion of the elbow. An experimental study in human cadavera. J Bone Joint Surg Am 1998;80:492-501
14. Keschner MT, Paksima N: The stiff elbow. Bull NYU Hosp Jt Dis 2007;65:24-28
15. Lindenhovius AL, Doornberg JN, Ring D, Jupiter JB: Health status after open elbow contracture release. J Bone Joint Surg Am 2010;92:2187-2195
16. Macadam SA, Gandhi R, Bezuhly M, Lefavre KA: Simple decompression versus anterior subcutaneous and submuscular transposition of the ulnar nerve for cubital tunnel syndrome: a meta-analysis. J Hand Surg Am 2008;33:1314.e1311-1312
17. Nabhan A, Kelm J, Steudel WI, Shariat K, Sova L, Ahlhelm F: Sulcus-ulnaris-Syndrom: Einfache Dekompression oder subkutane Vorverlagerung? Fortschr Neurol Psychiatr 2007;75:168-171
18. Nguyen D, Proper SI, MacDermid JC, King GJ, Faber KJ: Functional outcomes of arthroscopic capsular release of the elbow. Arthroscopy 2006;22:842-849
19. Nigst H: Die Operationen bei Neuropathie des Nervus ulnaris im Sulkusbereich. Operative Orthopädie und Traumatologie 1990;2:160-168
20. Park MJ, Chang MJ, Lee YB, Kang HJ: Surgical release for posttraumatic loss of elbow flexion. J Bone Joint Surg Am 2010;92:2692-2699
21. Ring D, Adey L, Zurakowski D, Jupiter JB: Elbow capsulectomy for posttraumatic elbow stiffness. J Hand Surg Am 2006;31:1264-1271
22. Rogers MR, Bergfield TG, Alicino PL: The failed ulnar nerve transposition. Etiology and treatment. Clin Orthop Relat Res 1991;193-200
23. Schuind FA, Goldschmidt D, Bastin C, Burny F: A biomechanical study of the ulnar nerve at the elbow. J Hand Surg Br 1995;20:623-627
24. Shin R, Ring D: The ulnar nerve in elbow trauma. J Bone Joint Surg Am 2007;89:1108-1116
25. Shuai C, Hede Y, Shen L, Yuanming O, Hongjiang R, Cunyi F: Is routine ulnar nerve transposition necessary in open release of stiff elbows? Our experience and a literature review. Int Orthop 2014;38:2289-2294
26. Unglaub F, Hahn P, Kisslinger F, Schäfer M, Müller LP, Spies CK: Das Kubitaltunnelsyndrom: Diagnostik und Therapieoptionen. Handchirurgie Scan 2017;06:71-82
27. van Gent JA, Datema M, Groen JL, Pondaag W, Eekhof JL, Malessy MJ: Anterior subcutaneous transposition for persistent ulnar neuropathy after neurolysis. Neurosurg Focus 2017;42:E8
28. Van Zeeland NL, Yamaguchi K: Arthroscopic capsular release of the elbow. J Shoulder Elbow Surg 2010;19:13-19
29. Wiggers JK, Brouwer KM, Helmerhorst GT, Ring D: Predictors of diagnosis of ulnar neuropathy after surgically treated distal humerus fractures. J Hand Surg Am 2012;37:1168-1172
30. Williams BG, Sotereanos DG, Baratz ME, Jarrett CD, Venouziou AI, Miller MC: The contracted elbow: is ulnar nerve release necessary? J Shoulder Elbow Surg 2012;21:1632-1636
31. Wright TW, Glowczewskie F, Jr., Cowin D, Wheeler DL: Ulnar nerve excursion and strain at the elbow and wrist associated with upper extremity motion. J Hand Surg Am 2001;26:655-662
32. Yamaguchi K, Sweet FA, Bindra R, Gelberman RH: The extraneural and intraneural arterial anatomy of the ulnar nerve at the elbow. J Shoulder Elbow Surg 1999;8:17-21

Literatur zum Beitrag

Andreas Hachenberg, Clayton N. Kraft:

Minimal-invasive Endoprothetik der Hüfte

Wie kommen wir mit dem DAA Zugang zu guten Ergebnissen?

1. <https://de.statista.com/statistik/daten/studie/182669/umfrage/hueftge-lenksoperationen-in-ausgewaehlten-oecd-laendern/>
2. Barrett W., Turner SE, Leopold JP. Greater prevalence of wound complications requiring reoperation with direct anterior approach total hip arthroplasty: *J Arthroplasty*, 29 (2014), pp. 1839-1841
3. Christensen CP, Jacobs CA. Comparison of patient function during the first six weeks after direct anterior or posterior total hip arthroplasty (THA): a randomized study: *J Arthroplasty*, 30 (9 Suppl) (2015), pp. 94-97
4. Charney M, Paxton EW, Stradiotto R, Lee JJ, Hinman AD, Sheth DS, Prentice HA. A Comparison of Risk of Dislocation and Cause-Specific Revision Between Direct Anterior and Posterior Approach Following Elective Cementless Total Hip Arthroplasty: *The Journal of Arthroplasty*. 2020 35(6):1651-1657
5. Engdal M, Foss OA, Taraldsen K, Husby VS, Winther SB. Daily physical activity in total hip arthroplasty patients undergoing different surgical approaches: a cohort study: *Am J Phys Med Rehabil*, 96 (2017), pp. 473-478
6. Eto S, Hwang K, Huddleston JJ, Amanatullah DF, Maloney WJ, Goodman SB. The direct anterior approach is associated with early revision total hip arthroplasty: *J Arthroplasty*, 32 (2017), pp. 1001-1005
7. Fransen B., M. Hoozemans, S. Vos. Direct anterior versus posterior simultaneous bilateral total hip arthroplasties: No major differences at 90 days: *Am J Orthop (Belle Mead Nj)*, 45 (2016), pp. E373-E378
8. Higgins BT, Barlow DR, Heagerty NE, Lin TJ. Anterior vs. posterior approach for total hip arthroplasty, a systematic review and meta-analysis: *J Arthroplasty*, 30 (2015), pp. 419-434
9. Jelsma J., Pijnenburg R, Boons HW, et al..The impact of surgical technique on patient reported outcome measures and early complications after total hip arthroplasty: *J Arthroplasty*, 32 (2017), pp. 1171-117
10. Malek IA, Royce G, Bhatti SU, et al.. A comparison between the direct anterior and posterior approaches for total hip arthroplasty: the role of an 'Enhanced Recovery' pathway: *Bone Joint J*, 98-b (2016), pp. 754-760
11. Maratt JD, Gagnier JJ, Butler PD, Hallstrom BR, Urquhart AG, Roberts KC. No difference in dislocation seen in anterior vs posterior approach total hip arthroplasty: *J Arthroplasty*, 31 (9 Suppl) (2016), pp. 127-130
12. Martin CT, Pugely AJ, Gao Y, Clark CR. A comparison of hospital length of stay and short-term morbidity between the anterior and the posterior approaches to total hip arthroplasty: *J Arthroplasty*, 28 (2013), pp. 849-854
13. Miller LE, Gondusky JS, Bhattacharyya S, Kamath AF, Boettner F, Wright J. Does surgical approach affect outcomes in total hip arthroplasty through 90 Days of follow-up? A systematic review with meta-analysis: *J Arthroplasty*, 33 (2017), pp. 1296-1302
14. Patel NN, Shah JA, Erens GA. Current trends in clinical practice for the direct anterior approach total hip arthroplasty: *J Arthroplasty*, 34 (2019), pp. 1987-1993.e3
15. Post ZD, Orozco F, Diaz-Ledezma C, Hozack WJ, Ong A. Direct anterior approach for total hip arthroplasty: indications, technique, and results: *J Am Acad Orthop Surg*, 22 (2014), pp. 595-603
16. Sarpong NO, Herndon CL; Held MB; et al.. What Is the Learning Curve for New Technologies in Total Joint Arthroplasty? A Review: Current Reviews in *Musculoskeletal Medicine* , (2020), 13: p675-679
17. Sheth D, Cafri G, Inacio MC, Paxton EW, Namba RS. Anterior and anterolateral approaches for THA are associated with lower dislocation risk without higher revision risk: *Clin Orthop Relat Res*, 473 (2015), pp. 3401-3408
18. Spaans AJ, van den Hout JA, Bolder SB. High complication rate in the early experience of minimally invasive total hip arthroplasty by the direct anterior approach: *Acta Orthop*, 83 (2012), pp. 342-346

Literatur zum Beitrag

Andreas Hachenberg, Clayton N. Kraft:

Minimal-invasive Endoprothetik der Hüfte

Wie kommen wir mit dem DAA Zugang zu guten Ergebnissen?

1. <https://de.statista.com/statistik/daten/studie/182669/umfrage/hueftge-lenksoperationen-in-ausgewaehlten-oecd-laendern/>
2. Barrett W., Turner SE, Leopold JP. Greater prevalence of wound complications requiring reoperation with direct anterior approach total hip arthroplasty: *J Arthroplasty*, 29 (2014), pp. 1839-1841
3. Christensen CP, Jacobs CA. Comparison of patient function during the first six weeks after direct anterior or posterior total hip arthroplasty (THA): a randomized study: *J Arthroplasty*, 30 (9 Suppl) (2015), pp. 94-97
4. Charney M, Paxton EW, Stradiotto R, Lee JJ, Hinman AD, Sheth DS, Prentice HA. A Comparison of Risk of Dislocation and Cause-Specific Revision Between Direct Anterior and Posterior Approach Following Elective Cementless Total Hip Arthroplasty: *The Journal of Arthroplasty*. 2020 35(6):1651-1657
5. Engdal M, Foss OA, Taraldsen K, Husby VS, Winther SB. Daily physical activity in total hip arthroplasty patients undergoing different surgical approaches: a cohort study: *Am J Phys Med Rehabil*, 96 (2017), pp. 473-478
6. Eto S, Hwang K, Huddleston JJ, Amanatullah DF, Maloney WJ, Goodman SB. The direct anterior approach is associated with early revision total hip arthroplasty: *J Arthroplasty*, 32 (2017), pp. 1001-1005
7. Fransen B., M. Hoozemans, S. Vos. Direct anterior versus posterior simultaneous bilateral total hip arthroplasties: No major differences at 90 days: *Am J Orthop (Belle Mead Nj)*, 45 (2016), pp. E373-E378
8. Higgins BT, Barlow DR, Heagerty NE, Lin TJ. Anterior vs. posterior approach for total hip arthroplasty, a systematic review and meta-analysis: *J Arthroplasty*, 30 (2015), pp. 419-434
9. Jelsma J., Pijnenburg R, Boons HW, et al..The impact of surgical technique on patient reported outcome measures and early complications after total hip arthroplasty: *J Arthroplasty*, 32 (2017), pp. 1171-117
10. Malek IA, Royce G, Bhatti SU, et al.. A comparison between the direct anterior and posterior approaches for total hip arthroplasty: the role of an 'Enhanced Recovery' pathway: *Bone Joint J*, 98-b (2016), pp. 754-760
11. Maratt JD, Gagnier JJ, Butler PD, Hallstrom BR, Urquhart AG, Roberts KC. No difference in dislocation seen in anterior vs posterior approach total hip arthroplasty: *J Arthroplasty*, 31 (9 Suppl) (2016), pp. 127-130
12. Martin CT, Pugely AJ, Gao Y, Clark CR. A comparison of hospital length of stay and short-term morbidity between the anterior and the posterior approaches to total hip arthroplasty: *J Arthroplasty*, 28 (2013), pp. 849-854
13. Miller LE, Gondusky JS, Bhattacharyya S, Kamath AF, Boettner F, Wright J. Does surgical approach affect outcomes in total hip arthroplasty through 90 Days of follow-up? A systematic review with meta-analysis: *J Arthroplasty*, 33 (2017), pp. 1296-1302
14. Patel NN, Shah JA, Erens GA. Current trends in clinical practice for the direct anterior approach total hip arthroplasty: *J Arthroplasty*, 34 (2019), pp. 1987-1993.e3
15. Post ZD, Orozco F, Diaz-Ledezma C, Hozack WJ, Ong A. Direct anterior approach for total hip arthroplasty: indications, technique, and results: *J Am Acad Orthop Surg*, 22 (2014), pp. 595-603
16. Sarpong NO, Herndon CL; Held MB; et al.. What Is the Learning Curve for New Technologies in Total Joint Arthroplasty? A Review: Current Reviews in *Musculoskeletal Medicine*, (2020), 13: p675-679
17. Sheth D, Cafri G, Inacio MC, Paxton EW, Namba RS. Anterior and anterolateral approaches for THA are associated with lower dislocation risk without higher revision risk: *Clin Orthop Relat Res*, 473 (2015), pp. 3401-3408
18. Spaans AJ, van den Hout JA, Bolder SB. High complication rate in the early experience of minimally invasive total hip arthroplasty by the direct anterior approach: *Acta Orthop*, 83 (2012), pp. 342-346

Literatur zum Beitrag

Olaf Rolf, Christof Paul Rader:

Revisionsendoprothetik der aseptisch gelockerten Hüftpfanne

Wie kommen wir zu guten Ergebnissen?

- 1 Bauer R: Transglutealer Zugang nach Bauer. In: Bauer R, Kerschbaumer F, Poisel S, Weise K, Wirth CJ: Operative Zugangswege in Orthopädie und Traumatologie: Thieme Verlag 2019; 141-144
- 2 Beaulé PE, Schmalzried TP, Udomkiat P, Amstutz HC: Jumbo femoral head for the treatment of recurrent dislocation following total hip replacement. *J Bone Joint Surg Am* 2002; 84: 256-263
- 3 Bettin D, Katthagen BD: [The German Society of Orthopedics and Traumatology classification of bone defects in total hip endoprosthesis revision operations]. *Z Orthop Ihre Grenzgeb* 1997;135: 281-284
- 4 Bozic KJ, Kurtz SM, Lau E, Ong K, Vail TP, Berry DJ: The epidemiology of revision total hip arthroplasty in the United States. *J Bone Joint Surg Am* 2009; 91:128-133
- 5 Claassen L, Ettinger M, Plaass C, Daniilidis K, Calliess T, Ezechieli M: Diagnostic value of bone scintigraphy for aseptic loosening after total knee arthroplasty. *Technol Health Care* 2014; 22: 767-773
- 6 Corstens FH, van der Meer JW: Nuclear medicine's role in infection and inflammation. *Lancet* 1999; 354: 765-770
- 7 Dargel J, Oppermann J, Brüggemann GP, Eysel P: Dislocation following total hip replacement. *Dtsch Arztebl Int* 2014; 111: 884-890
- 8 Fryhofer GW, Ramesh S, Sheth NP: Acetabular reconstruction in revision total hip arthroplasty. *J Clin Orthop Trauma* 2020; 11: 22-28
- 9 Gehrke T, Lausmann C, Citak M, Bonanzinga T, Frommelt L, Zahar A: The Accuracy of the Alpha Defensin Lateral Flow Device for Diagnosis of Periprosthetic Joint Infection: Comparison with a Gold Standard. *J Bone Joint Surg Am* 2018; 100: 42-48
- 10 Gravius S, Pagenstert G, Weber O, Kraska N, Röhrig H, Wirtz DC: [Acetabular defect reconstruction in revision surgery of the hip. Autologous, homologous or metal?]. *Orthopade* 2009; 38: 729-740
- 11 Harris WH, Muratoglu OK: The Role of Crosslinked Polyethylene in Reducing Aggregated Costs of Total Hip Arthroplasty in the United States. *J Arthroplasty* 2019; 34: 1089-1092
- 12 König B, König A: Checklisten zur präoperativen Vorbereitung bei Prothesenwechsel/-revision. In: Wirtz D, Rader CP, Reichel H: Revisionsendoprothetik der Hüfte. Springer Verlag 2008; 59-64
- 13 Kovalak E, Özdemir H, Ermutlu C, Obut A: Assessment of hip abductors by MRI after total hip arthroplasty and effect of fatty atrophy on functional outcome. *Acta Orthop Traumatol Turc* 2018; 52: 196-200
- 14 Malchau H, Herberts P, Eisler T, Garellick G, Söderman P: The Swedish Total Hip Replacement Register. *J Bone Joint Surg Am* 2002; 84-A(2): 2-20
- 15 Morawietz L, Classen RA, Schroder JH, et al.: Proposal for a histopathological consensus classification of the periprosthetic interface membrane. *J Clin Pathol* 2006; 59: 591-597
- 16 Morlock MM, Jager M: [Endoprothesen in the elderly: Biomaterials, implant selection and fixation technique]. *Orthopade* 2017; 46: 4-17
- 17 Neri T, Philippot R, Klasan A, et al.: Dual mobility acetabular cups for total hip arthroplasty: advantages and drawbacks. *Expert Rev Med Devices* 2018; 15: 835-845
- 18 Nieder E: Revisionsalloarthroplastik des Hüftgelenkes. In: Bauer R, Kerschbaumer F, Poisel S: Orthopädische Operationslehre - Becken und untere Extremität: Thieme Verlag 1994: 291
- 19 Paprosky WG, Perona PG, Lawrence JM: Acetabular defect classification and surgical reconstruction in revision arthroplasty. A 6-year follow-up evaluation. *J Arthroplasty* 1994; 9: 33-44
- 20 Ranzini MBM, Henckel J, Ebner M, et al.: Automated postoperative muscle assessment of hip arthroplasty patients using multimodal imaging joint segmentation. *Comput Methods Programs Biomed* 2020; 183: 105062
- 21 Rath B, Eschweiler J, Beckmann J, Migliorini F, Alrawashdeh W, Tingart M: [Revision total hip arthroplasty : Significance of instability, impingement, offset and gluteal insufficiency]. *Orthopade* 2019; 48: 315-321
- 22 Seifert J, Rader CP: Aseptische Lockerung - Ursachen und Risikofaktoren. In: Wirtz D, Rader CP, Reichel H: Revisionsendoprothetik der Hüfte: Springer Verlag 2008; 12-18
- 23 Trampuz A, Hanssen AD, Osmon DR, Mandrekar J, Steckelberg JM, Patel R: Synovial fluid leukocyte count and differential for the diagnosis of prosthetic knee infection. *Am J Med* 2004; 117: 556-562
- 24 Villa JM, Pannu TS, Piuzei N, Riesgo AM, Higuera CA: Evolution of Diagnostic Definitions for Periprosthetic Joint Infection in Total Hip and Knee Arthroplasty. *J Arthroplasty* 2020; 35: 9-13
- 25 Vrontis K, Tsinaslanidis G, Drosos GI, Tzatzairis T. Perioperative Blood Management Strategies for Patients Undergoing Total Hip Arthroplasty: Where Do We Currently Stand on This Matter? *Arch Bone Jt Surg* 2020; 8: 646-655
- 26 Wimmer M, Wirtz DC, Gravius S: Acetabular defect reconstruction in revision total hip arthroplasty. *OUP* 2016; 6: 358-363
- 27 Wirtz DC, Wacker M, Jaenisch M, Gravius S, Roessler PP: [Acetabular revision arthroplasty with a novel cementless augment-and-modular-cage system (MRS-C) : Surgical technique and preliminary clinical results]. *Oper Orthop Traumatol* 2020; 32: 248-261
- 28 Ye W, Liu Y, Liu WF, Li XL, Shao J: The optimal regimen of oral tranexamic acid administration for primary total knee/hip replacement: a meta-analysis and narrative review of a randomized controlled trial. *J Orthop Surg Res* 2020; 15: 457

Literatur zum Beitrag

Peter Savov, Henning Windhagen, Max Ettinger:

Typische Probleme der diaphysären Verankerung bei der Hüftendoprothetik mit Standardschäften

1. Barrack RL, Paprosky W, Butler RA et al. (2000) Patients' perception of pain after total hip arthroplasty. *The Journal of arthroplasty* 15:590-596
2. Bjurholm A, Kreicbergs A, Brodin E et al. (1988) Substance P- and CGRP-immunoreactive nerves in bone. *Pep-tides* 9:165-171
3. Bourne RB, Rorabeck CH, Ghazal ME et al. (1994) Pain in the thigh following total hip replacement with a porous-coated anatomic prosthesis for osteoarthritis. A five-year follow-up study. *J Bone Joint Surg Am* 76:1464-1470
4. Brown TE, Larson B, Shen F et al. (2002) Thigh pain after cementless total hip arthroplasty: evaluation and management. *The Journal of the American Academy of Orthopaedic Surgeons* 10:385-392
5. Crawford DA, Adams JB, Morris MJ et al. (2020) Distal femoral cortical hypertrophy not associated with thigh pain using a short stem femoral implant. *Hip Int*:1120700020913872
6. Domb B, Hostin E, Mont MA et al. (2000) Cortical strut grafting for enigmatic thigh pain following total hip arthroplasty. *Orthopedics* 23:21-24
7. Engh CA, Bobyn JD, Glassman AH (1987) Porous-coated hip replacement. The factors governing bone ingrowth, stress shielding, and clinical results. *J Bone Joint Surg Br* 69:45-55
8. Granger L, Bankes M, Sandiford NA (2020) Cortical Strut Graft for Enigmatic Thigh Pain in Uncemented Total Hip Replacement. *Cureus* 12:e8233
9. Grimberg A, JV, Liebs T, Melsheimer O., Steinbrück A. (2019) Jahresbericht 2019 Endoprothesenregister Deutschland.
10. Grimberg A, JV, Lütznier J., Melsheimer O., Morlock M., Steinbrück A. (2020) Jahresbericht 2020 Endoprothesenregister Deutschland.
11. Hayashi S, Hashimoto S, Matsumoto T et al. (2020) Risk factors of thigh pain following total hip arthroplasty with short, tapered-wedge stem. *International orthopaedics* 44:2553-2558
12. Horwood NJ, Nam D, Greco NJ et al. (2019) Reduced Thigh Pain with Short Femoral Stem Design Following Direct Anterior Primary Total Hip Arthroplasty. *Surg Technol Int* 34:437-444
13. Huiskes R, Weinans H, Van Rietbergen B (1992) The relationship between stress shielding and bone resorption around total hip stems and the effects of flexible materials. *Clin Orthop Relat Res*:124-134
14. Huo SC, Wang F, Dong LJ et al. (2016) Short-stem prostheses in primary total hip arthroplasty: A meta-analysis of randomized controlled trials. *Medicine* 95:e5215
15. Innmann MM, Weishorn J, Bruckner T et al. (2019) Fifty-six percent of proximal femoral cortical hypertrophies 6 to 10 years after Total hip arthroplasty with a short Cementless curved hip stem - a cause for concern? *BMC Musculoskelet Disord* 20:261
16. Jo WL, Lee YK, Ha YC et al. (2016) Frequency, Developing Time, Intensity, Duration, and Functional Score of Thigh Pain After Cementless Total Hip Arthroplasty. *The Journal of arthroplasty* 31:1279-1282
17. Khanuja HS, Banerjee S, Jain D et al. (2014) Short bone-conserving stems in cementless hip arthroplasty. *J Bone Joint Surg Am* 96:1742-1752
18. Knutsen AR, Lau N, Longjohn DB et al. (2017) Periprosthetic femoral bone loss in total hip arthroplasty: systematic analysis of the effect of stem design. *Hip Int* 27:26-34
19. Pogliacomì F, Schiavi P, Grappiolo G et al. (2020) Outcome of short versus conventional stem for total hip arthroplasty in the femur with a high cortical index: a five year follow-up prospective multicentre comparative study. *International orthopaedics* 44:61-68
20. Sas A, Pellikaan P, Kolk S et al. (2019) Effect of anatomical variability on stress-shielding induced by short calcar-guided stems: Automated finite element analysis of 90 femora. *J Orthop Res* 37:681-688
21. Ville J a St EJA, Winget J M, Berghauer M H (1991) THE ANATOMY OF MIDT-HIGH PAIN AFTER TOTAL HIP ARTHROPLASTY. *Johns Hopkins APL Technical Digest* 12:198-214
22. Vresilovic EJ, Hozack WJ, Rothman RH (1996) Incidence of thigh pain after uncemented total hip arthroplasty as a function of femoral stem size. *The Journal of arthroplasty* 11:304-311

Literatur zum Beitrag

Lars Victor von Engelhardt, Jörg Jerosch:

Hüftimpingement und Rückkehr in den Sport

Wie kommen wir mit der Hüftarthroskopie zu optimalen Ergebnissen und was können unsere Patienten erwarten?

1. Agricola R, Bessems JH, Ginai AZ, et al.: The development of Cam-type deformity in adolescent and young male soccer players. *Am J Sports Med* 2012; 40(5): 1099-1106
2. Agricola R, Heijboer MP, Roze RH, et al.: Pincer deformity does not lead to osteoarthritis of the hip whereas acetabular dysplasia does: acetabular coverage and development of osteoarthritis in a nationwide prospective cohort study (CHECK). *Osteoarthritis Cartilage* 2013; 21(10): 1514-1521
3. Anderson LA, Anderson MB, Erickson JA, Chrastil J, Peters CL: Acetabular Wall Indices Help to Distinguish Acetabular Coverage in Asymptomatic Adults With Varying Morphologies. *Clin Orthop Relat Res* 2017; 475(4): 1027-1033
4. Ayeni OR, Adamich J, Farrokhyar F, et al.: Surgical management of labral tears during femoroacetabular impingement surgery: a systematic review. *Knee Surg Sports Traumatol Arthrosc* 2014; 22(4):756-762
5. Beaulé PE, Speirs AD, Anwander H, et al.: Surgical Correction of Cam Deformity in Association with Femoroacetabular Impingement and Its Impact on the Degenerative Process within the Hip Joint. *J Bone Joint Surg Am* 2017; 99(16): 1373-1381
6. Beck M, Kalhor M, Leunig M, Ganz R: Hip morphology influences the pattern of damage to the acetabular cartilage: femoroacetabular impingement as a cause of early osteoarthritis of the hip. *J Bone Joint Surg Br* 2005; 87(7):1012-1018
7. Bert JM. Abandoning microfracture of the knee: has the time come? *Arthroscopy* 2015; 31(3): 501-505
8. Botser, IB, Smith, TW, Nasser, R, Domb, BG: Open surgical dislocation versus arthroscopy for femoroacetabular impingement: a comparison of clinical outcomes. *Arthroscopy* 2011; 27(2): 270-278
9. Breil-Wirth A, von Engelhardt LV, Lobner S, Jerosch J. Retrospektive Untersuchung einer zellfreien Matrix zur Knorpeltherapie. *OUP* 2016; 9: 515-520
10. Bretschneider H, Trattng S, Landgraeber S, et al.: Arthroscopic matrix-associated, injectable autologous chondrocyte transplantation of the hip: significant improvement in patient-related outcome and good transplant quality in MRI assessment. *Knee Surg Sports Traumatol Arthrosc.* 2020; 28(4): 1317-1324
11. Büchler L, Neumann M, Schwab JM, Iselin L, Tannast M, Beck M: Arthroscopic versus open cam resection in the treatment of femoroacetabular impingement. *Arthroscopy* 2013; 29(4): 653-660
12. Byrd JWT: Hüftarthroskopie. *Orthopäde* 2006; 35: 41-53
13. Carton PF, Filan D: Labral cuff refixation in the hip: rationale and operative technique for preserving the chondrolabral interface for labral repair: a case series. *J Hip Preserv Surg* 2017; 5(1): 78-87
14. Cerezal L, Kassarian A, Canga A, et al.: Anatomy, biomechanics, imaging, and management of ligamentum teres injuries. *Radiographics* 2010; 30(6): 1637-1651
15. Cetinkaya S, Tokar B, Ozden VE, Dikmen G, Taser O: Arthroscopic labral repair versus labral debridement in patients with femoroacetabular impingement: a minimum 2.5 year follow-up study. *Hip Int* 2016; 26(1): 20-24
16. Chahla J, LaPrade RF, Mardones R, et al.: Biological Therapies for Cartilage Lesions in the Hip: A New Horizon. *Orthopedics* 2016; 39(4): 715-723
17. Claßen T, Körsmeier K, Kamminga M, et al.: Is early treatment of cam-type femoroacetabular impingement the key to avoiding associated full thickness isolated chondral defects? *Knee Surg Sports Traumatol Arthrosc* 2016; 24(7): 2332-2337
18. Clohisy JC, Knaus ER, Hunt DM, Lesher JM, Harris-Hayes M, Prather H: Clinical presentation of patients with symptomatic anterior hip impingement. *Clin Orthop Relat Res* 2009; 467(3): 638-644
19. Colvin AC, Koehler SM, Bird J: Can the change in center-edge angle during pincer trimming be reliably predicted? *Clin Orthop Relat Res* 2011; 469(4): 1071-1074
20. de Silva V, Swain M, Broderick C, McKay D: Does high level youth sports participation increase the risk of femoroacetabular impingement? A review of the current literature. *Pediatr Rheumatol Online J* 2016; 14:16
21. Domb BG, Gui C, Lodhia P: How much arthritis is too much for hip arthroscopy: a systematic review. *Arthroscopy* 2015; 31(3): 520-529
22. Dukas AG, Gupta AS, Peters CL, Aoki SK: Surgical Treatment for FAI: Arthroscopic and Open Techniques for Osteoplasty. *Curr Rev Musculoskelet Med* 2019; 12(3): 281-290
23. Ellis HB, Briggs KK, Philippon MJ: Innovation in hip arthroscopy: is hip arthritis preventable in the athlete? *Br J Sports Med* 2011; 45(4): 253-258
24. Fickert S, Aurich M, Albrecht D et al.: Biologische Rekonstruktion lokalisiert vollschichtiger Knorpelschäden des Hüftgelenks: Empfehlungen der Arbeitsgemeinschaft „Klinische Geweberegeneration“ der DGOU und des Hüftkomitees der AGA. *Z Orthop Unfall* 2017; 155: 670-682
25. Freke MD, Kemp J, Svege I, Risberg MA, Semciw A, Crossley KM: Physical impairments in symptomatic femoroacetabular impingement: a systematic review of the evidence. *Br J Sports Med* 2016; 50 (19): 1180
26. Gavenis K, Schmidt-Rohlfing B, Andereya S, Mumme T, Schneider U, Mueller-Rath R: A cell-free collagen type I device for the treatment of focal cartilage defects. *Artif Organs* 2010; 34: 79-83
27. Gebhart C: Subspinales Impingement des Hüftgelenks Arthroscopie 2014; 27: 93-97
28. Green CJ, Beck A, Wood D, Zheng MH: The biology and clinical evidence of microfracture in hip preservation surgery. *J Hip Preserv Surg* 2016; 3(2): 108-123
29. Goyal D, Keyhani S, Lee EH, Hui JH: Evidence-based status of microfracture technique: a systematic review of level I and II studies. *Arthroscopy* 2013; 29: 1579-1588
30. Gupta A, Redmond JM, Hammarstedt JE, Schwindel L, Domb BG: Safety measures in hip arthroscopy and

- their efficacy in minimizing complications: a systematic review of the evidence. *Arthroscopy* 2014; 30(10): 1342-1348
31. Gwathmey FW, Jones KS, Thomas Byrd JW. Revision hip arthroscopy: findings and outcomes. *J Hip Preserv Surg* 2017; 4(4): 318-323
32. Hamula MJ, Ryan MK, Baron SL, Bloom DA, Youm T: Atypical Hip Pain in Femoroacetabular Impingement: A Comparison of Outcomes Based on Primary Hip Pain Location. *Am J Sports Med* 2020; 48(1): 167-172
33. Hanson JA, Kapron AL, Swenson KM, Maak TG, Peters CL, Aoki SK: Discrepancies in measuring acetabular coverage: Revisiting the anterior and lateral center edge angles. *J Hip Preserv Surg* 2015; 2: 280-286
34. Heyworth BE, Shindle MK, Voos JE, Rudzki JR, Kelly BT: Radiologic and intraoperative findings in revision hip arthroscopy. *Arthroscopy* 2007; 23(12): 1295-1302
35. Horner NS, Khanduja V, MacDonald AE, Naendrup JH, Simunovic N, Aeyeni OR: Femoral neck fractures as a complication of hip arthroscopy: A systematic review. *J Hip Preserv Surg* 2017; 4: 9-17
36. Konstantinidis G, Mitchell M, Boyd G, Coady C, Ghosh S, Wong I: Poor Sensitivity of Magnetic Resonance Arthrography to Detect Hip Chondral Delamination: A Retrospective Follow-Up of 227 FAI-Operated Patients. *Cartilage* 2019; 23:1947603518816453
37. Körsmeier K, Claßen T, Kamminga M, Rekowski J, Jäger M, Landgraeber S: Arthroscopic three-dimensional autologous chondrocyte transplantation using spheroids for the treatment of full-thickness cartilage defects of the hip joint. *Knee Surg Sports Traumatol Arthrosc* 2016; 24(6): 2032-2037
38. Lahner M, Walter PA, von Schulze Pellingahr C, Hagen M, von Engelhardt LV, Lukas C: Comparative study of the femoroacetabular impingement (FAI) prevalence in male semi-professional and amateur soccer players. *Arch Orthop Trauma Surg* 2014; 134(8): 1135-1141
39. Larson CM, Giveans MR, Samuelson KM, Stone RM, Bedi A: Arthroscopic Hip Revision Surgery for Residual Femoroacetabular Impingement (FAI): Surgical Outcomes Compared With a Matched Cohort After Primary Arthroscopic FAI Correction. *Am J Sports Med* 2014; 42(8): 1785-1790
40. Larson CM, Wulf CA: Intraoperative fluoroscopy for evaluation of bony resection during arthroscopic management of femoroacetabular impingement in the supine position. *Arthroscopy* 2009; 25(10): 1183-1192
41. Lee YJ, Kim SH, Chung SW, Lee YK, Koo KH: Causes of Chronic Hip Pain Undiagnosed or Misdiagnosed by Primary Physicians in Young Adult Patients: a Retrospective Descriptive Study. *J Korean Med Sci* 2018; 33(52): e339
42. Lequesne MG, Laredo JD: The faux profil (oblique view) of the hip in the standing position. Contribution to the evaluation of osteoarthritis of the adult hip. *Ann Rheum Dis* 1998; 57(11): 676-681
43. Locks R, Chahla J, Mitchell JJ, Soares E, Philippon MJ: Dynamic Hip Examination for Assessment of Impingement During Hip Arthroscopy. *Arthrosc Tech* 2016; 5(6): 1367-1372
44. Macek J: Gel Scaffolds and Membranes-which one is a better choice in hip cartilage defects treatment: advantages and disadvantages. *Abstarct, ISHA Academy* 2019, EP15.12
45. Mansor Y, Perets I, Close MR, Mu BH, Domb BG: In search of the spherical femoroplasty: Cam overresection leads to inferior functional scores before and after revision hip arthroscopic surgery. *Am J Sports Med* 2018; 46: 2061-2071
46. Matsuda DK, Gupta N, Hanami D: Hip arthroscopy for challenging deformities: global pincer femoroacetabular impingement. *Arthrosc Tech* 2014; 3(2): 197-204
47. Memon M, Kay J, Hache P, et al.: Athletes experience a high rate of return to sport following hip arthroscopy. *Knee Surg Sports Traumatol Arthrosc* 2019; 27(10): 3066-3104
48. Mullins K, Hanlon M, Carton P: Arthroscopic correction of femoroacetabular impingement improves athletic performance in male athletes. *Knee Surg Sports Traumatol Arthrosc* 2020; 28: 2285-2294
49. Nepple JJ, Vigdorich JM, Clohisy JC: What Is the Association Between Sports Participation and the Development of Proximal Femoral Cam Deformity? A Systematic Review and Meta-analysis. *Am J Sports Med* 2015; 43(11): 2833-2840
50. Neumann M, Cui Q, Siebenrock KA, Beck M: Impingement-free hip motion: the 'normal' angle alpha after osteochondroplasty. *Clin Orthop Relat Res* 2009; 467(3): 699-703
51. Nötzli HP, Wyss TF, Stoecklin CH, Schmid MR, Treiber K, Hodler J: The contour of the femoral head-neck junction as a predictor for the risk of anterior impingement. *J Bone Joint Surg Br* 2002; 84(4): 556-560
52. Orth P, Duffner J, Zurakowski D, Cucchiariini M, Madry H: Small-diameter awls improve articular cartilage repair after microfracture treatment in a translational animal model. *Am J Sports Med* 2016; 44(1): 209-219
53. Philippon MJ, Briggs KK, Yen YM, Kuppersmith DA: Outcomes following hip arthroscopy for femoroacetabular impingement with associated chondrolabral dysfunction: minimum two-year follow-up. *J Bone Joint Surg* 2009; 91(1): 16-23
54. Philippon MJ, Schenker ML, Briggs KK, Kuppersmith DA, Maxwell RB, Stubbs AJ: Revision hip arthroscopy. *Am J Sports Med* 2007; 35(11): 1918-1921
55. Philippon MJ, Schroder ESG, Briggs KK: Hip arthroscopy for femoroacetabular impingement in patients aged 50 years or older. *Arthroscopy* 2012; 28(1): 59-65
56. Philippon MJ, Wolff AB, Briggs KK, Zehms CT, Kuppersmith DA: Acetabular rim reduction for the treatment of femoroacetabular impingement correlates with preoperative and postoperative center-edge angle. *Arthroscopy* 2010; 26(6): 757-761
57. Poh SY, Hube R, Dienst: Arthroscopic treatment of femoroacetabular pincer impingement. *Oper Orthop Traumatol.* 2015; 27(6): 536-542
58. Poirier P: Traits d'anatomie humaine. In Poirier P, Charpy A (eds), vol 1; Paris: Masson et Cie, 1911
59. Raveendran R, Stiller JL, Alvarez C, et al.: Population-based prevalence of multiple radiographically-defined hip morphologies: the Johnston County Osteoarthritis Project. *Osteoarthritis Cartilage* 2018; 26(1): 54-61
60. Reddy N, Martinez JR, Mulligan E, Nakonezny P, Wells J: Sleep quality and nocturnal pain in patients with femoroacetabular impingement and acetabular dysplasia. *BMC Musculoskelet Disord* 2020; 21(1): 134
61. Rego PR, Mascarenhas V, Oliveira FS, et al.: Morphologic and angular planning for cam resection in femoroacetabular impingement: value of the omega angle. *Int Orthop* 2016; 40(10): 2011-2017
62. Rhee C, Le Francois T, Byrd JWT, Glazebrook M, Wong I: Radiographic Diagnosis of Pincer-Type Femoroacetabular Impingement: A Systematic Review. *Orthop J Sports Med* 2017; 5(5): 2325967117708307
63. Robinson PG, Murray IR, Maempel J, Rankin CS, Hamilton D, Gaston P:

- Use of Biologics as an Adjunct Therapy to Arthroscopic Surgery for the Treatment of Femoroacetabular Impingement: A Systematic Review. *Orthop J Sports Med* 2019; 7(12): 2325967119890673
64. Sanders TL, Reardon P, Levy BA, Krych AJ: Arthroscopic treatment of global pincer-type femoroacetabular impingement. *Knee Surg Sports Traumatol Arthrosc* 2017; 25(1): 31-35
65. Sardana V, Philippon MJ, de Sa D, et al.: Revision Hip Arthroscopy Indications and Outcomes: A Systematic Review. *Arthroscopy* 2015; 31(10): 2047-2055
66. Schneider U, Schmidt-Rohlfing B, Gavenis K, Maus U, Mueller-Rath R, Andereya S: A comparative study of 3 different cartilage repair techniques. *Knee Surg Sports Traumatol Arthrosc* 2011; 19(12): 2145-2152
67. Siebenrock KA, Ferner F, Noble PC, Santore RF, Werlen S, Mamisch TC: The cam-type deformity of the proximal femur arises in childhood in response to vigorous sporting activity. *Clin Orthop Relat Res* 2011; 469(11): 3229-3240
68. Siebenrock KA, Kistler L, Schwab JM, Büchler L, Tannast M: The acetabular wall index for assessing anteroposterior femoral head coverage in symptomatic patients. *Clin Orthop Relat Res* 2012; 470(12): 3355-3360
69. Sink EL, Beaulé PE, Sucato D, et al.: Multicenter study of complications following surgical dislocation of the hip. *J Bone Joint Surg Am* 2011; 93(12): 1132-1136
70. Sohatee MA, Ali M, Khanduja V, Malviya A: Does hip preservation surgery prevent arthroplasty? Quantifying the rate of conversion to arthroplasty following hip preservation surgery. *J Hip Preserv Surg* 2020; 7(2): 168-182
71. Spahn G, Hofmann GO, von Engelhardt LV: Mechanical debridement versus radiofrequency in knee chondroplasty with concomitant medial meniscectomy: 10-year results from a randomized controlled study. *Knee Surg Sports Traumatol Arthrosc* 2016; 24(5): 1560-1568
72. Sutter R, Zanetti M, Pfirrmann CW: New developments in hip imaging. *Radiology* 2012; 264(3): 651-667
73. Tannast M, Hanke MS, Zheng G, et al.: What are the radiographic reference values for acetabular under- and overcoverage? *Clin Orthop Relat Res* 2015; 473: 1234-1246
74. von Engelhardt LV, El Tabbakh MR, Engers R, Lahner M, Jerosch J: Hip arthroscopy for excision of osteoid osteoma and for the application of a collagen cartilage implant: Case report in a professional athlete, and literature review. *Technol Health Care* 2016; 24(6): 957-964
75. von Engelhardt LV, Jerosch J: Hüftimpingement – arthroskopische Möglichkeiten. Behandlung der knöchernen Deformitäten, begleitender Labrum- und Knorpelschäden und der Kapsel. OUP 2019; 8: 378–388.
76. von Engelhardt LV, Spahn G, Jerosch J: Therapiemöglichkeiten bei chronischen, degenerativen Knorpelschäden. OUP 2018; 7: 382-387
77. Wienecke H, Lobenhoffer P: Grundlagen radiochirurgischer Systeme und ihre Anwendungen in der Arthroscopie. *Unfallchirurg* 2003; 106: 2-12
78. Wijdicks CA, Balldin BC, Jansson KS, Stull JD, LaPrade RF, Philippon MJ: Cam lesion femoral osteoplasty: In vitro biomechanical evaluation of iatrogenic femoral cortical notching and risk of neck fracture. *Arthroscopy* 2013; 29: 1608-1614
79. Wu ZX, Ren WX, Ren YM, Tian MQ: Arthroscopic labral debridement versus labral repair for patients with femoroacetabular impingement: A meta-analysis. *Medicine* 2020; 99(19): 20141

Literatur zum Beitrag

Jörg Schröder:

Hüftimpingement aus der Sicht der evidenzbasierten Medizin

Warum ist die arthroskopische Korrektur der konservativen Therapie überlegen und welche Langzeitfolgen hat das nicht-operative Vorgehen?

1. Aoyama, M., Ohnishi, Y., Utsunomiya, H., et al.: 2019, A Prospective, Randomized, Controlled Trial Comparing Conservative Treatment With Trunk Stabilization Exercise to Standard Hip Muscle Exercise for Treating Femoroacetabular Impingement: A Pilot Study, *Clinical journal of sport medicine*: official journal of the Canadian Academy of Sport Medicine, 29(4), pp. 267-75.
2. Ayeni, O.R., Karlsson, J., Heels-Anderson, D., et al.: 2021, Osteochondroplasty and Labral Repair for the Treatment of Young Adults With Femoroacetabular Impingement: A Randomized Controlled Trial, *The American journal of sports medicine*, 49(1), pp. 25-34.
3. Clohisy, J.C., Dobson, M.A., Robison, J.F., et al.: 2011, Radiographic structural abnormalities associated with premature, natural hip-joint failure, *The Journal of bone and joint surgery. American volume*, 93 Suppl 2, pp. 3-9.
4. Collins, J.A., Ward, J.P. & Youm, T.: 2014, Is prophylactic surgery for femoroacetabular impingement indicated? A systematic review, *The American journal of sports medicine*, 42(12), pp. 3009-15.
5. Culliford, D.J., Maskell, J., Kiran, A., et al.: 2012, The lifetime risk of total hip and knee arthroplasty: results from the UK general practice research database, *Osteoarthritis and cartilage/OARS, Osteoarthritis Research Society*, 20(6), pp. 519-24.
6. Domb, B.G., Gui, C. & Lodhia, P.: 2014, How Much Arthritis Is Too Much for Hip Arthroscopy: A Systematic Review, *Arthroscopy: the journal of arthroscopic & related surgery*: official publication of the Arthroscopy Association of North America and the International Arthroscopy Association, 31(3), pp. 520-9.
7. Dwyer, T., Whelan, D., Shah, P.S., Ajrawat, P., Hoit, G. & Chahal, J.: 2020, Operative Versus Nonoperative Treatment of Femoroacetabular Impingement Syndrome: A Meta-analysis of Short-Term Outcomes, *Arthroscopy: the journal of arthroscopic & related surgery*: official publication of the Arthroscopy Association of North America and the International Arthroscopy Association, 36(1).
8. Faucett, S.C., Nepple, J.J., Andrade, T., et al.: 2018, Randomized Controlled Trial of Hip Arthroscopy Surgery vs Physical Therapy: Letter to the Editor, *The American journal of sports medicine*, 46(8), pp. NP35-8.
9. Ferreira, G.E., O'Keefe, M., Maher, C.G., et al.: 2021, The effectiveness of hip arthroscopic surgery for the treatment of femoroacetabular impingement syndrome: A systematic review and meta-analysis, *Journal of science and medicine in sport / Sports Medicine Australia*, 24(1).
10. Gatz, M., Driessen, A., Eschweiler, J., Tingart, M, Migliorini, F.: 2020, Arthroscopic surgery versus physiotherapy for femoroacetabular impingement: a meta-analysis study, *European journal of orthopaedic surgery & traumatology*: orthopedie traumatologie, 30(7).
11. Griffin, D.R., Dickenson, E.J., O'Donnell, J., et al.: 2016, The Warwick Agreement on femoroacetabular impingement syndrome (FAI syndrome): an international consensus statement, *British journal of sports medicine*, 50(19), pp. 1169-76.
12. Griffin, D.R., Dickenson, E.J., Wall, P.D.H., et al.: Foster, N.E. & FASHIoN Study Group, 2018, Hip arthroscopy versus best conservative care for the treatment of femoroacetabular impingement syndrome (UK FASHIoN): a multicentre randomised controlled trial, *Lancet*, 391(10136), pp. 2225-35.
13. Harris, W.H.: 1986, Etiology of osteoarthritis of the hip, *Clinical orthopaedics and related research*(213), pp. 20-33.
14. Harris-Hayes, M., Steger-May, K., A, M.B., Mueller, M.J., Clohisy, J.C., Fitzgerald, G.K.: 2021, One-Year Outcomes Following Physical Therapist-led Intervention for Chronic Hip-Related Groin Pain: Ancillary Analysis of a Pilot Multicenter Randomized Clinical Trial, *Journal of orthopaedic research*: official publication of the Orthopaedic Research Society.
15. Kemp, J.L., Makdissi, M., Schache, A.G., Finch, C.F., Pritchard, M.G., Crossley, K.M.: 2016, Is quality of life following hip arthroscopy in patients with chondrolabral pathology associated with impairments in hip strength or range of motion? *Knee surgery, sports traumatology, arthroscopy*: official journal of the ESSKA, 24(12), pp. 3955-61.
16. Kowalczyk, M., Yeung, M., Simunovic, N., Ayeni, O.R.: 2015, Does Femoroacetabular Impingement Contribute to the Development of Hip Osteoarthritis? A Systematic Review, *Sports medicine and arthroscopy review*, 23(4), pp. 174-9.
17. Leunig, M. & Ganz, R., 2005: Femoroacetabular impingement. A common cause of hip complaints leading to arthrosis, *Der Unfallchirurg*, 108(1), pp. 9-10, 12-7.
18. Mansell, N.S., Rhon, D.I., Meyer, J., Slevin, J.M., Marchant, B.G.: 2018, Arthroscopic Surgery or Physical Therapy for Patients With Femoroacetabular Impingement Syndrome: A Randomized Controlled Trial With 2-Year Follow-up, *The American journal of sports medicine*, 46(6), pp. 1306-14.
19. Matsuda, D.K., Carlisle, J.C., Arthurs, S.C., Wierks, C.H., Philippon, M.J.: 2011, Comparative systematic review of the open dislocation, mini-open, and arthroscopic surgeries for femoroacetabular impingement, *Arthroscopy: the journal of arthroscopic & related surgery*: official publication of the Arthroscopy Association of North America and the International Arthroscopy Association, 27(2), pp. 252-69.

20. Memon, M., Kay, J., Hache, P., Simunovic, N., Harris, J.D., O'Donnell, J., Ayeni, O.R.: 2019, Athletes experience a high rate of return to sport following hip arthroscopy, *Knee surgery, sports traumatology, arthroscopy* : official journal of the ESSKA, 27(10).
21. Minkara, A.A., Westermann, R.W., Rosneck, J., Lynch, T.S.: 2019, Systematic Review and Meta-analysis of Outcomes After Hip Arthroscopy in Femoroacetabular Impingement, *The American journal of sports medicine*, 47(2), pp. 488-500.
22. Murphy, L.B., Helmick, C.G., Schwartz, T.A., et al.: 2010, One in four people may develop symptomatic hip osteoarthritis in his or her lifetime, *Osteoarthritis and cartilage / OARS, Osteoarthritis Research Society*, 18(11), pp. 1372-9.
23. Murphy, N.J., Eyles, J., Bennell, et al.: 2017, Protocol for a multi-centre randomised controlled trial comparing arthroscopic hip surgery to physiotherapy-led care for femoroacetabular impingement (FAI): the Australian FASHIoN trial, *BMC musculoskeletal disorders*, 18(1), p. 406.
24. Myers, S.R., Eijer, H. & Ganz, R.: 1999, Anterior femoroacetabular impingement after periacetabular osteotomy, *Clinical orthopaedics and related research*(363), pp. 93-9.
25. Palmer, A.J.R., Ayyar Gupta, V., Fernquest, S., et al.: FAIT Study Group, 2019, Arthroscopic hip surgery compared with physiotherapy and activity modification for the treatment of symptomatic femoroacetabular impingement: multicentre randomised controlled trial, *BMJ (Clinical research ed.)*, 364, p. 1185.
26. Risberg, M.A., Ageberg, E., Nilstad, A., et al.: 2018, Arthroscopic Surgical Procedures Versus Sham Surgery for Patients With Femoroacetabular Impingement and/or Labral Tears: Study Protocol for a Randomized Controlled Trial (HIPARTI) and a Prospective Cohort Study (HARP), *The Journal of orthopaedic and sports physical therapy*, 48(4), pp. 325-35.
27. Saadat, E., Martin, S.D., Thornhill, T.S., Brownlee, S.A., Losina, E., Katz, J.N.: 2014, Factors Associated With the Failure of Surgical Treatment for Femoroacetabular Impingement: Review of the Literature, *The American journal of sports medicine*, 42(6), pp. 1487-95.
28. Schwabe, M.T., Clohisy, J.C., Cheng, A.L., et al.: 2020, Short-term Clinical Outcomes of Hip Arthroscopy Versus Physical Therapy in Patients With Femoroacetabular Impingement: A Systematic Review and Meta-analysis of Randomized Controlled Trials, *Orthopaedic journal of sports medicine*, 8(11), p. 2325967120968490.
29. Wall, P.D., Dickenson, E.J., Robinson, D., et al.: 2016, Personalised Hip Therapy: development of a non-operative protocol to treat femoroacetabular impingement syndrome in the FASHIoN randomised controlled trial, *British journal of sports medicine*, 50(19), pp. 1217-23.

Literatur zum Beitrag

Lars Victor von Engelhardt, Markus Seipelt, Jörn Bengt Seeger, Jörg Jerosch:

Hüftimpingement und Rückkehr in den Sport

Wie kommen wir mit der Nachbehandlung und insbesondere mit der Physiotherapie zu optimalen Ergebnissen?

1. Beaulé PE, Speirs AD, Anwander H, et al.: Surgical Correction of Cam Deformity in Association with Femoroacetabular Impingement and Its Impact on the Degenerative Process within the Hip Joint. *J Bone Joint Surg Am* 2017; 99(16): 1373-1381
2. Becher C, Landgraaber S, Fickert S, Niemeyer P, Angele P: Behandlung von Knorpelschäden an Knie, Sprunggelenk und Hüfte. Aktuelle Empfehlungen der AG Klinische Geweberegeneration OUP 2018; 7: 580–587
3. Beck M, Kalhor M, Leunig M, Ganz R: Hip morphology influences the pattern of damage to the acetabular cartilage: femoroacetabular impingement as a cause of early osteoarthritis of the hip. *J Bone Joint Surg Br* 2005; 87(7):1012-1018
4. Bedi A, Zbeda RM, Bueno VF, Downie B, Dolan M, Kelly BT: The incidence of heterotopic ossification after hip arthroscopy. *Am J Sports Med* 2012; 40(4): 854-863
5. Bennell KL, Spiers L, Takla A, et al.: Efficacy of adding a physiotherapy rehabilitation programme to arthroscopic management of femoroacetabular impingement syndrome: a randomised controlled trial (FAIR). *BMJ Open* 2017; 7(6): e014658
6. Cheatham SW, Enseki KR, Kolber MJ: Postoperative Rehabilitation After Hip Arthroscopy: A Search for the Evidence. *J Sport Rehabil* 2015; 24(4): 413-418
7. Claßen T, Körsmeier K, Kamminga M, et al.: Is early treatment of cam-type femoroacetabular impingement the key to avoiding associated full thickness isolated chondral defects? *Knee Surg Sports Traumatol Arthrosc.* 2016; 24(7): 2332-2337
8. Clohisy JC, Knaus ER, Hunt DM, Lesher JM, Harris-Hayes M, Prather H: Clinical presentation of patients with symptomatic anterior hip impingement. *Clin Orthop Relat Res* 2009; 467(3): 638-644
9. Domb BC, Sgroi TA, VanDevender JC: Physical Therapy Protocol After Hip Arthroscopy: Clinical Guidelines Supported by 2-Year Outcomes. *Sports Health* 2016; 8(4): 347-354
10. Dow T, King JP, Wong ICH: The Reduction of Heterotopic Ossification Incidence After Hip Arthroscopy in Patients Treated With Selective Cyclooxygenase 2 Inhibitor (Celecoxib). *Arthroscopy* 2020; 36(2): 453-461
11. Edelstein J, Ranawat A, Enseki KR, Yun RJ, Draovitch P: Post-operative guidelines following hip arthroscopy. *Curr Rev Musculoskelet Med* 2012; 5(1): 15-23
12. Ellis HB, Briggs KK, Philippon MJ.: Innovation in hip arthroscopy: is hip arthritis preventable in the athlete? *Br J Sports Med* 2011; 45(4): 253-258
13. Fickert S, Aurich M, Albrecht D et al.: Biologische Rekonstruktion lokalisiert vollschichtiger Knorpelschäden des Hüftgelenks: Empfehlungen der Arbeitsgemeinschaft „Klinische Geweberegeneration“ der DGOU und des Hüftkomitees der AGA. *Z Orthop Unfall* 2017; 155: 670–82
14. Garrison JC, Osler MT, Singleton SB: Rehabilitation after arthroscopy of an acetabular labral tear. *N Am J Sports Phys Ther* 2007; 2(4): 241-250
15. Gatz M, Driessen A, Eschweiler J, Tingtart M, Migliorini F: Arthroscopic surgery versus physiotherapy for femoroacetabular impingement: a meta-analysis study. *Eur J Orthop Surg Traumatol.* 2020; 30(7): 1151-1162
16. Harris DJ, Wilson MR, Vine SJ: A Systematic Review of Commercial Cognitive Training Devices: Implications for Use in Sport. *Front Psychol* 2018; 9:709
17. Howard JS, Mattacola CG, Romine SE, Lattermann C.: Continuous Passive Motion, Early Weight Bearing, and Active Motion following Knee Articular Cartilage Repair: Evidence for Clinical Practice. *Cartilage* 2010; 1(4): 276-286
18. Kierkegaard S, Mechlenburg I, Lund B, Soballe K, Dalgas U: Impaired hip muscle strength in patients with femoroacetabular impingement syndrome. *J Sci Med Sport* 2017; 20: 1062–1067
19. Kuhns BD, Weber AE, Batko B et al.: A four-phase physical therapy regimen for returning athletes to sport following hip arthroscopy for femoroacetabular impingement with routine capsular closure. *Int J Sports Phys Ther* 2017; 12: 683–696
20. Lahner M, Mußhoff D, von Schulze Pellingahr C, et al.: Is the Kinect system suitable for evaluation of the hip joint range of motion and as a screening tool for femoroacetabular impingement (FAI)? *Technol Health Care* 2015; 23(1):75-81
21. Locks R, Utsunomiya H, Briggs KK, McNamara S, Chahla J, Philippon MJ: Return to Play After Hip Arthroscopic Surgery for Femoroacetabular Impingement in Professional Soccer Players. *Am J Sports Med* 2018; 46(2): 273-279
22. Macadam P, Cronin J, Contreras B: An examination of the gluteal muscle activity associated with dynamic hip abduction and hip external rotation exercise: a systematic review. *Int J Sports Phys Ther* 2015; 10(5): 573-591
23. Martin HD, Savage A, Braly BA, Palmer JJ, Beall DP, Kelly B: The function of the hip capsular ligaments: a quantitative report. *Arthroscopy* 2008; 24(2): 188-195
24. Memon M, Kay J, Hache P, et al.: Athletes experience a high rate of return to sport following hip arthroscopy. *Knee Surg Sports Traumatol Arthrosc* 2019; 27(10): 3066-3104
25. Mullins K, Hanlon M, Carton P: Arthroscopic correction of femoroacetabular impingement improves athletic performance in male athletes. *Knee Surg Sports Traumatol Arthrosc* 2020; 28: 2285-2294
26. O'Connor M, Minkara AA, Westermann RW, Rosneck J, Lynch TS: Return to Play After Hip Arthroscopy: A Systematic Review and Meta-analysis. *Am J Sports Med* 2018; 46(11): 2780-2788
27. Rath E, Sherman H, Sampson TG, Ben Tov T, Maman E, Amar E: The incidence of heterotopic ossification in hip arthroscopy. *Arthroscopy* 2013; 29: 427-433
28. Rath E, Warschawski Y, Maman E, et al.: Selective COX-2 Inhibitors Significantly Reduce the Occurrence of Heterotopic Ossification After Hip Arthroscopic Surgery. *Am J Sports Med* 2016; 44(3): 677-681

29. Saito M, Utsunomiya H, Hatakeyama A et al.: Hip Arthroscopic Management Can Improve Osteitis Pubis and Bone Marrow Edema in Competitive Soccer Players With Femoroacetabular Impingement. *Am J Sports Med* 2019; 47(2): 408-419
30. Schröder JH, Bizzini M, Fickert S, Hölmich P, Krüger J, Kopf S: „Return to sports“ nach femoroacetabulärer Impingement-Operation. *Arthroskopie* 2016; 29: 22–31
31. Seixas A, Sañudo B, Sá-Caputo D, Tairar R, Bernardo-Filho M: Whole-Body Vibration for Individuals with Reconstructed Anterior Cruciate Ligament: A Systematic Review. *Biomed Res Int* 2020; 1:7362069
32. Valle C, Schmitt-Sody M: Was gibt es Neues in der physikalischen Medizin und Rehabilitation? *Knie J* 2019; 1: 151-153
33. Voight ML, Robinson K, Gill L, Griffin K: Postoperative rehabilitation guidelines for hip arthroscopy in an active population. *Sports Health* 2010; 2(3): 222-230
34. von Engelhardt LV, Jerosch J: Hüftimpingement – arthroskopische Möglichkeiten. Behandlung der knöchernen Deformitäten, begleitender Labrum- und Knorpelschäden und der Kapsel. *OUP* 2019; 8: 378–388.
35. Zhu XT, Chen L, Lin JH: Selective COX-2 inhibitor versus non-selective COX-2 inhibitor for the prevention of heterotopic ossification after total hip arthroplasty: A meta-analysis. *Medicine* 2018; 97(31): e11649

Literatur zum CME-Beitrag

Jörg Jerosch:

Differenzialdiagnostik des Schulterschmerzes

Es ist nicht alles Impingement

1. Alhashimi RAH: Analytical Observational Study of Frozen Shoulder among Patients with Diabetes Mellitus. *Joints* 2018; 6 (3): 141–144 CrossRef MEDLINE PubMed Central
2. Boutefnouchet T, Jordan R, Bhabra G, et al.: Comparison of outcomes following arthroscopic capsular release for idiopathic, diabetic and secondary shoulder adhesive capsulitis: A Systematic Review. *Orthop Traumatol Surg Res* 2019; 105 (5): 839–846 CrossRef MEDLINE
3. Castro WHM., Jerosch J, Waldt S: Examination and diagnosis of the spine and joints. Springer-Verlag, 2020
4. Engelhardt C, Farron A, Becce F, Place N, Pioletti DP, Terrier A (2017) Effects of glenoid inclination and acromion index on humeral head translation and glenoid articular cartilage strain. *J Shoulder Elbow Surg* 26: 157–164
5. Fleck K: Wenn der Diabetes die Schulter angreift. *Deutsches Ärzteblatt*, 117 (5), 2020: 183-186
6. Gerber C, Snedeker JG, Baumgartner D, Viehöfer AF (2014) Supraspinatus tendon load during abduction is dependent on the size of the critical shoulder angle: A biomechanical analysis. *J Orthop Res* 32: 952–957
7. Habermeyer P, Lichtenberg S, Loew M, et al. (Hrsg.): *Schulterchirurgie*, 5. Auflage, Elsevier 2017
8. Hsu CL, Sheu WH: Diabetes and shoulder disorders: *J Diabetes Investig.* 2016; 7 (5): 649–651 CrossRef MEDLINE PubMed Central
9. Jerosch J., Castro WHM, Sons HU, Moersler M: Zur Ätiologie des subacromialen Impingement-Syndroms - eine biomechanische Untersuchung. *Beitr. Orthop. und Traumatologie* 36: 411-418 (1989)
10. Jerosch J., Ritchen A, Marquardt M: Sonographische Befunde an Schultergelenken von Bodybuildern. *Dtsch. Ztschr. Sportmed.* 12, 437-442: (1989)
11. Jerosch J., Müller T, Castro WHM: The incidence of rotator cuff rupture - an anatomic study. *Acta Orthop. Belg.* 57, 124-129: (1991)
12. Jerosch J, Assheuer J: Kernspintomographische Veränderungen der Supraspinatussehne beim Impingement-Syndrom des Sportlers. *Sportverl.-Sportschad.* 5, 12-16: (1991)
13. Jerosch J, Moursi MG, Schmidt J: Arthroskopische „In-Situ“ Fixation von artikulären Partialrupturen der Rotatorenmanschette. *Orthopädische Praxis* 44 (2008): 29-33
14. Jerosch J, Saad M, Greig M, Filler T: Suprascapular nerve block as a method of preventive pain control in shoulder surgery. *Knee Surg.Sports Traumatol. Arthrosc.* 16 (2008): 602-607
15. Jerosch J, Strauss JM, Schmiel S: Arthroscopic treatment of calcific tendinitis. *J.Shoulder Elbow Surg.* 7 (1998): 30-37
16. Jerosch J, Strauss JM, Schneider T: Die arthroskopische subacromiale Dekompression. 1-3 Jahresergebnisse. *Z. Orthop.* 130: 406-412 (1992)
17. Jerosch J, Fayaz HC: Die adhäsive Kapsulitis. Ätiologie, Diagnostik und Therapie. *Z.Orthop.* 143 (2005) R 21-R42
18. Jobe FW, Tibone JE, Perry J, Moynes D: An EMG analysis of the shoulder in throwing and pitching. *Am. J. Sports Med.* 11: 3-5 (1983)
19. Löhr JF, Uhthoff HK: The microvascular pattern of the supraspinatus tendon. *Clin. Orthop.* 254: 35-39 (1990)
20. Matsen FA, Lippit SB, Sidles JA, Harryman DT: *Practical evaluation and management of the shoulder.* p.19 ff, Saunders, Philadelphia, 1994
21. Moor BK, Kuster R, Osterhoff G, et al. (2016) Inclination-dependent changes of the critical shoulder angle significantly influence superior glenohumeral joint stability. *Clin Biomech (Bristol, Avon)* 32: 268–273
22. Neer CS: Anterior acromioplasty for the chronic impingement of the shoulder. *J. Bone Joint Surg.* 54-A: 41-50 (1972)
23. Petersson CJ, Gentz CF: Ruptures of the supraspinatus tendon. The significance of distally pointing acromioclavicular osteophytes. *Clin.Orthop.* 174, 143-148 (1983)
24. Rai SK, Kashid M, Chakrabarty B, et al.: Is it necessary to screen patient with adhesive capsulitis of shoulder for diabetes mellitus? *J Family Med Prim Care.* 2019; 30; 8 (9): 2927–2932 CrossRef MEDLINE PubMed Central
25. Rathburn J.B., Macnab I: The microvascular pattern of the rotator cuff. *J. Bone Joint Surg.* 52-B: 540-555 (1970)
26. Thomas SJ, McDougall V, Brawn ID, et al.: Prevalence of symptoms and signs of shoulder problems in people with diabetes. *J Shoulder Elbow Surg* 2007; 16: 748–751 CrossRef MEDLINE
27. Uhthoff HK, Sarkar K: Classification and definition of tendinopathies. *Clin. Sports Med.* 10: 707-720 (1991)
28. Walsh G, Boileau P, Noel E, Donell ST: Impingement of the deep surface of the supraspinatus tendon on the posterosuperior glenoid rim: an arthroscopic study. *J. Shoulder Elbow Surg.* 1: 238 (1992)
29. Yanlei GL, Keong MW, Tijauw Tjoen DL1, et al.: Do diabetic patients have different outcomes after arthroscopic capsular release for frozen shoulder? *J Orthop.* 2019; 16 (3): 211–215 CrossRef MEDLINE

Literatur zum Beitrag

Hartmut Bork:

Bewegungstherapie

Evidenter Nutzen bei orthopädisch-rheumatologischen Erkrankungen

1. Abbott JH, Robertson MC, Chapple C et al.: Manual therapy, exercise therapy, or both, in addition to usual care, for osteoarthritis of the hip or knee: a randomized controlled trial. 1: clinical effectiveness. *Osteoarthr Cartil* 2013; 21: 525–534
2. AWMF-S2k-Leitlinie Gonarthrose, https://www.awmf.org/uploads/tx_szleitlinien/033-004l_S2k_Gonarthrose_2018-01_1-verlaengert.pdf
3. AWMF-S2k-Leitlinie Koxarthrose, https://www.awmf.org/uploads/tx_szleitlinien/033-001l_S2k_Koxarthrose_2019-07_1.pdf
4. AWMF-Interdisziplinäre Leitlinie Management der frühen rheumatoiden Arthritis, https://www.awmf.org/uploads/tx_szleitlinien/060-002l_S3_Fruehe_Rheumatoide-Arthritis-Management_2019-12_01.pdf
5. AWMF-Leitlinie Spezifischer Kreuzschmerz, AWMF Registernummer: 033-051, Stand vom Dezember 2017, https://www.awmf.org/uploads/tx_szleitlinien/033-051l_S2k_Spezifischer_Kreuzschmerz_2018-02.pdf
6. AWMF-Nationale Versorgungsleitlinie Nicht-spezifischer Kreuzschmerz, Langfassung. 2.Auflage 2017. https://www.awmf.org/uploads/tx_szleitlinien/nvl-007l_S3_Kreuzschmerz_2017-03.pdf
7. Ay S, Dogan SK, Evcik D.: Is there an effective way to prescribe a home-based exercise program in patients with knee osteoarthritis? A randomized controlled study. *Türkiye Fiziksel Tip ve Rehabilitasyon Dergisi [Turkish Journal of Physical Medicine and Rehabilitation]* 2013; 59: 1–6
8. Benatti FB, Pedersen BK: Exercise as an anti-inflammatory therapy for rheumatic diseases-myokine regulation. *Nat Rev Rheumatol* (2015); 11(2): 86–97
9. Bennell KL, Hunt MA, Wrigley TV et al.: Muscle and Exercise in the Prevention and Management of Knee Osteoarthritis: an Internal Medicine Specialist's Guide. *Medical Clinics of North America* 2009; 93-1: 161–1776. Hayden JA, van Tulder MW, Malmivaara A et al.: Exercise therapy for treatment of non-specific low back pain. *Cochrane Database Syst Rev* 2005;(3):CD000335. <http://www.ncbi.nlm.nih.gov/pubmed/16034851>
10. Bork H. Bewegungsprogramme zur Vorbeugung und Behandlung der Osteoporose. OUP (2015); 11: 531–535
11. Chilibeck P et al.: Exercise and bone mineral density. *Sports Medicine* (1995); 19: 103-122
12. Dahm KT, Brurberg KG, Jamtvedt G, et al.: Advice to rest in bed versus advice to stay active for acute low-back pain and sciatica. *Cochrane Database Syst Rev* 2010; (6):CD007612. DOI: 10.1002/14651858.CD007612.pub2. <http://www.ncbi.nlm.nih.gov/pubmed/20556780>
13. DVO Leitlinie Physiotherapie und Bewegungstherapie bei Osteoporose. Langfassung Endversion 0.1 vom 29.4.2008. http://www.dv-osteologie.org/dvo_leitlinien/osteoporoseleitlinie-2014
14. Geidl W, Hendrich S, Hofmann J et al.: Entwicklung evidenzgesicherter Konzepte für die Bewegungstherapie in der Rehabilitation. 2012; <https://www.sport.fau.de/lehrstuehle-und-fachgebiete/bewegung-und-gesundheit/abgeschlossene-forschungsprojekte/evidenzgesicherte-konzepte-fuer-die-bewegungstherapie>
15. Gottfried T, Bork H: Rehabilitation nach Hüft- und Knie-Endoprothesenimplantation: Was ist evidenzbasiert? *Orthopädie & Rheuma* (2020); 23 (1): 34-39
16. Hartung W, Sewerin P, Ostendorf B: Sport und Bewegungstherapie bei entzündlich rheumatischen Erkrankungen *Z Rheumatol.* (2021); 80: 251-262. doi: 10.1007/s00393-021-00970-z.
17. Hayden JA, van Tulder MW, Malmivaara A, et al. Exercise therapy for treatment of non-specific low back pain. *Cochrane Database Syst Rev* (2005); (3):CD000335. <http://www.ncbi.nlm.nih.gov/pubmed/16034851>
18. Heijnen S, Hommel B, Kibele A, Colzato LS: Neuromodulation of aerobic exercise—a review. *FrontPsychol* (2015); 6: 1890
19. Hendrich S, Schöne D, Geidl W: Gelenkersatz in: Entwicklung evidenzgesicherter Konzepte für die Bewegungstherapie in der Rehabilitation. Im Internet: http://forschung.deutsche-rentenversicherung.de/ForschPortalWeb/ressource?key=Projekt_Bewegungstherapie.pdf Stand 29.11.2020
20. Hurley MV: Muscle dysfunction and effective rehabilitation of knee osteoarthritis: What we know and what we need to find out. *Arthritis Care and Research* 2003; 49: 444–452
21. Imoto AM, Pardo JP, Brosseau L et al. Evidence synthesis of types and intensity of therapeutic land-based exercises to reduce pain in individuals with knee osteoarthritis. *Rheumatology International* (2019); 39: 1159–1179
22. Kannus P et al.: Why is the age-standardized incidence of low-trauma fractures rising in many elderly populations? *J Bone Miner Res* (2002); 17(8): 1363-1367
23. Maire J, Faillenot-Maire AF, Grange C, Duguel B, Tordi N, Parratte B et al.: A specific arm-interval exercise program could improve the health status and walking ability of elderly patients after total hip arthroplasty: A pilot study. *Journal of Rehabilitation Medicine* (2004); 36(2): 92-94
24. Mayer F, Scharhag-Rosenberger F, Carlsohn A et al.: The intensity and effects of strength training in the elderly. *Dtsch Arztebl Int* (2011); 108: 359–364. doi:10.3238/arztebl.2011.0359
25. Metsios GS, Stavropoulos-Kalinoglou A, Veldhuijzen van Zanten JJ, Trehan GJ, Panoulas VF, Douglas KM et al.: Rheumatoid arthritis, cardiovascular disease and physical exercise: a systematic review. *Rheumatology (Oxford)* 2008; 47(3): 239–248
26. Metsios GS, Moe RH, van der Esch M, van Zanten J, Fenton SAM, Koutedakis Y et al.: The effects of exercise on cardiovascular disease risk factors and cardiovascular physiology in rheumatoid arthritis. *Rheumatol Int* 2020; 40(3):347–357
27. Pedersen BK, Febbraio MA: Muscles, exercise and obesity: skeletal muscle as a secretory organ. *Nat Rev Endocrinol* (2012); 8(8): 457–465

28. Pedersen BK: Muscle as a secretory-organ. *ComprPhysiol* (2013); 3(3): 1337–1362
29. Petterson SC, Mizner RL, Stevens JE et al.: Improved function from progressive strengthening interventions after total knee arthroplasty: A randomized clinical trial with an imbedded prospective cohort. *Arthritis Care and Research* (2009); 61: 174–183
30. Raschke S, Eckel J: Adipo-myokines: two sides of the same coin—mediators of inflammation and mediators of exercise. *Mediators Inflamm*(2013); 320724
31. Schmidt CO, Raspe H, Pflingsten M et al.: Back pain in the german adult population. Prevalence, severity and sociodemographic correlates in a multi-regional survey. *Spine* (2007); 32: 2005-2011
32. Sharif K, Watad A, Bragazzi NL, Lichtbroun M, Amital H, Shoenfeld Y: Physical activity and autoimmune diseases: Get moving and manage the disease. *Autoimmun Rev* 2018; 17(1): 53–72
33. Traeger AC, Hubscher M, Henschke N, et al.: Effect of Primary Care-Based Education on Reassurance in Patients With Acute Low Back Pain: Systematic Review and Meta-analysis. *JAMA Intern Med* (2015); 175(5): 733-43
34. Vad V, Adin D Solomon J: Knee osteoarthritis. Critical reviews in physical and rehabilitation medicine. *Rehabilitation Medicine* 2004;16: 211–212;
35. Vignon É, Valat JP, Rossignol M et al. Osteoarthritis of the knee and hip and activity: a systematic international review and synthesis (OASIS). *Jt. Bone Spine* 2006; 73: 442–455; doi:10.1007/s00296-019-04289-6

Literatur zum Beitrag

Thomas Gottfried:

Stellenwert der physikalischen Therapie zur Schmerzreduktion bei degenerativen Erkrankungen

1. Benson TB et al.: The effects of therapeutic forms of heat and ice on the pain threshold of the normal shoulder. *Rheumatol Rehabil* 1974;13: 101–104
2. Beyer WF, Gottfried T: Physiotherapie in Orthopädie und Unfallchirurgie. *Orthop Unfallchir up2date* 2015; 10: 139–158
3. Bork H, Gottfried T. Konservative Therapie der Arthrose unter Berücksichtigung der Physikalischen Therapie. *Akt Rheumatol* 2020; 45: 59–66
4. Brosseau L, Yonge KY, Welch V et al. Thermotherapy for treatment of osteoarthritis. *Cochrane Database Syst Rev* 2003; (4): CD004522
5. Cheing GL, Hui-Chan CW. Would the addition of TENS exercise training produce better physical performance outcomes in people with knee osteoarthritis than either intervention alone? *Clin Rehabil* 2004;18: 487–497
6. Falconer J, Hayes KW, Chang RW. Effect of ultrasound on mobility in osteoarthritis of the knee. *Arthritis Care Res* 1992; 5: 29–35
7. Fransen M, Crosbie J, Edmonds J. Physical therapy is effective for patients with osteoarthritis of the knee: a randomized controlled clinical trial. *J Rheumatol* 2001; 28: 156–164
8. Gottfried T, Hoerig T, Beyer WF: Physikalische Therapie. *Orthop Unfallchir up2date* 2018; 13: 123–140
9. Gottwalt J., Gottfried T.: Physikalische Therapie bei rheumatischen Krankheitsbildern. *OUP* 2019; 8: 262–272
10. Gundog M, Atamaz F, Kanyilmaz S et al.: Interferential current therapy in patients with knee osteoarthritis: comparison of the effectiveness of different amplitude-modulated frequencies. *Am J Phys Med Rehabil* 2012; 91: 107–113
11. Hsieh RL, Lo MT, Lee WC et al. Therapeutic effects of short-term monochromatic infrared energy therapy on patients with knee osteoarthritis: a double-blind, randomized, placebo-controlled study. *J Orthop Sports Phys Ther* 2012; 42(11): 947–956
12. Hüter-Becker A, Dölken M, Badde E et al.: Physikalische Therapie, Massage, Elektrotherapie und Lymphdrainage. Stuttgart, New York: Thieme Verlag, 2. Auflage, 2007
13. Hulme JM, Judd MG, Robinson VA, Tugwell P, Wells G, de Bie RA (2002) Electromagnetic fields for the treatment of osteoarthritis. *The Cochrane Database of Systematic Reviews*, Issue 1. Art. No.: CD003523
14. Kladny B. Physikalische Therapie der Arthrose. *Z Rheumatol* 2005; 64: 448–455
15. Kozanoglu E, Basarau S, Guzel R, Gul-Uysal Short term efficacy of ibuprofen phonophoresis versus continuous ultrasound therapy in knee osteoarthritis. *Swiss Med Wkly* 2003; 133: 333–338
16. Lange U, Müller-Ladner U. Evidenz zu physikalisch-medizinischen Therapieoptionen bei muskuloskelettalen Schmerzen. *Z Rheumatol* 2008; 67: 658–664
17. Law PP, Cheing GL. Optimal stimulation frequency of transcutaneous electrical nerve stimulation on people with knee osteoarthritis. *J Rehabil Med* 2004; 36: 220–225
18. Lehman JF, Brunner GD, Stow RW. Pain threshold measurement after therapeutic application of ultrasound, microwaves, and infrared. *Arch Phys Med Rehabil* 1958; 39: 560–565
19. Li S, Yu B, Zhou D et al., Electromagnetic fields for treating osteoarthritis, in *Cochrane Database of Systematic Reviews*. 2013, Wiley-Blackwell.
20. Manyanga T, Froese M, Zarychanski R et al. Pain management with acupuncture in osteoarthritis: a systematic review and meta-analysis. *BMC Complement Altern Med*, 2014. 14(1): 31
21. Marquina N, Dumoulin-White R, Mandel A et al. Laser therapy applications for osteoarthritis and chronic joint pain – A randomized placebo-controlled clinical trial. *Photonics & Lasers in Medicine*, 2012; 1(4): 299–307
22. Mau W. Evidenzbasierte physikalische Therapie bei rheumatischen Krankheiten. *Dtsch Med Wochenschr* 2016; 141: 1470–1472
23. Osiri M, Welch V, Brosseau L et al. Transcutaneous electrical nerve stimulation for knee osteoarthritis. *Cochrane Database Syst Rev* 2000; (4): CD0002823
24. Oosterveld FGJ et al. Treating arthritis with locally applied heat or cold. *Semin Arthritis Rheum* 1994; 24: 82–90
25. Palmer S et al. Transcutaneous electrical nerve stimulation as an adjunct to education and exercise for knee osteoarthritis: a randomized controlled trial. *Arthritis Care Res (Hoboken)* 2014; 66: 387–394
26. Rabini A et al. Deep heating therapy via microwave diathermy relieves pain and improves physical function in patients with knee osteoarthritis: a doubleblind randomized clinical trial. *Eur J Phys Rehabil Med* 2012; 48: 549–559
27. S2K-Leitlinie Gonarthrose, AWMF Registernummer: 033-004, online unter https://www.awmf.org/uploads/tx_szleitlinien/033-004I_S2k_Gonarthrose_2018-01_1.pdf
28. Sackett DL, Rosenberg WM, Gray JA: Evidence based medicine: what it is and what it isn't. *BMJ* 1996; 312: 71–72
29. Schöps P, Seeger D: Physikalisch-medizinische Therapie bei akuten und chronischen Schmerzen. *Schmerz* 2009; 23: 191–212
30. Senne, Isabell Barbara: Effekte der Ganzkörperkältekammer bei Patienten mit Spondylitis ankylosans. *Inaugural-Dissertation*, Ruhr-Universität Bochum, 2001.
31. Stratz T et al.: Erfahrungsbericht zur Ganzkörperkälte-therapie mit der neu entwickelten Kältekabine. *Z. Phys. Med. Baln. Med. Klim.* 18, 383-389/1989
32. Sturm C. Physiotherapeutische und physikalisch-medizinische Verfahren in der Schmerzmedizin in: *Praktische Schmerzmedizin*, Springer 2019
33. Teslim OA et al. Comparative effects of pulsed and continuous short wave diathermy on pain and selected physiological parameters among subjects with chronic knee osteoarthritis. *Technology and Health Care* 2013; 21: 433–440

34. Travell J, Simons D, Simons L. Myofascial Pain and Dysfunction. The Trigger Point Manual. Williams & Wilkins 1992
35. Vad V, Adin D, Solomon J. Knee osteoarthritis. Critical reviews in physical and rehabilitation medicine. Rehabilitation Medicine 2004; 16: 211–212
36. Verhagen AP, Bierma-Zeinstra SMA, Boers M et al. Balneotherapy for osteoarthritis, in Cochrane Database of Systematic Reviews. 2007 Wiley-Blackwell
37. Zeng C et al. Effectiveness of continuous and pulsed ultrasound for the management of knee osteoarthritis: a systematic review and network meta-analysis. Osteoarthritis Cartilage 2014; 22: 1090–1099

Literatur zum Beitrag

Marcus Niewald, Sven Knobe, Patrick Melchior

Einsatz der Strahlentherapie zur Analgesie bei orthopädischen Erkrankungen

Welche Indikationen sind sinnvoll und erfolgversprechend?

1. DEGRO: Strahlentherapie gutartiger Erkrankungen - Fachgruppenspezifische S2e-Leitlinie der Deutschen Gesellschaft für Radioonkologie (DEGRO). 2018
2. Donaubaer AJ, Zhou JG, Ott OJ, et al.: Low Dose Radiation Therapy, Particularly with 0.5 Gy, Improves Pain in Degenerative Joint Disease of the Fingers: Results of a Retrospective Analysis. *Int J Mol Sci* 2020; 21
3. Goldie I, Rosengren B, Moberg E, Hedelin E: Evaluation of radiation treatment of painful conditions of the locomotor system. A double blind study. *Acta Radiol Ther Phys Biol* 1970; 9: 311-22
4. Hautmann MG, Beyer LP, Hipp M, et al.: Re-irradiation for humeral epicondylitis: Retrospective analysis of 99 elbows. *Strahlentherapie und Onkologie: Organ der Deutschen Röntgengesellschaft [et al]* 2019
5. Hautmann MG, Beyer LP, Suss C, et al.: Radiotherapy of epicondylitis humeri: Analysis of 138 elbows treated with a linear accelerator. *Strahlentherapie und Onkologie: Organ der Deutschen Röntgengesellschaft [et al]* 2019; 195: 343-51
6. Hautmann MG, Hipp M, Neumaier U, et al.: Radiotherapy for osteoarthritis of the ankle and tarsal joints-analysis of 66 joints. *Strahlenther Onkol* 2020; 196: 569-75
7. Hautmann MG, Rechner P, Hipp M, et al.: Re-irradiation for osteoarthritis-retrospective analysis of 217 joints. *Strahlenther Onkol* 2019; 195: 1060-7
8. Hautmann MG, Rechner P, Neumaier U, et al.: Radiotherapy for osteoarthritis-an analysis of 295 joints treated with a linear accelerator. *Strahlenther Onkol* 2020; 196: 715-24
9. Heyd R, Tselis N, Ackermann H, Roddiger SJ, Zamboglou N: Radiation therapy for painful heel spurs: results of a prospective randomized study. *Strahlenther Onkol* 2007; 183: 3-9
10. Jacob I: Strahlentherapie bei Arthrosen der kleinen Gelenke www.degro.org/ueber-uns/veroeffentlichungen/leitlinien
11. Koc BB, Schotanus MGM, Borghans R, et al.: Short-term pain reduction after low-dose radiotherapy in patients with severe osteoarthritis of the hip or knee joint: a cohort study and literature review. *Eur J Orthop Surg Traumatol* 2019; 29: 843-7
12. Kriz J, Seegenschmiedt HM, Bartels A, et al.: Updated strategies in the treatment of benign diseases-a patterns of care study of the german cooperative group on benign diseases. *Adv Radiat Oncol* 2018; 3: 240-4
13. Mahler EAM, Minten MJ, Leseman-Hoogenboom MM, et al.: Effectiveness of low-dose radiation therapy on symptoms in patients with knee osteoarthritis: a randomised, double-blinded, sham-controlled trial. *Ann Rheum Dis* 2019; 78: 83-90
14. Mazonakis M, Lyraraki E, Tzedakis A, Damilakis J: Radiotherapy for non-malignant shoulder syndrome: Is there a risk for radiation-induced carcinogenesis? *Phys Med* 2017; 43: 73-8
15. Micke O, Seegenschmiedt MH, German Cooperative Group on Radiotherapy for Benign D: Radiotherapy in painful heel spurs (plantar fasciitis)--results of a national patterns of care study. *Int J Radiat Oncol Biol Phys* 2004; 58: 828-43
16. Micke O, Ugrak E, Bartmann S, et al.: Radiotherapy for calcaneodynia, achillodynia, painful gonarthrosis, bursitis trochanterica, and painful shoulder syndrome - Early and late results of a prospective clinical quality assessment. *Radiation oncology* 2018; 13: 71
17. Minten MJM, Leseman-Hoogenboom MM, Kloppenburg M, et al.: Lack of beneficial effects of low-dose radiation therapy on hand osteoarthritis symptoms and inflammation: a randomised, blinded, sham-controlled trial. *Osteoarthritis Cartilage* 2018; 26: 1283-90
18. Niewald M, Müller, L., Hautmann M., Dzierma, Y., Melchior, P., Gräber, S., Rube, C.: Multizentrische prospektive und randomisierte Studie zur Untersuchung der Effektivität der Strahlentherapie in Abhängigkeit von der Dosierung bei schmerzhaften Arthrosen. ARTHRO-RAD-Studie: erste Ergebnisse einer Zwischenanalyse.: 25 Jahrestagung der DEGRO. Münster: Strahlentherapie und Onkologie 2019; p. S6
19. Niewald M, Seegenschmiedt MH, Micke O, et al.: Randomized, multicenter trial on the effect of radiation therapy on plantar fasciitis (painful heel spur) comparing a standard dose with a very low dose: mature results after 12 months' follow-up. *International journal of radiation oncology, biology, physics* 2012; 84: e455-62
20. Ott OJ, Hertel S, Gaipf US, Frey B, Schmidt M, Fietkau R: The Erlangen Dose Optimization trial for low-dose radiotherapy of benign painful elbow syndrome. Long-term results. *Strahlenther Onkol* 2014; 190: 293-7
21. Ott OJ, Hertel S, Gaipf US, Frey B, Schmidt M, Fietkau R: The Erlangen Dose Optimization Trial for radiotherapy of benign painful shoulder syndrome. Long-term results. *Strahlenther Onkol* 2014; 190: 394-8
22. Ott OJ, Jeremias C, Gaipf US, Frey B, Schmidt M, Fietkau R: Radiotherapy for achillodynia : results of a single-center prospective randomized dose-optimization trial. *Strahlenther Onkol* 2013; 189: 142-6
23. Ott OJ, Jeremias C, Gaipf US, Frey B, Schmidt M, Fietkau R: Radiotherapy for benign calcaneodynia: long-term results of the Erlangen Dose Optimization (EDO) trial. *Strahlenther Onkol* 2014; 190: 671-5
24. Ott OJ, Micke O, Mucke R, et al.: Low-dose radiotherapy: Mayday, mayday. We've been hit! *Strahlenther Onkol* 2019; 195: 285-8
25. Plenk HP: Calcifying tendinitis of the shoulder; a critical study of the value of x-ray therapy. *Radiology* 1952; 59: 384-9
26. Prokein B, Holtmann H, Hautmann MG, et al.: Radiotherapy of painful heel spur with two fractionation regimens : Results of a randomized multicenter trial after 48 weeks' follow-up. *Strahlentherapie und Onkologie : Organ der Deutschen Röntgengesellschaft [et al]* 2017; 193: 483-90

27. Rogers S, Eberle B, Vogt DR, et al.: Prospective Evaluation of Changes in Pain Levels, Quality of Life and Functionality After Low Dose Radiotherapy for Epicondylitis, Plantar Fasciitis, and Finger Osteoarthritis. *Front Med (Lausanne)* 2020; 7: 195
28. Seegenschmiedt MH, Katalinic A, Makoski HB, Haase W, Gademann G, Hassenstein E: [Radiotherapy of benign diseases: a pattern of care study in Germany]. *Strahlentherapie und Onkologie : Organ der Deutschen Rontgengesellschaft [et al]* 1999; 175: 541-7
29. Seegenschmiedt MH, Makoski, H.B., Trott, K.R., Brady, L.W.: Radiotherapy for non-malignant disorders. Berlin Heidelberg New York: Springer; 2008
30. Valtonen EJ, Lilius HG, Malmio K: The value of roentgen irradiation in the treatment of painful degenerative and inflammatory musculoskeletal conditions. A double-blind study. *Scandinavian journal of rheumatology* 1975; 4: 247-9

Literatur zum Beitrag

Herbert Thier:

Interdisziplinäre multimodale Schmerztherapie bei Patienten mit Fibromyalgiesyndrom (FMS)

1. Al-Qadi M, Renaud D, Meyer M: „Man muss aber auch selbst was tun“. Perspektiven Betroffener und Behandelnder im Saarland. Schmerz (2020). <https://doi.org/10.1007/s00482-020-00504-7>
2. Arnold B, Brinkschmidt T, Casser HR, Gralow I, Irnich D, Klimczyk K et al: Multimodale Schmerztherapie. Konzepte und Indikationen. Schmerz 2009; 23: 112–120
3. Arnold B, Brinkschmidt T, Casser HR, Diezemann A, Gralow I, Irnich D et al: Multimodale Schmerztherapie für die Behandlung chronischer Schmerzsyndrome – Ein Konsensuspapier der Ad-hoc-Kommission Multimodale interdisziplinäre Schmerztherapie der Deutschen Schmerzgesellschaft zu den Behandlungsinhalten. Schmerz 2014; 28: 459-472
4. Arnold B, Böger A, Brinkschmidt T, Casser HR, Irnich D, Kaiser U et al: Umsetzung der interdisziplinären Multimodalen Schmerztherapie nach OPS 8-918 - Empfehlungen der Ad-hoc-Kommission „Interdisziplinäre multimodale Schmerztherapie“ der Deutschen Schmerzgesellschaft. Schmerz 2018; 32: 5-146.
5. Nationale VersorgungsLeitlinie Nichtspezifischer Kreuzschmerz, Langfassung. 2.Auflage 2017. https://www.awmf.org/uploads/tx_szleitlinien/nvl-0071_S3_Kreuzschmerz_2017-03.pdf 7.
6. Casser HR, Arnold B, Brinkschmidt T, Irnich D, Klimczyk K, Nagel B et al: Interdisziplinäres Assessment zur multimodalen Schmerztherapie – Indikation und Leistungsumfang. Schmerz 2013; 27: 363-370
7. Casser HR: Assessment und multimodale Schmerztherapie beim chronischen Rückenschmerz. OUP 2017; 12: 645-656
8. Choy E, Perrot S, Leon T, Kaplan J, Petersel D, Ginovker A et al: A patient survey of the impact of fibromyalgia and the journey to diagnosis. BMC Health Serv Res 2010; 10: 102
9. Deutsche Gesellschaft für Neurologie (DGN), Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften (AWMF) (2014) Therapie des episodischen und chronischen Kopfschmerzes vom Spannungstyp und anderer chronischer täglicher Kopfschmerzen. http://www.awmf.org/uploads/tx_szleitlinie/030-0771_S1_LL_Therapie_chronischer_Kopfschmerzen_2014-10.pdf
10. Egle UT, Egloff N, von Känel R: Stressinduzierte Hyperalgesie (SIH) als Folge von emotionaler Deprivation und psychischer Traumatisierung in der Kindheit - Konsequenzen für die Schmerztherapie. Schmerz 2016; 30: 526-536
11. Eich W, Bär KJ, Bernateck M, Burgmer M, Dextl C, Petzke F et al: Definition, Klassifikation, klinische Diagnose und Prognose des Fibromyalgiesyndroms. Aktualisierte Leitlinie 2017 und Übersicht von systematischen Übersichtsarbeiten. Schmerz (2017); 31: 231-238
12. Frettlöh J, Hermann C: Kognitiv-behaviorale Therapie. In: Kröner-Herwig B, Frettlöh J, Klinger R, Nilges P(Hrsg): Schmerzpsychotherapie. Berlin, Heidelberg: Springer-Verlag, 2017: 349-371
13. Gendelman O, Arnital H, Bar-On Y, Ben-Ami Shor D, Amital D, Tiosano S et al: Time to diagnosis of fibromyalgia and factors associated with delayed diagnosis in primary care. Best Pract Res Clin Rheumatol 2018; 32(4): 489-499
14. Häuser W, Kühn E, Wolf B, Nothacker M, Petzke F: 12 Jahre S3-Leitlinie Fibromyalgiesyndrom - ein nie endender Krieg? Schmerz 2017; 31: 197-199
15. Häuser W: Update Fibromyalgiesyndrom. Akt Rheumatol 2020; 45: 422-429
16. Kaiser U, Sabatowski R, Azad SC: Multimodale Schmerztherapie – eine Standortbestimmung. Schmerz 2015; 29: 550-556
17. Köllner V, Bernardy K, Greiner W, Krumbain L, Lucius H, Offenbächer M et al: Psychotherapie und psychologische Verfahren beim Fibromyalgiesyndrom. Aktualisierte Leitlinie 2017 und Übersicht von systematischen Übersichtsarbeiten. Schmerz 2017; 31: 266-273
18. Mayer TG, Gatchel RJ: Functional restoration for spinal disorders. The Sports Medicine Approach 1988; Philadelphia: Lea & Febiger
19. Müller A, Hartmann M, Eich W: Inanspruchnahme medizinischer Versorgungsleistungen. Untersuchung bei Patienten mit Fibromyalgiesyndrom (FMS). Schmerz 2000; 14: 77-83
20. Nobis HG, Pielsticker A: Ärztliche Edukation und Kommunikation in der primären Schmerzbehandlung. Schmerz 2013; 27: 317-324
21. Petzke F, Bückle W, Eidmann U, Heldmann P, Köllner V, Kühn T et al: Allgemeine Behandlungsgrundsätze, Versorgungskoordination und Patientenschulung beim Fibromyalgiesyndrom. Aktualisierte Leitlinie 2017 und Übersicht von systematischen Übersichtsarbeiten. Schmerz 2017; 31: 246-254
22. Pflingsten M, Arnold B, Böger A, Brinkschmidt T, Casser HR, Kaiser U: Sektorenübergreifende interdisziplinäre multimodale Schmerztherapie. Empfehlungen zu Struktur- und Prozessparameter der Ad-hoc-Kommission „Interdisziplinäre Multimodale Schmerztherapie“ der Deutschen Schmerzgesellschaft e.V. Schmerz 2019; 33: 191-203
23. Pflingsten M, Kaiser U, Sabatowski R: Qualität und Effektivität der interdisziplinären multimodalen Schmerztherapie. Schmerz 2019; 33: 558-561
24. Pflingsten M: Psychotherapeutische und psychologische Verfahren in der Schmerzmedizin. In: Baron R, Koppert W, Strumpf M, Willweber-Strumpf A (Hrsg.): Praktische Schmerzmedizin. Heidelberg, Berlin: Springer-Verlag, 2019: 189-198
25. Schiltenwolf M, Eidmann U, Köllner V, Kühn T, Offenbächer M, Petzke F et al: Multimodale Therapie des Fibromyalgiesyndroms. Aktualisierte Leitlinie 2017 und Übersicht von systematischen Übersichtsarbeiten. Schmerz 2017; 31: 285-288
26. Sommer C, Alten R, Bär KJ, Bernateck M, Brückle W, Friedel E et al: Medikamentöse Therapie des Fibromyalgiesyndroms. Aktualisierte Leitlinie 2017 und Übersicht von systematischen Übersichtsarbeiten. Schmerz 2017; 31: 274–284
27. Üçeler N, Burgmer M, Friedel E, Greiner W, Petzke F, Sarholz M et al: Ätiologie und Pathophysiologie des Fibromyalgiesyndroms, Aktualisierte Leitlinie 2017 und Übersicht von systematischen Übersichtsarbeiten sowie eine Übersicht über Studien zur Kleinfaserpathologie bei Subgruppen des FMS. Schmerz 2017; 31: 239-245

Literatur zum Beitrag

Martin Gehlen, Juliane Pauder, Michael Schwarz-Eywill:

Multimodale Therapie der rheumatoiden Arthritis im Rahmen einer Rehabilitation

1. Baillet A, Vaillant M, Guinot M, Juvin R, Gaudin P. Efficacy of resistance exercises in rheumatoid arthritis: meta-analysis of randomized controlled trials. *Rheumatology (Oxford)*. 2012 Mar;51(3):519-27
2. Baillet A, Zeboulon N, Gossec L, Combescurre C, Bodin LA, J Robert Juvin et al. Efficacy of cardiorespiratory aerobic exercise in rheumatoid arthritis: meta-analysis of randomized controlled trials. *Arthritis Care Res (Hoboken)*. 2010 Jul;62(7):984-92
3. Bergstra SA, Murgia A, Te Velde AF, Caljouw SR. A systematic review into the effectiveness of hand exercise therapy in the treatment of rheumatoid arthritis. *Clin Rheumatol*. 2014 Nov;33(11):1539-48
4. Bureck W, Illgner U. Hand Ergotherapy for Rheumatic Diseases and the Special Importance of Hand Surgery. *Z Rheumatol*, 73 (5), 424-30, 432-3
5. Church TS, Barlow CE, Earnest CP, Kampert JB, Priest EL, Blair SN. Associations between cardiorespiratory fitness and C-reactive protein in men. *Arterioscler Thromb Vasc Biol*. 2002 Nov 1;22(11):1869-76
6. Combe B, Landewe R, Daien CI, Hua C, Aletaha D, Álvaro-Gracia JM et al (2017) 2016 update of the eular recommendations for the management of earlyarthritis. *Ann Rheum Dis*76:948–959
7. Dachverband der deutschsprachigen wissenschaftlichen osteologischen Gesellschaften eV./ DVO. S3-Leitlinie: Prophylaxe, Diagnostik und Therapie der Osteoporose bei postmenopausalen Frauen und Männern. 2017
8. Dischereit G, Goronzy JE, Müller-Ladner U et al. Effects of serial mud baths on inflammatory rheumatic and degenerative diseases. *Z Rheumatol*. 2019 Mar;78(2):143-154
9. Fikentscher T, Springorum HR, Grifka J, Götz J. Orthoses and assistive devices in rheumatology. Prevention of disability, support of residual function. *Z Rheumatol* 2017 · 76:245–258
10. Gaulke R. Konservative Therapie rheumatischer Erkrankungen. Therapieoptionen zwischen Basistherapie und Operation. *arthritis + rheuma* 2017;37:223-231
11. Gehlen M, Mahn K, Schwarz-Eywill M, Gerß L, Siebers-Renelt U, Önder N, Maier A. Rehabilitation for patients with orphan diseases Ochronosis/ Alkaptonuria. *Akt Rheumatol* 2020; 45(03): 237-244
12. Gehlen M, Pfeifer M, Lazarescu AD, Scholl S, Hinz Ch, Maier A, Schwarz-Eywill M. Socio-medical assessment of patients suffering from osteoporosis. *Osteologie* 2019; 28: 2010-2017
13. Hedström AK, Stawiarz L, Klareskog L, Alfredsson L (2018) Smoking and susceptibility to rheumatoid arthritis in a swedish population-based case-control study. *Eur J Epidemiol*33:415–423
14. Huscher D, Merkesdal S, Thiele K, Zeidler H, Schneider M, Zink A. Cost of illness in rheumatoid arthritis, ankylosing spondylitis, psoriatic arthritis and systemic lupus erythematosus in Germany. *Ann Rheum Dis* 2006;65:1175–1183
15. Jakobsen M, O'Reilly E, Heitmann B, Pereira M, Bälter K, Fraser G et al. Major types of dietary fat and risk of coronary heart disease: a pooled analysis of 11 cohort studies. *Am J Clin Nutr*. 2009 May;89(5):1425-32
16. Küffner R, Muekamp G, Reusch. Patientenschulung aus dem Blickwinkel der Entwickler. *arthritis + rheuma* 2017;37:11-18
17. Lange U. Physiotherapy in rheumatology. *Z Rheumatol* 2015 · 74:701–710
18. Müller H, de Toledo FW, Resch KL. Fasting followed by vegetarian diet in patients with rheumatoid arthritis: a systematic review. *Review Scand J Rheumatol*. 2001;30(1):1-10
19. Navarini L, Afeltra A, Gallo Afflitto G et al. Polyunsaturated fatty acids: any role in rheumatoid arthritis? *Lipids Health Dis*. 2017 Oct 10;16(1):197
20. Proschek D, Rehart S. Sport and rheumatoid arthritis. *Z Rheumatol* 2014 · 73:434–438
21. Rongen-van Dartel S, Repping-Wuts H, Flendrie M, Bleijenberg G, Metsios GS, van den Hout WB et al. Effect of Aerobic Exercise Training on Fatigue in Rheumatoid Arthritis: A Meta-Analysis. *Arthritis Care Res (Hoboken)*. 2015 Aug;67(8):1054-62
22. Schneider M, Baseler G, Funken O, et al. Management of Early Rheumatoid Arthritis: Interdisciplinary Guideline. *Z Rheumatol*. 2020 Jun;79 (Suppl 1):1-38
23. Sköldstam L, Hagfors L, Johansson G. An experimental study of a Mediterranean diet intervention for patients with rheumatoid arthritis. *Ann Rheum Dis* 2003;62:208–214
24. Symmons DPM (2002) Epidemiology of rheumatoid arthritis: determinants of onset, persistence and outcome. *Best Pract Res Clin Rheumatol* 16:707–722
25. Wolfram G, Bechthold A, Boeing H, et al. German Nutrition Society. Evidence-Based Guideline of the German Nutrition Society: Fat Intake and Prevention of Selected Nutrition-Related Diseases. *Ann Nutr Metab*. 2015;67(3):141-204. Epub 2015 Sep 29. PMID: 26414007.
26. Young A, Dixey J, Cox N, Davies P, Devlin J, Emery P et al (2000) How does functional disability in early rheumatoid arthritis (ra) affect patients and their lives? Resultsof5 yearsoffollow-upin732 patients from the early ra study (eras). *Rheumatology* 39:603–611
27. Zink A, Albrecht K (2016) Wie häufig sind muskuloskeletale Erkrankungen in Deutschland? *Z Rheumatol*75:346–353

Literatur zum Beitrag:

Karin Meißner, Helena Gaber, Svenja Gallasch, Andrea Grabenbauer, Carina Güttler, Celine Jank, Michaela Ott, Stefan Middeldorf

Patientenerwartungen bei Inanspruchnahme der multimodalen Schmerztherapie

1. Aaronson NK, Ahmedzai S, Bergman B, Bullinger M, Cull A, Duez NJ, et al.: The European Organization for Research and Treatment of Cancer QLQ-C30: a quality-of-life instrument for use in international clinical trials in oncology. *J Natl Cancer Inst.* 1993;85(5):365–76
2. Arnold B, Brinkschmidt T, Casser HR, Diezemann A, Gralow I, Irnich D, et al.: Multimodal pain therapy for treatment of chronic pain syndrome. Consensus paper of the ad hoc commission on multimodal interdisciplinary pain management of the German Pain Society on treatment contents. *Schmerz.* 2014;28(5):459–72
3. Arnold B, Brinkschmidt T, Casser HR, Gralow I, Irnich D, Klimczyk K, et al.: Multimodal pain therapy: principles and indications. *Schmerz.* 2009;23(2):112–20
4. Gardner T, Refshauge K, McAuley J, Hubscher M, Goodall S, Smith L.: Combined education and patient-led goal setting intervention reduced chronic low back pain disability and intensity at 12 months: a randomised controlled trial. *Br J Sports Med.* 2019;53(22):1424–31
5. Geurts JW, Willems PC, Lockwood C, van Kleef M, Kleijnen J, Dirksen C.: Patient expectations for management of chronic non-cancer pain: A systematic review. *Health Expect.* 2017;20(6):1201–17
6. Hamilton DF, Lane JV, Gaston P, Patton JT, Macdonald D, Simpson AH, et al.: What determines patient satisfaction with surgery? A prospective cohort study of 4709 patients following total joint replacement. *BMJ Open.* 2013;3(4)
7. Nagel B, Gerbershagen HU, Lindena G, Pflingsten M.: Development and evaluation of the multidimensional German pain questionnaire. *Schmerz.* 2002;16(4):263–70
8. Rau J, Petermann F.: Motivational readiness for chronic pain patients. *Schmerz.* 2008;22(2):209–17

Literatur zum Beitrag

Lars Victor von Engelhardt, Jörg Jerosch:

Konservativ, Hüftarthroskopie, Hüftkappe, Kurzschaft, Standardschaft

Welche Optionen sind bei der Coxarthrose sinnvoll?

1. Aggarwal VK, Elbuluk A, Dundon J, et al.: Surgical approach significantly affects the complication rates associated with total hip arthroplasty. *Bone Joint J* 2019; 101-B(6): 646-651
2. Agricola R, Waarsing JH, Arden NK, et al.: Cam impingement of the hip: a risk factor for hip osteoarthritis. *Nat Rev Rheumatol* 2013; 9(10): 630-634
3. Amstutz HC, Le Duff MJ: Hip resurfacing: history, current status, and future. *Hip Int* 2015; 25(4): 330-338
4. Anderson LA, Anderson MB, Erickson JA, Chrastil J, Peters CL: Acetabular Wall Indices Help to Distinguish Acetabular Coverage in Asymptomatic Adults With Varying Morphologies. *Clin Orthop Relat Res* 2017; 475(4): 1027-1033
5. Anglin C, Masri BA, Tonetti J, Hodgson AJ, Greidanus NV: Hip resurfacing femoral neck fracture influenced by valgus placement. *Clin Orthop Relat Res* 2007; 465: 71-79
6. Arnould A, Boureau F, Benad K, Pasquier G, Migaud H, Girard J: Computed tomography evaluation of hip geometry restoration after total hip resurfacing. *Orthop Traumatol Surg Res* 2015; 101(5): 571-575
7. Ayeni OR, Adamich J, Farrokhyar F et al.: Surgical management of labral tears during femoroacetabular impingement surgery: a systematic review. *Knee Surg Sports Traumatol Arthrosc* 2014; 22: 756-762
8. Banerjee S, Pivec R, Issa K, Harwin SF, Mont MA, Khanuja HS: Outcomes of short stems in total hip arthroplasty. *Orthopedics* 2013; 36: 700-707
9. Bayliss LE, Culliford D, Monk AP, et al.: The effect of patient age at intervention on risk of implant revision after total replacement of the hip or knee: a population-based cohort study. *Lancet* 2017; 389 (10077): 1424-1430
10. Beck M, Kalhor M, Leunig M, Ganz R.: Hip morphology influences the pattern of damage to the acetabular cartilage: femoroacetabular impingement as a cause of early osteoarthritis of the hip. *J Bone Joint Surg Br* 2005; 87(7): 1012-1018
11. Botser IB, Smith TW Jr, Nasser R, Domb BG: Open surgical dislocation versus arthroscopy for femoroacetabular impingement: a comparison of clinical outcomes. *Arthroscopy* 2011; 27: 270-278
12. Bretschneider H, Trattng S, Landgraber S, et al.: Arthroscopic matrix-associated, injectable autologous chondrocyte transplantation of the hip: significant improvement in patient-related outcome and good transplant quality in MRI assessment. *Knee Surg Sports Traumatol Arthrosc.* 2020; 28(4):1317-1324
13. Brooks PJ: Hip resurfacing: a large, US single-surgeon series. *Bone Joint J* 2016; 98-B(1A): 10-13
14. Buchalter DB, Teo GM, Kirby DJ, Aggarwal VK, Long WJ. Surgical Approach to Total Hip Arthroplasty Affects the Organism Profile of Early Periprosthetic Joint Infections. *JB JS Open Access.* 2020; 5(4): e20.00111
15. Byrd JW, Jones KS: Prospective analysis of hip arthroscopy with 10-year followup. *Clin Orthop Relat Res.* 2010; 468: 741-746
16. Calkins TE, Suleiman LI, Culvern C, et al.: Hip resurfacing arthroplasty and total hip arthroplasty in the same patient: which do they prefer? *Hip Int* 2019; 15: 1120700019882922
17. Clohisy JC, Knaus ER, Hunt DM, Lesher JM, Harris-Hayes M, Prather H: Clinical presentation of patients with symptomatic anterior hip impingement. *Clin Orthop Relat Res* 2009; 467(3): 638-644
18. Common H, Rousseau R, Putman S, Migaud H, Girard J: High-level judo practice after hip resurfacing. *Orthop Traumatol Surg Res* 2020; 106(8): 1511-1514
19. Daniel J, Ziaee H, Pradhan C, McMinn DJ: Six-year results of a prospective study of metal ion levels in young patients with metal-on-metal hip resurfacings. *J Bone Joint Surg Br* 2009; 91(2): 176-179
20. Davis ET, Olsen M, Zdero R, Waddell JP, Schemitsch EH: Femoral neck fracture following hip resurfacing: the effect of alignment of the femoral component. *J Bone Joint Surg Br* 2008; 90(11): 1522-1527
21. Dettmer M, Pourmoghadam A, Kreuzer SW: Comparison of Patient-Reported Outcome from Neck-Preserving, Short-Stem Arthroplasty and Resurfacing Arthroplasty in Younger Osteoarthritis Patients. *Adv Orthop* 2015; 817689
22. Domb BG, Chaharbakhshi EO, Rybalco D, Close MR, Litrenta J, Perets I: Outcomes of hip arthroscopic surgery in patients with Tönnis grade 1 osteoarthritis at a minimum 5-year follow-up: a matched-pair comparison with a Tönnis grade 0 control group. *Am J Sports Med* 2017; 45: 2294-2302
23. Domb BG, Gui C, Lodhia P: How much arthritis is too much for hip arthroscopy: a systematic review. *Arthroscopy* 2015; 31(3): 520-529
24. Dong Y, Zhang B, Yang Q, Zhu J, Sun X: The effects of platelet-rich plasma injection in knee and hip osteoarthritis: a meta-analysis of randomized controlled trials. *Clin Rheumatol* 2021; 40(1): 263-277
25. Drosos GI, Touzopoulos P: Short stems in total hip replacement: evidence on primary stability according to the stem type. *Hip Int* 2019; 29(2): 118-127
26. Fouilleron N, Wavreille G, Endjah N, Girard J: Running activity after hip resurfacing arthroplasty: a prospective study. *Am J Sports Med* 2012; 40(4): 889-894
27. Fransen M, McConnell S, Hernandez-Molina G, Reichenbach S: Exercise for osteoarthritis of the hip. *Cochrane Database Syst Rev* 2014; 22 (4): CD007912
28. Gicquel T, Gédouin JE, Krantz N et al: Function and osteoarthritis progression after arthroscopic treatment of femoroacetabular impingement: a prospective study after a mean follow-up of 4.6 (4.2-5.5) years. *Orthop Traumatol Surg Res* 2014; 100(6): 651-656
29. Girard J, Lons A, Pommepuy T, Isida R, Benad K, Putman S: High-impact sport after hip resurfacing: The Iron

- man triathlon. *Orthop Traumatol Surg Res* 2017; 103(5): 675-678
30. Gkagkalis G, Goetti P, Mai S, et al.: Cementless short-stem total hip arthroplasty in the elderly patient - is it a safe option?: a prospective multicentre observational study. *BMC Geriatr* 2019; 19(1): 112
 31. Griffin WL, Fehring TK, Kudrna JC, et al.: Are metal ion levels a useful trigger for surgical intervention? *J Arthroplasty*. 2012; 27(8): 32-36
 32. Gromov K, Bersang A, Nielsen CS, Kallemose T, Husted H, Troelsen A: Risk factors for post-operative periprosthetic fractures following primary total hip arthroplasty with a proximally coated double-tapered cementless femoral component. *Bone Joint J* 2017; 99-B: 451-457
 33. Günther KP, Goronzy J, Franken L, Hartman A: Natürlicher Verlauf bei Hüftdysplasie und Operationsergebnisse. *Arthroscopie* 2018; 31 (4): 283-293
 34. Haddad FS, Konan S, Tahmassebi J: A prospective comparative study of cementless total hip arthroplasty and hip resurfacing in patients under the age of 55 years: a ten-year follow-up. *Bone Joint J* 2015; 97-B(5): 617-622
 35. Hadji P, Klein S, Gothe H, et al.: The epidemiology of osteoporosis – Bone Evaluation Study (BEST): an analysis of routine health insurance data. *Dtsch Arztebl Int* 2013; 110(4): 52–57
 36. Halawi MJ, Oak SR, Brigati D, Siggers A, Messner W, Brooks PJ: Birmingham hip resurfacing versus cementless total hip arthroplasty in patients 55 years or younger: A minimum five-year follow-up. *J Clin Orthop Trauma* 2018; 9(4): 285-288
 37. Haneda M, Rai MF, O'Keefe RJ, Brophy RH, Clohisey JC, Pascual-Garrido C: Inflammatory Response of Articular Cartilage to Femoroacetabular Impingement in the Hip. *Am J Sports Med* 2020; 48(7): 1647-1656
 38. Harris JD, Erickson BJ, Bush-Joseph CA, Nho SJ: Treatment of femoroacetabular impingement: a systematic review. *Curr Rev Musculoskelet Med* 2013; 6: 207-218
 39. Harris WH: Etiology of osteoarthritis of the hip. *Clin Orthop Relat Res* 1986; 213: 20-33
 40. Haviv B, O'Donnell J: The incidence of total hip arthroplasty after hip arthroscopy in osteoarthritic patients. *Sports Med Arthrosc Rehabil Ther Technol* 2010; 2: 18
 41. Holland JP, Langton DJ, Hashmi M. Ten-year clinical, radiological and metal ion analysis of the Birmingham Hip Resurfacing: from a single, non-designer surgeon. *J Bone Joint Surg Br* 2012; 94(4): 471-476
 42. Jerosch J: Kurzschaftprothesen an der Hüfte. 1. Auflage, Berlin: Springer-Verlag, 2017; 197–233
 43. Jerosch J, Ercan A, Filler TJ, Herwig A, von Engelhardt L, Schmid G: Schenkelhalsteilerhaltende Kurzschaftprothese - Auch fünf Jahre nach Implantation noch gute Knochendichte am Femur *Orthopädie & Rheuma* 2019; 22 (6): 39-44
 44. Jerosch J, Theising C, Fadel ME: Antero-lateral minimal invasive (ALMI) approach for total hip arthroplasty technique and early results. *Arch Orthop Trauma Surg* 2006; 126: 164–173
 45. Jerosch J, von Engelhardt LV: A Differentiated View on Short Stemmed Hip Arthroplasty - What are the Differences in Fixation and Biomechanics? *Z Orthop Unfall* 2019; 157(5): 548-557
 46. Kärrholm J, Lindahl H, Malchau H, et al.: The Swedish Hip Arthroplasty Register. Annual report 2016
 47. Kim S-M, Han S-B, Rhyu KH, et al.: Periprosthetic femoral fracture as cause of early revision after short stem hip arthroplasty—a multicentric analysis. *Int Orthop* 2018; 42: 2069–2076
 48. Kircher J, Bergschmidt P, Bader R et al.: Die Bedeutung der Gleitpaarung beim jüngeren Endoprothesenpatienten. *Orthopäde* 2007; 36: 337-346
 49. Kolasinski SL, Neogi T, Hochberg MC, et al.: American College of Rheumatology/Arthritis Foundation Guideline for the Management of Osteoarthritis of the Hand, Hip, and Knee. *Arthritis Care Res* 2020; 72(2): 149-162
 50. Körsmeier K, Claßen T, Kamminga M, Rekowski J, Jäger M, Landgraeber S: Arthroscopic three-dimensional autologous chondrocyte transplantation using spheroids for the treatment of full-thickness cartilage defects of the hip joint. *Knee Surg Sports Traumatol Arthrosc*. 2016; 24(6): 2032-2037
 51. Kowalczyk M, Yeung M, Simunovic N, Ayeni OR: Does femoroacetabular impingement contribute to the development of hip osteoarthritis? A systematic review. *Sports Med Arthrosc Res* 2015; 23: 174-179
 52. Lequesne MG, Laredo JD: The faux profil (oblique view) of the hip in the standing position. Contribution to the evaluation of osteoarthritis of the adult hip. *Ann Rheum Dis* 1998; 57(11): 676-681
 53. Lespasio MJ, Sultan AA, Piuze NS, et al.: Hip Osteoarthritis: A Primer. *Perm J* 2018; 22: 17-084
 54. Leunig M, Beaulé PE, Ganz R: The concept of femoroacetabular impingement: current status and future perspectives. *Clin Orthop Relat Res* 2009; 467(3): 616-622
 55. Liang H, Yang W, Pan J, et al.: Are short-stem prostheses superior to conventional stem prostheses in primary total hip arthroplasty? A systematic review and meta-analysis of randomised controlled trials. *BMJ Open* 2018; 8: e021649.
 56. Lidder S, Epstein DJ, Scott G: A systematic review of short metaphyseal loading cementless stems in hip arthroplasty. *Bone Joint J* 2019; 101-B(5): 502-511
 57. Liu F, Gross TP. A safe zone for acetabular component position in metal-on-metal hip resurfacing arthroplasty: winner of the 2012 HAP PAUL award. *J Arthroplasty* 2013; 28(7): 1224-1230
 58. Loppini M, Grappiolo G: Uncemented short stems in primary total hip arthroplasty: The state of the art. *EFORT Open Rev* 2018; 3(5): 149-159
 59. Lund B, Mygind-Klavsen B, Grønbech, et al.: Danish Hip Arthroscopy Registry (DHAR): the outcome of patients with femoroacetabular impingement (FAI). *J Hip Preserv Surg* 2017; 4: 170–177
 60. Mannava S, Chahla J, Geeslin AG, et al.: Platelet-Rich Plasma Augmentation for Hip Arthroscopy. *Arthrosc Tech* 2017; 6(3): e763-e768
 61. Marshall DA, Pykerman K, Werle J, et al.: Hip resurfacing versus total hip arthroplasty: a systematic review comparing standardized outcomes. *Clin Orthop Relat Res* 2014; 472(7): 2217-2230
 62. Martin HD: Clinical examination of the hip. *Oper Tech Orthop* 2005; 15: 177–181
 63. Martin HD, Palmer IJ: History and physical examination of the hip: the basics. *Curr Rev Musculoskelet Med* 2013; 6: 219–225
 64. Matharu, GS, Judge, A, Murray, DW, et al.: Prevalence of and risk factors for hip resurfacing revision: a cohort study into the second decade after the operation. *J Bone Joint Surg Am* 2016; 98: 1444–1452
 65. Matsuda DK, Carlisle JC, Arthurs SC, Wierks CH, Philippon MJ: Comparative systematic review of the open dislocation, mini-open, and arthroscopic surgeries for femoroacetabular impingement. *Arthroscopy*. 2011; 27(2): 252-269
 66. McCarthy JC, Jarrett BT, Ojeifo O, Lee JA, Bragdon CR: What factors influence long-term survivorship after hip

- arthroscopy? Clin Orthop Relat Res 2011; 469: 362–371
67. McLawhorn AS, Buller LT, Blevins JL, Lee YY, Su EP: What Are the Benefits of Hip Resurfacing in Appropriate Patients? A Retrospective, Propensity Score-Matched Analysis. HSS J 2020; 16(2): 316-326
68. Mihalko WM, Assaf D, Sungu M: Reproducing the hip center with a femoral neck-re-taining implant. Orthopedics 2015; 38: 21–26
69. Nötzli HP, Wyss TF, Stoecklin CH, Schmid MR, Treiber K, Hodler J: The contour of the femoral head-neck junction as a predictor for the risk of anterior impingement. J Bone Joint Surg Br 2002; 84(4): 556-560
70. Nwachukwu BU, Rebolledo BJ, McCormick F, Rosas S, Harris JD, Kelly BT: Arthroscopic Versus Open Treatment of Femoroacetabular Impingement: A Systematic Review of Medium- to Long-Term Outcomes. Am J Sports Med 2016; 44(4): 1062-1068
71. Philippon MJ, Briggs KK, Yen YM, Kuppersmith DA: Outcomes following hip arthroscopy for femoroacetabular impingement with associated chondrolabral dysfunction: minimum two-year follow-up. J Bone Joint Surg Br 2009; 91: 16–23
72. Philippon MJ, Schroder ESG, Briggs KK: Hip arthroscopy for femoroacetabular impingement in patients aged 50 years or older. Arthroscopy 2012; 28(1): 59-65
73. Pierannunzi L: Femoroacetabular impingement: question-driven review of hip joint pathophysiology from asymptomatic skeletal deformity to end-stage osteoarthritis. J Orthop Traumatol 2019; 20(1): 32
74. Pogliacomi F, Schiavi P, Grappiolo G, Ceccarelli F, Vaianti E: Outcome of short versus conventional stem for total hip arthroplasty in the femur with a high cortical index: a five year follow-up prospective multicentre comparative study. Int Orthop 2020; 44(1): 61-68
75. Rafols C, Monckeberg JE, Numair J, Botello J, Rosales J: Platelet-Rich Plasma Augmentation of Arthroscopic Hip Surgery for Femoroacetabular Impingement: A Prospective Study With 24-Month Follow-up. Arthroscopy 2015; 31(10): 1886-1892
76. Raveendran R, Stiller JL, Alvarez C, et al.: Population-based prevalence of multiple radiographically-defined hip morphologies: the Johnston County Osteoarthritis Project. Osteoarthritis Cartilage 2018; 26(1): 54-61
77. Rhee C, Le Francois T, Byrd JWT, Glazebrook M, Wong I: Radiographic diagnosis of pincer-type femoroacetabular impingement: a systematic review. Orthop J Sports Med 2017; 5(5): 2325967117708307
78. Rometsch E, Bos PK, Koes BW: Survival of short hip stems with a "modern", trochanter-sparing design - a systematic literature review. Hip Int 2012; 22(4): 344-354
79. Sandiford N, Muirhead-Allwood SK, Skinner JA: Return to sporting activity after Birmingham hip resurfacing arthroplasty: Mid term results. Indian J Orthop 2015; 49(6): 595-601
80. Sansone M, Ahldén M, Jonasson P et al.: Outcome of hip arthroscopy in patients with mild to moderate osteoarthritis – a prospective study. J Hip Preserv Surg 2016; 3: 61–67
81. Shapira J, Chen SL, Rosinsky PJ, et al.: The effect of postoperative femoral offset on outcomes after hip arthroplasty: A systematic review. J Orthop 2020; 22: 5-11
82. Shafy TA, Sayed A, Abdelazeem AH: Study of the bone behavior around a neck preserving short stem implant: bone densitometric analysis over a span of two years. SICOT J 2016; 2: 31
83. Sohatee MA, Ali M, Khanduja V, Malviya A: Does hip preservation surgery prevent arthroplasty? Quantifying the rate of conversion to arthroplasty following hip preservation surgery. J Hip Preserv Surg 2020; 7(2): 168-182
84. Steffen RT, Athanasou NA, Gill HS, Murray DW: Avascular necrosis associated with fracture of the femoral neck after hip resurfacing: histological assessment of femoral bone from retrieval specimens. J Bone Joint Surg Br 2010; 92(6): 787-793
85. Sutter R, Zanetti M, Pfirrmann CW: New developments in hip imaging. Radiology 2012; 264(3): 651-667
86. Synder M, Krajewski K, Sibinski M, Drobniowski M: Periprosthetic bone remodeling around short stem. Orthopedics 2015; 38 (3): 40-45
87. Tibor LM, Sekiya JK: Differential diagnosis of pain around the hip joint. Arthroscopy 2008; 24: 1407–1421
88. Van Der Straeten C: Hip resurfacing arthroplasty in young patients: international high-volume centres' report on the outcome of 11,382 metal-on-metal hip resurfacing arthroplasties in patients 50 years at surgery. Hip Int 2020; 9:1120700020957354
89. Van Der Straeten C, Van Quickenborne D, De Roest B, Calistri A, Victor J, De Smet K. Metal ion levels from well-functioning Birmingham Hip Resurfacings decline significantly at ten years. Bone Joint J 2013; 95-B(10): 1332-1338
90. von Engelhardt LV, Breil-Wirth A, Kothny C, Seeger JB, Grasselli C, Jerosch J: Long-term results of an anatomically implanted hip arthroplasty with a short stem prosthesis (Mini-HipTM). World J Orthop 2018; 9(10): 210-219
91. von Engelhardt LV, Jerosch J: Hüftarthroskopie zur Impingementbehandlung bei niedrig- bis mittelgradiger Hüftarthrose. Inwieweit können wir Empfehlungen aussprechen? OUP 2019; 8: 420–427
92. Wacha H, Domsel G, Herrmann E: Long-term follow-up of 1217 consecutive short-stem total hip arthroplasty (THA): a retrospective single-center experience. Eur J Trauma Emerg Surg 2018; 44(3): 457-469
93. Wells J, Millis M, Kim YJ, Bulat E, Miller P, Matheny T: Survivorship of the Bernese Periacetabular Osteotomy: What Factors are Associated with Long-term Failure? Clin Orthop Relat Res 2017; 475(2): 396-405
94. Windhagen H, Chincisan A, Choi HF, Thorey F: Soft-tissue balance in short and straight stem total hip arthroplasty. Orthopedics 2015; 38: 14–20
95. Yan SG, Chevalier Y, Liu F, Hua X, et al.: Metaphyseal anchoring short stem hip arthroplasty provides a more physiological load transfer: a comparative finite element analysis study. J Orthop Surg Res 2020; 15(1): 498
96. Ziaee H, Daniel J, Datta AK, Blunt S, McMinn DJ: Transplacental transfer of cobalt and chromium in patients with metal-on-metal hip arthroplasty: a controlled study. J Bone Joint Surg Br 2007; 89(3): 301-305
97. Zeh A, Pankow F, Röllinghoff M, Delank S, Wohlrab D: A prospective dual-energy X-ray absorptiometry study of bone remodeling after implantation of the Nanos short-stemmed prosthesis. Acta Orthop Belg 2013; 79(2): 174-180
98. Zhang W, Doherty M, Arden N, et al.: EULAR evidence based recommendations for the management of hip osteoarthritis: report of a task force of the EULAR Standing Committee for International Clinical Studies Including Therapeutics (ESCIIT). Ann Rheum Dis 2005; 64(5): 669-681
99. Zhao Z, Ma JX, Ma XL: Different Intra-articular Injections as Therapy for Hip Osteoarthritis: A Systematic Review and Network Meta-analysis. Arthroscopy 2020; 36(5): 1452-1464

Literatur zum Beitrag:

Raimund Casser

Worauf gilt es bei der oralen medikamentösen Schmerztherapie muskuloskelettaler Schmerzen zu achten?

1. AbZ Pharma, Rote Liste/Fachinfo-Service. Metamizol-CT 500 mg Tabletten. Fachinformation. 2014 Arzneimittelkommission der deutschen Ärzteschaft (AkdÄ). Einschränkung der Indikation für Tolperison-haltige Produkte und das Risiko von Überempfindlichkeitsreaktionen. Rote-Hand-Brief vom 21. Februar 2013. 2013 [cited: 2016 Mar 16]
2. Bally M, Dendukuri N, Rich B, et al 2017; Risk of acute myocardial infarction with NSAIDs in real world use: Bayesian meta-analysis of individual patient data. *BMJ* 357
3. Basler, H. D., R. Bloem, H. R. Casser, H. U. Gerbershagen, N. Griessinger, U. Hankemeier, S. Hesselbarth, S. Lautenbacher, T. Nikolaus, W. Richter, C. Schroter and L. Weiss (2001). A structured pain interview for geriatric patients. *Schmerz* 15(3): 164-71
4. Bhala N, Emberson J, Merhi A, Abrahamson S, Arber N, Et al Vascular and upper gastrointestinal effect of non-steroidal anti-inflammatory drugs: metaanalyses of individual participant data from randomized trials. *Lancet* 382:769-779
5. Böger RH; Schmidt G: Analgetika. In: Arzneiverordnungs-Report 2018, Schwabe U, Paffrath W, Ludwig W-D, Klauber J (Hrsg): Springer, 2020: 389–406
6. Dr. Kade Pharma, Rote Liste/Fachinfo-Service. DoloVisano® Methocarbamol 750 mg Tabletten. Fachinformation. 2014 Feb [cited: 2016 Jul 13]. <http://www.fachinfo.de>
7. Eidner T, Wolf G, Oelzner P: Risikostratifizierung in der Rheumatologie: Analgetika-Therapie. *Thieme Akt Rheumatologie* 2021; 46:179-186
8. European Medicines Evaluation Agency (EMA). Public assesment report for medicinal products containing non-selective non steroidal anti-inflammatory drugs (NSAIDs). Procedure No. EMEA/H/A-5.3/800 under Article 5(3) of Regulation (EC) No 726/2004. EMEA/CHMP/442130/2006. London: EMA; 2006. http://www.ema.europa.eu/docs/en_GB/document_library/Report/2010/01/WC500054344.pdf
9. Herdegen T,(2016) Phramako-logisch! Nichtsteroidale Analgetika, Opioidem Schmerzspezifische Analgesie. *Deutsche Apotheker Zeitschrift* 48:9-46
10. Hesselbarth, (J). Lautenbacher, T. Nikolaus, W. Richter, C. Schroter and L. Weiss (2001). "[A structured pain interview for geriatric patients]." *Schmerz* 15(3): 164-71
11. Hohlfeld T(Zimmermann N, Weber AA, et al. Pyrazolinone analgesics prevent the antiplatelet effect of aspirin and preserve human platelet thromboxane synthesis. *J Thromb Haemost* 2008;6(1):166-73.
12. Holt A, Schmiedl S, Thürmann PA. Priscus-Liste potenziell inadäquater Medikation für ältere Menschen. 2011; [cited: 2016 Jun 7]. http://priscus.net/download/PRISCUS-Liste_PRISCUS-TP3_2011.pdf
13. Kuijpers T , van MM, Rubinstein SM, et al. A systematic review on the effectiveness of pharmacological interventions for chronic non-specific low-back pain. *Eur Spine J* 2011;20(1):40-50
14. Lenzen-Schulte M: Metamizol und Agranulozytose. *Deutsches Ärzteblatt* 2020; 142-144
15. Machado GC, Maher CG, Ferreira PH, et al. Efficacy and safety of paracetamol for spinal pain and osteoarthritis: systematic review and meta-analysis of randomised placebo controlled trials. *BMJ* 2015; 350:h1225
16. Ratiopharm, Rote Liste/Fachinfo-Service. Diazepam-ratiopharm® 2 mg Tabletten. Fachinformation. 2013 Oct [cited: 2016 Jul 13]. <http://www.fachinfo.de>
17. Roberts E, Delgado Nunes V, Buckner S, et al. Paracetamol: not as safe as we thought? A systematic literature review of observational studies. *Ann Rheum Dis* 2016;75(3):552-9
18. Roelofs PD, Deyo RA, Koes BW, et al. Non-steroidal anti-inflammatory drugs for low back pain. *Cochrane Database Syst Rev* 2008;(1):CD000396
19. Rote Hand Brief Einschränkung der Indikation für Tolperison-haltige Produkte und das Risiko von Überempfindlichkeitsreaktionen. 21. Februar 2013. 2013 [cited: 2016 Mar 16]
20. Schneider J, Kreutz R, Bolbrinker J (2019) Pharmakologie der Nichtopioidanalgetika. *Schmerz* 33:165-179
21. Schug SA, Palmer GM, Scott DA, Halliwell R, Trinca J (2016) Acute pain management: scientific evidence, fourth edition, 2015. *Med J Aust* 204:315-317
22. Stammschulte T, Weersink R, Sauerbruch T, Poralla T, Farker K, Köberle U, Borgsteede SD (2020) Niederländische Empfehlung zur sicheren Anwendung von Arzneimitteln bei Leberzirrhose. *Arzeimittelverordnung in der Praxis* 47:11-17
23. Tan KR, Brown M, Labouebe G, et al. Neural bases for addictive properties of benzodiazepines. *Nature* 2010;463(7282):769-74

Literatur zum Beitrag

Kay Uthoff, Axel Schulz, Dirk-J. Danneberg

Management der Gonarthrose Die Rolle von Kortison und Hyaluron

1. Allen KD, Golightly YM, White DK. Gaps in appropriate use of treatment strategies in osteoarthritis. *Best Pract Res Clin Rheumatol.* 2017;31(5):746-59
2. Altman RD, Bedi A, Karlsson J, Sancheti P, Schemitsch E. Product Differences in Intra-articular Hyaluronic Acids for Osteoarthritis of the Knee. *Am J Sports Med.* 2016. 44(8):2158-65
3. AWMF Leitlinie Gonarthrose Reg Nr 033-004 (2018)
4. Bannuru RR, Natov NS, Obadan IE, Price LL, Schmid CH, McAlindon TE. Therapeutic trajectory of hyaluronic acid versus corticosteroids in the treatment of knee osteoarthritis: a systematic review and meta-analysis. *Arthritis Rheum.* 2009;61:1704-11
5. Bundesgesundheitsbl 2011; 54:1135–1144 ©Springer-Verlag 2011 Anforderungen an die Hygiene bei Punktionen und Injektionen
6. Calders P, van Ginkel A. Presence of comorbidities and prognosis of clinical symptoms in knee and/or hip osteoarthritis: A systematic review and meta-analysis. *Semin Arthritis Rheum.* 2018;47(6):805-813
7. Concoff A, Sancheti P, Niazi F, Shaw P, Rosen J. The efficacy of multiple versus single hyaluronic acid injections: a systematic review and meta-analysis. *BMC Musculoskelet Disord.* 2017 21;18(1):542
8. Conrozier T, Jerosch J, Beks P, Kemper F, Euller-Ziegler L, Bailleul F, Chevalier X. Prospective, multi-centre, randomised evaluation of the safety and efficacy of five dosing regimens of viscosupplementation with hylan G-F 20 in patients with symptomatic tibio-femoral osteoarthritis: a pilot study. *Arch Orthop Trauma Surg.* 2009; 129(3):417-23
9. De Lucia O, Jerosch J, Yoon S, Sayre T, Ngai W, Filippou G. One-year efficacy and safety of single or one to three weekly injections of hylan G-F 20 for knee osteoarthritis: a systematic literature review and meta-analysis. *Clin Rheumatol.* 2021 40(6):2133-2142
10. Fam H, Bryant JT, Kontopoulou M: Rheological properties of synovial fluids. *Biorheology,* 44 (2) (2007) 59-74
11. Han SB, Seo IW, Shin YS. Intra-Articular Injections of Hyaluronic Acid or Steroids Associated With Better Outcomes Than Platelet-Rich Plasma, Adipose Mesenchymal Stromal Cells, or Placebo in Knee Osteoarthritis: A Network Meta-analysis. *Arthroscopy.* 2021; 37(1):292-30
12. He WW, Kuang MJ, Zhao J, Sun L, Lu B, Wang Y, Ma JX, Ma XL. Efficacy and safety of intraarticular hyaluronic acid and corticosteroid for knee osteoarthritis: A meta-analysis. *Int J Surg.* 2017; 39:95-103.
13. Jevsevar, David S. MD, MBA Treatment of Osteoarthritis of the Knee: Evidence-Based Guideline, 2nd Edition. *Journal of the American Academy of Orthopaedic Surgeons: 2013 Volume 21 - Issue 9 - p 571-576*
14. Klocke R, Levasseur K, Kitas GD, Smith JP, Hirsch G. Cartilage turnover and intra-articular corticosteroid injections in knee osteoarthritis. *Rheumatol Int.* 2018 Mar;38(3):455-459
15. Kolasinski SL, Neogi T, Hochberg MC, et al.: 2019 American College of Rheumatology/Arthritis Foundation Guideline for the Management of Osteoarthritis of the Hand, Hip, and Knee. *Arthritis Care Res (Hoboken).* 2020; 72(2):149-162.
16. Lindenhayn K, Heilmann HH, Niederhausen T, Walther HU, Pohlentz K. Elimination of tritium-labelled hyaluronic acid from normal and osteoarthritic rabbit knee joints. *Eur J Clin Chem Clin Biochem,* 35 (5) (1997) 355-363
17. McAlindon TE, LaValley MP, Harvey WF et al.: Effect of Intra-articular Triamcinolone vs Saline on Knee Cartilage Volume and Pain in Patients With Knee Osteoarthritis: A Randomized Clinical Trial. *JAMA.* 2017 16;317(19):1967-1975
18. Miller LE, Fredericson M, Altman RD. Hyaluronic Acid Injections or Oral Nonsteroidal Anti-inflammatory Drugs for Knee Osteoarthritis: Systematic Review and Meta-analysis of Randomized Trials. *Orthop J Sports Med.* 2020 27; 8(1):2325967119897909.
19. Phillips M, Vannabouathong C, Devji T, et al. Differentiating factors of intra-articular injectables have a meaningful impact on knee osteoarthritis outcomes: a network meta-analysis. *Knee Surgery, Sports Traumatology, Arthroscopy (2020)* 28:3031–3039
20. Raman R, Dutta A, Day N, et al. Efficacy of Hylan G-F 20 and Sodium Hyaluronate in the treatment of osteoarthritis of the knee - a prospective randomized clinical trial. *Knee.* 2008 15(4):318-24.
21. Schaeffert R; Welsch P, Klose P, Petzke F, Häuser W. Opioids in chronic osteoarthritis pain. A systematic review and meta-analysis of efficacy, tolerability and safety in randomized placebo-controlled studies of at least 4 weeks duration. *Schmerz.* 2015; 29(1):47-59
22. Swain S, Sarmanova A, Mallen C, et al. Trends in incidence and prevalence of osteoarthritis in the United Kingdom: findings from the Clinical Practice Research Datalink (CPRD); Osteoarthritis Cartilage.2020 28(6):792-801.
23. Vincent P. Intra-articular hyaluronic acid in the symptomatic treatment of knee osteoarthritis: a meta-analysis of single-injection products. *Curr Ther Res Clin Exp.* 2019; 90:39-51
24. Zhang HF, Wang CG, Li H, Huang YT, Li ZJ. Intra-articular platelet-rich plasma versus hyaluronic acid in the treatment of knee osteoarthritis: a meta-analysis. *Drug Des Devel Ther.* 2018 5;12:445-453.

Literatur zum Beitrag

Jörg Jerosch, Gebhard Schmid

Geniculare arterielle Embolisation (GAE) zur Schmerztherapie bei der Gonarthrose

Anatomie, Technik und Evidenz

- Ashraf S, Mapp PI, Walsh DA. Contributions of angiogenesis to inflammation, joint damage, and pain in a rat model of osteoarthritis. *Arthritis Rheum* 2011; 63 (9): 2700–2710
- Awad ME, Hussein KA, Helwa I et al (2019). Metaanalysis and evidence base for the efficacy of autologous bone marrow mesenchymal stem cells in knee cartilage repair: methodological guidelines and quality assessment. *Stem Cells Int*.
- Bagla S, Rholi KS, van Breda A et al. Geniculate Artery Embolization in the Management of Spontaneous Recurrent Hemarthrosis of the Knee: Case Series. *J Vasc Interv Radiol* 2013; 24(3): 439–442.
- Bagla S, Piechowiak R, Hartman T, Orlando J, Del Gaizo D, Isaacson A.: Genicular Artery Embolization for the Treatment of Knee Pain Secondary to Osteoarthritis. *J Vasc Interv Radiol*. 2019 Dec 11. pii: S1051-0443(19)30821-8. doi: 10.1016/j.jvir.2019.09.018. [Epub ahead of print]
- Barrientos C, Barahona M, Cermenati T, Wulf R, Hinzpeter J.: Successful Selective Embolization for Recurrent Hemarthrosis after Knee Arthroplasty. *Case Rep Orthop*. 2019 Dec 5;2019:8374709. eCollection 2019.
- Chahal J, Gómez-Aristizábal A., Sheshpaloff K et al (2019). Bone marrow mesenchymal stromal cell treatment in patients with osteoarthritis results in overall improvement in pain and symptoms and reduces synovial inflammation. *Stem Cells Transl Med* 8: 746–757
- Chau Y, Roux C, Breuil V, Trojani C, Gonzalez J-F, Amoretti N, Sedat J: Endovascular Occlusion of Neovascularization as a Treatment for Persistent Pain After Total Knee Arthroplasty. *Cardiovasc Intervent Radiol* (2020) 43:787–790
- Correa MP, Puton RC, Saleh JN, Noel RS, Penteado da Silva LH, de Castro DM and de Mello Bajerski JC: Short-term follow-up of embolization of hip synovitis. *CVIR Endovascular* (2020) 3:35
- Di Metteo B, Vandenbulcke F, Vitale ND et al (2019). Minimally manipulated mesenchymal stem cells for the treatment of knee osteoarthritis: a systematic review of clinical evidence. *Stem Cells Int*.
- Erivan R et al. Epidemiology of painful knee after total knee arthroplasty in a tertiary center: Assessment by decision tree. *Knee* 2020
- Freemont AJ, Hoyland JA.: Morphology, mechanisms and pathology of musculoskeletal ageing. *J Pathol*. 2007 Jan; 211(2):252-9
- Henrotin Y, Raman R, Richette P et al. Consensus statement on viscosupplementation with hyaluronic acid for the management of osteoarthritis. *Semin Arthritis Rheum* 2015; 45 (2): 140–149
- Jerosch J, Heisel J, Tibesku C: *Knieendoprothetik*, 2. Auflage, Springer 2015, ISBN: 978-3-642-38422-6
- Kim SH, Djaja YP, Park Y (2019). Intra-articular injection of culture-expanded mesenchymal stem cells without adjuvant surgery in knee osteoarthritis. *Am J Sports Med*
- Kim YS, Chung PK, Suh DS et al (2019). Implantation of mesenchymal stem cells in combination with allogenic cartilage improves cartilage regeneration and clinical outcomes in patients with concomitant high tibial osteotomy. *Knee Surg Sports Traumatol Arthrosc*
- Koh Y, Kwon O, Kim Y, Choi Y (2014). Comparative outcomes of open-wedge high tibial osteotomy mesenchymal stem cell treatment: a prospective study. *Arthroscopy* 30: 1453-1460
- Kolber MK, Shukla PA, Kumar A et al. Endovascular Management of Recurrent Spontaneous Hemarthrosis After Arthroplasty. *Cardiovasc Intervent Radiol* 2017; 40(2): 216–222
- Korchi AM, Cengarle-Samak A, Okuno Y et al. Inflammation and Hypervascularization in a Large Animal Model of Knee Osteoarthritis: Imaging with Pathohistologic Correlation. *J Vasc Interv Radiol* 2019; 30(7):1116-1127
- Lee SW, Hwang JH, Kim DH, So YH, Park J, Cho SB, Jeong-Eun: Clinical Outcomes of Transcatheter Arterial Embolisation for Chronic Knee Pain: Mild-to-Moderate Versus Severe Knee Osteoarthritis. *Cardiovasc Intervent Radiol* (2019) 42:1530–1536
- Little MW, Gibson M, Briggs J et al. Genicular artery embolization in patients with osteoarthritis of the knee (GENESIS) Using Permanent Microspheres: Interim Analysis. *Cardiovasc Intervent Radiol* (2021).
- Mapp P, Walsh D. Mechanisms and target of angiogenesis in nerve growth in osteoarthritis. *Nature Reviews Rheumatol* 2012; 8 (7): 390–398
- McAlindon TE, Bannuru RR, Sullivan MC et al. OARSI guidelines for the non-surgical management of knee osteoarthritis. *Osteoarthritis Cartilage* 2014; 22 (3): 363–388
- McAlindon TE, LaValley MP, Harvey WF et al. Effect of Intra-articular Triamcinolone vs Saline on Knee Cartilage Volume and Pain in Patients With Knee Osteoarthritis: A Randomized Clinical Trial. *JAMA* 2017; 317 (19): 1967–1975
- McDowell M, Park A, Gerlinger TL. The painful total knee arthroplasty. *Orthop Clin North Am*. 2016; 47(2):317–326.
- McIntyre JA, Jones IA, Han B, Vangness CT (2018). Intra-articular mesenchymal stem cell therapy for the human joint: a systematic review. *Am J Sports Med* 46: 3550-3563
- Obaji S, Jones C, Yates A et al. Selective angiographic embolisation for recurrent elbow and knee haemarthroses in haemophilia: a retrospective case series. *Haemophilia* 2015; 21(3): e226–e228
- Okuno Y, Korchi AM, Shinjo T, Kato S. Transcatheter arterial embolization as a treatment for medial knee pain in patients with mild to moderate osteoarthritis. *Cardiovasc Intervent Radiol* 2015; 38 (2): 336–343
- Park CN, White PB, Meftah M, Ranawat AS, Ranawat CS: Diagnostic algorithm for residual pain after total knee arthroplasty. *Orthopedics*. 2016; 39(2):e246–52.
- Pow R, Fritsch B, Waugh R, Rogan C: Endovascular management of recur-

- rent hemarthrosis of the knee: a case series. *CVIR Endovascular* (2020) 3:43
30. Putnam W(1), Lawson B, Frail D, Bower K, Archibald G, Conter H, MacKillop J.: Potential for drug interactions in seniors with osteoarthritis. *Can Fam Physician*. 2006 Mar;52:340-1
31. Raman R, Henrotin Y, Chevalier X et al. Decision Algorithms for the Retreatment with Viscosupplementation in Patients Suffering from Knee Osteoarthritis: Recommendations from the EUROpean VIScosupplementation Consensus Group (EUROVISCO). *Cartilage* 2017; 1–13
32. Saw KY, Anz A, Jee CSY et al (2015). High tibial osteotomy in combination with chondrogenesis after stem cell therapy: a histologic report of 8 cases. *Arthroscopy* 31: 1909-1920
33. Shariatzadeh M, Song J, Wilson SL (2019). The efficacy of different sources of mesenchymal stem cells for the treatment of knee osteoarthritis. *Cell Tissue Res* 378: 399-410
34. Song JS, Hong KT, Kim NM et al (2019). Cartilage regeneration in osteoarthritic knees treated with distal femoral osteotomy and intra-lesional implantation of allogenic human umbilical cord blood-derived mesenchymal stem cells: a report of two cases. *Knee*
35. Steinmeyer J, Bock F, Stöve J et al. Pharmacological treatment of knee osteoarthritis: Special consideration of the new german guideline. *Orthopedic Reviews* 2018; 10 (7782): 147–154
36. van Dijk GM(1), Veenhof C, Schellevis F, Hulsmans H, Bakker JP, Arwert H, Dekker JH, Lankhorst GJ, Dekker J.: Comorbidity, limitations in activities and pain in patients with osteoarthritis of the hip or knee. *BMC Musculoskelet Disord*. 2008 Jun 26; 9:95
37. Waldenberger P, Chemelli A, Hennerbichler A, Wick M, Freund MC, Jaschke W, Thaler M, Chemelli-Steingruber IE: Transarterial embolization for the management of hemarthrosis of the knee. *Eur J Radiol* 2012 Oct;81(10):2737-40
38. Wong KL, Lee KBL, Tai BC et al (2013) Injectable cultured bone marrow-derived mesenchymal stem cells in varus knees with cartilage defects undergoing high tibial osteotomy: a prospective, randomized controlled clinical trial with 2 years' follow-up. *Arthroscopy* 29: 2020-2028

Literatur zum Beitrag

Erhan Basad

Die Rolle von PRP

1. Andia I, Maffulli N. Platelet-rich plasma for managing pain and inflammation in osteoarthritis. *Nat Rev Rheumatol*. 2013 Dec;9(12):721-30.
2. Belk JW, Kraeutler MJ, Houck DA, Goodrich JA, Dragoo JL, McCarty EC. Platelet-Rich Plasma Versus Hyaluronic Acid for Knee Osteoarthritis: A Systematic Review and Meta-analysis of Randomized Controlled Trials. *Am J Sports Med*. 2021 Jan;49(1):249-260.
3. Bondariev G, Holiuk Y, Darovskyi O, Saulenko K, Haidai O. [FUNCTIONAL RESULTS` ANALYSIS OF L-PRP APPLICATION FOR PATIENTS WITH MENISCUS INJURIES OF THE KNEE JOINT]. *Georgian Med News*. 2020 Nov;(308):14-19. Russian. PMID: 33395634.
4. Braun HJ, Wasterlain AS, Dragoo JL. The use of PRP in ligament and meniscal healing. *Sports Med Arthrosc Rev*. 2013 Dec;21(4):206-12.
5. Cook CS, Smith PA. Clinical Update: Why PRP Should Be Your First Choice for Injection Therapy in Treating Osteoarthritis of the Knee. *Curr Rev Musculoskelet Med*. 2018 Dec;11(4):583-592.
6. Creaney L, Wallace A, Curtis M, Connell D. Growth factor-based therapies provide additional benefit beyond physical therapy in resistant elbow tendinopathy: a prospective, single-blind, randomised trial of autologous blood injections versus platelet-rich plasma injections. *Br J Sports Med*. 2011 Sep;45(12):966-71.
7. Dai WL, Zhou AG, Zhang H, Zhang J. Efficacy of Platelet-Rich Plasma in the Treatment of Knee Osteoarthritis: A Meta-analysis of Randomized Controlled Trials. *Arthroscopy*. 2017 Mar;33(3):659-670.e1.
8. de Vos RJ, Weir A, Tol JL, Verhaar JA, Weinans H, van Schie HT. No effects of PRP on ultrasonographic tendon structure and neovascularisation in chronic midportion Achilles tendinopathy. *Br J Sports Med*. 2011 Apr;45(5):387-92.
9. Di Y, Han C, Zhao L, Ren Y. Is local platelet-rich plasma injection clinically superior to hyaluronic acid for treatment of knee osteoarthritis? A systematic review of randomized controlled trials. *Arthritis Res Ther*. 2018 Jun 19;20(1):128.
10. Fernandes G, Yang S. Application of platelet-rich plasma with stem cells in bone and periodontal tissue engineering. *Bone Res*. 2016 Dec 13;4:16036.
11. Filardo G, Kon E, Pereira Ruiz MT, Vaccaro F, Guitaldi R, Di Martino A, Cenacchi A, Fornasari PM, Marcacci M. Platelet-rich plasma intra-articular injections for cartilage degeneration and osteoarthritis: single- versus double-spinning approach. *Knee Surg Sports Traumatol Arthrosc*. 2012 Oct;20(10):2082-91.
12. Guillibert C, Charpin C, Raffray M, Benmenni A, Dehaut FX, El Ghobeira G, Giorgi R, Magalon J, Arniaud D. Single Injection of High Volume of Autologous Pure PRP Provides a Significant Improvement in Knee Osteoarthritis: A Prospective Routine Care Study. *Int J Mol Sci*. 2019 Mar 15;20(6):1327.
13. Hamilton B, Tol JL, Knez W, Chalabi H. Exercise and the platelet activator calcium chloride both influence the growth factor content of platelet-rich plasma (PRP): overlooked biochemical factors that could influence PRP treatment. *Br J Sports Med*. 2015 Jul;49(14):957-60.
14. Hexter AT, Sanghani-Kerai A, Heidari N, Kalaskar DM, Boyd A, Pendegrass C, Rodeo SA, Haddad FS, Blunn GW. Mesenchymal stromal cells and platelet-rich plasma promote tendon allograft healing in ovine anterior cruciate ligament reconstruction. *Knee Surg Sports Traumatol Arthrosc*. 2020 Dec 17.
15. Holmes HL, Wilson B, Goerger JP, Silverberg JL, Cohen I, Zipfel WR, Fortier LA. Facilitated recruitment of mesenchymal stromal cells by bone marrow concentrate and platelet rich plasma. *PLoS One*. 2018 Mar 22;13(3):e0194567.
16. Kabiri A, Esfandiari E, Esmaeili A, Hashemibeni B, Pourazar A, Mardani M. Platelet-rich plasma application in chondrogenesis. *Adv Biomed Res*. 2014 Jun 25;3:138.
17. Kanchanatawan W, Arirachakaran A, Chaijenkij K, Prasathaporn N, Boonard M, Piyapittayanun P, Kongtharvonskul J. Short-term outcomes of platelet-rich plasma injection for treatment of osteoarthritis of the knee. *Knee Surg Sports Traumatol Arthrosc*. 2016 May;24(5):1665-77.
18. Krogh TP, Ellingsen T, Christensen R, Jensen P, Fredberg U. Ultrasound-Guided Injection Therapy of Achilles Tendinopathy With Platelet-Rich Plasma or Saline: A Randomized, Blinded, Placebo-Controlled Trial. *Am J Sports Med*. 2016 Aug;44(8):1990-7.
19. Kwon DR, Park GY, Lee SU. The effects of intra-articular platelet-rich plasma injection according to the severity of collagenase-induced knee osteoarthritis in a rabbit model. *Ann Rehabil Med*. 2012 Aug;36(4):458-65.
20. Laver L, Marom N, Dnyanesh L, Meidan O, Espregueira-Mendes J, Gobbi A. PRP for Degenerative Cartilage Disease: A Systematic Review of Clinical Studies. *Cartilage*. 2017 Oct;8(4):341-364.
21. Le ADK, Enweze L, DeBaun MR, Dragoo JL. Current Clinical Recommendations for Use of Platelet-Rich Plasma. *Curr Rev Musculoskelet Med*. 2018 Dec;11(4):624-634.
22. Liddle AD, Rodríguez-Merchán EC. Platelet-Rich Plasma in the Treatment of Patellar Tendinopathy: A Systematic Review. *Am J Sports Med*. 2015 Oct;43(10):2583-90.
23. Lubkowska A, Dolegowska B, Banfi G. Growth factor content in PRP and their applicability in medicine. *J Biol Regul Homeost Agents*. 2012 Apr-Jun;26(2 Suppl 1):35-225. PMID: 23648195.
24. Manduca ML, Straub SJ. Effectiveness of PRP Injection in Reducing Recovery Time of Acute Hamstring Injury: A Critically Appraised Topic. *J Sport Rehabil*. 2018 Sep 1;27(5):480-484. doi: 10.1123/jsr.2016-0066. Epub 2018 Jul 19. PMID: 28714762.
25. Marx RE, Carlson ER, Eichstaedt RM, Schimmele SR, Strauss JE, Georgeff KR. Platelet-rich plasma: Growth factor enhancement for bone grafts. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*. 1998 Jun;85(6):638-46.
26. Matras H. Die Wirkungen verschiedener Fibrinpräparate auf Kontinuitätstrennungen der Rattenhaut [Effect of various fibrin preparations on reimplantations in the rat skin]. *Osterr Z Stomatol*. 1970 Sep;67(9):338-59. German. PMID: 4917644.
27. Mautner K, Malanga GA, Smith J, Shiple B, Ibrahim V, Sampson S, Bowen JE. A call for a standard classification

- system for future biologic research: the rationale for new PRP nomenclature. *PM R*. 2015 Apr;7(4 Suppl):S53-S59.
28. Mifune Y, Matsumoto T, Takayama K, Ota S, Li H, Meszaros LB, Usas A, Nagamune K, Gharaibeh B, Fu FH, Huard J. The effect of platelet-rich plasma on the regenerative therapy of muscle derived stem cells for articular cartilage repair. *Osteoarthritis Cartilage*. 2013 Jan;21(1):175-85.
29. O'Connell B, Wragg NM, Wilson SL. The use of PRP injections in the management of knee osteoarthritis. *Cell Tissue Res*. 2019 May;376(2):143-152.
30. Pavlovic V, Ciric M, Jovanovic V, Stojanovic P. Platelet Rich Plasma: a short overview of certain bioactive components. *Open Med (Wars)*. 2016 Aug 12;11(1):242-247.
31. Perdisa F, Filardo G, Di Matteo B, Marcacci M, Kon E. Platelet rich plasma: a valid augmentation for cartilage scaffolds? A systematic review. *Histol Histopathol*. 2014 Jul;29(7):805-14.
32. Reurink G, Goudswaard GJ, Moen MH, Weir A, Verhaar JA, Bierma-Zeinstra SM, Maas M, Tol JL; Dutch HIT-study Investigators. Rationale, secondary outcome scores and 1-year follow-up of a randomised trial of platelet-rich plasma injections in acute hamstring muscle injury: the Dutch Hamstring Injection Therapy study. *Br J Sports Med*. 2015 Sep;49(18):1206-12.
33. Sánchez M, Fiz N, Guadilla J, Padilla S, Anitua E, Sánchez P, Delgado D. Intraosseous infiltration of platelet-rich plasma for severe knee osteoarthritis. *Arthrosc Tech*. 2014 Dec 15;3(6):e713-7.
34. Smyth NA, Murawski CD, Fortier LA, Cole BJ, Kennedy JG. Platelet-rich plasma in the pathologic processes of cartilage: review of basic science evidence. *Arthroscopy*. 2013 Aug;29(8):1399-409. doi: 10.1016/j.arthro.2013.03.004. Epub 2013 May 11. PMID: 23669235.
35. Trams E, Kulinski K, Kozar-Kaminska K, Pomianowski S, Kaminski R. The Clinical Use of Platelet-Rich Plasma in Knee Disorders and Surgery-A Systematic Review and Meta-Analysis. *Life (Basel)*. 2020 Jun 25;10(6):94.
36. van Buul GM, Koevoet WL, Kops N, Bos PK, Verhaar JA, Weinans H, Bernsen MR, van Osch GJ. Platelet-rich plasma releasate inhibits inflammatory processes in osteoarthritic chondrocytes. *Am J Sports Med*. 2011 Nov;39(11):2362-70.
37. Yang J, Lu Y, Guo A. Platelet-rich plasma protects rat chondrocytes from interleukin-1 -induced apoptosis. *Mol Med Rep*. 2016 Nov;14(5):4075-4082.
38. Yin W, Qi X, Zhang Y, Sheng J, Xu Z, Tao S, Xie X, Li X, Zhang C. Advantages of pure platelet-rich plasma compared with leukocyte- and platelet-rich plasma in promoting repair of bone defects. *J Transl Med*. 2016 Mar 15;14:73.

Literatur zum Beitrag:

Hans-Georg Schaible

Antikörpertherapie bei Arthrose?

1. Aloe L, Tuveri MA, Carcassi U, Levi-Montalcini R: Nerve growth factor in the synovial fluid of patients with chronic arthritis. *Arthritis Rheumatism* 1992; 35: 351-355
2. Ashraf S, Bouhana KS, Pheneger J, Andrews SW, Walsh DA: Selective inhibition of tropomyosin-receptor-kinase A (TrkA) reduces pain and joint damage in two rat models of inflammatory arthritis. *Arthritis Res Ther* 2016; 18: 97
3. Ashraf S, Mapp PI, Burston J, Bennett AJ, Chapman V, Walsh DA: Augmented pain behavioural responses to intra-articular injection of growth factor in two animal models of osteoarthritis. *Ann Rheum Dis* 2014; 73, 1710-1718
4. Baerwald C: Schmerztherapie bei Arthrose. *Schmerztherapie* 2008; 4: 15-17
5. Bannwarth B, Kostine M: Nerve growth factor antagonists: is the future of monoclonal antibodies becoming clearer? *Drugs* 2017; 77: 1377-1387
6. Bennett D: NGF, sensitization of nociceptors. In: Schmidt RF, Willis WD (eds): *Encyclopedia of Pain*. Berlin, Heidelberg, New York, Tokyo: Springer; 2007: 1338-1342
7. Breivik H, Collet B, Ventafridda V, Cohen R, Gallacher D: Survey of chronic pain in Europe. *Eur J Pain* 2006; 10:287-333
8. Casser H-R, Schaible H-G: Muskulo-skeletaler Schmerz. *Schmerz* 2015; 29: 486-495
9. Eitner A, Hofmann GO, Schaible H-G: Mechanisms of osteoarthritic pain. Studies in humans and experimental models. *Front Mol Neurosci* 2017; 10, 349
10. Eitner A, Richter F, Schaible H-G: Physiologie der Schmerzentstehung in der Peripherie. *Akt Rheumatol* 2020; 45, 1-11
11. Ishikawa G, Koya Y, Tanaka H, Nagakura Y: Long-term analgesic effect of a single dose of anti-NGF antibody on pain during motion without notable suppression of joint edema and lesion in a rat model of osteoarthritis. *Osteoarthritis Cartilage* 2015; 23: 925-932
12. atz N, Borenstein DG, Birbara C et al.: Efficacy and safety of tanezumab in the treatment of chronic low back pain. *Pain*. 2011; 152: 2248–2258
13. Kivitz AJ, Gimbel JS, Bramson C et al.: Efficacy and safety of tanezumab versus naproxen in the treatment of chronic low back pain. *Pain*. 2013; 154: 1009-1021
14. Koltzenburg M, Bennett DL, Shelton DL, McMahon SB: Neutralization of endogenous NGF prevents the sensitization of nociceptors supplying inflamed skin. *Eur J Neurosci* 1999; 11, 1698-1704
15. LaBranche TP, Bendele AM, Omura BC, et al.: Nerve growth factor inhibition with tanezumab influences weight-bearing and subsequent cartilage damage in the rat medial meniscal tear model. *Ann Rheum Dis* 2017; 76: 295-302
16. Lane NE, Schnitzer TJ, Birbara CA et al.: Tanezumab for the treatment of pain from osteoarthritis of the knee. *N Engl J Med* 2010; 363: 1521-1531
17. McMahon SB, Bennett DLH, Priestley JV, Shelton DL: The biological effects of endogenous nerve growth factor on adult sensory neurons revealed by a trkA-IgG fusion molecule. *Nature Medicine* 1995; 1: 774-780
18. Miyagi M, Ishikawa T, Kamoda H et al.: Efficacy of nerve growth factor antibody in a knee osteoarthritis pain model in mice. *BMC Musculoskeletal Disord* 2017; 18: 428
19. Mizumura K, Kubo A: Neurotrophins and Pain. In: Fritzsche B (ed) and Pogatzki-Zahn E and Schaible H-G (Vol eds): *The Senses, a comprehensive Reference*, 2nd edition, Volume 5. Amsterdam, Oxford, Cambridge: Elsevier, Academic Press 2020: 142-162
20. Nwosu LN, Mapp PI, Chapman V, Walsh DA: Blocking the tropomyosin receptor kinase A (TrkA) receptor inhibits pain behaviour in two rat models of osteoarthritis. *Ann Rheum Dis* 2016; 75: 1246-1254
21. Prato V, Taberner FJ, Hockley JRF, et al.: Functional and molecular characterization of mechanoinensitive "silent" nociceptors. *Cell Rep*. 2017; 21: 3102-3115
22. Sanga P, Polverejan E, Wang S, et al.: Efficacy, safety, and tolerability of fulranumab as an adjunctive therapy in patients with inadequately controlled, moderate-to-severe chronic low back pain: a randomized, double-blind, placebo-controlled, dose-ranging, dose-loading phase II study. *Clin Ther*. 2016; 38: 1435-1450
23. Schmelz M, Mantyh P, Malfait A-M et al.: Nerve growth factor antibody for the treatment of osteoarthritis pain and chronic low-back pain: mechanism of action in the context of efficacy and safety. *Pain* 2019; 160: 2210-2220
24. Schnitzer TJ, Marks JA: A systematic review of the efficacy and general safety of antibodies to NGF in the treatment of OA of the hip or knee. *Osteoarthritis Cartilage* 2015; 23 (Suppl 1): S8-17
25. Shelton DL, Zeller J, Ho WH, Pons J, Rosenthal A: Nerve growth factor mediates hyperalgesia and cachexia in auto-immune arthritis. *Pain* 2005; 116: 8-16
26. Tiseo PJ, Ren H, Mellis S: Fasinumab (REGN475), an antineurotrophin growth factor monoclonal antibody, for the treatment of acute sciatic pain: results of a proof-of-concept study. *J Pain Res* 2014; 7: 523-530
27. Woolf CJ, Safieh-Garabedian B, Ma Q-P, Crilly P, Winter J: Nerve growth factor contributes to the generation of inflammatory sensory hypersensitivity. *Neuroscience* 1994; 62: 327-331
28. Xu L, Nwosu LN, Burston JJ, et al.: The anti-NGF antibody muMab 911 both prevents and reverses pain behaviour and subchondral osteoclast numbers in a rat model of osteoarthritis pain. *Osteoarthritis Cartilage* 2016; 24: 1587-1595

Literatur zum Beitrag

Martina Ratanski, Alexandra Kortmüller, Aneta Matkowska-Jaron, Michael Hammer, Anna Maier

Diagnose und Therapie der axialen Spondyloarthritis

1. Arends S, et al: Baseline Predictors of Response and Discontinuation of Tumor Necrosis Factor-Alpha Blocking Therapy in Ankylosing Spondylitis: A Prospective Longitudinal Observational Cohort Study. *Arthritis Research and Therapy*, vol. 13, no. 3, 2011
2. Baraliakos X, et al: Assessment of Acute Spinal Inflammation in Patients with Ankylosing Spondylitis by Magnetic Resonance Imaging: A Comparison between Contrast Enhanced T1 and Short Tau Inversion Recovery (STIR) Sequences. *Annals of the Rheumatic Diseases*, vol. 64, no. 8, 2005
3. Braun J, et al: Prevalence of Spondylarthropathies in HLA-B27 Positive and Negative Blood Donors. *Arthritis and Rheumatism*, vol. 41, no. 1, 1998
4. Brophy S, et al: The Natural History of Ankylosing Spondylitis as Defined by Radiological Progression. *Journal of Rheumatology*, vol. 29, no. 6, 2002.
5. Callhoff J, et al: SAT0353 Meta-Analysis Comparing the Efficacy of Tnf-Blockers in as and Nr-Axspa Patients. *Annals of the Rheumatic Diseases*, vol. 73, no. Suppl 2, 2014
6. Chen C, et al: Comparative Effectiveness of Biologic Therapy Regimens for Ankylosing Spondylitis: A Systematic Review and a Network Meta-Analysis. *Medicine (United States)*, vol. 95, no. 11, 2016
7. Dubash S, et al: The Advent of IL-17A Blockade in Ankylosing Spondylitis: Secukinumab, Ixekizumab and Beyond. *Expert Review of Clinical Immunology*, vol. 15, no. 2, 2019
8. Freeston J, et al: Ankylosing Spondylitis, HLA-B27 Positivity and the Need for Biologic Therapies. *Joint Bone Spine*, vol. 74, no. 2, 2007
9. Garrett S, et al: A New Approach to Defining Disease Status in Ankylosing Spondylitis: The Bath Ankylosing Spondylitis Disease Activity Index." *Journal of Rheumatology*, vol. 21, no. 12, 1994
10. Hamilton L, et al: The Prevalence of Inflammatory Back Pain in a UK Primary Care Population. *Rheumatology (United Kingdom)*, vol. 53, no. 1, 2014
11. Kiltz U, Braun J, Becker A, Chenot J, Dreimann M: Langfassung Zur S3-Leitlinie Axiale Spondyloarthritis Inklusive Morbus Bechterew Und Frühformen, Update 2019 Long Version on the S3 Guidelines for Axial Spondyloarthritis Including Bechterew's Disease and Early Forms, Update 2019." *Zeitschrift Für Rheumatologie (2019)* 78(S1) 3-64.
12. Kroon FPB, et al: Nonsteroidal -Antiinflammatory Drugs for Axial Spondyloarthritis: A Cochrane Review." *Journal of Rheumatology*, vol. 43, no. 3, 2016, doi:10.3899/jrheum. 150721.
13. Molt A, et al: Evaluation of the Performances of a 'Typical' Imaging Abnormalities of Axial Spondyloarthritis: Results of the Cross-Sectional ILOS-DESIR Study. *RMD Open*, vol. 5, no. 1, 2019
14. Park W, et al: A Randomised, Double-Blind, Multicentre, Parallel-Group, Prospective Study Comparing the Pharmacokinetics, Safety, and Efficacy of CT-P13 and Innovator Infliximab in Patients with Ankylosing Spondylitis: The PLANETAS Study. *Annals of the Rheumatic Diseases*, vol. 72, no. 10, 2013
15. Poddubnyy D, et al: Baseline Radiographic Damage, Elevated Acute-Phase Reactant Levels, and Cigarette Smoking Status Predict Spinal Radiographic Progression in Early Axial Spondylarthritis. *Arthritis and Rheumatism*, vol. 64, no. 5, 2012, doi:10.1002/art.33465.
16. Ramiro S, et al: Higher Disease Activity Leads to More Structural Damage in the Spine in Ankylosing Spondylitis: 12-Year Longitudinal Data from the OASIS Cohort. *Annals of the Rheumatic Diseases*, vol. 73, no. 8, 2014
17. Redeker I, et al: The Prevalence and Impact of Comorbidities on Patients with Axial Spondyloarthritis: Results from a Nationwide Population-Based Study. *Arthritis Research and Therapy*, vol. 22, no. 1, 2020
18. Regel A, et al: Efficacy and Safety of Non-Pharmacological and Non-Biological Pharmacological Treatment: A Systematic Literature Review Informing the 2016 Update of the ASAS/EULAR Recommendations for the Management of Axial Spondyloarthritis. *RMD Open*, vol. 3, no. 1, 2017
19. Renson T, et al: High Prevalence of Spondyloarthritis-like MRI Lesions in Postpartum Women: A Prospective Analysis in Relation to Maternal, Child and Birth Characteristics. *Annals of the Rheumatic Diseases*, vol. 79, no. 7, 2020
20. Reveille JD. HLA-B27 and the Seronegative Spondyloarthropathies. *The American Journal of the Medical Sciences*, vol. 316, no. 4, 1998
21. Rudwaleit M, Jurik AG, et al: Defining Active Sacroiliitis on Magnetic Resonance Imaging (MRI) for Classification of Axial Spondyloarthritis: A Consensual Approach by the ASAS/OMERACT MRI Group. *Annals of the Rheumatic Diseases*, vol. 68, no. 10, 2009
22. Rudwaleit M, van Der Heijde D, et al: The Development of Assessment of SpondyloArthritis International Society Classification Criteria for Axial Spondyloarthritis (Part II): Validation and Final Selection. *Annals of the Rheumatic Diseases*, vol. 68, no. 6, 2009
23. Rudwaleit M, et al: The Early Disease Stage in Axial Spondylarthritis: Results from the German Spondyloarthritis Inception Cohort. *Arthritis and Rheumatism*, vol. 60, no. 3, 2009
24. Sharan D, Rajkumar JS: Physiotherapy for Ankylosing Spondylitis: Systematic Review and a Proposed Rehabilitation Protocol. *Current Rheumatology Reviews*, vol. 13, no. 2, 2016
25. Sieper J, et al: Comparison of Two Different Dosages of Celecoxib with Diclofenac for the Treatment of Active Ankylosing Spondylitis: Results of a 12-Week Randomised, Double-Blind, Controlled Study. *Annals of the Rheumatic Diseases*, vol. 67, no. 3, 2008
26. Torgutalp M, Poddubnyy D: Emerging Treatment Options for Spondyloarthritis. *Best Practice and Research: Clinical Rheumatology*, vol. 32, no. 3, 2018
27. van der Heijde D, et al: Efficacy and Safety of Upadacitinib in Patients with Active Ankylosing Spondylitis (SELECT-AXIS 1): A Multicentre, Randomised, Double-Blind, Placebo-Controlled, Phase 2/3 Trial. *The Lancet*, vol. 394, no. 10214, 2019

28. van der Heijde D, et al: 2010 Update of the International ASAS Recommendations for the Use of Anti-TNF Agents in Patients with Axial Spondyloarthritis. *Annals of the Rheumatic Diseases*, vol. 70, no. 6, 2011
29. van der Linden SM, et al: Evaluation of Diagnostic Criteria for Ankylosing Spondylitis. A Proposal for Modification of the New York Criteria. *Arthritis and Rheumatism*, vol. 27, no. 4, Apr. 1984, pp. 361–68, <http://www.ncbi.nlm.nih.gov/pubmed/6231933>.
30. van der Linden SM, et al: The Risk of Developing Ankylosing Spondylitis in HLA B27 Positive Individuals. *Arthritis & Rheumatism*, vol. 27, no. 3, 1984
31. van der Cruyssen B, et al: The Epidemiology of Ankylosing Spondylitis and the Commencement of Anti-TNF Therapy in Daily Rheumatology Practice. *Annals of the Rheumatic Diseases*, vol. 66, no. 8, 2007
32. Wanders A, et al: Nonsteroidal Anti-inflammatory Drugs Reduce Radiographic Progression in Patients with Ankylosing Spondylitis: A Randomized Clinical Trial. *Arthritis and Rheumatism*, vol. 52, no. 6, 2005

Literatur zum Beitrag:

Jörg Jerosch, Andreas Breil-Wirth, Ahmed El-Tayar, Asser Sallam, Gebhard Schmid

Radiologische Analyse von kritischem Schulterwinkel, Scapulahalslänge und Deltoidumlenkwinkel

1. Aoki M, Ishii S, Usui M. The slope of the acromion and rotator cuff impingement. *Orthop Trans.* 1986;10: 228
2. Bigliani LU, Morrison DS, April EW. The morphology of the acromion and rotator cuff impingement. *Orthop Trans.* 1986;10: 288
3. Boileau P. Complications and revision of reverse total shoulder arthroplasty. *Orthop Traumatol Surg Res.* 2016. Doi:10.1016/j.otse.2015.06.031
4. Engelhardt C, Farron A, Becce F, Place N, Pioletti DP, Terrier A. (2017) Effects of glenoid inclination and acromion index on humeral head translation and glenoid articular cartilage strain. *J Shoulder Elbow Surg* 26: 157–164
5. Fortun CM, Streit JJ, Horton SA, Muh SJ, Gillespie RJ, Gobeze R. Scapular neck length and implications for reverse total shoulder arthroplasty: an anatomic study of 442 cadaveric specimens. *Int J Shoulder Surg* 2015;9: 38–42
6. Gerber C, Snedeker JG, Baumgartner D, Viehöfer AF. (2014) Supraspinatus tendon load during abduction is dependent on the size of the critical shoulder angle: A biomechanical analysis. *J Orthop Res* 32: 952–957
7. Moor BK, Bouaicha S, Rothenfluh DA, Sukthankar A, Gerber C. Is there an association between the individual anatomy of the scapula and the development of rotator cuff tears or osteoarthritis of the glenohumeral joint?: A radiological study of the critical shoulder angle. *Bone Joint J.* 2013; 95-B(7): 935–41
8. Moor BK, Röthlisberger M, Müller DA, Zumstein 458 MA, Bouaicha S, Ehlinger M, Gerber C (2014) Age, trauma and the critical shoulder angle accurately predict supraspinatus-tendon tears. *Orthop Traumatol Surg Res* 100: 489–494
9. Moor BK, Kuster R, Osterhoff G, Baumgartner D, Werner CML, Zumstein MA, Bouaicha S. (2016) Inclination-dependent changes of the critical shoulder angle significantly influence superior glenohumeral joint stability. *Clin Biomech (Bristol, Avon)* 32: 268–273
10. Nyffeler RW, Werner CML, Sukthankar A, Schmid MR, Gerber C. (2006) Association of a large lateral extension of the acromion with rotator cuff tears. *J Bone Joint Surg Am* 88: 800–805
11. Paisley KC, Kraeutler MJ, Lazarus MD, Ramsey ML, Williams GR, Smith MJ. Relationship of scapular neck length to scapular notching after reverse total shoulder arthroplasty by use of plain radiographs. *J Shoulder Elbow Surg* 2014;23: 882–887
12. Roche CP, Diep P, Hamilton M, Crosby LA, Flurin PH, Wright TW, Zuckerman JD, Routman HD: Impact of inferior glenoid tilt, humeral retroversion, bone grafting, and design parameters on muscle length and deltoid wrapping in reverse shoulder arthroplasty: *Bull Hosp Jt Dis* 2013.;71(4): 284–93

Literatur zum Beitrag:

Florian Völlner, Achim Benditz

Die lumbale Spinalkanalstenose - Überblick

1. Kobayashi S, Baba H, Uchida K, Kokubo Y, Yayama T, Takeno K, Negoro K (2005) Blood circulation of cauda equina and nerve root. *Clin Calcium* 15:63–72.
2. Kobayashi S, Kokubo Y, Uchida K, Yayama T, Takeno K, Negoro K, Nakajima H, Baba H, Yoshizawa H (2005) Effect of Lumbar Nerve Root Compression on Primary Sensory Neurons and Their Central Branches: Changes in the Nociceptive Neuropeptides Substance P and Somatostatin. *Spine* 30:276–282.
3. Schizas C, Theumann N, Burn A, Tansley R, Wardlaw D, Smith FW, Kulik G (2010) Qualitative grading of severity of lumbar spinal stenosis based on the morphology of the dural sac on magnetic resonance images. *Spine* 35:1919–1924
4. Siebert E, Prüss H, Klingebiel R, Failli V, Einhüpl KM, Schwab JM (2009) Lumbar spinal stenosis: syndrome, diagnostics and treatment. *Nat Rev Neurol* 5:392–403.
5. Suri P, Miyakoshi A, Hunter DJ, Jarvik JG, Rainville J, Guermazi A, Li L, Katz JN (2011) Does lumbar spinal degeneration begin with the anterior structures? A study of the observed epidemiology in a community-based population. *BMC Musculoskeletal Disorders* 12:202.
6. Wassenaar M, van Rijn RM, van Tulder MW, Verhagen AP, van der Windt DAWM, Koes BW, de Boer MR, Ginai AZ, Ostelo RWJG (2012) Magnetic resonance imaging for diagnosing lumbar spinal pathology in adult patients with low back pain or sciatica: a diagnostic systematic review. *Eur Spine J* 21:220–227.

Literatur zum Beitrag:

Nicole König, Patricia Vanda Forras, Julia-Katharina Seybold

Das lumbale Wurzelreizsyndrom aus neurologischer Sicht.

Klinischer Ansatz und diagnostische Methoden

1. Bär M.: Neuroorthopädische Erkrankungen. In: Hufschmidt A, Rauer S, Glocker F X, Lücking C: Neurologie compact: für Klinik und Praxis. Stuttgart: Georg Thieme Verlag, 2017: 704-724
2. Bischof, C, Dengler R: EMG NLG: Elektromyografie-Nervenleitungsuntersuchungen. Stuttgart: Georg Thieme Verlag, 2018
3. Bischoff C, Schulte Mattler WJ: Das EMG-Buch. EMG und periphere Neurologie in Frage und Antwort. Stuttgart: Georg Thieme Verlag, 2016
4. Buchner H: Praxisbuch Evozierte Potenziale: Grundlagen, Befundung, Beurteilung und differenzialdiagnostische Abgrenzung. Stuttgart: Georg Thieme Verlag, 2014
5. Glocker F et al., Lumbale Radikulopathie, S2k-Leitlinie, 2018; in: Deutsche Gesellschaft für Neurologie (Hrsg.), Leitlinien für Diagnostik und Therapie in der Neurologie. Online: www.dgn.org/leitlinien (abgerufen am 20.07.2021)
6. Glocker FX und Kottlors M, Periphere Nervenläsionen, In: Hufschmidt A, Rauer S, Glocker FX, Lücking C: Neurologie compact: für Klinik und Praxis. Stuttgart: Georg Thieme Verlag, 2013: 513-531

Literatur zum Beitrag:

Karin Pfister, Kyriakos Oikonomou, Peter Heiß, Birgit Linnemann, Wilma Schierling

Die gefäßbedingte Claudicatio an Armen und Beinen

Ein buntes Potpourri an Differenzialdiagnosen

1. Aboyans V, Bauersachs R, Mazzolai L et al.: Antithrombotic therapies in aortic and peripheral arterial diseases in 2021: a consensus document from the ESC working group on aorta and peripheral vascular diseases, the ESC working group on thrombosis, and the ESC working group on cardiovascular pharmacotherapy. *European Heart Journal* 2021, 1-16
2. Aboyans V, Ricco JB, Bartelink M-LEL et al.: Editor's Choice - 2017 ESC Guideline on the Diagnosis and Treatment of Peripheral Arterial Diseases, in collaboration with the European Society for Vascular Surgery (ESVS), *Eur J Vasc Endovasc Surg.* 2018, 55, 305-368
3. Bauersachs R, Espinola-Klein C, Lawall H et al.: Antithrombotische Therapie der peripheren arteriellen Verschlusskrankheit - ein Überblick über aktuelle Evidenz, Praxis und Ausblick, *Dtsch Med Wochenschr* 2019;144:683-689
4. Chafke N, Diener H, Lejay A et al.: Editor's Choice – European Society for Vascular Surgery (ESVS) 2020 Clinical Practice Guidelines on the Management of Vascular Graft and Endograft Infections. *Eur J Vasc Endovasc Surg* (2020) 59, 339-384
5. Frank U, Nikol S, Belch J: 5 Conservative treatment for PAD - Risk factor management; *Vasa* 2019;48 (Supplement 102/excerpt)1-12
6. Knuuti J, Wijns W, Saraste A et al.: 2019 ESC Guidelines for the diagnosis and management of chronic coronary syndromes, The Task Force for the diagnosis and management of chronic coronary syndromes of the European Society of Cardiology (ESC), *European Heart Journal* 2019, 00, 1-71
7. Lawall H, Huppert P, Espinola-Klein D et al.: German Guideline on the diagnosis and treatment of peripheral arterial disease - comprehensive update 2016, *VASA* 2017, 46 (2), 70-86
8. Lawall H, Huppert P, Rümenapf G: S3 Leitlinie zur Diagnostik, Therapie und Nachsorge der peripheren arteriellen Verschlusskrankheit, AWMF Register Nr. 065/003, <http://awmf.org/>
9. Malyar N, Freisinger E, Reinecke H: Periphere arterielle Verschlusskrankheit - Entwicklungen zur Morbidität und Letalität in Deutschland. *Dtsch Med Wochenschr* 2018;143:766-770
10. Peters AS, Böckler D, Bischoff MS: Claudicatio des jungen Menschen; *Gefäßchirurgie* 2021, 26:65-73
11. Pfister K, Töpel I, Steinbauer M, Stehr A, Kasprzak PM: Popliteal vein entrapment in patients with unspecific symptoms of venous insufficiency, *Chirurg* 2005 Apr;76(4):404-10

Literatur zum Beitrag:

Karsten Schöllner

Die operative Therapie der lumbalen Spinalkanalstenose

1. Abdu, W. A., Sacks, O. A., Tosteson, A. N. A., et al. (2018). Long-Term Results of Surgery Compared With Nonoperative Treatment for Lumbar Degenerative Spondylolisthesis in the Spine Patient Outcomes Research Trial (SPORT). *SPINE*, 43(23), 1619–1630.
2. Alimi, M., Hofstetter, C. P., Pyo, S. Y., Paulo, D., & Härtl, R. (2015). Minimally invasive laminectomy for lumbar spinal stenosis in patients with and without preoperative spondylolisthesis: Clinical outcome and reoperation rates. *Journal of Neurosurgery: Spine*, 22(4), 339–352.
3. Alimi, M., Hofstetter, C. P., Torres-Campa, J. M., et al. (2017). Unilateral tubular approach for bilateral laminotomy: effect on ipsilateral and contralateral buttock and leg pain. *European Spine Journal*, 26(2), 389–396.
4. Atlas, S. J., Keller, R. B., Robson, D., Deyo, R. a, & Singer, D. E. (2000). Surgical and nonsurgical management of lumbar spinal stenosis: four-year outcomes from the maine lumbar spine study. *Spine*, 25(5), 556–562.
5. Bieri, K. S., Goodwin, K., Aghayev, E., Riesner, H.-J., & Greiner-Perth, R. (2018). Dynamic Posterior Stabilization versus Posterior Lumbar Intervertebral Fusion: A Matched Cohort Study Based on the Spine Tango Registry. *Journal of Neurological Surgery. Part A, Central European Neurosurgery*, 79(3), 224–230.
6. Bisson, E., Härtl, R., Senglaub, S. S., et al. (2018). Degenerative Lumbar Spine Disease: Estimating Global Incidence and Worldwide Volume. *Global Spine Journal*, 8(8), 784–794.
7. Blumenthal, C., Curran, J., Benzell, E. C., et al. (2013). Radiographic predictors of delayed instability following decompression without fusion for degenerative grade I lumbar spondylolisthesis. *Journal of Neurosurgery: Spine*, 18(4), 340–346.
8. de Kunder, S. L., van Kuijk, S. M. J., Rijkers, K., et al. (2017). Transforaminal lumbar interbody fusion (TLIF) versus posterior lumbar interbody fusion (PLIF) in lumbar spondylolisthesis: a systematic review and meta-analysis. *The Spine Journal*, 17(11), 1712–1721.
9. FU K.-M. G., Smith J.S., Polly D.W. et al., (2010). Morbidity and mortality in the surgical treatment of 10,329 adults with degenerative lumbar stenosis. *Journal of Neurosurgery. Spine*, 13(5), 589–593.
10. Ghogawala, Z., Dziura, J., Butler, W., & et al. (2016). Laminectomy plus Fusion versus Laminectomy Alone for Lumbar Spondylolisthesis. *The New England Journal of Medicine*, 374(15), 1424–1434.
11. Hockley, A., Ge, D., Vasquez-Montes, D. et al. (2019). Minimally Invasive Versus Open Transforaminal Lumbar Interbody Fusion Surgery: An Analysis of Opioids, Nonopioid Analgesics, and Perioperative Characteristics. *Global Spine Journal*, 9(6), 624–629.
12. Kalff, R., Ewald, C., Waschke, A., Gobisch, L., & Hopf, C. (2013). Degenerative lumbale Spinalkanalstenose im höheren Lebensalter. *Deutsches Arzteblatt International*, 110(37), 613–624.
13. Kalichman, L., Cole, R., Kim, D. H., Li, L., Suri, P., Guermazi, A., & Hunter, D. J. (2009). Spinal stenosis prevalence and association with symptoms: the Framingham Study. *The Spine Journal*, 9(7), 545–550.
14. Kovacs, F. M., Urrútia, G., & Alarcón, J. D. (2011). Surgery Versus Conservative Treatment for Symptomatic Lumbar Spinal Stenosis. *Spine*, 36(20), E1335–E1351.
15. Lønne, G., Johnsen, L. G., Aas, E. et al. (2015). Comparing Cost-effectiveness of X-Stop With Minimally Invasive Decompression in Lumbar Spinal Stenosis. *Spine*, 40(8), 514–520.
16. Lurie, J. D., Tosteson, T. D., Tosteson, A. et al. (2015). Long-term Outcomes of Lumbar Spinal Stenosis: eight-year results of the Spine Patient Outcomes Trial. *Spine*, 40(2), 63–76.
17. Lurie, J., & Tomkins-Lane, C. (2016). Management of lumbar spinal stenosis. *Bmj*, h6234.
18. Machado, G. C., Ferreira, P. H., Yoo, R. I. et al. (2016). Surgical options for lumbar spinal stenosis. *Cochrane Database of Systematic Reviews*, 11, CD012421.
19. Mannion, A. F., Denzler, R., Dvorak, J., & Grob, D. (2010). Five-year outcome of surgical decompression of the lumbar spine without fusion. *European Spine Journal*, 19(11), 1883–1891.
20. McGrath, L. B., White-Dzuro, G. A., & Hofstetter, C. P. (2019). Comparison of clinical outcomes following minimally invasive or lumbar endoscopic unilateral laminotomy for bilateral decompression. *Journal of Neurosurgery: Spine*, 30(4), 491–499.
21. Phan, K., & Mobbs, R. J. (2016). Minimally Invasive Versus Open Laminectomy for Lumbar Stenosis. *SPINE*, 41(2), E91–E100.
22. Porter RW (1996): Spinal stenosis and neurogenic claudication. *Spine (Phila Pa 1976)*. 1996 Sep 1;21(17):2046-52.
23. Qin, R., Liu, B., Zhou, P. et al. (2019). Minimally Invasive Versus Traditional Open Transforaminal Lumbar Interbody Fusion for the Treatment of Single-Level Spondylolisthesis Grades 1 and 2: A Systematic Review and Meta-Analysis. *World Neurosurgery*, 122, 180–189.
24. Schmidt, S., Franke, J., Rauschmann, M., Adelt, D., Bonsanto, M. M., & Sola, S. (2018). Prospective, randomized, multicenter study with 2-year follow-up to compare the performance of decompression with and without interlaminar stabilization. *Journal of Neurosurgery: Spine*, 28(4), 406–415.
25. Schöllner, K., Alimi, M., Cong, G.-T., Christos, P., & Härtl, R. (2017). Lumbar Spinal Stenosis Associated With Degenerative Lumbar Spondylolisthesis : A Systematic Review and Meta-analysis of Secondary. *Neurosurgery*, 80(3), 355–367.
26. Schöllner, K., Steingrüber, T., Stein, M., Vogt, N., Müller, T., Pons-Kühnemann, J., & Uhl, E. (2016). Microsurgical unilateral laminotomy for decompression of lumbar spinal stenosis: long-term results and predictive factors. *Acta Neurochirurgica*, 158(6), 1–11.
27. Schwab, F., Dubey, A., Gamez, L., El Fegoun, A. B., Hwang, K., Pagala, M., & Farcy, J.-P. (2005). Adult scoliosis: prevalence, SF-36, and nutritional

- parameters in an elderly volunteer population. *Spine*, 30(9), 1082–1085.
28. Thomé, C., Börm, W., & Meyer, F. (2008). Degenerative Lumbar Spinal Stenosis – Current Strategies in Diagnosis and Treatment. *Deutsches Arzteblatt Online*, 105(20), 373–379.
29. Weinstein, JN, Lurie, JD, Tosteson et al. (2007). Surgical versus nonsurgical treatment for lumbar degenerative spondylolisthesis. *New England Journal of Medicine*, 356(22), 2257–2270.
30. Weinstein, JN, Tosteson, T. D., Lurie, J. D. et al. (2008). Surgical versus nonsurgical therapy for lumbar spinal stenosis. *New England Journal of Medicine*, 358(8), 794–810.
31. Zweig, T., Enke, J., Mannion, A. F., Sobottke, R., Melloh, M., Freeman, B. J. C., Aghayev, E., & Spine Tango Contributors. (2017). Is the duration of pre-operative conservative treatment associated with the clinical outcome following surgical decompression for lumbar spinal stenosis? A study based on the Spine Tango Registry. *European Spine Journal*, 26(2), 488–500.

Literatur zum Beitrag:

Christoph J. Siepe

Möglichkeiten der Endoskopie bei der lumbalen Spinalkanalstenose

1. Birkenmaier C, Komp M, Leu HF, Wegener B, Ruetten S. The current state of endoscopic disc surgery: review of controlled studies comparing full-endoscopic procedures for disc herniations to standard procedures. *Pain physician*. 2013;16:335-344.
2. Cong L, Zhu Y, Tu G. A meta-analysis of endoscopic discectomy versus open discectomy for symptomatic lumbar disk herniation. *Eur Spine J*. 2016;25:134-143.
3. Hsu HT, Chang SJ, Yang SS, Chai CL. Learning curve of full-endoscopic lumbar discectomy. *Eur Spine J*. 2013;22:727-733.
4. Petzold T, Tesch F, Adler JB, Gunster C, Niethard FU, Schmitt J. 10-year development of spine surgery in Germany - An analysis of health insurance funds data from 2005 to 2014. *Z Orthop Unfall*. 2018.
5. Ruetten S, Komp M, Merk H, Godolias G. Full-endoscopic cervical posterior foraminotomy for the operation of lateral disc herniations using 5.9-mm endoscopes: a prospective, randomized, controlled study. *Spine (Phila Pa 1976)*. 2008;33:940-948.
6. Ruetten S, Komp M, Merk H, Godolias G. Full-endoscopic interlaminar and transforaminal lumbar discectomy versus conventional microsurgical technique: a prospective, randomized, controlled study. *Spine (Phila Pa 1976)*. 2008;33:931-939.
7. Wang B, Lu G, Patel AA, Ren P, Cheng I. An evaluation of the learning curve for a complex surgical technique: the full endoscopic interlaminar approach for lumbar disc herniations. *Spine J*. 2011;11:122-130.
8. Weinstein JN, Tosteson TD, Lurie JD, Tosteson AN, Blood E, Hanscom B, Herkowitz H, Cammisia F, Albert T, Boden SD, Hilibrand A, Goldberg H, Berven S, An H, Investigators S. Surgical versus nonsurgical therapy for lumbar spinal stenosis. *N Engl J Med*. 2008;358:794-810.

Literatur zum Beitrag

Andreas Böger:

Interdisziplinäre Multimodale Schmerztherapie

1. Arnold B, Böger A, Brinkschmidt T et al.: (2018) Hinweise zur Umsetzung interdisziplinärer Multimodaler Schmerztherapie nach OPS 8–918. Empfehlungen der AHK interdisziplinäre MMST der Deutschen Schmerzgesellschaft. *Schmerz* 32: 5–14
2. Baumeister H, Knecht A, Hutter N: Direct and indirect costs in persons with chronic back pain. *J Psychosom Res* 2012; 73: 79–85
3. Chou R, Shekelle P: Will this patient develop persistent disabling low back pain? *JAMA* 2010; 303: 1295–1302
4. Jarvig JG, Hollingworth W, Heagerty PJ et al.: Three-year incidence of low back pain. *Spine* 2005; 30: 1541–1549
5. Küchler A, Sabatowski R, Kaiser U: Veränderungsmotivation bei Patienten mit chronischen Schmerzerkrankungen. *Schmerz* 2012; 26 (Suppl. 1): 124
6. Nicholas MK, Linton SJ, Watson PJ et al.: Early identification and management of psychological risk factors in patient with low back pain. *Phys Ther* 2011; 91: 737–753
7. Schneider S, Schiltenswolf M, Zoller S et al.: The association between social factors, employment status and self reported back pain. *J Public Health* 2005; 13: 30–33
8. Wenig CM, Schmidt CO, Kohlmann T, Schweikert B: Costs of back pain in Germany. *Eur J Pain* 2009; 13: 280–286

Literatur zum Beitrag:

Jörg Jerosch, Esther Pogatzki-Zahn

Aspekte der perioperativen Schmerztherapie für Orthopädie und Unfallchirurgie?

1. Chou R, Gordon DB, Leon-Casasola OA, et al. Management of postoperative pain: a clinical practice guideline from the American pain society, the American Society of Regional Anesthesia and Pain Medicine, and the American Society of Anesthesiologists' committee on regional anesthesia, executive committee and administrative council. *J Pain* 2016; 17: 131–157
2. Dorus M et al. (2017) Risk Factors for Postoperative Pain Intensity in Patients Undergoing Lumbar Disc Surgery: A Systematic Review. *PLoS ONE* 12(1): 0170303
3. Erlenwein J, Koschwitz R, Pauli-Magnus D et al. A follow-up on acuter pain services in Germany compared to international survey data. *Eur J Pain* 2016; 20:874–883
4. Freys SM, Erlenwein J, Koppert W, Meißner W, Pogatzki-Zahn E, Schwenk W, Simanski C. Agreement of the Professional Association of German Anesthesiologists and the Professional Association of German Surgeons for the Organization of Postoperative Pain Therapy for Surgical Patients (revised version 2019)]. *Chirurg.* 2019 Aug;90(8):648–651.
5. Freys, St. , Esther Pogatzki- Zahn: Akutschmerz -Therapie in der operativen Medizin. *De Gruyter* 2020
6. Gemeinsamer Bundesausschuss: Pressemitteilung Nr. 47/2020 - „Krankenhäuser und Praxen müssen sich bei der Schmerztherapie nach Operationen stärker engagieren“. https://www.g-ba.de/download/34-215-892/47_2020-09-17_QM-RL_Akutschmerz.pdf (last accessed on 3 October 2020)
7. Gemeinsamer Bundesausschuss: Beschluss des Gemeinsamen Bundesausschusses über eine Änderung der Qualitätsmanagement-Richtlinie (QM-RL): Aufnahme einer Regelung zur verpflichtenden Einführung und Umsetzung von Akutschmerzmanagementkonzepten für eine angemessene postoperative Schmerztherapie. 2020. https://www.g-ba.de/download/39-261-4461/2020-09-17_QM-RL_Einführung_Schmerzmanagement.pdf (last accessed on 20 October 2020)
8. Gerbershagen HJ, Pogatzki-Zahn E, Aduckathil S, Peelen LM, Kappen TH, van Wijck AJ, Kalkman CJ, Meissner W. Procedure-specific risk factor analysis for the development of severe postoperative pain. *Anesthesiology.* 2014 May;120(5):1237–1245
9. Giusti et al. (2020) Psychological and psychosocial predictors of chronic postsurgical pain: a systematic review and meta-analyse. *Pain* 2021 Jan;162(1):10-30.
10. Hernández, C (2015): Pre-operative Predictive Factors of Post-operative Pain in Patients With Hip or Knee Arthroplasty: A Systematic Review. *Rheumatol Clin* 11: 361–380
11. Hinrichs-Rocker et al (2009) Psychosocial predictors and correlates for chronic post-surgical pain (CPSP) - A systematic review *European Journal of Pain* 13: 719–730
12. Ip et al. (2009): Predictors of Post-operative Pain and Analgesic Consumption. A Qualitative Systematic Review. *Anesthesiology* 2009; 111:657–77
13. Jerosch J, Heisel J. Operative Therapie von Fuß und Sprunggelenk. *Deutscher Ärzteverlag, Köln* 2008
14. Jerosch J, Saad M, Greig M, Filler T. Suprascapular nerve block as a method of preventive pain control in shoulder surgery. *Knee Surg.Sports Traumatol. Arthrosc.* 16 (2008) 602–607
15. Jerosch J, Linke C. Patientenzentrierte Medizin in Orthopädie und Unfallchirurgie. Springer Verlag Berlin/Heidelberg, 2016, ISBN: 978-3-662-48080-9
16. Jerosch J, Breil-Wirth A. Worauf müssen wir beim Einsatz von Metamizol achten? *OUP* 2017; 9: 577–581
17. Jerosch J Lokale Infiltrationsanästhesie als perioperative Schmerztherapie im Bereich der Endoprothetik (LIA). *Chirurgische Praxis* 85/3 (2019) 436–443
18. Jerosch J Perioperative Schmerztherapie - was kann/sollte der Operateur beachten? *Arthritis und Rheuma* 40, 2 (2020) 103–110
19. Korwin-Kochanowska K, Potié A, El-Boghdadly K, Rawal N, Joshi G, Albrecht E. PROSPECT/ESRA Working Group Collaboration: PROSPECT guideline for hallux valgus repair surgery: a systematic review and procedure-specific postoperative pain management recommendations. *Reg Anesth Pain Med* 2020 Sep;45(9):702–708
20. Lux EA, Stamer U, Meissner W, Wiebalck A. Postoperative Schmerztherapie nach ambulanten Operationen - Eine Befragung der behandelnden Anästhesisten. *Schmerz* 2011; 25: 191–198
21. Maier C, Nestler N, Richter H, Hardinghaus W, Pogatzki-Zahn E, Zenz M, Osterbrink J. The quality of pain management in German hospitals. *Dtsch Arztebl Int .* 2010 Sep;107(36):607–614
22. Meißner W, Komann M, Erlenwein J, Stamer U, Scherag A. The quality of postoperative pain therapy in German hospitals: The effect of structural and procedural variables. *Dtsch. Ärztebl Int* 2017; 114: 161-167
23. Petzke F, Häuser W.: And the opioid pendulum still swings between uncritical indication and overcritical restriction. *Schmerz.* 2020 Oct;34(5):443–446
24. Pogatzki-Zahn E.: Prediction and prevention of chronic postoperative pain. *Schmerz.* 2021 Feb;35(1):30–43
25. Röstlund T, Kehlet H. High-dose local infiltration analgesia after hip and knee replacement - what is it, why does it work, and what are the future challenges? *Guest editorial. Acta Orthopaedica* 2007; 78: 159-161
26. Simanski und Pogatzki-Zahn E. Perioperative Schmerztherapie in O&U. In: Freys S , Pogatzki-Zahn E. Akutschmerz-Therapie in der operativen Medizin. *De Gruyter* 2020
27. Singelyn FJ, Lhotel L, Fabre B. Pain relief after arthroscopic shoulder surgery: A Comparison of intraarticular Analgesia, suprascapular nerve Block an Interscalene Brachial Plexus Block. *Anesth Analg* 2004, 99: 589-592
28. Sobol-Kwapinska et al. (2016). Psychological correlates of acute post-surgical pain: A systematic review and meta-analysis. *European Journal of Pain* 2016 Nov;20(10):1573-1586.

Literatur zum Beitrag

Uwe Schwokowski

Konservative Therapieoptionen bei rheumatischen Affektionen

1. Der Spiegel: Tödliche Medikamente: Der Rheuma-Skandal. Spiegel Verlag Nr.15/1984 09.04.1984
2. Fiehn C, Holle J, Iking-Konert C et al.: S2e-Leitlinie: Therapie der rheumatoiden Arthritis mit krankheitsmodifizierenden Medikamenten. Z Rheumatol 2018
3. Gossec A, Baraliakos X, Kerschbaumer A et al.: EULAR-Empfehlungen zur Behandlung von Psoriasis-Arthritis mit pharmakologischen Therapien – Update 2019
4. Haibel H, Redeker I, Zink A et al.: Gesundheitsversorgung und Krankheitslast bei Personen mit axialer Spondyloarthritis in Deutschland. Z.Rheumatol 2019
5. Kiltz U, Braun J, Becker E et al.: Axiale Spondyloarthritis inklusive Morbus Bechterew und Frühformen. AWMF-Leitlinienregister Nummer: 060/003, Entwicklungsstufe: S3 Version:2019
6. Krüger K: Turbulente Zeiten in der Rheumatologie. Orthopädie & Rheuma 2017; 5: 37-41
7. Rheuma-Liga: Funktionstraining lindert Beschwerden. <https://www.rheuma-liga.de>
8. Schneider M, Baseler G, Funken O: Interdisziplinäre Leitlinie Management der frühen Rheumatoiden Arthritis. 4. überarbeitete und erweiterte Auflage 2019

Literatur zum Beitrag:

Eva Ridder, Bernhard Greitemann

Ergotherapie in der Rheumatologie

1. Poole, J., Siegel, P., Tencza, M.: Erwachsene mit Arthritis und rheumatischen Erkrankungen: Leitlinien der Ergotherapie, Band 16; 1.Aufl., deutschsprachig Hrsg: le Granse, M., Bern: hogrefe Verlag 2020
2. Waldner-Nilsson, B. (Hrsg.): Handrehabilitation – für Ergotherapeuten und Physiotherapeuten Bd.1 Grundlagen/Erkrankungen, 2.Aufl., Berlin/Heidelberg: Springer Verlag 2009

Weiterführende Literatur:

<https://www.bed-ev.de/home/default.aspx>, 25.04.2021

<https://dve.info/ergotherapie/definition>, 25.04.2021

Gehlen M, Pauder J, Schwarz-Eywill M: Multimodale Therapie der rheumatoiden Arthritis im Rahmen einer Rehabilitation. OUP 2021; 10: 0128-0132

Greitemann, B. u. Stein, V. Hrsg.: Rehabilitation in Orthopädie und Unfallchirurgie, Methoden-Therapiestrategien-

Behandlungsempfehlungen, 2. Aufl., Heidelberg: Springer-Verlag 2015

Koesling, C. u. Bollinger Herzka, T.: Ergotherapie in der Orthopädie, Traumatologie und Rheumatologie, Stuttgart: Thieme 2008

Waldner-Nilsson, B. (Hrsg.): Handrehabilitation – für Ergotherapeuten und Physiotherapeuten Bd.3 Manuelle Therapie/Physikalische Maßnahmen/Schienen, 2. Aufl., Berlin/Heidelberg: Springer Verlag 201

Literatur zum Beitrag:

Wolfgang Rüther

Radiosynoviorthese bei entzündlich rheumatischen Gelenkkrankheiten

1. Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften AWMF. Leitlinie Synovitis bei Hämophilie. Registernummer 086-005. Klassifikation S2k, Stand 03/2018
2. Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften AWMF. Leitlinie Synoviorthese. Registernummer 031-023. Klassifikation S1. Stand 10/2019
3. Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften AWMF. Angemeldetes Leitlinienvorhaben Synovialektomie. Registernummer 012-051. Klassifikation S2k. Stand 10/2021
4. Bundesinstitut für Arzneimittel und Medizinprodukte (BfArM). Fachinformation Erbiumcitrat (169Er) CIS bio international Injektionssuspension. Stand der Information 07/2014
5. Bundesinstitut für Arzneimittel und Medizinprodukte (BfArM). Fachinformation Yttriumcitrat (90Y) CIS bio international Injektionssuspension. Stand der Information 03/2015
6. Bundesinstitut für Arzneimittel und Medizinprodukte (BfArM). Fachinformation Rheniumsulfid (186Re) CIS bio international Injektionssuspension. Stand der Information 02/2018
7. Fischer M, Rüther W: Zum Beitrag: Gemeinsame Handlungsempfehlung (S1-Leitlinie) von DGN, OGNMB und SGNM. Radiosynoviorthese – AWMF-Registriernummer 031-023, Nuklearmedizin 2021; 60, 113-114
8. Müller W, Tillmann K: Synovektomie, Synoviorthese Eular Verlag 1978
9. Sabet A, Strauss AC et al.: Radiosynoviorthesis in hemophilic arthropathy: pathologic blood pool imaging on pre-therapeutic bone scintigraphy is not a predictor of treatment success. Eur J Nucl Med Mol Imaging 2017; 44:461-467

Literatur zum Beitrag:

Tobias Schmidt, Andreas Niemeier, Wolfgang Rütter

Hüftendoprothetik bei entzündlich rheumatischer Gelenkdestruktion

1. Rudwaleit M, van der Heijde D, Landewé R, Listing J, Akkoc N, Brandt J, Braun J, Chou CT, Collantes-Estevez E, Dougados M et al.: The development of Assessment of SpondyloArthritis international Society classification criteria for axial spondyloarthritis (part II): validation and final selection. *Ann Rheum Dis* 2009, 68(6):777-783.
2. Lehtimäki MY, Kautiainen H, Hämäläinen MM, Lehto MU, Ikävalko M, Repo AB, Kotaniemi HA, Kaarela K: Hip involvement in seropositive rheumatoid arthritis. Survivorship analysis with a 15-year follow-up. *Scand J Rheumatol* 1998, 27(6):406-409.
3. Spencer CH, Bernstein BH: Hip disease in juvenile rheumatoid arthritis. *Curr Opin Rheumatol* 2002, 14(5):536-541.
4. Shelmerdine SC, Di Paolo PL, Tanturri de Horatio L, Malattia C, Magni-Manzoni S, Rosendahl K: Imaging of the hip in juvenile idiopathic arthritis. *Pediatr Radiol* 2018, 48(6):811-817.
5. Rostom S, Amine B, Bensabbah R, Abouqal R, Hajjaj-Hassouni N: Hip involvement in juvenile idiopathic arthritis. *Clin Rheumatol* 2008, 27(6):791-794.
6. Cordtz RL, Hawley S, Prieto-Alhambra D, Højgaard P, Zobbe K, Overgaard S, Odgaard A, Kristensen LE, Dreyer L: Incidence of hip and knee replacement in patients with rheumatoid arthritis following the introduction of biological DMARDs: an interrupted time-series analysis using nationwide Danish healthcare registers. *Ann Rheum Dis* 2018, 77(5):684-689.
7. Taylor-Williams O, Nossent J, Inderjeeth CA: Incidence and Complication Rates for Total Hip Arthroplasty in Rheumatoid Arthritis: A Systematic Review and Meta-Analysis Across Four Decades. *Rheumatology and therapy* 2020, 7(4):685-702.
8. McInnes IB, Schett G: The pathogenesis of rheumatoid arthritis. *N Engl J Med* 2011, 365(23):2205-2219.
9. Pap T, Korb-Pap A: Cartilage damage in osteoarthritis and rheumatoid arthritis-two unequal siblings. *Nat Rev Rheumatol* 2015, 11(10):606-615.
10. Deal C: Bone loss in rheumatoid arthritis: systemic, periarticular, and focal. *Curr Rheumatol Rep* 2012, 14(3):231-237.
11. Gravalles EM, Harada Y, Wang JT, Gorn AH, Thornhill TS, Goldring SR: Identification of cell types responsible for bone resorption in rheumatoid arthritis and juvenile rheumatoid arthritis. *Am J Pathol* 1998, 152(4):943-951.
12. Schett G, Gravalles E: Bone erosion in rheumatoid arthritis: mechanisms, diagnosis and treatment. *Nat Rev Rheumatol* 2012, 8(11):656-664.
13. Yoshino K, Momohara S, Ikari K, Kawamura K, Mochizuki T, Iwamoto T, Niki Y, Saitou S, Tomatsu T: Acute destruction of the hip joints and rapid resorption of femoral head in patients with rheumatoid arthritis. *Mod Rheumatol* 2006, 16(6):395-400.
14. Seitz S, Zustin J, Amling M, Rütter W, Niemeier A: Massive accumulation of osteoclastic giant cells in rapid destructive hip disease. *J Orthop Res* 2014, 32(5):702-708.
15. <https://dgrh.de/Start/Publikationen/Empfehlungen/Therapie-bei-besonderen-Situationen/Perioperatives-Management.html>
16. <https://dv-osteologie.org/osteoporose-leitlinien>
17. Wysham KD, Baker JF, Shoback DM: Osteoporosis and fractures in rheumatoid arthritis. *Curr Opin Rheumatol* 2021, 33(3):270-276.
18. Banhidly NE, MacKinnon TS, Banhidly FP: Romosozumab Treatment in Postmenopausal Osteoporosis. *N Engl J Med* 2017, 376(4):395.
19. Raterman HG, Bultink IE, Lems WF: Osteoporosis in patients with rheumatoid arthritis: an update in epidemiology, pathogenesis, and fracture prevention. *Expert Opin Pharmacother* 2020, 21(14):1725-1737.
20. Sidler-Maier CC, Waddell JP: Incidence and predisposing factors of periprosthetic proximal femoral fractures: a literature review. *Int Orthop* 2015, 39(9):1673-1682.
21. Zhen P, Li X, Zhou S, Lu H, Chen H, Liu J: Total hip arthroplasty to treat acetabular protrusions secondary to rheumatoid arthritis. *Journal of orthopaedic surgery and research* 2018, 13(1):92.
22. Ries MD: Total hip arthroplasty in acetabular protrusion. *Orthopedics* 2009, 32(9).
23. Gerber SD, Harris WH: Femoral head autografting to augment acetabular deficiency in patients requiring total hip replacement. A minimum five-year and an average seven-year follow-up study. *J Bone Joint Surg Am* 1986, 68(8):1241-1248.
24. Schreurs BW, Thien TM, de Waal Malefijt MC, Buma P, Veth RP, Slooff TJ: Acetabular revision with impacted morselized cancellous bone graft and a cemented cup in patients with rheumatoid arthritis: three to fourteen-year follow-up. *J Bone Joint Surg Am* 2003, 85(4):647-652.
25. Dunlop DG, Brewster NT, Madabhushi SP, Usmani AS, Pankaj P, Howie CR: Techniques to improve the shear strength of impacted bone graft: the effect of particle size and washing of the graft. *J Bone Joint Surg Am* 2003, 85(4):639-646.
26. McKenna PB, Leahy JJ, Masterson EL, McGloughlin TM: Optimizing the fat and water content of impaction bone allograft. *J Orthop Res* 2013, 31(2):243-248.
27. Paprosky WG, Martin EL: Structural acetabular allograft in revision total hip arthroplasty. *American journal of orthopedics (Belle Mead, NJ)* 2002, 31(8):481-484.
28. Della Valle CJ, Berger RA, Rosenberg AG, Galante JO: Cementless acetabular reconstruction in revision total hip arthroplasty. *Clin Orthop Relat Res* 2004(420):96-100.
29. Bradford MS, Paprosky WG: Acetabular defect classification: a detailed radiographic approach. *Seminars in arthroplasty* 1995, 6(2):76-85.
30. Perticarini L, Rossi SMP, Medetti M, Benazzo F: Clinical and radiological outcomes of acetabular revision surgery with trabecular titanium cups in Paprosky type II and III bone defects. *J Orthop Traumatol* 2021, 22(1):9.
31. O'Neill CJ, Creedon SB, Brennan SA, O'Mahony FJ, Lynham RS, Guerin S, Gul R, Harty JA: Acetabular Revision Using Trabecular Metal Augments for

- Paprosky Type 3 Defects. The Journal of arthroplasty 2018, 33(3):823-828.
32. Chang CH, Hu CC, Chen CC, Mahajan J, Chang Y, Shih HN, Kwon YM: Revision Total Hip Arthroplasty for Paprosky Type III Acetabular Defect With Structural Allograft and Tantalum Trabecular Metal Acetabular Cup. Orthopedics 2018, 41(6):e861-e867.
 33. Wassilew GI, Janz V, Perka C, Müller M: [Treatment of acetabular defects with the trabecular metal revision system]. Orthopade 2017, 46(2):148-157.
 34. Quarto E, Zanirato A, Santolini F, Formica M: Bone impaction grafting and anti-protrusion cages in high-grade acetabular defects: a 22-year single centre experience. Arch Orthop Trauma Surg 2021.
 35. Zwartelé R, Pöll RG: Cemented total hip arthroplasty in rheumatoid arthritis. A systematic review of the literature. Hip Int 2013, 23(2):111-122.
 36. Mäkelä KT, Eskelinen A, Pulkkinen P, Virolainen P, Paavolainen P, Remes V: Cemented versus cementless total hip replacements in patients fifty-five years of age or older with rheumatoid arthritis. J Bone Joint Surg Am 2011, 93(2):178-186.
 37. Kijima Y, Kondo N, Okumura G, Endo N: Bone Histomorphometry of Femoral Head Cancellous Bone in Patients Who Underwent Total Hip Arthroplasties due to Destructive Hip in Rheumatoid Arthritis. Acta Med Okayama 2021, 75(2):125-131.
 38. Li G, Ma Y, Cheng TS, Landao-Bassonga E, Qin A, Pavlos NJ, Zhang C, Zheng Q, Zheng MH: Identical subchondral bone microarchitecture pattern with increased bone resorption in rheumatoid arthritis as compared to osteoarthritis. Osteoarthritis Cartilage 2014, 22(12):2083-2092.
 39. Loehr JF, Munzinger U, Tibesku C: Uncemented total hip arthroplasty in patients with rheumatoid arthritis. Clin Orthop Relat Res 1999(366):31-38.
 40. Keisu KS, Orozco F, McCallum JD, 3rd, Bissett G, Hozack WJ, Sharkey PF, Rothman RH: Cementless femoral fixation in the rheumatoid patient undergoing total hip arthroplasty: minimum 5-year results. The Journal of arthroplasty 2001, 16(4):415-421.
 41. Cracchiolo A, 3rd, Severt R, Moreland J: Uncemented total hip arthroplasty in rheumatoid arthritis diseases. A two- to six-year follow-up study. Clin Orthop Relat Res 1992(277):166-174.
 42. Bauser L: Short stem total hip arthroplasty in patients with rheumatoid arthritis. Orthopedics 2015, 38(3 Suppl):S46-50.
 43. Springer BD, Etkin CD, Shores PB, Gioe TJ, Lewallen DG, Bozic KJ: Perioperative Periprosthetic Femur Fractures are Strongly Correlated With Fixation Method: an Analysis From the American Joint Replacement Registry. The Journal of arthroplasty 2019, 34(7s):S352-s354.
 44. Solarino G, Vicenti G, Piazzolla A, Maruccia F, Notarnicola A, Moretti B: Total hip arthroplasty for dysplastic coxarthrosis using a cementless Wagner Cone stem. J Orthop Traumatol 2021, 22(1):16.
 45. Putananon C, Tuchinda H, Arirachakaran A, Wongsak S, Narinsorasak T, Kongtharvonskul J: Comparison of direct anterior, lateral, posterior and posterior-2 approaches in total hip arthroplasty: network meta-analysis. Eur J Orthop Surg Traumatol 2018, 28(2):255-267.
 46. Amlie E, Havelin LI, Furnes O, Baste V, Nordsletten L, Hovik O, Dimmen S: Worse patient-reported outcome after lateral approach than after anterior and posterolateral approach in primary hip arthroplasty. A cross-sectional questionnaire study of 1,476 patients 1-3 years after surgery. Acta Orthop 2014, 85(5):463-469.
 47. Lazaru P, Bueschges S, Ramadanov N: Direct anterior approach (DAA) vs. conventional approaches in total hip arthroplasty: A RCT meta-analysis with an overview of related meta-analyses. PLoS One 2021, 16(8):e0255888.
 48. Bergin PF, Doppelt JD, Kephart CJ, Benke MT, Graeter JH, Holmes AS, Haleem-Smith H, Tuan RS, Unger AS: Comparison of minimally invasive direct anterior versus posterior total hip arthroplasty based on inflammation and muscle damage markers. J Bone Joint Surg Am 2011, 93(15):1392-1398.
 49. Meneghini RM, Pagnano MW, Trousdale RT, Hozack WJ: Muscle damage during MIS total hip arthroplasty: Smith-Petersen versus posterior approach. Clin Orthop Relat Res 2006, 453:293-298.
 50. Higgins BT, Barlow DR, Heagerty NE, Lin TJ: Anterior vs. posterior approach for total hip arthroplasty, a systematic review and meta-analysis. The Journal of arthroplasty 2015, 30(3):419-434.
 51. Taunton MJ, Trousdale RT, Sierra RJ, Kaufman K, Pagnano MW: John Charnley Award: Randomized Clinical Trial of Direct Anterior and Mini-posterior Approach THA: Which Provides Better Functional Recovery? Clin Orthop Relat Res 2018, 476(2):216-229.
 52. Christensen CP, Karthikeyan T, Jacobs CA: Greater prevalence of wound complications requiring reoperation with direct anterior approach total hip arthroplasty. The Journal of arthroplasty 2014, 29(9):1839-1841.
 53. Purcell RL, Parks NL, Cody JP, Hamilton WG: Comparison of Wound Complications and Deep Infections With Direct Anterior and Posterior Approaches in Obese Hip Arthroplasty Patients. The Journal of arthroplasty 2018, 33(1):220-223.
 54. Purcell RL, Parks NL, Gargiulo JM, Hamilton WG: Severely Obese Patients Have a Higher Risk of Infection After Direct Anterior Approach Total Hip Arthroplasty. The Journal of arthroplasty 2016, 31(9 Suppl):162-165.
 55. Aggarwal VK, Elbuluk A, Dundon J, Herrero C, Hernandez C, Vigdorichik JM, Schwarzkopf R, Iorio R, Long WJ: Surgical approach significantly affects the complication rates associated with total hip arthroplasty. Bone Joint J 2019, 101-b(6):646-651.
 56. Hamilton WG, Parks NL, Huynh C: Comparison of Cup Alignment, Jump Distance, and Complications in Consecutive Series of Anterior Approach and Posterior Approach Total Hip Arthroplasty. The Journal of arthroplasty 2015, 30(11):1959-1962.
 57. Rud-Sørensen C, Pedersen AB, Johnsen SP, Riis AH, Overgaard S: Survival of primary total hip arthroplasty in rheumatoid arthritis patients. Acta Orthop 2010, 81(1):60-65.
 58. Ravi B, Croxford R, Hollands S, Paterson JM, Bogoch E, Kreder H, Hawker GA: Increased risk of complications following total joint arthroplasty in patients with rheumatoid arthritis. Arthritis Rheumatol 2014, 66(2):254-263.
 59. Ravi B, Escott B, Shah PS, Jenkinson R, Chahal J, Bogoch E, Kreder H, Hawker G: A systematic review and meta-analysis comparing complications following total joint arthroplasty for rheumatoid arthritis versus for osteoarthritis. Arthritis Rheum 2012, 64(12):3839-3849.
 60. Schrama JC, Espehaug B, Hallan G, Engesaeter LB, Furnes O, Havelin LI, Fevang BT: Risk of revision for infection in primary total hip and knee arthroplasty in patients with rheumatoid arthritis compared with osteoarthritis: a prospective, population-based study on 108,786 hip and knee joint arthroplasties from the

- Norwegian Arthroplasty Register. Arthritis Care Res (Hoboken) 2010, 62(4):473-479.
61. Bongartz T, Halligan CS, Osmon DR, Reinalda MS, Bamlet WR, Crowson CS, Hanssen AD, Matteson EL: Incidence and risk factors of prosthetic joint infection after total hip or knee replacement in patients with rheumatoid arthritis. Arthritis Rheum 2008, 59(12):1713-1720.
62. Fuerst M, Mohl H, Baumgartel K, Ruther W: Leflunomide increases the risk of early healing complications in patients with rheumatoid arthritis undergoing elective orthopedic surgery. Rheumatol Int 2006, 26(12):1138-1142.
63. Burn E, Edwards CJ, Murray DW, Silman A, Cooper C, Arden NK, Pinedo-Villanueva R, Prieto-Alhambra D: The effect of rheumatoid arthritis on patient-reported outcomes following knee and hip replacement: evidence from routinely collected data. Rheumatology (Oxford) 2019, 58(6):1016-1024.
64. Goodman SM, Ramsden-Stein DN, Huang WT, Zhu R, Figgie MP, Alexiades MM, Mandl LA: Patients with rheumatoid arthritis are more likely to have pain and poor function after total hip replacements than patients with osteoarthritis. J Rheumatol 2014, 41(9):1774-1780.
65. Kowalczewski JB, Rutkowska-Sak L, Marczak D, Słowińska I, Słowiński R, Sibiński M: Bone graft incorporation after revision hip arthroplasty in patients with rheumatoid arthritis: seventy eight revisions using bone allografts with or without metal reinforcements. Int Orthop 2013, 37(4):595-598.
66. Raut VV, Siney PD, Wroblewski BM: Revision of the acetabular component of a total hip arthroplasty with cement in young patients without rheumatoid arthritis. J Bone Joint Surg Am 1996, 78(12):1853-1856.
67. Cavagnaro L, Formica M, Basso M, Zanirato A, Divano S, Felli L: Femoral revision with primary cementless stems: a systematic review of the literature. Musculoskelet Surg 2018, 102(1):1-9.

Literatur zum Beitrag:

Martin Arbogast

Operative Therapieoptionen bei rheumatischen Affektionen des Fußes

1. Backhaus, M., Burmester, T et al: Guidelines for muskuloskeletal ultrasound in rheumatology *Ann Rheum Dis* 60, 641-649;2001. Review
2. Barn R, Turner DE, Rafferty D et al.: Tibialis posterior tenosynovitis and associated pes plano valgus in rheumatoid arthritis: electromyography, multisegmented foot kinematics and ultrasound features. *Arthritis Care Res* 2013; 65:495-502
3. Gaulke R.: Spontanfrakturen des Unterschenkels *Orthopädische Praxis* 2003;39:516-519
4. Johnson KA, Storm DE: Tibialis posterior tendon dysfunction. *Clin Orthop* 1989;239:196-206
5. Klett R, Lange U, Haas H et al: Radiosynoviorthese von mittelgroßen Gelenken mit Rhenium-186-sulfidkolloid. A review of the literature. *Rheumatology (Oxford)* 2007;46:1531-1537
6. Larsen A, Dale K, Eek M: (1977) Radiographische Evaluation von rheumatoider Arthritis und verwandten Zuständen an Standardreferenzfilmen. *Acta Radiol Diagn* 18: 481-491
7. Milstrey A, Domnick C, Garcia P, Raschke MJ, Evers J, Ochman S: Trends in arthrodesis and total joint replacements in Foot and Ankle surgery in Germany during the past decade – Back to the fusion? *Foot Ankle Surg* 2020 May 26:S1268-7731(20)30102-8 doi:10.1016/j.fas.2020.05008. Online ahead of print.
8. Morash J, Walton DM, Glazebrook M: Ankle arthrodesis versus Total Ankle Arthroplasty. *Foot Ankle Clin* 2017 Jun;22(2):251-266
9. Morgan S, Ng A, Clough T: The long-term outcome of silastic implant arthroplasty of the first metatarsophalangeal joint: a retrospective analysis of one hundred and eight feet. *Int Orthop* 2012;36:1865-1869
10. Premkumar A, Perry MB, Dywer AJ et al.: Sonography and MR imaging of posterior tibial tendinopathy. *Am J Roentgenol* 2002;178:223-232
11. Sammarco VJ: Ankle arthrodesis in rheumatoid arthritis: techniques, results and complications. *Foot Ankle Clin* 2007; 12:475-495
12. Schmidt K, Willburger RE, Miehle RK: Arthroskopische Techniken am Sprunggelenk bei C.P. *Akt Rheumatol* 1997;22:23-29
13. Stevens BW, Anderson JG, Bohay DR: Hallux metatarsophalangeal joint fusion for rheumatoid forefoot. *Foot Ankle Clin.*2007 Sep;12(3):395-404
14. Tillmann K: Der rheumatische Fuß und seine Bedeutung. Bücherei des Orthopäden. Band 18 Stuttgart: Enke. 1977
15. Tillmann K, Arbogast M, in Stein V, Greitemann B: Rehabilitation in Orthopädie und Unfallchirurgie. Springer, 2. Auflage, 2015; 320-335
16. Tillmann K: Surgery of the rheumatoid forefoot with special reference to the plantar approach. *Clin Orthop Relat Res* 1997;340:39-47
17. Valderrabano V, Hintermann, B, Nigg BM et al.: Kinematic changes after fusion and total replacement of the ankle: part1 Range of motion. *Foot Ankle int* 2003; 24:881-887
18. Van der Leeden M, Steultjens MP, Ursum J et al.: Prevalence and course of forefoot impairments and walking disability in the first eight years of rheumatoid arthritis. *Arthritis Rheum* 2008;59:1596-1602

Literatur zum Beitrag

Elina Venjakob, Dorothea Daentzer:

Anwendung von Ceracell Foam bei lumbalen Spondylodesen

1. Banwart JC, Asher MA, Hassanein RS. Iliac crest bone graft harvest donor site morbidity. A statistical evaluation. *Spine* 1995; 20: 1055–1060.
2. Brantigan JW, Steffee AD, Lewis ML, Quinn LM, Persenaire JM. Lumbar interbody fusion using the Brantigan I/F cage for posterior lumbar interbody fusion and the variable pedicle screw placement system: two-year results from a Food and Drug Administration investigational device exemption clinical trial. *Spine* 2000; 25: 1437–1446.
3. Ceracell Ortho Foam: Produktbroschüre curasan AG, Kleinostheim, 2018/2019.
4. Cinotti G, Patti AM, Vulcano A, Della Rocca C, Polveroni G, Giannicola G et al. Experimental postero-lateral spinal fusion with porous ceramics and mesenchymal stem cells. *J Bone Joint Surg Br.* 2004;86:135–42
5. Daentzer D, Hübner WD. Anwendung von Cerasorb Foam in der Wirbelsäulenchirurgie. *OUP* 2016; 4: 242–248
6. Dai LY, Jiang LS. Single level instrumented posterolateral fusion of lumbar spine with beta tricalcium phosphate versus autograft: a prospective, randomized study with 3-year follow-up. *Spine* 2008; 33: 1299–1304.
7. Dhall SS, Choudhri TF, Eck JC et al.: Guideline update for the performance of fusion procedures for degenerative disease of the lumbar spine. Part 5: correlation between radiographic outcome and function. *J Neurosurg Spine* 2014; 21: 31–36.
8. Epstein NE. A preliminary study of the efficacy of beta tricalcium phosphate as a bone expander for instrumented posterolateral fusions. *J Spinal Disord Tech* 2006; 19: 424–429.
9. Epstein NE. An analysis of noninstrumented posterolateral lumbar fusions performed in predominantly geriatric patients using lamina autograft and beta tricalcium phosphate. *Spine J* 2008; 8: 882–887
10. Epstein NE. Efficacy of different bone volume expanders for augmenting lumbar fusions. *Surg Neurol* 2008; 69: 16–19.
11. Epstein NE. Beta tricalcium phosphate: Observation of use in 100 posterolateral lumbar instrumented fusions. *Spine J* 2009; 9: 630–638.
12. Fang A, Hu SS, Endres N, Bradford DS. Risk factors for infection after spinal surgery. *Spine* 2005; 30: 1460–1465.
13. Greiner-Perth R, Boehm H, Allam Y, Elsaghir H, Franke J. Reoperation rate after instrumented posterior lumbar interbody fusion: a report on 1680 cases. *Spine (Phila Pa 1976)*. 2004 Nov 15;29(22):2516–2520.
14. Gupta A, Chauhan V, Chauhan N, Sharma S, Maheshwari R, Agarwal A. Experimental posterolateral spinal fusion with beta tricalcium phosphate ceramic and bone marrow aspirate composite graft. *Indian J Orthop.* 2010 Oct-Dec; 44(4): 402–408.
15. Kadam A, Millhouse PW, Kepler CK, Radcliff KE, Fehlings MG, Janssen ME et al. Bone substitutes and expanders in Spine Surgery: A review of their fusion efficacies. *Int J Spine Surg.* 2016 Sep 22;10:33. eCollection 2016.
16. Kanter AS, Gandhoke GS, Welch WC, Arnold PM, Cheng JS, Okonkwo DO. A prospective, multi-center clinical and radiographic outcomes evaluation of ChronOS strip for lumbar spine fusion. *J Clin Neurosci.* 2016;25:36–40.
17. Knabe C, Lopez Heredia M, Barneimitz D, Genzel A, Peters F, Hübner WD. Effect of silicon-doped calcium phosphate bone substitutes on bone formation and osteoblastic phenotype expression in vivo. *Key Engineering Materials Vol. 614 (2014) pp 31–34.*
18. Knabe C, Adel-Khattab D, Hübner WD, Peters F, Knauf T, Peleska B et al. Effect of silicon-doped calcium phosphate bone grafting materials on bone regeneration and osteogenic marker expression after implantation in the ovine scapula. *Society for biomaterials (2018)*.
19. Kobayashi K, Imagama S, Ando K, Ishiguro N, Yamashita M, Eguchi Y et al. Complications associated with spine surgery in patients aged 80 years or older: Japan Association of Spine Surgeons with Ambition (JASA) Multicenter Study. *Global Spine J.* 2017 Oct;7(7):636–641.
20. Kobayashi K, Ando K, Kato F, Kanemura T, Sato K, Hachiya Y et al. Reoperation within 2 years after lumbar interbody fusion: a multicenter study. *Eur Spine J.* 2018 Aug;27(8):1972–1980.
21. Kong S, Park JH, Roh SW. A prospective comparative study of radiological outcomes after instrumented posterolateral fusion mass using autologous local bone or a mixture of beta-tcp and autologous local bone in the same patient. *Acta Neurochir (Wien)* 2013;155(5):765–770.
22. Kumagai H, Abe T, Nagashima MKK, Nagashima K, Miura K, Mataka K et al. Unidirectional porous β -tricalcium phosphate induces bony fusion in lateral lumbar interbody fusion, *Journal of clinical neuroscience*, January 2019 Vol 59, S 232–235.
23. Lechner R, Putzer D, Liebensteiner M et al. Fusion rate and clinical outcome in anterior lumbar interbody fusion with beta-tricalcium phosphate and bone marrow aspirate as a bone graft substitute. A prospective clinical study in fifty patients. *Int Orthop.* 2017 Feb;41(2):333–339.
24. Meadows GR. Adjunctive use of ultraporous beta-tricalcium phosphate bone void filler in spinal arthrodesis. *Orthopedics* 2002; 25 (Suppl.): S579–S584
25. Orii H, Sotome S, Chen J, Wang J, Shinomiya K. Beta-tricalcium phosphate (beta-TCP) graft combined with bone marrow stromal cells (MSCs) for postero-lateral spine fusion. *J Med Dent Sci.* 2005;52:51–57
26. Park JH, Choi CG, Jeon SR, Rhim SC, Kim CJ, Roh SW. Radiographic analysis of instrumented posterolateral fusion mass using mixture of local autologous bone and b-TCP (Poly-Bone®) in a lumbar spinal fusion surgery. *J Korean Neurosurg Soc.* 2011;49(5):267–272.
27. Parker RM, Malham GM. Comparison of a calcium phosphate bone substitute with recombinant human bone morphogenetic protein-2: a prospective study of fusion rates, clinical outcomes and complications with

- 24-month follow-up, *European Spine Journal* volume 26, pages 754–763 (2017).
28. Ricart PH, Gandhi SD, Geisinger J, Baker K, Park DK. Clinical and CT analysis of lumbar spine arthrodesis: Tricalcium phosphate versus demineralized bone matrix. *J Am Acad Orthop Surg Glob Res Rev.* 2018 Sep 12;2(9):e024.
29. Tadic D, Epple M. A thorough physicochemical characterization of 14 calcium phosphate-based bone substitution materials in comparison to natural bone. *Biomaterials* 2004; 25: 987–994
30. Yamada T, Yoshii T, Sotome S, Yamada T, Sakaki K, Hirai T et al. Hybrid grafting using bone marrow aspirate combined with porous tricalcium phosphate and trephine bone for lumbar posterolateral spinal fusion: a prospective, comparative study versus local bone grafting. *Spine Phila Pa 1976.* 2012;37(3):E174–E179.

Literatur zum Beitrag:

Lars Victor von Engelhardt, Pia Weskamp, Andreas Breil-Wirth, Matthias Herwig, Jörg Jerosch

Mittelfristige Ergebnisse nach Korrektur von MPFL-Insuffizienz und Trochleadysplasie

- Ahmad CS, Brown GD, Shubin Stein BE: The docking technique for medial patellofemoral ligament reconstruction: surgical technique and clinical outcome. *The American Journal of Sports Medicine* 2009; 37: 2021–2027
- Arendt EA, Moeller A, Agel J: Clinical outcomes of medial patellofemoral ligament repair in recurrent lateral patella dislocations. *Knee Surg Sports Traumatol Arthrosc.* 2011; 19: 1909–1914
- Arendt EA, Askenberger M, Agel J, Tompkins MA (2018) Risk of Redirection After Primary Patellar Dislocation: A Clinical Prediction Model Based on Magnetic Resonance Imaging Variables. *Am J Sports Med* 46:3385–3390
- Balcarek P, Rehn S, Howells NR et al.: Results of medial patellofemoral ligament reconstruction compared with trochleoplasty plus individual extensor apparatus balancing in patellar instability caused by severe trochlear dysplasia: a systematic review and meta-analysis. *Knee Surg Sports Traumatol Arthrosc* 2017; 25: 3869–3877
- Balcarek P, Zimmermann F: Deepening trochleoplasty and medial patellofemoral ligament reconstruction normalize patellochondral congruence in severe trochlear dysplasia. *Bone Joint J* 2019; 101-B: 328–330
- Balcarek P, Oberthür S, Hopfensitz S, Frosch S, Walde TA, Wachowski MM et al. (2014) Which patellae are likely to redislocate? *Knee Surg Sports Traumatol Arthrosc* 22:2308–2314
- Banke IJ, Kohn LM, Meidinger G et al.: Combined trochleoplasty and MPFL reconstruction for treatment of chronic patellofemoral instability: a prospective minimum 2-year follow-up study. *Knee Surg Sports Traumatol Arthrosc* 2014; 22: 2591–2598
- Batailler C, Neyret P: Trochlear dysplasia and treatment options. *EFORT open Rev* 2018; 3: 240–247
- Blønd L, Haugegaard M: Combined arthroscopic deepening trochleoplasty and reconstruction of the medial patellofemoral ligament for patients with recurrent patella dislocation and trochlear dysplasia: *Knee Surg Sports Traumatol Arthrosc.* 2014; 22: 2484–2490
- Bollier M, Fulkerson J, Cosgarea A, Tanaka M.: Technical failure of medial patellofemoral ligament reconstruction. *Arthroscopy.* 2011; 27: 1153–1159
- Burrus MT, Werner BC, Conte EJ, Diduch DR: Troubleshooting the Femoral Attachment During Medial Patellofemoral Ligament Reconstruction: Location, Location, Location. *Orthop J Sports Med* 2015; 3
- Carstensen SE, Feeley SM, Diduch DR (2019) Manipulation Under Anesthesia With Lysis of Adhesions Is Effective in Arthrofibrosis After Sulcus-Deepening Trochleoplasty: A Prospective Study. *Orthop J Sports Med* 7:2325967119864868
- Chouteau J: Surgical reconstruction of the medial patellofemoral ligament. *Orthop Traumatol Surg Res* 2016; 102: 189–194
- Christiansen SE, Jacobsen BW, Lund B, Lind M: Reconstruction of the MPFL with gracilis tendon autograft in transverse patellar drill holes. *Arthroscopy* 2008; 24: 82–87
- Dejour D, Byn P, Ntagiopoulos PG: The Lyon's sulcus-deepening trochleoplasty in previous unsuccessful patellofemoral surgery. *International Orthopaedics* 2013; 37: 433–439
- Dejour H, Walch G, Nove-Josserand L, Guier C: Factors of patellar instability: an anatomic radiographic study. *Knee Surg Sports Traumatol Arthrosc.* 1994; 2: 19–26
- Dhinsa BS, Bhamra JS, James C, Dunnet W, Zahn H: Patella fracture after medial patellofemoral ligament reconstruction using suture anchors. *The Knee* 2013; 20: 605–608
- Donell ST, Joseph G, Hing CB, Marshall TJ: Modified Dejour trochleoplasty for severe dysplasia: Operative technique and early clinical results. *Knee.* 2006; 13: 266–273
- Elias JJ, Cosgarea AJ: Technical errors during medial patellofemoral ligament reconstruction could overload medial patellofemoral cartilage: a computational analysis. *Am J Sports Med.* 2006; 34: 1478–1485
- Christian Fink, Elisabeth Abermann, Mirco Herbort: Minimal invasive Rekonstruktion des medialen patellofemorales Ligamentes mit der Quadrizepssehne. *OUP* 2020; 9: 152–157
- Fithian DC: Patellar instability: principals of soft tissue repair and reconstruction. *Tech Knee Surg.* 2006; 5: 19–26
- Fitzpatrick CK, Steensen RN, Tumulari A et al.: Computational analysis of factors contributing to patellar dislocation. *J Orthop Res* 2016; 34: 444–453
- Frings J, Krause M, Wohlmuth P, Akoto R, Frosch KH (2018) Influence of patient-related factors on clinical outcome of tibial tubercle transfer combined with medial patellofemoral ligament reconstruction. *Knee* 25:1157–1164
- Frings J, Krause M, Frosch K-H: Komplikationen und Revisionsstrategie nach Trochleoplastik. *OUP* 2020; 9: 166–171
- Fucetese SF, Schottle PB, Pfirrmann CW, Romero J: CT changes after trochleoplasty for symptomatic trochlear dysplasia. *Knee Surg Sports Traumatol Arthrosc.* 2007; 15: 168–174
- Fucetese SF, Zingg PO, Schmitt J, Pfirrmann CW, Meyer DC, Koch PP: Classification of trochlear dysplasia as predictor of clinical outcome after trochleoplasty. *Knee Surg Sports Traumatol Arthrosc.* 2011; 19: 1655–1661
- Gomes JLE: Medial patellofemoral ligament reconstruction for recurrent dislocation of the patella; a preliminary report. *Arthroscopy* 1992; 8: 335–349
- Hinterwimmer S, Rosenstiel N, Lenich A, Waldt S, Imhoff AB: Femorale Osteotomien bei patellofemorale Instabilität. *Unfallchirurg.* 2012; 115: 410–416
- Hinton RY: Acute and recurrent patellar instability in the young athlete. *Orthop Clin North Am.* 2008; 34: 385–396
- Insall J, Goldberg V, Salvati E: Recurrent dislocation and the high-riding patella. *Clin Orthop.* 1972; 88: 67–69
- Jaquith BP, Parikh SN: (2017) Predictors of Recurrent Patellar Instability in Children and Adolescents After First-time Dislocation. *J Pediatr Orthop* 37:484–490

32. Jerosch J, Grasselli C: Implantatfreie Rekonstruktion des medialen patellofemorales Ligamentes (MPFL). *Orthopädische Praxis* 2010; 46: 131–135
33. Jerosch J, Franz A, Aldinger P: Knie-teilersatz. Deutscher Ärzteverlag, Köln 2012
34. Laidlaw MS, Feeley SM, Ruland JR, Diduch DR: (2018) Sulcus-Deepening Trochleoplasty and Medial Patellofemoral Ligament Reconstruction for Recurrent Patellar Instability. *Arthrosc Tech* 7:e113-e123
35. Lippacher S, Dreyhaupt J, Williams SR, Reichel H, Nelitz M: Reconstruction of the Medial Patellofemoral Ligament: Clinical Outcomes and Return to Sports. *Am J Sports Med* 2014; 42: 1661–1668
36. Lippacher S, Reichel H, Nelitz M: Patellar fracture after patellar stabilization. *Orthopäde* 2010; 39: 516–518
37. Lippacher S, Dejour D, Elsharkawi M et al.: Observer agreement on the Dejour trochlear dysplasia classification: a comparison of true lateral radiographs and axial magnetic resonance images. *Am J Sports Med*. 2012; 40: 837–843
38. Longo UG, Vincenzo C, Mannering N et al.: Trochleoplasty techniques provide good clinical results in patients with trochlear dysplasia. *Knee Surg Sports Traumatol Arthrosc* 2018; 26: 2640–2658
39. McNamara I, Bua N, Smith TO, Ali K, Donell ST: Deepening trochleoplasty with a thick osteochondral flap for patellar instability: clinical and functional outcomes at a mean 6-year follow-up. *Am J Sports Med* 2015; 43: 2706–2713
40. Metcalfe AJ, Clark DA, Kemp MA, Eldridge JD: Trochleoplasty with a flexible osteochondral flap: results from an 11-year series of 214 cases. *Bone joint J* 2017; 99-B: 344–350
41. Mikashima Y, Kimura M, Kobayashi Y, Miyawaki M, Tomatsu T: Clinical results of isolated reconstruction of the MPFL for recurrent dislocation and subluxation of the patella. *Orthop Belg* 2006; 72: 65–71
42. Nelitz M, Dornacher D, Dreyhaupt J, Reichel H, Lippacher S: The relation of the distal femoral physis and the medial patellofemoral ligament. *Knee Surg Sports Traumatol Arthrosc*. 2011; 19: 2067–2071
43. Nelitz M, Dreyhaupt J, Lippacher S: Combined trochleoplasty and medial patellofemoral ligament reconstruction for recurrent patellar dislocations in severe trochlear dysplasia: a minimum 2-year follow-up study. *Am J Sports Med*. 2013; 41: 1005–1012
44. Nomura E, Horiuchi Y, Inoue M: Correlation of MR imaging findings and open exploration of medial patellofemoral ligament injuries in acute patellar dislocations. *Knee*. 2002; 9: 139–143
45. Nomura E, Inoue M: Hybrid MPFL reconstruction using the semitendinosus tendon for recurrent patellar dislocation: minimum 3-years follow-up. *Arthroscopy* 2006; 22: 787–793
46. Ntagiopoulos PG, Byn P, Dejour D: Midterm Results of Comprehensive Surgical Reconstruction Including Sulcus-Deepening Trochleoplasty in Recurrent Patellar Dislocations With High-Grade Trochlear Dysplasia *Am J Sports Med*. 2013; 41: 998–1004
47. Paech D, Basad E, Kintelè L: Radiologische Diagnostik und Klassifikation von femuropatellaren Dysplasien. OUP 2020; 9: 132-139
48. Parikh SN, Nathan ST, Wall EJ, Eisermann EA.: Complications of medial patellofemoral ligament reconstruction in young patients. *The American Journal of Sports Medicine* 2013; 41: 1030–1038
49. Petersen W., Forkel P, Achtnich A: Chronische patellofemorale Instabilität. *Unfallchirurg* 2012; 115: 397–409
50. Phillipot R, Boyer B, Testa R, Farzion F, Moyon B: Study of patellar kinematics after reconstruction of the medial patellofemoral ligament. *Clin Biomech (Bristol, Avon)*. 2012; 27: 22-26
51. Ren B, Zhang X, Zhang L, Zhang M, Liu Y, Tian B et al. (2019) Isolated trochleoplasty for recurrent patellar dislocation has lower outcome and higher residual instability compared with combined MPFL and trochleoplasty: a systematic review. *Arch Orthop Trauma Surg* 139:1617–1624
52. Rouanet T, Gougeon F, Fayard JM et al.: Sulcus deepening trochleoplasty for patellofemoral instability: a series of 34 cases after 15 years postoperative follow-up. *Traumatol Surg Res* 2015; 101: 443–447
53. Salonen EE, Magga T, Silanpää PJ et al.: Traumatic patellar dislocation and cartilage injury: a follow-up study of long-term cartilage deterioration. *Am J Sports Med* 2017; 45: 1376–1382
54. Sanders TL, Pareek A, Johnson NR et al.: Patellofemoral arthritis after lateral patellar dislocation: a matched population-based analysis. *Am J Sports Med* 2017; 45: 1012–1017
55. Schoettle PB, Fucentese SF, Pfirrmann C, Bereiter H, Romero J: Trochleoplasty for patellar instability due to trochlear dysplasia: A minimum 2-year clinical and radiological follow-up of 19 Kness. *Acta Orthop*. 2005; 76: 693–698
56. Schoettle PB, Zanetti M, Seifert B, Pfirrmann CW, Fucentese SF, Romero J: The tibial tuberosity-trochlear groove distance: a comparative study between CT and MRI scanning. *Knee*. 2006; 13: 26–31
57. Schöttle PB, Schell H, Duda G, Weiler A: Cartilage viability after trochleoplasty. *Knee Surg Sports Traumatol Arthrosc*. 2007; 15: 161–167
58. Schöttle PB, Schmeling A, Rosenstiel N, Weiler A: Radiographic landmarks for femoral tunnel placement in medial patellofemoral ligament reconstruction. *Am J Sports Med*. 2007; 35: 801–804
59. Servien E et al.: In vivo positioning analysis of medial patellofemoral ligament reconstruction. *Am J Sports Med* 2011; 39: 134–139
60. Shah JN, Howard JS, Flanigan DC, Brophy RH, Carey JL, Lattermann C: A systematic review of complications and failures associated with medial patellofemoral ligament reconstruction for recurrent patellar dislocation. *Am J Sports Med*. 2012; 40: 1916–1923
61. Song GY, Hong L, Zhang H, Zhang J, Li X, Li Y et al. (2014) Trochleoplasty versus nontrochleoplasty procedures in treating patellar instability caused by severe trochlear dysplasia. *Arthroscopy* 30:523-532
62. Steiner TM, Torga-Spak R, Teitge RA: Medial patellofemoral ligament reconstruction in patients with lateral patellar instability and trochlear dysplasia. *Am J Sports Med* 2006; 34: 1254-1261
63. Thauinat M et al.: Management of overtight medial patellofemoral ligament reconstruction. *Knee Surg Sports Traumatol Arthrosc*. 2009; 17: 480–483
64. Thauinat M, Erasmus PJ: The favourable anisometry: an original concept for medial patellofemoral ligament reconstruction. *Knee* 2007; 14: 424–428
65. Utting MR, Mulford JS, Eldridge JD: A prospective evaluation of trochleoplasty for the treatment of patellofemoral dislocation and instability. *J Bone Joint Surg Br*. 2008; 90: 180–185
66. Van Haver A, De Roo K, De Beule M et al.: The effect of trochlear dysplasia on patellofemoral biomechanics: a cadaveric study with simulated trochlear deformities. *Am J Sports Med* 2015; 43: 1354–1361

67. von Engelhardt LV, Fuchs T, Weskamp P, Jerosch J: Effective patellofemoral joint stabilization and low complication rates using a hardware-free MPFL reconstruction technique with an intra-operative adjustment of the graft tension. *Knee Surg Sports Traumatol Arthrosc.* 2017; 20.
68. von Engelhardt LV, Weskamp P, Lahner M, Spahn G, Jerosch J: Deepening trochleoplasty combined with balanced medial patellofemoral ligament reconstruction for an adequate graft tensioning. *World J Orthop.* 2017; 8: 935–945
69. von Engelhardt LV, Fuchs T, Lahner M, Jerosch J: Implant-free, anatomical MPFL plastic: Clinical outcome and patient safety with a mean follow-up of 23 months. *OUP* 2014; 7: 346–351
70. von Engelhardt LV, Raddatz M, Bouillon B et al.: How reliable is MRI in diagnosing cartilaginous lesions in patients with first and recurrent lateral patellar dislocations? *BMC Musculoskelet Disord.* 2010; 11: 149
71. von Engelhardt LV, Jerosch J: Indikationen und Technik einer kombinierten MPFL- und Trochleoplastik. *OUP* 2020; 9: 158-165
72. von Knoch F, Bohm T, Burgi ML, von Knoch M, Bereiter H: Trochleoplasty for recurrent patellar dislocation in association with trochlear dysplasia. A 4- to 14-year follow-up study. *J Bone Joint Surg Br.* 2006; 88: 1331–1335
73. Wagner D, Pfalzer F, Hingelbaum S, Huth J, Mauch F, Bauer G: The influence of risk factors on clinical outcomes following anatomical medial patellofemoral ligament (MPFL) reconstruction using the gracilis tendon. *Knee Surg Sports Traumatol Arthrosc.* 2013; 21: 318–324
74. Waldt S, Rummeny EJ: Bildgebung der patellofemorale Instabilität. *Radiologe.* 2012; 52: 1003–1011
75. Wasiak J, Feller JA, Richmond AK: Medial patellofemoral ligament reconstruction as an isolated or combined procedure for recurrent patellar instability. *Knee Surg Sports Traumatol Arthrosc* 2014; 22: 2470–2476
76. Watanabe T et al.: Visual analog scale assessment after MPFL reconstruction: with or without tibial tubercle Transfer. *J Orthop Sci* 2008; 13: 32–38
77. Zaffagnini S, Previtali D, Tamborini S, Pagliuzzi G, Filardo G, Candrian C (2019) Recurrent patellar dislocations: trochleoplasty improves the results of medial patellofemoral ligament surgery only in severe trochlear dysplasia. *Knee Surg Sports Traumatol Arthrosc* 27:3599-3613

Literatur zum Beitrag:

Jörg Jerosch

Ein Arthromanagement ist nur multimodal und interdisziplinär vollständig

- Altman RD et al.: Product Differences in Intra-articular Hyaluronic Acids for Osteoarthritis of the Knee. *Am J Sports Med.* 2016 Aug;44(8):2158-2165
- Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften (AWMF). S2k-Leitlinie 033-004: Gonarthrose. 18.12.2017. http://www.awmf.org/uploads/tx_szleitlinien/033-004l_S2k_Gonarthrose_2018-01.pdf
- Baum K, Hofmann U and Bock F: The Influence of Lower-Body Training, Upper-Body Training and a Combination of Both on Pain, Functionality and Quality of Life in Knee Osteoarthritis Patients. *Journal of Applied Life Sciences International*, 23(11): 38-51, 2020; Article no.JALSI.62682 ISSN: 2394-1103
- Bhandari M et al.: Intra-articular hyaluronic acid in the treatment of knee osteoarthritis: a Canadian evidence-based perspective. *Ther Adv Musculoskelet Dis.* 2017 Sep; 9(9): 231–246
- Bruyere O, Pavelka K, Rovati LC et al.: Glucosamine sulfate reduces osteoarthritis progression in postmenopausal women with knee osteoarthritis: evidence from two 3-year studies. *Menopause* 2004;11(2):138-143
- Cai G, Aitken D, Laslett LL et al.: Effect of Intravenous Zoledronic Acid on Tibiofemoral Cartilage Volume Among Patients With Knee Osteoarthritis With Bone Marrow Lesions: A Randomized Clinical Trial. *JAMA.* 2020 Apr 21;323(15):1456-1466
- Casser R: Worauf gilt es, bei der oralen medikamentösen Schmerztherapie muskuloskelettaler Schmerzen zu achten? *OUP* 2021; 10: 155-159
- Celebi D, Guy RH, Edler KJ, Scott JL: Ibuprofen delivery into and through the skin from novel oxidized cellulose-based gels and conventional topical formulations. *Int J Pharm.* 2016 Nov 30;514(1):238-243
- Clegg DO, Reda DJ, Harris CL et al.: The efficacy of glucosamine and chondroitinsulfate in patients with painful knee osteoarthritis: The Glucosamine/chondroitin Arthritis Intervention Trial (GAIT). Annual Scientific Meeting of the American College of Rheumatology, San Diego (CA), November 12-17, 2005
- Conrozier T, Balblanc JC, Richette P et al.: Osteoarthritis Group of the French Society of Rheumatology. Early effect of hyaluronic acid intra-articular injections on serum and urine biomarkers in patients with knee osteoarthritis: An open-label observational prospective study. *J Orthop Res.* 2012 May;30(5):679-685
- Conrozier T, Monfort J, Chevalier X et al.: EUROVISCO Recommendations for Optimizing the Clinical Results of Viscosupplementation in Osteoarthritis. *Cartilage.* 2020 Jan;11(1):47-59
- Corbett MS, Rice SJ, Madurasinghe V et al.: Acupuncture and other physical treatments for the relief of pain due to osteoarthritis of the knee: network meta-analysis. *Osteoarthritis Cartilage.* 2013; 21(9):1290-1298
- Deere KC, Clinch J, Holliday K et al.: Obesity is a risk factor for musculoskeletal pain in adolescents: findings from a population-based cohort. *Pain.* 2012 Sep;153(9):1932-1938
- Derry S, Conaghan P, Da Silva JA, Wiffen PJ, Moore RA: Topical NSAIDs for chronic musculoskeletal pain in adults. *Cochrane Database Syst Rev.* 2016 Apr 22;4(4):CD007400
- Derry S, Wiffen PJ, Kalso EA et al.: Topical analgesics for acute and chronic pain in adults - an overview of Cochrane Reviews. *Cochrane Database Syst Rev.* 2017 May 12;5(5):CD008609
- Deutsche Schmerzgesellschaft e.V. Leitlinie Langzeitanwendung von Opioiden bei chronischen nicht-tumorbedingten Schmerzen (LONTS), 2. Aktualisierung 2020
- Efe T, Sagnak E, Roessler PP, Getgood A, Patzer T, Fuchs-Winkelmann S, Peterlein CD, Schofer MD: Penetration of topical diclofenac sodium 4 % spray gel into the synovial tissue and synovial fluid of the knee: a randomized clinical trial. *Knee Surg Sports Traumatol Arthrosc.* 2014 Feb;22(2):345-350
- Fernández-Tajes J, Soto-Hermida A, Vázquez-Mosquera ME et al.: Genome-wide DNA methylation analysis of articular chondrocytes reveals a cluster of osteoarthritic patients. *Ann Rheum Dis.* 2014; 73(4):668-677
- Folzer E, Gonzalez D, Singh R, Derendorf H. Comparison of skin permeability for three diclofenac topical formulations: an in vitro study. *Pharmazie.* 2014 Jan;69(1):27-31. PMID: 24601219
- Freemont AJ, Hoyland JA: Morphology, mechanisms and pathology of musculoskeletal ageing. *J Pathol.* 2007 Jan;211(2):252-9
- Gondolph-Zink B, Gronwald U: Wirkstoffkonzentrationen in artikulären und periartikulären Geweben des Kniegelenkes nach kutaner Anwendung von von Diclofenac-Diethylammonium Emulgel. *Aktuelle Rheumatol* 1996; 21: 298-304
- Guccione AA, Felson DT, Anderson JJ, Anthony JM, Zhang Y, Wilson PW, Kelly-Hayes M, Wolf PA, Kreger BE, Kannel WB: The effects of specific medical conditions on the functional limitations of elders in the Framingham Study. *Am J Public Health.* 1994 Mar;84(3):351-8
- Hagen M, Madhavan T, Bell J: Combined analysis of 3 cross-sectional surveys of pain in 14 countries in Europe, the Americas, Australia and Asia: impact on physical and emotional aspects and quality of life. *Scand J Pain.* 2020 Jul 28;20(3):575-589
- Hagen M, Georgescu AM: WCPH 2020; Poster #DT.31, International Survey: Real-world pain management strategies
- Hagen M, Alchin J: Nonprescription drugs recommended in guidelines for common pain conditions. *Pain Manag.* 2020 Mar;10(2):117-129
- Henrotin Y, Chevalier X, Deberg M, Balblanc JC, Richette P, Mulleman D, Maillet B, Rannou F, Piroth C, Mathieu P, Conrozier T: Osteoarthritis Group of French Society of Rheumatology. Early decrease of serum biomarkers of type II collagen degradation (Coll2-1) and joint inflammation (Coll2-1 NO₂) by hyaluronic acid intra-articular injections in patients with knee osteoarthritis: a research study part of the Biovisco study. *J Orthop Res.* 2013 Jun;31(6):901-7
- Henrotin Y, Chevalier X, Raman R, Richette P, Montfort J, Jerosch J, Baron D, Bard H, Carrillon Y, Migliore A, Conrozier T: EUROVISCO Guidelines

- for the Design and Conduct of Clinical Trials Assessing the Disease-Modifying Effect of Knee Viscosupplementation. *Cartilage*. 2020 Jan;11(1):60-70
28. Henrotin Y, Raman R, Richette P, Bard H, Jerosch J, Conrozier T, Chevalier X, Migliore A: Consensus statement on viscosupplementation with hyaluronic acid for the management of osteoarthritis. *Semin Arthritis Rheum*. 2015 Oct;45(2):140-149
 29. Hochberg MC, Altman RD, April KT, Benkhalti M, Guyatt G, McGowan J, Towheed T, Welch V, Wells G, Tugwell P: American College of Rheumatology. American College of Rheumatology 2012 recommendations for the use of nonpharmacologic and pharmacologic therapies in osteoarthritis of the hand, hip and knee. *Arthritis Care Res (Hoboken)*. 2012; 64(4):465-474
 30. Hummer C et al.: High molecular weight intraarticular hyaluronic acid for the treatment of knee osteoarthritis: network meta-analysis. *Osteoarthritis and Cartilage*. Volume 27, Supplement 1, Pages S503–S504
 31. Iannone F, Lapidula G: Obesity and inflammation-targets for OA therapy. *Curr Drug Targets*. 2010 May;11(5):586-98
 32. Janssen I, Mark AE: Separate and combined influence of body mass index and waist circumference on arthritis and knee osteoarthritis. *Int J Obes (Lond)*. 2006 Aug;30(8):1223-1228
 33. Jerosch J, Schmid G: Genukulare artikulare Embolisation (GAE) zur Schmerztherapie bei der Gonarthrose. *OUP 2021*; 10: 165-169
 34. Jerosch J, Breil-Wirth A: Worauf müssen wir beim Einsatz von Metamizol achten? *OUP 2017*; 9: 577–581
 35. Jerosch J: Arthrose als metabolisches Syndrom und daraus resultierende ernährungsmedizinische Aspekte. *Chir.Praxis* 74 (2011/12) 309-322
 36. Jerosch J: Arthrosemangement. Hans Marseille Verlag, München, 2015 ISBN 978-3-88616-150-8, 59 Seiten
 37. Jerosch J, Heisel J: Management der Arthrose – innovative Therapiekonzepte. *Deutscher Ärzteverlag, Köln* 2010
 38. Jinks C, Jordan K, Croft P: Disabling knee pain - another consequence of obesity: results from a prospective cohort study. *BMC Public Health*. 2006 Oct 19;6:258
 39. Jordan JM, Helmick CG, Renner JB et al.: Prevalence of knee symptoms and radiographic and symptomatic knee osteoarthritis in African Americans and Caucasians: the Johnston County Osteoarthritis Project. *J Rheumatol*. 2007 Jan;34(1):172-80. PMID: 17216685.
 40. Kahan A, Uebelhart D, De Vathaire F, Delmas PD, Reginster LY: Long-term effects of chondroitins 4 and 6 sulfate on knee osteoarthritis: the study on osteoarthritis progression prevention, a two-year, randomized, double-blind, placebo-controlled trial. *Arthritis Rheum* 60 (2009) 524-533.
 41. Kahan A, Uebelhart D, De Vathaire F, Delmas PD, Reginster LY: Long-term effects of chondroitins 4 and 6 sulfate on knee osteoarthritis: the study on osteoarthritis progression prevention, a two-year, randomized, double-blind, placebo-controlled trial. *Arthritis Rheum* 60 (2009) 524-533.
 42. Kellgren JH, Lawrence JS (1957) Radiological assessment of osteoarthritis. *Ann Rheum Dis* 16: 494–501
 43. Mäenpää H, Lehto MU. Patellofemoral osteoarthritis after patellar dislocation. *Clin Orthop Relat Res*. 1997 Jun;(339):156-162
 44. Megale RZ, Deveza LA, Blyth FM, Naganathan V, Ferreira PH, McLachlan AJ, Ferreira ML: Efficacy and Safety of Oral and Transdermal Opioid Analgesics for Musculoskeletal Pain in Older Adults: A Systematic Review of Randomized, Placebo-Controlled Trials. *J Pain*. 2018 May;19(5):475.e1-475.e24
 45. Migliore Alberto et al.: Early Osteoarthritis Questionnaire (EOAQ): a tool to assess knee osteoarthritis at initial stage. 2021 (in press)
 46. Miyatake S, Ichiyama H, Kondo E, Yasuda K. Randomized clinical comparisons of diclofenac concentration in the soft tissues and blood plasma between topical and oral applications. *Br J Clin Pharmacol*. 2009 Jan;67(1):125-129
 47. Mitchell N, Shepard N: Healing of articular cartilage in intra-articular-fractures in rabbits. 1980. *Clin Orthop Relat Res*. 2004 Jun;(423):3-6
 48. Patel A, Bell M, O'Connor C, Inchley A, Wibawa J, Lane ME: Delivery of ibuprofen to the skin. *Int J Pharm*. 2013 Nov 30;457(1):9-13
 49. Putnam W, Lawson B, Frail D, Bower K, Archibald G, Conter H, MacKillop J: Potential for drug interactions in seniors with osteoarthritis. *Can Fam Physician*. 2006 Mar;52(3):340-1. PMID: 16926962; PMCID: PMC1479712.
 50. Schaible H.-G.: Antikörpertherapie bei Arthrose? *OUP 2021*; 10: 174-179
 51. Seefried L, Blyth M, Maheshwari R, McDonnell SM, Frappin G, Hagen M, Maybaum N, Moreira S, Pandit H: Penetration of topical diclofenac into synovial tissue and fluid of osteoarthritic knees: a multicenter, randomized, placebo-controlled, pharmacokinetic study. *Ther Adv Musculoskelet Dis*. 2020 Aug 29;12:1759720X20943088
 52. Segal NA: Bracing and orthoses: a review of efficacy and mechanical effects for tibiofemoral osteoarthritis. *PM R*. 2012; 4(5 Suppl): 89-96
 53. Sillanpää PJ, Peltola E, Mattila VM, Kiuru M, Visuri T, Pihlajamäki H: Femoral avulsion of the medial patellofemoral ligament after primary traumatic patellar dislocation predicts subsequent instability in men: a me-
 - an 7-year nonoperative follow-up study. *Am J Sports Med*. 2009 Aug;37(8):1513-1521
 54. Steinmeyer J, Bock F, Stöve J, Jerosch J, Flechtenmacher J: Pharmacological treatment of knee osteoarthritis: Special consideration of the new german guideline. *Orthopedic Reviews* 2018, volume 10: 7782, 147-154
 55. Uthoff K, Schulz A, Danneberg D.-J.: Management der Gonarthrose - die Rolle von Kortison und Hyaluron. *OUP 2021*; 10: 160-164
 56. van der Kraan PM, van den Berg WB: Osteoarthritis in the context of ageing and evolution. Loss of chondrocyte differentiation block during ageing. *Ageing Res Rev*. 2008 Apr;7(2):106-113
 57. van Dijk GM, Veenhof C, Schellevis F, Hulsmans H, Bakker JP, Arwert H, Dekker JH, Lankhorst GJ, Dekker J: Comorbidity, limitations in activities and pain in patients with osteoarthritis of the hip or knee. *BMC Musculoskelet Disord*. 2008 Jun 26;9:95
 58. Vannabouathong C et al.: Nonoperative Treatments for Knee Osteoarthritis: An Evaluation of Treatment Characteristics and the Intra-Articular Placebo Effect: A Systematic Review. *JBS Rev*. 2018 Jul;6(7):e5;
 59. Wiffen PJ, Xia J: Systematic review of topical diclofenac for the treatment of acute and chronic musculoskeletal pain. *Curr Med Res Opin*. 2020 Apr;36(4):637-650
 60. Zhang Q, Flach CR, Mendelsohn R, Page L, Whitson S, Boncheva Bettex M: Visualization of Epidermal Reservoir Formation from Topical Diclofenac Gels by Raman Spectroscopy. *J Pain Res*. 2020 Jul 2;13:1621-1627
 61. Zeng C, Wei J, Persson MSM, Sarmanova A, Doherty M, Xie D, Wang Y, Li X, Li J, Long H, Lei G, Zhang W: Relative efficacy and safety of topical non-steroidal anti-inflammatory drugs for osteoarthritis: a systematic review and network meta-analysis of randomised controlled trials and observational studies. *Br J Sports Med*. 2018 May;52(10):642-650.
 62. <https://de.statista.com/statistik/daten/studie/153908/umfrage/fettleibigkeit-unter-erwachsenen-in-oecd-laendern/> (letzter Zugriff: Februar 2021)