

Literaturverzeichnisse 2022

Inhaltsverzeichnis

[01-2022: Literaturverzeichnis Leiß, Knebl, Reinhard, Schindler, Grifka, Schwarz](#)

[01-2022: Literaturverzeichnis Gaulke](#)

[01-2022: Literaturverzeichnis Rehart, Schubert, Valo](#)

[01-2022: Literaturverzeichnis Gundlach, Koller, Springfield](#)

[01-2022: Literaturverzeichnis Hassel, Bergmann, Heers](#)

[01-2022: Literaturverzeichnis von Engelhardt, Jerosch](#)

[02-2022: Literaturverzeichnis Schnetzke, Lichtenberg, Loew](#)

[02-2022: Literaturverzeichnis Holschen, Ameziane, Witt, Steinbeck](#)

[02-2022: Literaturverzeichnis von Engelhardt, Jerosch](#)

[02-2022: Literaturverzeichnis Tille, Kasten, Nowotny](#)

[02-2022: Literaturverzeichnis Jerosch, Nathan, Breil-Wirth, von Engelhardt](#)

[02-2022: Literaturverzeichnis Weyrauch, Kretschmann, Finkbeiner](#)

[03-2022: Literaturverzeichnis Schultz, Beyersdorf, Maus](#)

[03-2022: Literaturverzeichnis Thomasius, Maus](#)

[03-2022: Literaturverzeichnis Martin, Fleischhacker, Mehaffey, Bücking, Liener, Neuerburg](#)

[03-2022: Literaturverzeichnis Bork](#)

[03-2022: Literaturverzeichnis Maus](#)

Literatur zum Beitrag:

Franziska Leiß, Michael Knebl, Jan Reinhard, Melanie Schindler, Joachim Grifka, Timo Schwarz

Therapie des adulten Pes planovalgus

- Ahmad, J., Pedowitz, D. 2012. Management of the rigid arthritic flatfoot in adults. Triple arthrodesis. *Foot and ankle clinics* 17, 2, 309–322.
- Aiyer, A., Dall, G. F., Shub, J., Myerson, M. S. 2016. Radiographic Correction Following Reconstruction of Adult Acquired Flat Foot Deformity Using the Cotton Medial Cuneiform Osteotomy. *Foot & ankle international* 37, 5, 508–513.
- Arnoldner, M. A., Gruber, M., Syré, S., Kristen, K.-H., Trnka, H.-J., Kainberger, F., Bodner, G. 2015. Imaging of posterior tibial tendon dysfunction—Comparison of high-resolution ultrasound and 3T MRI. *European journal of radiology* 84, 9, 1777–1781.
- Astion, D. J., Deland, J. T., Otis, J. C., Kenneally, S. 1997. Motion of the hindfoot after simulated arthrodesis. *The Journal of bone and joint surgery. American volume* 79, 2, 241–246.
- Bare, A. A., Haddad, S. L. 2001. Tenosynovitis of the posterior tibial tendon. *Foot and ankle clinics* 6, 1, 37–66.
- Bernasconi, A., Sadile, F., Welck, M., Mehdi, N., Laborde, J., Lintz, F. 2018. Role of Tendoscopy in Treating Stage II Posterior Tibial Tendon Dysfunction. *Foot & ankle international* 39, 4, 433–442.
- Bluman, E. M., Title, C. I., Myerson, M. S. 2007. Posterior tibial tendon rupture. A refined classification system. *Foot and ankle clinics* 12, 2, 233–49, v.
- Conti, M. S., Garfinkel, J. H., Kunas, G. C., Deland, J. T., Ellis, S. J. 2019. Postoperative Medial Cuneiform Position Correlation With Patient-Reported Outcomes Following Cotton Osteotomy for Reconstruction of the Stage II Adult-Acquired Flatfoot Deformity. *Foot & ankle international* 40, 5, 491–498.
- Deland, J. T., Asla, R. J. de, Sung, I.-H., Ernberg, L. A., Potter, H. G. 2005. Posterior tibial tendon insufficiency. Which ligaments are involved? *Foot & ankle international* 26, 6, 427–435.
- Deland, J. T., Page, A., Sung, I.-H., O'Malley, M. J., Inda, D., Choung, S. 2006. Posterior tibial tendon insufficiency results at different stages. *HSS journal: the musculoskeletal journal of Hospital for Special Surgery* 2, 2, 157–160.
- DeVries, J. G., Scharer, B. 2015. Hindfoot Deformity Corrected With Double Versus Triple Arthrodesis. Radiographic Comparison. *The Journal of foot and ankle surgery : official publication of the American College of Foot and Ankle Surgeons* 54, 3, 424–427.
- Francisco, R., Chiodo, C. P., Wilson, M. G. 2007. Management of the rigid adult acquired flatfoot deformity. *Foot and ankle clinics* 12, 2, 317–27, vii.
- Giza, E., Cush, G., Schon, L. C. 2007. The flexible flatfoot in the adult. *Foot and ankle clinics* 12, 2, 251–71, vi.
- Gutteck, N., Zeh, A., Wohlrab, D., Delank, K.-S. 2019. Comparative Results of Percutaneous Calcaneal Osteotomy in Correction of Hindfoot Deformities. *Foot & ankle international* 40, 3, 276–281.
- Guyton, G. P. 2016. Minimally Invasive Osteotomies of the Calcaneus. *Foot and ankle clinics* 21, 3, 551–566.
- Hamel, J., Zwipp, H., Eds. 2016. Sprunggelenk und Rückfuß. *Planovalguskorrektur durch tarsale Triple-Osteotomie (TTO)*. Springer, Berlin, Heidelberg.
- Johnson, K. A., Strom, D. E. 1989. Tibialis posterior tendon dysfunction. *Clinical orthopaedics and related research*, 239, 196–206.
- Kendal, A. R., Khalid, A., Ball, T., Rogers, M., Cooke, P., Sharp, R. 2015. Complications of minimally invasive calcaneal osteotomy versus open osteotomy. *Foot & ankle international* 36, 6, 685–690.
- Kulig, K., Burnfield, J. M., Requejo, S. M., Sperry, M., Terk, M. 2004. Selective activation of tibialis posterior. Evaluation by magnetic resonance imaging. *Medicine and science in sports and exercise* 36, 5, 862–867.
- Kunas, G. C., Do, H. T., Aiyer, A., Deland, J. T., Ellis, S. J. 2018. Contribution of Medial Cuneiform Osteotomy to Correction of Longitudinal Arch Collapse in Stage IIb Adult-Acquired Flatfoot Deformity. *Foot & ankle international* 39, 8, 885–893.
- Mosier-LaClair, S., Pomeroy, G., Manoli, A. 2001. Operative treatment of the difficult stage 2 adult acquired flatfoot deformity. *Foot and ankle clinics* 6, 1, 95–119.
- Myerson, M. S. 1997. Adult acquired flatfoot deformity. Treatment of dysfunction of the posterior tibial tendon. *Instructional course lectures* 46, 393–405.
- Myerson, M. S., Badekas, A., Schon, L. C. 2004. Treatment of stage II posterior tibial tendon deficiency with flexor digitorum longus tendon transfer and calcaneal osteotomy. *Foot & ankle international* 25, 7, 445–450.
- Needleman, R. L. 2005. Current topic review. Subtalar arthroereisis for the correction of flexible flatfoot. *Foot & ankle international* 26, 4, 336–346.
- Sammarco, V. J., Magur, E. G., Sammarco, G. J., Bagwe, M. R. 2006. Arthrodesis of the subtalar and talonavicular joints for correction of symptomatic hindfoot malalignment. *Foot & ankle international* 27, 9, 661–666.
- Vaudreuil, N. J., Ledoux, W. R., Roush, G. C., Whittaker, E. C., Sangeorzan, B. J. 2014. Comparison of transfer sites for flexor digitorum longus in a cadaveric adult acquired flatfoot model. *Journal of orthopaedic research : official publication of the Orthopaedic Research Society* 32, 1, 102–109.
- Viladot Voegeli, A., Fontecilla Cornejo, N., Serrá Sandoval, J. A., Alvarez Goenaga, F., Viladot Pericé, R. 2018. Results of subtalar arthroereisis for posterior tibial tendon dysfunction stage IIA1. Based on 35 patients. *Foot and ankle surgery : official journal of the European Society of Foot and Ankle Surgeons* 24, 1, 28–33.
- Walther, M., Kriegelstein, S., Altenberger, S., Röser, A. 2016. Percutaneous calcaneal sliding osteotomy. *Operative Orthopädie und Traumatologie* 28, 4, 309–320.

Literatur zum Beitrag:

Ralph Gaulke

Der Rheumafuß - ein Update

1. Argawal N, Kamaraj A, McDonnell S, Khan W: Perioperative management of patients with rheumatoid arthritis. *J Perioper Pract* 2020; 30(9):265-270
2. Burmester GR, Pope JE: Novel treatment strategies in rheumatoid arthritis. *Lancet*. 2020; 389(10086): 2338-2348
3. Czurda T, Seidl M, Seiser AS, Schuh R, Trnka H-J, Ritschl P: Die triple-Arthrodesse in der Therapie degenerativer Rückfußfehlstellungen: Klinische, radiologische und pedobarografische Resultate. *Z Orthop Unfall*. 2009; 147(3): 356-361
4. Egan M, Brosseau L, Farmer M, Oui-met MA, Rees S, Wells G, Tugwell P: Splints/orthoses in the treatment of rheumatoid arthritis. *Cochrane Database Syst Rev*. 2001; (1): CD004018
5. Gaulke R: Orthopädisch-Rheumatologische Jahresuntersuchung (ORJ). *Z Orthop Unfall*. 2018; 156(5): 505-508
6. Gaulke R: Rheumatoide Arthritis Krankheitsbild und ökonomische Bedeutung. Masterarbeit zum MHBA, Friedrich-Alexander-Universität Erlangen-Nürnberg 2021
7. Gaulke R: Spontanfrakturen des Unterschenkels. *Orthopädische Praxis*. 2003; 39: 516-519
8. Gaulke R, Partecke B-D: Nachuntersuchung und Gangstudie bei Patienten mit plastisch-chirurgisch gedeckten Fußsohlendefekten. *Unfallchirurg*. 1994; 97: 47-53
9. George MD, Baker JF, Winthrop K et al.: Risk of biologics and glucocorticoids in patients with rheumatoid arthritis undergoing arthroplasty: a cohort study. *Ann Intern Med*. 2019; 170(12) :825-836
10. Goodman SM, Springer B, Guyatt G et al.: 2017 American College of Rheumatology/American Association of Hip and Knee Surgeons guideline for the perioperative management of antirheumatic medication in patients with rheumatic diseases undergoing elective total hip or total knee arthroplasty. *Arthritis Rheumatol*. 2017; 69(8): 1538-1551
11. Ikpeze TC, Brodell JD Jr., Chen RE, Ohl: Evaluation and treatment of posterior tibialis tendon insufficiency in the elderly patients. *Geriatr Orthop Surg Rehabil*. 2019; 10: 2151459318821461
12. Kuritzky L, Weaver A: Advances in rheumatology: coxibs and beyond. *J Pain Symptom Manage*. 2003; 25(2 Suppl): S6-S20
13. Ochman S, Milstrey A, Evers J, Raschke M: Die Arthrodesse des oberen Sprunggelenkes und Rückfußes. *Z Orthop Unfall*. 2021; 159(3): 337-352
14. Reddy VB: Metatarsal osteotomies: Complications. *Foot Ankle Clin*. 2018; 23(1): 47-55
15. Robinson V, Brosseau L, Casimiro L, Judd M, Shea B, Wells G, Tugwell P: Thermotherapy for treating rheumatoid arthritis. *Cochrane Database Syst Rev*. 2002; (2): CD002826
16. Rowbotham EL, Grainger AJ: Rheumatoid arthritis: ultrasound versus MRT. *AJR Am J Roentgenol*. 2011; 197(3): 541-546
17. Scott DL, Wolfe F, Huizinga TWJ: Rheumatoid arthritis. *Lancet*. 2020; 376(9746): 1094-1108
18. Steinhoff K, Pierer M, Siegert J et al.: Visualizing inflammation activity in rheumatoid arthritis with Tc-99 m anti-CD4-mAb fragment scintigraphy. *Nucl Med Biol*. 2014; 41(4): 350-354
19. Tenten-Diepenmaat M, van der Lee-den M, Vlieland TPMT, Roorda LD, Decker J: The effectiveness of therapeutic shoes in patients with rheumatoid arthritis: a systematic review and meta-analysis. *Rheumatol Int*. 2018; 38(5): 749-762
20. Wilkinson VH, Rowbotham EL, Grainger AJ: Imaging in foot and ankle arthritis. *Semin Musculoskelet Radiol*. 2016; 20(2): 167-174

Literatur zum Beitrag:

Stefan Rehart, Leon Schubert, Miša Valo

Endoprothetik des OSG - ein Update

1. Abt H, Neun O, Zivko G et al. Posttraumatische Arthrose des oberen Sprunggelenks. *Trauma und Berufskrankheit*. 2011;13:198–203.
2. Buechel F, Buechel F, Pappas M. Twenty-Year Evaluation of Cementless Mobile-Bearing Total Ankle Replacements. *Clinical Orthopaedics and Related Research*®. 2004;424.
3. Burge P, Evans M. Effect of Surface Replacement Arthroplasty on Stability of the Ankle. *Foot & Ankle*. 1986;7(1):10–17.
4. Coester L, Saltzman C, Leupold J et al. Long-Term Results Following Ankle Arthrodesis for Post-Traumatic Arthritis. *JBJS*. 2001;83(2).
5. Courville X, Hecht P, Tosteson A. Is total ankle arthroplasty a cost-effective alternative to ankle fusion? *Clinical orthopaedics and related research*. 2011;469(6):1721–1727.
6. Espinosa N, Klammer G. Treatment of ankle osteoarthritis: arthrodesis versus total ankle replacement. *European Journal of Trauma and Emergency Surgery*. 2010;36(6):525–535.
7. Espinosa N, Wirth S. Ankle arthrodesis after failed total ankle replacement. *Der Orthopäde*. 2011;40(11):1008, 1010–1012, 1014–1017.
8. Foran I, Vafek E, Bohl D et al. Quality Assessment of Modern Total Ankle Arthroplasty Clinical Outcomes Research. *The Journal of Foot and Ankle Surgery*. [accessed 2021 Sep 2].
9. Glazebrook M, Daniels T, Younger A et al. Comparison of Health-Related Quality of Life Between Patients with End-Stage Ankle and Hip Arthritis. *JBJS*. 2008;90(3).
10. Hoffmann A, Fink B. Moderne 3-Komponenten-Sprunggelenkprothesen Häufigkeit und Ursachen von Luxation und vorzeitigem Verschleiß des Polyethylengleitkerns. 2007;908–916.
11. Hoffmann T, Henniger M, Rehart S. Die Endoprothetik am oberen Sprunggelenk – Der aktuelle Stand. *Arthritis und Rheuma*. 2019;39:166–172.
12. Knupp M, Bolliger L, Barg A et al. Sprunggelenkprothese bei Varusarthrose. *Der Orthopäde*. 2011;40(11):964–970.
13. Kofoed H, Sørensen T. Ankle arthroplasty for rheumatoid arthritis and osteoarthritis: PROSPECTIVE LONG-TERM STUDY OF CEMENTED REPLACEMENTS. *The Journal of Bone and Joint Surgery. British volume*. 1998;80-B:328–332.
14. Lampert C. Sprunggelenkprothese bei Knochendefekten. *Der Orthopäde*. 2011;40(11):978–983.
15. Leardini A, Catani F, Romagnoli M et al. Total ankle replacement. Rationale and history of the designs and recent advantages. 2002;53(N.3):135–150. (*Minerva Ortopedica e Traumatologica*).
16. Mittlmeier T. Arthrodesis versus Totalendoprothese des oberen Sprunggelenks. *Der Unfallchirurg*. 2013;116.
17. Sadoghi P, Liebensteiner M, Agreiter M et al. Revision Surgery After Total Joint Arthroplasty: A Complication-Based Analysis Using Worldwide Arthroplasty Registers. *The Journal of arthroplasty*. 2013;28.
18. Saltzman C, Amendola A, Anderson R et al. Surgeon Training and Complications in Total Ankle Arthroplasty. *Foot & Ankle International*. 2003;24(6):514–518.
19. Schill S, Rehart S, Fink B. Endoprothetik am rheumatischen oberen Sprunggelenk. *Fuß & Sprunggelenk*. 2006;4(2):98–105.
20. Syed F, Ugwuoke A. Ankle arthroplasty: A review and summary of results from joint registries and recent studies. *EFORT open reviews*. 2018;3(6):391–397.
21. Thomason K, Eyres K. A technique of fusion for failed total replacement of the ankle. *The Journal of Bone and Joint Surgery. British volume*. 2008;90-B(7):885–888.
22. Trincat S, Kouyoumdjian P, Asencio G. Total ankle arthroplasty and coronal plane deformities. *Orthopaedics & Traumatology: Surgery & Research*. 2012;98(1):75–84.
23. Valderrabano V, Frigg A, Leumann A et al. Sprunggelenkprothese bei Valgusarthrose. *Der Orthopäde*. 2011;40(11):971–977.

Literatur zum Beitrag:

Kaspar Gundlach, Armin Koller, Ralph Springfield

Die CHARCOT-Neuroarthropathie (CN)

Eine Facette des neuropathischen Fußsyndroms

Teil 1: Akute Charcotarthropathie erkennen - Deformation vermeiden

1. Dardari D. An overview of Charcot's neuroarthropathy. *J Clin Transl Endocrinol.* 2020 Oct 28;22:100239.
2. Eichenholtz SN: Charcot Joints. Springfield, IL, USA: Charles C. Thomas; 1966.
3. Morbach S, Lobmann R, Eckhard M et al. Diabetisches Fußsyndrom. *Diabetologie* 2021; 16 (Suppl 2): S362–S372.
4. Nationale Diabetes-Surveillance am Robert Koch-Institut (2019) Diabetes in Deutschland – Bericht der Nationalen Diabetes-Surveillance 2019. Robert Koch-Institut, Berlin
5. Sanders LJ, Frykberg RG: Charcot foot. *Mosby Year Book, St. Louis* 1993; 149–180.
6. Shibata T, Tada K, Hashizume C. The results of arthrodesis of the ankle for leprotic neuroarthropathy. *J Bone Joint Surg Am.* 1990;72: 749–756.

Literatur zum Beitrag:

Kathryn Hassel, Martin Bergmann, Guido Heers

Anwendungsmöglichkeiten des biodegradierbaren Spacers (Reg Joint® Fa. Scaffdex) in der Fußchirurgie bei Erwachsenen und Jugendlichen

1. Alhadhoud M.A., Alsiri N.F., Daniels T.R., Glazebrook M.A.: surgical interventions of Freiberg's disease: A systematic review. *Foot and Ankle Surgery* 2021; 27: 606-614
2. Hamel J: Tarsale Coalitions und rigide Planovalgus-Deformität. In: Hamel J: Operative Behandlung von Fuß und Sprunggelenk im Kindes- und Jugendalter. Neubiberg: Springer-Verlag, 2019: 161-172
3. Hassel K, Mai S, Mai B.: 5-Jahres-Ergebnisse eines neuen biodegradierbaren Implantats für die Behandlung des Hallux rigidus. Eine prospektive randomisierte Studie. *OUP* 2015; 9: 442-447
4. Hefti F: Tarsale Koalition. In: Hefti (Hrsg): *Kinderorthopädie in der Praxis*. 3. Auflage. Berlin Heidelberg: Springer-Verlag, 2015: 458-461
5. Herring J A: Disorders of the Foot. In: Herring J A: *Tachdjian's Pediatric Orthopedics*. Third Edition. Philadelphia USA: W.B. Saunders Company, 2002: 980-982
6. Honkanen P.B., Lehtimäki M.D., Kellomäki M., Törmälä P., Mäkelä S., Letho M.: bioreconstructive Joint Scaffold Implant Arthroplasty in Metacarpophalangeal Joints: short-term results of a new treatment concept in rheumatoid arthritis patients. *Tissue Engineering* 2003; 9: 957-965
7. Kellomäki M., Kulmala T., Ellä V., et al.: in vitro and in vivo behavior of bioreconstructive P(L/D)LA (96/4) knitted scaffolds. Abstract presented at the Symposium on Tissue Engineering Science: Critical Elements in the research and Development Continuum, May 19-23, Myconos, Greece, 2002. Abstract no. 49
8. Lee S.J., Rhyu H.K., Jo I.H., Chung C.P., Park Y.J.: assembly of collagen-binding peptide with collagen as a bioactive scaffold for osteogenesis in vitro and in vivo. *Biomaterials* 2007; 28: 4257-4267
9. Lerch M., Plaas C., Claassen L., Ettlinger S.: Mini-Implantate am Fuß und Sprunggelenk: Eine Alternative zur Vollprothese oder Versteifung. *der Orthopäde* 2021; 50: 96-103
10. Morrissy R T, Weinstein S L: Resection of Calcaneonavicular Coalition. In: Morrissy R T, Weinstein S L: *Atlas of Pediatric Orthopaedic Surgery*. Fourth Edition. Philadelphia USA: Lippincott Williams & Wilkins, 2006: 733-739
11. Smillie I.S.: Freiberg's infraction: *Journal of Bone and Joint Surgery Br* 1957;39:580
12. Sproul J, Klaaren H, Mannarino F.: surgical treatment of Freiberg's infraction in athlete's. *Am J Sports Med* 1989; 21: 381-384
13. Zollinger H.: idiopathic osteonecrosis in the head of the metatarsal joint: Bone circulation. *Williams & Wilkins, Baltimore*, 1984; 286-294

Literatur zum Beitrag:

Lars Victor von Engelhardt, Jörg Jerosch

Schulterarthrose

Wie erzielen wir mit der anatomischen Schulterendoprothese oder auch mit konservativen und arthroskopischen gelenkerhaltenden Optionen optimale Ergebnisse?

1. Ahrens PM, Boileau P: The long head of biceps and associated tendinopathy. *J Bone Joint Surg Br* 2007; 89(8): 1001-1009
2. Alashkham A, Soames R: The glenoid and humeral head in shoulder osteoarthritis: A comprehensive review. *Clin Anat* 2021; 34(5): 710-720
3. Aldinger PR, Raiss P, Rickert M, Loew M: Complications in shoulder arthroplasty: an analysis of 485 cases. *Int Orthop* 2010; 34(4): 517-524
4. Aleem AW, Orvets ND, Patterson BC, Chamberlain AM, Keener JD: Risk of perforation is high during corrective reaming of retroverted glenoids: a computer simulation study. *Clin Orthop Relat Res* 2018; 476(8): 1612-1619
5. Alolabi B, Youderian AR, Napolitano L, et al.: Radiographic assessment of prosthetic humeral head size after anatomic shoulder arthroplasty. *J Shoulder Elbow Surg* 2014; 23(11): 1740-1746
6. Andia I, Abate M: Knee osteoarthritis: hyaluronic acid, platelet-rich plasma or both in association? *Expert Opin Biol Ther* 2014; 14(5): 635-649
7. Antoni M, Barthoulot M, Kempf JF, Clavert P: Revisions of total shoulder arthroplasty: clinical results and complications of various modalities. *Orthop Traumatol Surg Res* 2016; 102(3): 297-303
8. Arner JW, Elrick BP, Nolte PC et al.: Survivorship and patient-reported outcomes after comprehensive arthroscopic management of glenohumeral osteoarthritis: minimum 10-year follow-up. *Am J Sports Med* 2021; 49(1): 130-136
9. Batshansky A, Zhu S, Komaravolu RK et al.: Fundamentals of OA. An initiative of osteoarthritis and cartilage. Chapter 9: Obesity and metabolic factors in OA. *Osteoarthritis Cartilage* 2021; 21(00880-3): 1063-4584
10. Bercik MJ, Kruse K 2nd, Yalozis M et al.: A modification to the Walch classification of the glenoid in primary glenohumeral osteoarthritis using three-dimensional imaging. *J Shoulder Elbow Surg* 2016; 25(10): 1601-1606
11. Boileau P, Walch G: The three-dimensional geometry of the proximal humerus. Implications for surgical technique and prosthetic design. *J Bone Joint Surg Br* 1997; 79(5): 857-865
12. Büchler P, Farron A: Benefits of an anatomical reconstruction of the humeral head during shoulder arthroplasty: a finite element analysis. *Clin Biomech* 2004; 19(1): 16-23
13. Chalmers PN, Salazar DH, Steger-May K et al.: Radiographic progression of arthritic changes in shoulders with degenerative rotator cuff tears. *J Shoulder Elbow Surg* 2016; 25(11): 1749-1755
14. Clavert P, Millett PJ, Warner JJ: Glenoid resurfacing: what are the limits to asymmetric reaming for posterior erosion? *J Shoulder Elbow Surg* 2007; 16(6): 843-848
15. Colen S, Geervliet P, Haverkamp D, Van Den Bekerom MP: Intra-articular infiltration therapy for patients with glenohumeral osteoarthritis: a systematic review of the literature. *Int J Shoulder Surg* 2014; 8(4): 114-121
16. Denard PJ, Walch G: Current concepts in the surgical management of primary glenohumeral arthritis with a biconcave glenoid. *J Shoulder Elbow Surg* 2013; 22(11): 1589-1598
17. Di Giacomo G, De Gasperis N: The role of hyaluronic acid in patients affected by glenohumeral osteoarthritis. *J Biol Regul Homeost Agents* 2015; 29(4): 945-951
18. Dong Y, Zhang B, Yang Q, Zhu J, Sun X: The effects of platelet-rich plasma injection in knee and hip osteoarthritis: a meta-analysis of randomized controlled trials. *Clin Rheumatol* 2021; 40(1): 263-277
19. Farron A, Terrier A, Büchler P: Risks of loosening of a prosthetic glenoid implanted in retroversion. *J Shoulder Elbow Surg* 2006; 15(4): 521-526
20. Favre P, Moor B, Snedeker JG, Gerber C: Influence of component positioning on impingement in conventional total shoulder arthroplasty. *Clin Biomech* 2008; 23(2): 175-183
21. Fevang BT, Nystad TW, Skredderstuen A, Furnes ON, Havelin LI: Improved survival for anatomic total shoulder prostheses. *Acta Orthop* 2015; 86(1): 63-70
22. Gauci MO, Bonnevalle N, Moineau G et al.: Anatomical total shoulder arthroplasty in young patients with osteoarthritis: all-polyethylene versus metal-backed glenoid. *Bone Joint J* 2018; 100: 485-492
23. Geervliet PC, Willems JH, Siersevelt IN, Visser CPJ, van Noort A: Overstuffing in resurfacing hemiarthroplasty is a potential risk for failure. *J Orthop Surg Res* 2019; 14(1): 474
24. Ghoraihsian M, Abboud JA, Romeo AA, Williams GR, Namdari S: Augmented glenoid implants in anatomic total shoulder arthroplasty: review of available implants and current literature. *J Shoulder Elbow Surg* 2019; 28(2): 387-395
25. Gilat R, Haunschild ED, Knapik DM et al.: Hyaluronic acid and platelet-rich plasma for the management of knee osteoarthritis. *Int Orthop* 2021; 45(2): 345-354
26. Goyal D, Keyhani S, Lee EH, Hui JH: Evidence-based status of microfracture technique: a systematic review of level I and II studies. *Arthroscopy* 2013; 29(9): 1579-1588
27. Gross RM, High R, Apker K et al.: Vacuum assist glenoid fixation: does this technique lead to a more durable glenoid component? *J Shoulder Elbow Surg* 2011; 20(7): 1050-1060
28. Guo JJ, Wu K, Guan H et al.: Three-Year Follow-up of conservative treatments of shoulder osteoarthritis in older patients. *Orthopedics* 2016; 39(4): 634-641
29. Hammond G, Tibone JE, McGarry MH, Jun BJ, Lee TQ: Biomechanical comparison of anatomic humeral head resurfacing and hemiarthroplasty in functional glenohumeral positions. *J Bone Joint Surg Am* 2012; 94(1): 68-76
30. Hussain N, Johal H, Bhandari M: An evidence-based evaluation on the use of platelet rich plasma in orthopedics - a review of the literature. *SI-COT J* 2017; 3: 57

31. Iannotti JP, Frangiamore SJ: Fate of large structural allograft for treatment of severe uncontained glenoid bone deficiency. *J Shoulder Elbow Surg* 2012; 21(6): 765-771
32. Jeong HY, Jeon YS, Lee DK, Rhee YG: Rotator cuff tear with early osteoarthritis: how does it affect clinical outcome after large to massive rotator cuff repair? *J Shoulder Elbow Surg* 2019; 28(2): 237-243
33. Kasten P, Raiss P, Zeifang F et al.: Cement pressurizing reduces radiolucent lines at glenoid: a randomized, multicentric study. *Shoulder Elbow* 2021; 13(1): 59-65
34. Keener JD, Patterson BM, Orvets N, Chamberlain AM: Degenerative rotator cuff tears: refining surgical indications based on natural history data. *J Am Acad Orthop Surg* 2019; 27(5): 156-165
35. Keller J, Bak S, Bigliani LU, Levine WN: Glenoid replacement in total shoulder arthroplasty. *Orthopedics* 2006; 29(3): 221-226
36. Kim DH, Min SG, Lee HS et al.: Clinical outcome of rotator cuff repair in patients with mild to moderate glenohumeral osteoarthritis. *Knee Surg Sports Traumatol Arthrosc* 2021; 29(3): 998-1005
37. Kim DM, Alabdullatif F, Aldeghaither M et al.: Do modern designs of metal-backed glenoid components show improved clinical results in total shoulder arthroplasty? A systematic review of the literature. *Orthop J Sports Med* 2020; 8(9): 2325967120950307
38. Kim DM, Aldeghaither M, Alabdullatif F et al.: Loosening and revision rates after total shoulder arthroplasty: a systematic review of cemented all-polyethylene glenoid and three modern designs of metal-backed glenoid. *BMC Musculoskelet Disord* 2020; 21(1): 114
39. Kim YS, Kim SE, Bae SH et al.: Tear progression of symptomatic full-thickness and partial-thickness rotator cuff tears as measured by repeated MRI. *Knee Surg Sports Traumatol Arthrosc* 2017; 25(7): 2073-2080
40. Kircher J, Morhard M, Magosch P et al.: How much are radiological parameters related to clinical symptoms and function in osteoarthritis of the shoulder? *Int Orthop* 2010; 34(5): 677-681
41. Kraeutler MJ, Cohen SB, Ciccotti MG, Dodson CC: Accuracy of intra-articular injections of the glenohumeral joint through an anterior approach: arthroscopic correlation. *J Shoulder Elbow Surg* 2012; 21(3): 380-383
42. Küffer J, Taha ME, Hoffmeyer P, Cunningham G: Return to sport after shoulder arthroplasty: a systematic review. *EFORT Open Rev* 2021; 6(9): 771-778
43. Levine WN, Djurasovic M, Glasson JM et al.: Hemiarthroplasty for glenohumeral osteoarthritis: results correlated to degree of glenoid wear. *J Shoulder Elbow Surg* 1997; 6(5): 449-454
44. Levy DM, Abrams GD, Harris JD et al.: Rotator cuff tears after total shoulder arthroplasty in primary osteoarthritis: A systematic review. *Int J Shoulder Surg* 2016; 10(2): 78-84
45. Loughlin J: Genetic contribution to osteoarthritis development: current state of evidence. *Curr Opin Rheumatol* 2015; 27(3): 284-288
46. Mannava S, Chahla J, Geeslin AG et al.: Platelet-rich plasma augmentation for hip arthroscopy. *Arthrosc Tech* 2017; 6(3): 763-768
47. Marcacci M, Andriolo L, Kon E, Shabshin N, Filardo G: Aetiology and pathogenesis of bone marrow lesions and osteonecrosis of the knee. *EFORT Open Rev* 2017; 1(5): 219-224
48. Marinko LN, Chacko JM, Dalton D, Chacko CC: The effectiveness of therapeutic exercise for painful shoulder conditions: a meta-analysis. *J Shoulder Elbow Surg* 2011; 20(8): 1351-1359
49. Matsen FA 3rd, Warme WJ, Jackins SE: Can the ream and run procedure improve glenohumeral relationships and function for shoulders with the arthritic triad? *Clin Orthop Relat Res* 2015; 473(6): 2088-2096
50. Mehta SK, Aleem AW: Management of the B2 glenoid in glenohumeral osteoarthritis. *Orthop Clin North Am* 2019; 50(4): 509-520
51. Mehta SK, Keener JD: Autografting for B2 Glenoids. *J Shoulder Elb Arthroplast* 2019; 3: 2471549219865786
52. Memel DS, Kirwan JR, Sharp DJ, Hehir M: General practitioners miss disability and anxiety as well as depression in their patients with osteoarthritis. *Br J Gen Pract* 2000; 50(457): 645-648
53. Merolla G, Sperling JW, Paladini P, Porcellini G: Efficacy of hylan G-F 20 versus 6-methylprednisolone acetate in painful shoulder osteoarthritis: a retrospective controlled trial. *Musculoskelet Surg* 2011; 95(3): 215-224
54. Miller C, Savoie FH: Glenohumeral abnormalities associated with full-thickness tears of the rotator cuff. *Orthop Rev* 1994; 23(2): 159-162
55. Millett PJ, Fritz EM, Frangiamore SJ, Mannava S: Arthroscopic management of glenohumeral arthritis: a joint preservation approach. *J Am Acad Orthop Surg* 2018; 26(21): 745-752
56. Millett PJ, Gaskill TR: Arthroscopic management of glenohumeral arthritis: humeral osteoplasty, capsular release, and arthroscopic axillary nerve release as a joint-preserving approach. *Arthroscopy* 2011; 27(9): 1296-1303
57. Millett PJ, Gobezie R, Boykin RE: Shoulder osteoarthritis: diagnosis and management. *Am Fam Physician* 2008; 78(5): 605-611
58. Millett PJ, Horan MP, Pennock AT, Rios D: Comprehensive Arthroscopic Management (CAM) procedure: clinical results of a joint-preserving arthroscopic treatment for young, active patients with advanced shoulder osteoarthritis. *Arthroscopy* 2013; 29(3): 440-448
59. Mitchell JJ, Horan MP, Greenspoon JA, Menge TJ, Tahal DS, Millett PJ: Survivorship and patient-reported outcomes after comprehensive arthroscopic management of glenohumeral osteoarthritis: minimum 5-year follow-up. *Am J Sports Med* 2016; 44(12): 3206-3213
60. Mitchell JJ, Warner BT, Horan MP et al.: Comprehensive arthroscopic management of glenohumeral osteoarthritis: preoperative factors predictive of treatment failure. *Am J Sports Med* 2017; 45(4): 794-802
61. Mithoefer K, McAdams T, Williams RJ, Kreuz PC, Mandelbaum BR: Clinical efficacy of the microfracture technique for articular cartilage repair in the knee: an evidence-based systematic analysis. *Am J Sports Med* 2009; 37(10): 2053-2063
62. Mook WR, Petri M, Greenspoon JA, Millett PJ: The comprehensive arthroscopic management procedure for treatment of glenohumeral osteoarthritis. *Arthrosc Tech* 2015; 4(5): 435-441
63. Nagels J, Stokdijk M, Rozing PM: Stress shielding and bone resorption in shoulder arthroplasty. *J Shoulder Elbow Surg* 2003; 12(1): 35-39
64. Nolte PC, Elrick BP, Arner JW et al.: Total shoulder arthroplasty after previous arthroscopic surgery for glenohumeral osteoarthritis: a case-control matched cohort study. *Am J Sports Med* 2021; 49(7): 1839-1846
65. Ogilvie-Harris DJ, Wiley AM: Arthroscopic surgery of the shoulder. A general appraisal. *J Bone Joint Surg Br* 1986; 68(2): 201-207

66. Orvets ND, Chamberlain AM, Patterson BM et al.: Total shoulder arthroplasty in patients with a B2 glenoid addressed with corrective reaming. *J Shoulder Elbow Surg* 2018; 27(6): 58-64
67. Pape G, Raiss P, Aldinger PR, Loew M: Die Cup-Prothese mit einer zementierten Schultergelenkpfanne im Vergleich zur konventionellen anatomischen Totalendoprothese – eine Matched-Pair-Analyse. *Z Orthop Unfall* 2010; 148(6): 674-679
68. Rafols C, Monckeberg JE, Numair J, Botello J, Rosales J: Platelet-rich plasma augmentation of arthroscopic hip surgery for femoroacetabular impingement: a prospective study with 24-month follow-up. *Arthroscopy* 2015; 31(10): 1886-1892
69. Raiss P, Edwards TB, Deutsch A et al.: Radiographic changes around humeral components in shoulder arthroplasty. *J Bone Joint Surg Am* 2014; 96(7): 54
70. Raiss P, Loew M, Bruckner T et al.: Risk factors for loosening of cemented glenoid components in anatomical shoulder arthroplasty. *Obere Extremität* 2019; 14 (3): 197-201
71. Raiss P, Sowa B, Bruckner T et al.: Pressurisation leads to better cement penetration into the glenoid bone: a cadaveric study. *J Bone Joint Surg Br* 2012; 94(5): 671-677
72. Razmjou H, Holtby R, Christakis M, Axelrod T, Richards R: Impact of prosthetic design on clinical and radiologic outcomes of total shoulder arthroplasty: a prospective study. *J Shoulder Elbow Surg* 2013; 22(2): 206-214
73. Rijs Z, de Groot PCJ, Zwitser EW, Visser CPJ: Is the anterior injection approach without ultrasound guidance superior to the posterior approach for adhesive capsulitis of the shoulder? A sequential, prospective trial. *Clin Orthop Relat Res* 2021; 479(11): 2483-2489
74. Rutten MJ, Collins JM, Maresch BJ et al.: Glenohumeral joint injection: a comparative study of ultrasound and fluoroscopically guided techniques before MR arthrography. *Eur Radiol* 2009; 19(3): 722-730
75. Samilson RL, Prieto V: Dislocation arthropathy of the shoulder. *J Bone Joint Surg Am* 1983; 65(4): 456-460
76. Sandau N, Brorson S, Olsen BS et al.: Low inter-observer agreement among experienced shoulder surgeons assessing overstuffing of glenohumeral resurfacing hemiarthroplasty based on plain radiographs. *J Orthop Surg Res* 2018; 13(1): 299
77. Schoenfeldt TL, Trenhaile S, Olson R: Glenohumeral osteoarthritis: frequency of underlying diagnoses and the role of arm dominance—a retrospective analysis in a community-based musculoskeletal practice. *Rheumatol Int* 2018; 38(6): 1023-1029
78. Sethi PM, Kingston S, Elatrache N: Accuracy of anterior intra-articular injection of the glenohumeral joint. *Arthroscopy* 2005; 21(1): 77-80
79. Sharplin PK, Frampton CMA, Hirner M: Cemented vs. uncemented glenoid fixation in total shoulder arthroplasty for osteoarthritis: a New Zealand Joint Registry study. *J Shoulder Elbow Surg* 2020; 29(10): 2097-2103
80. Sheth MM, Morris BJ, Laughlin MS et al.: Outcomes of anatomic shoulder arthroplasty performed on B2 vs. A1 type glenoids. *J Shoulder Elbow Surg.* 2020; 29(12): 2571-2577
81. Singh J, Odak S, Neelakandan K et al.: Survivorship of autologous structural bone graft at a minimum of 2 years when used to address significant glenoid bone loss in primary and revision shoulder arthroplasty: a computed tomographic and clinical review. *J Shoulder Elbow Surg* 2021; 30(3): 668-678
82. Singh JA, Sperling J, Buchbinder R, McMaken K: Surgery for shoulder osteoarthritis: a Cochrane systematic review. *J Rheumatol* 2011; 38(4): 598-605
83. Smith MJ, Loftis CM, Skelley NW: Eccentric reaming for B2 glenoids: history, preoperative planning, surgical technique, and outcome. *J Shoulder Elb Arthroplast* 2019; 3: 1-8
84. Spiegl UJ, Faucett SC, Horan MP, Warth RJ, Millett PJ: The role of arthroscopy in the management of glenohumeral osteoarthritis: a Markov decision model. *Arthroscopy* 2014; 30(11): 1392-1399
85. Urwin M, Symmons D, Allison T et al.: Estimating the burden of musculoskeletal disorders in the community: the comparative prevalence of symptoms at different anatomical sites, and the relation to social deprivation. *Ann Rheum Dis* 1998; 57(11): 649-655
86. Van Thiel GS, Sheehan S, Frank RM et al.: Retrospective analysis of arthroscopic management of glenohumeral degenerative disease. *Arthroscopy* 2010; 26(11): 1451-1455
87. Verweij LPE, Pruijssen EC, Kerkhoffs GMMJ et al.: Treatment type may influence degree of post-dislocation shoulder osteoarthritis: a systematic review and meta-analysis. *Knee Surg Sports Traumatol Arthrosc* 2021; 29(7): 2312-2324
88. von Engelhardt LV, Manzke M, Breil-Wirth A, Filler TJ, Jerosch J: Restoration of the joint geometry and outcome after stemless TESS shoulder arthroplasty. *World J Orthop* 2017; 8(10): 790-797
89. Walch G, Badet R, Boulahia A, Khoury A: Morphologic study of the glenoid in primary glenohumeral osteoarthritis. *J Arthroplasty* 1999; 14(6): 756-760
90. Wang X, Hunter D, Xu J, Ding C: Metabolic triggered inflammation in osteoarthritis. *Osteoarthritis Cartilage* 2015; 23(1): 22-30
91. Weinstein DM, Bucchieri JS, Pollock RG, Flatow EL, Bigliani LU: Arthroscopic debridement of the shoulder for osteoarthritis. *Arthroscopy* 2000; 16(5): 471-476
92. Werner BS, Stehle J, Abdelkawi A, Plumhoff P, Hudek R, Gohlke F: Progressive glenoid bone loss caused by erosion in humeral head resurfacing. *Orthopäde* 2017; 46(12): 1028-1033
93. Williams GR Jr, Wong KL, Pepe MD et al.: The effect of articular malposition after total shoulder arthroplasty on glenohumeral translations, range of motion, and subacromial impingement. *J Shoulder Elbow Surg* 2001; 10(5): 399-409
94. Yamanaka K, Matsumoto T: The joint side tear of the rotator cuff. A follow-up study by arthrography. *Clin Orthop Relat Res* 1994; (304): 68-73
95. Youderian AR, Ricchetti ET, Drews M, Iannotti JP: Determination of humeral head size in anatomic shoulder replacement for glenohumeral osteoarthritis. *J Shoulder Elbow Surg* 2014; 23(7): 955-963
96. Zedde P, Cudoni S, Giachetti G et al.: Subchondral bone remodeling: comparing nanofracture with microfracture. An ovine in vivo study. *Joints* 2016; 4(2): 87-93
97. Zhang B, Niroopan G, Gohal C et al.: Glenoid bone grafting in primary anatomic total shoulder arthroplasty: a systematic review. *Shoulder Elbow* 2021; 13(5): 509-517
98. Zhang L, Xing R, Huang Z et al.: Synovial fibrosis involvement in osteoarthritis. *Front Med (Lausanne)* 2021; 8: 684389
99. Zhang W, Doherty M, Arden N et al.: EULAR evidence based recommendations for the management of hip osteoarthritis: report of a task force of the EULAR Standing Committee for International Clinical Studies Including Therapeutics (ESCIIT). *Ann Rheum Dis* 2005; 64(5): 669-681

Literatur zum Beitrag:

Marc Schnetzke, Sven Lichtenberg, Markus Loew

Primäre oder sekundäre Schultersteife

Wie kommen wir dennoch zu guten Ergebnissen?

1. Hand GC, Athanasou NA, Matthews T, Carr AJ: The pathology of frozen shoulder. *J Bone Joint Surg Br* 2007; 89:928-932.
2. Hertel: The frozen shoulder. *Orthopäde*. 2000; 29:845-851.
3. Griggs SM, Ahn A, Green A: Idiopathic adhesive capsulitis. A prospective functional outcome study of nonoperative treatment. *J Bone Joint Surg Am*. 2000;82:1398-1407
4. Dyer BP, Burton C, Rathod-Mistry T, Blagojevic-Bucknall M, van der Windt DA: Diabetes as a Prognostic Factor in Frozen Shoulder: A Systematic Review. *Arch Rehabil Res Clin Transl*. 2021;3:100141.
5. Vastamäki H, Vastamäki M. Postoperative stiff shoulder after open rotator cuff repair: a 3- to 20-year follow-up study. *Scand J Surg*. 2014; 103:263-270.
6. Huberty DP, Schoolfield JD, Brady PC, Vadala AP, Arrigoni P, Burkhart SS: Incidence and treatment of post-operative stiffness following arthroscopic rotator cuff repair. *Arthroscopy*. 2009; 25:880-890.
7. Gerber C, Espinosa N, Perren TG: Arthroscopic treatment of shoulder stiffness. *Clin Orthop Relat Res*. 2001; 390:119-128.
8. Schnetzke M, Bockmeyer J, Porschke F, Studier-Fischer S, Grützner PA, Guehring T: Quality of Reduction Influences Outcome After Locked-Plate Fixation of Proximal Humeral Type-C Fractures. *J Bone Joint Surg Am*. 2016; 98:1777-1785.
9. Hawi N, von Falck C, Krettek C, Meller R: Typical alterations of frozen shoulder in MRI examinations. *Unfallchirurg*. 2019; 122:944-949.
10. Brealey S, Northgraves M, Kottam L et al: Surgical treatments compared with early structured physiotherapy in secondary care for adults with primary frozen shoulder: the UK FROST three-arm RCT. *Health Technol Assess*. 2020; 24:1-162.
11. Jerosch J: 360 degrees arthroscopic capsular release in patients with adhesive capsulitis of the glenohumeral joint—indication, surgical technique, results. *Knee Surg Sports Traumatol Arthrosc*. 2001; 9:178-186.
12. Loew M, Heichel TO, Lehner B: Intraarticular lesions in primary frozen shoulder after manipulation under general anesthesia. *J Shoulder Elbow Surg*. 2005; 14:16-21.
13. Segmüller HE, Taylor DE, Hogan CS, Saies AD, Hayes MG. Arthroscopic treatment of adhesive capsulitis. *J Shoulder Elbow Surg*. 1995; 4:403-408.
14. Cvetanovich GL, Leroux TS, Bernardoni ED et al.: Clinical Outcomes of Arthroscopic 360° Capsular Release for Idiopathic Adhesive Capsulitis in the Lateral Decubitus Position. *Arthroscopy*. 2018; 34:764-770.

Literatur zum Beitrag:

Malte Holschen, Yacine Ameziane, Kai-Axel Witt, Jörn Steinbeck

Akute und chronische Sprengungen des Akromioklavikulargelenks

Wie kommen wir zu guten Ergebnissen?

1. Chillemi C, Franceschini V, Dei Giudici L et al. (2013) Epidemiology of isolated acromioclavicular joint dislocation. *Emerg Med Int* 2013:171609
2. Gardner EC, Chan WW, Sutton KM et al. (2016) Shoulder Injuries in Men's Collegiate Lacrosse, 2004-2009. *Am J Sports Med* 44:2675-2681
3. Jensen G, Ellwein A, Voigt C et al. (2015) Injuries of the acromioclavicular joint: Hook plate versus arthroscopy. *Unfallchirurg* 118:1041-1053; quiz 1054-1045
4. Calvo E, Lopez-Franco M, Arribas IM (2006) Clinical and radiologic outcomes of surgical and conservative treatment of type III acromioclavicular joint injury. *J Shoulder Elbow Surg* 15:300-305
5. Phillips AM, Smart C, Groom AF (1998) Acromioclavicular dislocation. Conservative or surgical therapy. *Clin Orthop Relat Res*:10-17
6. Beitzel K, Mazzocca AD, Bak K et al. (2014) ISAKOS upper extremity committee consensus statement on the need for diversification of the Rockwood classification for acromioclavicular joint injuries. *Arthroscopy* 30:271-278
7. Flint JH, Wade AM, Giuliani J et al. (2014) Defining the terms acute and chronic in orthopaedic sports injuries: a systematic review. *Am J Sports Med* 42:235-241
8. Braun S, Martetschlager F, Imhoff AB (2014) Arthroscopically assisted reconstruction of acute and chronic AC joint separations. *Oper Orthop Traumatol* 26:228-236
9. Beitzel K, Cote MP, Apostolakis J et al. (2013) Current concepts in the treatment of acromioclavicular joint dislocations. *Arthroscopy* 29:387-397
10. Balke M, Schneider MM, Shafizadeh S et al. (2015) Current state of treatment of acute acromioclavicular joint injuries in Germany: is there a difference between specialists and non-specialists? A survey of German trauma and orthopaedic departments. *Knee Surg Sports Traumatol Arthrosc* 23:1447-1452
11. Frank RM, Trenhaile SW (2015) Arthroscopic-Assisted Acromioclavicular Joint Reconstruction Using the TightRope Device With Allograft Augmentation: Surgical Technique. *Arthrosc Tech* 4:e293-297
12. Metzloff S, Rosslenbroich S, Forkel PH et al. (2016) Surgical treatment of acute acromioclavicular joint dislocations: hook plate versus minimally invasive reconstruction. *Knee Surg Sports Traumatol Arthrosc* 24:1972-1978
13. Rockwood CA, Matsen FA (1998) *The Shoulder*. Saunders, Philadelphia
14. Alexander OM (1949) Dislocation of the acromioclavicular joint. *Radiography* 15:260, illust
15. Wellmann M, Smith T (2012) Epidemiology, anatomy, biomechanics and imaging of acromioclavicular joint injuries. *Unfallchirurg* 115:867-871
16. Jensen G, Katthagen JC, Alvarado LE et al. (2014) Has the arthroscopically assisted reduction of acute AC joint separations with the double tight-rope technique advantages over the clavicular hook plate fixation? *Knee Surg Sports Traumatol Arthrosc* 22:422-430
17. Scheibel M, Ifesanya A, Pauly S et al. (2008) Arthroscopically assisted coracoclavicular ligament reconstruction for chronic acromioclavicular joint instability. *Arch Orthop Trauma Surg* 128:1327-1333
18. Chernchujit B, Parate P (2017) Surgical Technique for Arthroscopy-Assisted Anatomical Reconstruction of Acromioclavicular and Coracoclavicular Ligaments Using Autologous Hamstring Graft in Chronic Acromioclavicular Joint Dislocations. *Arthrosc Tech* 6:e641-e648
19. Coale RM, Hollister SJ, Dines JS et al. (2013) Anatomic considerations of transclavicular-transcoracoid drilling for coracoclavicular ligament reconstruction. *J Shoulder Elbow Surg* 22:137-144
20. Xue C, Zhang M, Zheng TS et al. (2013) Clavicle and coracoid process drilling technique for truly anatomic coracoclavicular ligament reconstruction. *Injury* 44:1314-1320
21. Faggiani M, Vasario GP, Mattei L et al. (2016) Comparing mini-open and arthroscopic acromioclavicular joint repair: functional results and return to sport. *Musculoskelet Surg* 100:187-191
22. Vulliet P, Le Hanneur M, Cladiere V et al. (2018) A comparison between two double-button endoscopically assisted surgical techniques for the treatment acute acromioclavicular dislocations. *Musculoskelet Surg* 102:73-79
23. Natera Cisneros L, Sarasquete Reiriz J (2017) Unstable acromioclavicular joint injuries: Is there really a difference between surgical management in the acute or chronic setting? *J Orthop* 14:10-18
24. Barth J, Duparc F, Baverel L et al. (2015) Prognostic factors to succeed in surgical treatment of chronic acromioclavicular dislocations. *Orthop Traumatol Surg Res* 101:S305-311
25. Schliemann B, Rosslenbroich SB, Schneider KN et al. (2015) Why does minimally invasive coracoclavicular ligament reconstruction using a flip button repair technique fail? An analysis of risk factors and complications. *Knee Surg Sports Traumatol Arthrosc* 23:1419-1425
26. Shin SJ, Kim NK (2015) Complications after arthroscopic coracoclavicular reconstruction using a single adjustable-loop-length suspensory fixation device in acute acromioclavicular joint dislocation. *Arthroscopy* 31:816-824
27. Holschen M, Focke J, Witt KA et al. (2021) Arthroscopically-assisted treatment of acute and chronic dislocations of the acromioclavicular joint: A prospective clinical trial. *Orthopade* 50:214-223
28. Voss A, Löffler T, Reuter S et al. (2021) Additional acromioclavicular cerclage limits lateral tilt of the scapula in patients with arthroscopically assisted coracoclavicular ligament reconstruction. *Arch Orthop Trauma Surg* 141:1331-1338
29. Clavert P, Meyer A, Boyer P et al. (2015) Complication rates and types of failure after arthroscopic acute acromioclavicular dislocation fixation. Prospective multicenter study of 116 cases. *Orthop Traumatol Surg Res* 101:S313-316

Literatur zum Beitrag:

Lars Victor von Engelhardt, Joerg Jerosch

Partielle und vollständige, kleine bis mittelgroße Rotatorenmanschettenrisse

Was ist wesentlich, um mit der arthroskopischen Chirurgie optimale Rekonstruktionen zu erzielen?

1. Agrawal V, Stinson M: Arthroscopic grafting of greater tuberosity cyst and rotator cuff repair. *Arthroscopy* 2007; 23(8): 904.e1-3
2. Andrews JR: Diagnosis and treatment of chronic painful shoulder: review of nonsurgical interventions. *Arthroscopy* 2005; 21(3): 333-347
3. Araki D, Miller RM, Fujimaki Y et al.: Effect of tear location on propagation of isolated supraspinatus tendon tears during increasing levels of cyclic loading. *J Bone Joint Surg Am* 2015; 97(4): 273-278
4. Böhm E, Gleich J, Siebenbürger G, Böcker W, Ockert B: Rotatorenmanschettenruptur Indikationen und pathologiespezifische rekonstruktive Verfahren. *Unfallchirurg* 2021; 124: 108-116
5. Bollier M, Shea K: Systematic review: what surgical technique provides the best outcome for symptomatic partial articular-sided rotator cuff tears? *Iowa Orthop J*. 2012; 32: 164-172
6. Boudreault J, Desmeules F, Roy JS et al.: The efficacy of oral non-steroidal anti-inflammatory drugs for rotator cuff tendinopathy: a systematic review and meta-analysis. *J Rehabil Med* 2014; 46(4): 294-306
7. Braun C, Hanchard NC, Handoll HH, Betthäuser A: Predicting the outcome of conservative treatment with physiotherapy in adults with shoulder pain associated with partial-thickness rotator cuff tears - a prognostic model development study. *BMC Musculoskelet Disord* 2018; 19: 329
8. Chalmers PN, Salazar DH, Steger-May K et al.: Radiographic progression of arthritic changes in shoulders with degenerative rotator cuff tears. *J Shoulder Elbow Surg* 2016; 25(11): 1749-1755
9. Chin K, Chowdhury A, Leivadiotou D, Marmery H, Ahrens PM: The accuracy of plain radiographs in diagnosing degenerate rotator cuff disease. *Shoulder Elbow* 2019; 11(1): 46-51
10. Chong AC, Ochs JL, Zackula RE, MacFadden LN, Prohaska DJ: The effect of different combinations of three stacked half-hitches and suture materials on an arthroscopic knot in a dry or wet environment. *Iowa Orthop J* 2018; 38: 79-86
11. Codman EA: The shoulder; rupture of the supraspinatus tendon and other lesions in or about the subacromial bursa. Boston: T. Todd Company, 1934
12. Conway JE: Arthroscopic repair of partial-thickness rotator cuff tears and SLAP lesions in professional baseball players. *Orthop Clin North Am* 2001; 32
13. Cordasco FA, Backer M, Craig EV, Klein D, Warren RF: The partial-thickness rotator cuff tear: is acromioplasty without repair sufficient? *Am J Sports Med* 2002; 30(2): 257-260
14. Curtis AS, Burbank KM, Tierney JJ, Scheller AD, Curran AR: The insertional footprint of the rotator cuff: an anatomic study. *Arthroscopy* 2006; 22(6): 609.e1
15. Denard PJ, Burkhart SS: Techniques for managing poor quality tissue and bone during arthroscopic rotator cuff repair. *Arthroscopy* 2011; 27(10): 1409-1421
16. Desjardins-Charbonneau A, Roy JS, Dionne CE et al.: The efficacy of manual therapy for rotator cuff tendinopathy: a systematic review and meta-analysis. *J Orthop Sports Phys Ther* 2015; 45: 330-350
17. Edwards P, Ebert J, Joss B, Bhabra G, Ackland T, Wang A: Exercise rehabilitation in the non-operative management of rotator cuff tears: a review of the literature. *Int J Sports Phys Ther* 2016; 11(2): 279-301
18. Ellman H: Diagnosis and treatment of incomplete rotator cuff tears. *Clin Orthop Relat Res* 1990; 254: 64-74
19. Flury M, Rickenbacher D, Schwyzer HK et al.: Does pure platelet-rich plasma affect postoperative clinical outcomes after arthroscopic rotator cuff repair? A randomized controlled trial. *Am J Sports Med* 2016; 44(8): 2136-2146
20. Fukuda H, Hamada K, Nakajima T, Tomonaga A: Pathology and pathogenesis of the intratendinous tearing of the rotator cuff viewed from en bloc histologic sections. *Clin Orthop Relat Res* 1994; 304(304): 60-67
21. Galatz LM, Rothermich SY, Zaegel M, Silva MJ, Havioglu N, Thomopoulos S: Delayed repair of tendon to bone injuries leads to decreased biomechanical properties and bone loss. *J Orthop Res* 2005; 23(6): 1441-1447
22. Garrigues GE, Lazarus MD: Arthroscopic bone tunnel augmentation for rotator cuff repair. *Orthopedics* 2012; 35(5): 392-397
23. Heuberer PR, Kolblinger R, Buchleitner S et al.: Arthroscopic management of massive rotator cuff tears: an evaluation of debridement, complete, and partial repair with and without force couple restoration. *Knee Surg Sports Traumatol Arthrosc* 2016; 24: 3828-3837
24. Hughes JD, Hughes JL, Bartley JH, Hamilton WP, Brennan KL: Infection rates in arthroscopic versus open rotator cuff repair. *Orthop J Sports Med* 2017; 5(7): 2325967117715416
25. Hyvonen P, Lohi S, Jalovaara P: Open acromioplasty does not prevent the progression of an impingement syndrome to a tear. Nine-year follow-up of 96 cases. *J Bone Joint Surg Br* 1998; 80(5): 813-816
26. Jeong HY, Jeon YS, Lee DK, Rhee YG: Rotator cuff tear with early osteoarthritis: how does it affect clinical outcome after large to massive rotator cuff repair? *J Shoulder Elbow Surg* 2019; 28(2): 237-243
27. Jiang Y, Zhao J, van Holsbeeck MT, Flynn MJ, Ouyang X, Genant HK: Trabecular microstructure and surface changes in the greater tuberosity in rotator cuff tears. *Skeletal Radiol* 2002; 31(9): 522-528
28. Karakoc Y, Atalay İB: Comparison of mini-open versus all-arthroscopic rotator cuff repair: retrospective analysis of a single center. *Pan Afr Med J* 2020; 37: 132
29. Karasuyama M, Gotoh M, Tahara K et al.: Clinical results of conservative management in patients with full-

- thickness rotator cuff tear: a meta-analysis. *Clin Shoulder Elb* 2020; 23(2): 86-93
30. Kartus J, Kartus C, Rostgard-Christensen L, Sernert N, Read J, Perko M: Long-term clinical and ultrasound evaluation after arthroscopic acromioplasty in patients with partial rotator cuff tears. *Arthroscopy* 2006; 22(1): 44-49
 31. Keener JD, Galatz LM, Teefey SA et al.: A prospective evaluation of survivorship of asymptomatic degenerative rotator cuff tears. *J Bone Joint Surg Am* 2015; 97: 89-98
 32. Keener JD, Patterson BM, Orvets N, Chamberlain AM: Degenerative rotator cuff tears: refining surgical indications based on natural history data. *J Am Acad Orthop Surg* 2019; 27(5): 156-165
 33. Kim DH, Min SG, Lee HS et al.: Clinical outcome of rotator cuff repair in patients with mild to moderate glenohumeral osteoarthritis. *Knee Surg Sports Traumatol Arthrosc* 2021; 29(3): 998-1005
 34. Kim SH, Kim DY, Kwon JE, Park JS, Oh JH. Perianchor cyst formation around biocomposite biodegradable suture anchors after rotator cuff repair. *Am J Sports Med* 2015; 43(12): 2907-2912
 35. Kim SH, Yoo JC, Wang JH, Choi KW, Bae TS, Lee CY: Arthroscopic sliding knot: how many additional half-hitches are really needed? *Arthroscopy* 2005; 21(4): 405-411
 36. Kim YK, Jung KH, Kang SW, Hong JH, Choi KY, Choi JU: Relationship of the shape of subacromial spur and rotator cuff partial thickness tear. *Clin Shoulder Elb* 2019; 22(3): 139-145
 37. Kim YS, Kim SE, Bae SH, Lee HJ, Jee WH, Park CK: Tear progression of symptomatic full-thickness and partial-thickness rotator cuff tears as measured by repeated MRI. *Knee Surg Sports Traumatol Arthrosc* 2017; 25(7): 2073-2080
 38. Kim YS, Lee HJ, Kim JH, Noh DY: When should we repair partial-thickness rotator cuff tears? Outcome comparison between immediate surgical repair versus delayed repair after 6-month period of nonsurgical treatment. *Am J Sports Med* 2018; 46: 1091-1096
 39. Lim TK, Bae KH, Choi YS, Kim JH, Yoo JC: Clinical outcome and repair integrity after arthroscopic rotator cuff repair significantly improved during the surgeon's learning curve. *J Shoulder Elbow Surg* 2021; 30(8): 1881-1890
 40. Liu J, Fan L, Zhu Y, Yu H, Xu T, Li G: Comparison of clinical outcomes in all-arthroscopic versus mini-open re-
 - pair of rotator cuff tears: A randomized clinical trial. *Medicine (Baltimore)* 2017; 96(11): e6322
 41. Lohr JF, Uthoff HK: The microvascular pattern of the supraspinatus tendon. *Clin Orthop Relat Res* 1990; 254: 35-38
 42. Longo UG, Franceschi F, Ruzzini L et al.: Light microscopic histology of supraspinatus tendon ruptures. *Knee Surg Sports Traumatol Arthrosc* 2007; 15(11): 1390-1394
 43. Ma CB, Comerford L, Wilson J, Puttlitz CM: Biomechanical evaluation of arthroscopic rotator cuff repairs: double-row compared with single-row fixation. *J Bone Joint Surg Am* 2006; 88(2): 403-410
 44. Matava MJ, Purcell DB, Rudzki JR: Partial-thickness rotator cuff tears. *Am J Sports Med* 2005; 33(9): 1405-1417
 45. Matthews TJ, Hand GC, Rees JL, Athanasou NA, Carr AJ: Pathology of the torn rotator cuff tendon. Reduction in potential for repair as tear size increases. *J Bone Joint Surg Br* 2006; 88: 489-495
 46. Meier SW, Meier JD: Rotator cuff repair: the effect of double-row fixation on three-dimensional repair site. *J Shoulder Elbow Surg* 2006; 15(6): 691-696
 47. Meier SW, Meier JD: The effect of double-row fixation on initial repair strength in rotator cuff repair: a biomechanical study. *Arthroscopy* 2006; 22(11): 1168-1173
 48. Micic I, Kholinne E, Kwak JM, Koh KH, Jeon ICH: Osteolysis is observed around both bioabsorbable and non-absorbable anchors on serial magnetic resonance images of patients undergoing arthroscopic rotator cuff repair. *Acta Orthop Traumatol Turc* 2019; 53(6): 414-419
 49. Moosmayer S, Lund G, Seljom US et al.: At a 10-year follow-up, tendon repair is superior to physiotherapy in the treatment of small and medium-sized rotator cuff tears. *J Bone Joint Surg Am* 2019; 101(12): 1050-1060
 50. Moosmayer S, Lund G, Seljom U et al.: Comparison between surgery and physiotherapy in the treatment of small and medium-sized tears of the rotator cuff: a randomised controlled study of 103 patients with one-year follow-up. *J Bone Joint Surg Br* 2010; 92: 83-91
 51. Nagra NS, Zargar N, Smith RD, Carr AJ: Mechanical properties of all-suture anchors for rotator cuff repair. *Bone Joint Res* 2017; 6(2): 82-89
 52. Namdari S, Henn RF 3rd, Green A: Traumatic anterosuperior rotator cuff tears: the outcome of open surgical repair. *J Bone Joint Surg Am* 2008; 90: 1906-1913
 53. Needell SD, Zlatkin MB, Sher JS, Murphy BJ, Uribe JW: MR imaging of the rotator cuff: peritendinous and bone abnormalities in an asymptomatic population. *Am J Roentgenol* 1996; 166(4): 863-867
 54. Nho SJ, Slabaugh MA, Seroyer ST et al.: Does the literature support double-row suture anchor fixation for arthroscopic rotator cuff repair? A systematic review comparing double-row and single-row suture anchor configuration. *Arthroscopy* 2009; 25(11): 1319-1328
 55. Osti L, Buda M, Andreotti M, Osti R, Massari L, Maffulli N: Transtendon repair in partial articular supraspinatus tendon tear. *Br Med Bull* 2017; 123(1): 19-34
 56. Padki A, Chen JY, Lee MJH, Ang BFH, Lie DTT: Septuagenarians aged 75 years and older do benefit from arthroscopic rotator cuff repair: a propensity matched-pair analysis. *JSES Int* 2021; 5(3): 459-462
 57. Pandey V, Bandi A, Madi S et al.: Does application of moderately concentrated platelet-rich plasma improve clinical and structural outcome after arthroscopic repair of medium-sized to large rotator cuff tear? A randomized controlled trial. *J Shoulder Elbow Surg* 2016; 26(3): 82-83
 58. Park JG, Cho NS, Song JH, Baek JH, Jeong HY, Rhee YG: Rotator cuff repair in patients over 75 years of age: clinical outcome and repair integrity. *Clin Orthop Surg* 2016; 8(4): 420-427
 59. Pedowitz RA, Nicandri GT, Angelo RL, Ryu RK, Gallagher AG: Objective assessment of knot-tying proficiency with the fundamentals of arthroscopic surgery training program workstation and knot tester. *Arthroscopy* 2015; 31(10): 1872-1879
 60. Plachel F, Moroder P, Gerhardt C, Scheibel M: Anterosuperiore Rotatorenmanschettenläsion beim jungen Patienten. *Arthroscopie* 2017; 30: 216-222
 61. Randelli PS, Stoppani CA, Santarsiero G, Nocerino E, Menon A: Platelet-rich plasma in arthroscopic rotator cuff repair: clinical and radiological results of a prospective randomized controlled trial study at 10-year follow-up. *Arthroscopy* 2022; 38(1): 51-61
 62. Ro K, Pancholi S, Son HS, Rhee YG: Perianchor cyst formation after arthroscopic rotator cuff repair using all-suture-type, bioabsorbable-type, and PEEK-type anchors. *Arthroscopy* 2019; 35(8): 2284-2292

63. Ruder JA, Dickinson EY, Peindl RD, Habet NA, Fleischli JE: Greater tuberosity decortication decreases load to failure of all-suture anchor constructs in rotator cuff repair. *Arthroscopy* 2018; 34(10): 2777-2781
64. Ryan J, Imbergamo C, Sudah S et al.: Platelet-rich product supplementation in rotator cuff repair reduces retear rates and improves clinical outcomes: a meta-analysis of randomized controlled trials. *Arthroscopy* 2021; 37(8): 2608-2624
65. Sauerbrey AM, Getz CL, Piancastelli M, Iannotti JP, Ramsey ML, Williams GR Jr: Arthroscopic versus mini-open rotator cuff repair: a comparison of clinical outcome. *Arthroscopy* 2005; 21: 1415-1420
66. Severud EL, Ruotolo C, Abbott DD, Nottage WM: All-arthroscopic versus mini-open rotator cuff repair: A long-term retrospective outcome comparison. *Arthroscopy* 2003; 19(3): 234-238
67. Sheibani-Rad S, Giveans MR, Arnoczky SP, Bedi A: Arthroscopic single-row versus double-row rotator cuff repair: a meta-analysis of the randomized clinical trials. *Arthroscopy* 2013; 29(2): 343-348
68. Shon MS, Koh KH, Lim TK, Kim WJ, Kim KC, Yoo JC: Arthroscopic partial repair of irreparable rotator cuff tears: Preoperative factors associated with outcome deterioration over 2 years. *Am J Sports Med* 2015; 43: 1965-1975
69. Smith CD, Alexander S, Hill AM et al.: A biomechanical comparison of single and double-row fixation in arthroscopic rotator cuff repair. *J Bone Joint Surg Am* 2006; 88(11): 2425-2431
70. Snyder SJ, Pachelli AF, Del Pizzo W, Friedman MJ, Ferkel RD, Pattee G: Partial thickness rotator cuff tears: results of arthroscopic treatment. *Arthroscopy* 1991; 7(1): 1-7
71. Strauss EJ, Salata MJ, Kercher J et al.: Multimedia article. The arthroscopic management of partial-thickness rotator cuff tears: a systematic review of the literature. *Arthroscopy* 2011; 27(4): 568-580
72. Suluova F, Kanatli U, Ozturk BY, Esen E, Bolukbasi S: Humeral head cysts: association with rotator cuff tears and age. *Eur J Orthop Surg Traumatol* 2014; 24(5): 733-739
73. Sun L, Zhang Q, Ge H, Sun Y, Cheng B: Which is the best repair of articular-sided rotator cuff tears: a meta-analysis. *J Orthop Surg Res* 2015; 10: 84
74. Tillander B, Franzén LE, Karlsson MH, Norlin R: Effect of steroid injections on the rotator cuff: an experimental study in rats. *J Shoulder Elbow Surg* 1999; 8(3): 271-274
75. Tingart MJ, Apreleva M, Zurakowski D, Warner JJ: Pullout strength of suture anchors used in rotator cuff repair. *J Bone Joint Surg Am* 2003; 85(11): 2190-2198
76. Tashjian RZ: Epidemiology, natural history, and indications for treatment of rotator cuff tears. *Clin Sports Med* 2012; 31(4): 589-604
77. Urita A, Funakoshi T, Horie T, Nishida M, Iwasaki N: Difference in vascular patterns between transosseous-equivalent and transosseous rotator cuff repair. *J Shoulder Elbow Surg*. 2017; 26(1): 149-156
78. Walton JR, Murrell GA: A two-year clinical outcomes study of 400 patients, comparing open surgery and arthroscopy for rotator cuff repair. *Bone Joint Res* 2012; 1: 210-217
79. Wang A, McCann P, Colliver J et al.: Do postoperative platelet-rich plasma injections accelerate early tendon healing and functional recovery after arthroscopic supraspinatus repair? A randomized controlled trial. *Am J Sports Med* 2015; 43(6): 1430-1437
80. Wang C, Xu M, Guo W, Wang Y, Zhao S, Zhong L: Clinical efficacy and safety of platelet-rich plasma in arthroscopic full-thickness rotator cuff repair: A meta-analysis. *PLoS One* 2019; 14(7): e0220392
81. Warth RJ, Briggs KK, Dornan GJ, Horan MP, Millett PJ: Patient expectations before arthroscopic shoulder surgery: correlation with patients' reasons for seeking treatment. *J Shoulder Elbow Surg* 2013; 22(12): 1676-1681
82. Wieser K, Rahm S, Farshad M, Ek ET, Gerber C, Meyer DC: Stitch positioning influences the suture hold in supraspinatus tendon repair. *Knee Surg Sports Traumatol Arthrosc* 2013; 21(7): 1587-1592
83. Williams M, Lambert RG, Jhangri GS et al.: Humeral head cysts and rotator cuff tears: an MR arthrographic study. *Skeletal Radiol* 2006; 35(12): 909-914
84. Xu W, Xue Q: Application of platelet-rich plasma in arthroscopic rotator cuff repair: a systematic review and meta-analysis. *Orthop J Sports Med* 2021; 9(7): 23259671211016847
85. Yamanaka K, Fukuda H: Pathological studies of the supraspinatus tendon with reference to incomplete thickness tears. In: Takagishi N (Hrsg): *The shoulder*. Tokio: Professional Postgraduate Studies, 1987: 220-224
86. Yamanaka K, Matsumoto T: The joint side tear of the rotator cuff. A follow-up study by arthrography. *Clin Orthop Relat Res* 1994; (304): 68-73
87. Zhao D, Han YH, Pan JK et al.: The clinical efficacy of leukocyte-poor platelet-rich plasma in arthroscopic rotator cuff repair: a meta-analysis of randomized controlled trials. *J Shoulder Elbow Surg* 2021; 30(4): 918-928
88. Zink TR, Schmidt CC, Papadopoulos DV et al.: Locating the rotator cable during subacromial arthroscopy: bursal- and articular-sided anatomy. *J Shoulder Elbow Surg* 2021; 30(7): 57-65

Literatur zum Beitrag:

Eric Tille, Philip Kasten, Jörg Nowotny

Ausgedehnte Rotatorenmanschettenläsionen

Typische Indikationen und technische Möglichkeiten für ein gelenkerhaltendes Vorgehen

1. DGOOC, D. G. für O. und O. C. S2e-Leitlinie Rotatorenmanschette. AWMF-Leitlinien-Register 75, 33–41 (2017).
2. Bedi, A., Dines, J., Warren, R. F. & Dines, D. M. Massive tears of the rotator cuff. *J. Bone Joint Surg. Am.* 92, 1894–1908 (2010).
3. Codman, E. A. The Shoulder: Rupture of the supraspinatus tendon and other lesions in or about the subacromial bursa. (1934).
4. Cofield, R. H. Rotator cuff disease of the shoulder. *J. Bone Joint Surg. Am.* 67, 974–979 (1985).
5. Gerber, C., Fuchs, B. & Hodler, J. The results of repair of massive tears of the rotator cuff. *J. Bone Joint Surg. Am.* 82, 505–515 (2000).
6. Burkhart, S. S. Reconciling the paradox of rotator cuff repair versus debridement: a unified biomechanical rationale for the treatment of rotator cuff tears. *Arthroscopy* 10, 4–19 (1994).
7. Thomazeau, H., Rolland, Y., Lucas, C., Duval, J. M. & Langlais, F. Atrophy of the supraspinatus belly. Assessment by MRI in 55 patients with rotator cuff pathology. *Acta Orthop. Scand.* 67, 264–268 (1996).
8. Goutallier, D., Postel, J. M., Bernageau, J., Lavau, L. & Voisin, M. C. Fatty muscle degeneration in cuff ruptures. Pre- and postoperative evaluation by CT scan. *Clin. Orthop. Relat. Res.* 304, 78–83 (1994).
9. Patte, D. Classification of rotator cuff lesions. *Clin. Orthop. Relat. Res.* 254, 81–86 (1990).
10. Zingg, P. O. et al. Clinical and structural outcomes of nonoperative management of massive rotator cuff tears. *J. Bone Joint Surg. Am.* 89, 1928–1934 (2007).
11. Boileau, P. et al. Isolated arthroscopic biceps tenotomy or tenodesis improves symptoms in patients with massive irreparable rotator cuff tears. *J. Bone Joint Surg. Am.* 89, 747–757 (2007).
12. Scheibel, M. & Brunner, U. *Expertise Schulter.* (Thieme Verlag, 2021).
13. Dwyer, T., Razmjou, H., Henry, P., Gosselin-Fournier, S. & Holtby, R. Association between pre-operative magnetic resonance imaging and reparability of large and massive rotator cuff tears. *Knee Surg. Sports Traumatol. Arthrosc.* 23, 415–422 (2015).
14. Werner, C. M. L. et al. Intermethod agreement and interobserver correlation of radiologic acromiohumeral distance measurements. *J. shoulder Elb. Surg.* 17, 237–240 (2008).
15. Burkhart, S. S., Nottage, W. M., Ogilvie-Harris, D. J., Kohn, H. S. & Pachelli, A. Partial repair of irreparable rotator cuff tears. *Arthroscopy* 10, 363–370 (1994).
16. Burkhart, S. S., Athanasiou, K. A. & Wirth, M. A. Margin convergence: a method of reducing strain in massive rotator cuff tears. *Arthroscopy* 12, 335–338 (1996).
17. Cuff, D. J., Pupello, D. R. & Santoni, B. G. Partial rotator cuff repair and biceps tenotomy for the treatment of patients with massive cuff tears and retained overhead elevation: mid-term outcomes with a minimum 5 years of follow-up. *J. shoulder Elb. Surg.* 25, 1803–1809 (2016).
18. Wellmann, M., Lichtenberg, S., Da Silva, G., Magosch, P. & Habermeyer, P. Results of arthroscopic partial repair of large retracted rotator cuff tears. *Arthroscopy* 29, 1275–1282 (2013).
19. Malahias, M. A. et al. Arthroscopic partial repair for massive rotator cuff tears: does it work? A systematic review. *Sport. Med. - open* 5, (2019).
20. Greiner, S. et al. Comparison of Superior Capsular Reconstruction and Partial Infrapinatus Repair: A Matched-Pair Analysis of Irreparable Rotator Cuff Tears. *Orthop. J. Sport. Med.* 9, (2021).
21. Szöllösy, G., Rosso, C., Fogerty, S., Petkin, K. & Lafosse, L. Subacromial spacer placement for protection of rotator cuff repair. *Arthrosc. Tech.* 3, e605–e609 (2014).
22. Yallapragada, R. K., Apostolopoulos, A., Katsougrakis, I. & Selvan, T. P. The use of a subacromial spacer-in-space balloon in managing patients with irreparable rotator cuff tears. *J. Orthop.* 15, 862–868 (2018).
23. Stewart, R. K. et al. Outcomes of Subacromial Balloon Spacer Implantation for Massive and Irreparable Rotator Cuff Tears: A Systematic Review. *Orthop. J. Sport. Med.* 7, (2019).
24. Jeong, J. Y., Kim, S. J., Yoon, T. H., Eum, K. S. & Chun, Y. M. Arthroscopic Repair of Large and Massive Rotator Cuff Tears: Complete Repair with Aggressive Release Compared with Partial Repair Alone at a Minimum Follow-up of 5 Years. *J. Bone Joint Surg. Am.* 102, 1248–1254 (2020).
25. Malahias, M. A., Brilakis, E., Avramidis, G., Trellopoulos, A. & Antonogiannakis, E. Arthroscopic partial repair with versus without biodegradable subacromial spacer for patients with massive rotator cuff tears: a case-control study. *Musculoskelet. Surg.* 105, 247–255 (2021).
26. Iannotti, J. P. et al. Porcine small intestine submucosa augmentation of surgical repair of chronic two-tendon rotator cuff tears. A randomized, controlled trial. *J. Bone Joint Surg. Am.* 88, 1238–1244 (2006).
27. Mori, D., Funakoshi, N. & Yamashita, F. Arthroscopic surgery of irreparable large or massive rotator cuff tears with low-grade fatty degeneration of the infraspinatus: patch autograft procedure versus partial repair procedure. *Arthroscopy* 29, 1911–1921 (2013).
28. Jones, C. R. & Snyder, S. J. Massive Irreparable Rotator Cuff Tears: A Solution That Bridges the Gap. *Sports Med. Arthrosc.* 23, 130–138 (2015).
29. Mihata, T., McGarry, M. H., Pirolo, J. M., Kinoshita, M. & Lee, T. Q. Superior capsule reconstruction to restore superior stability in irreparable rotator cuff tears: a biomechanical cadaveric study. *Am. J. Sports Med.* 40, 2248–2255 (2012).
30. Mihata, T. et al. Biomechanical Role of Capsular Continuity in Superior Capsule Reconstruction for Irreparable Tears of the Supraspinatus Tendon. *Am. J. Sports Med.* 44, 1423–1430 (2016).
31. Mihata, T. et al. Arthroscopic Superior Capsule Reconstruction for Ir-

Literatur zum Beitrag:

Jörg Jerosch, Uzichi Gospel Nathan, Andreas Breil-Wirth, Lars Victor von Engelhardt

Kurzfristige Ergebnisse mit einer schafftfreien inversen Onlay Schulterendoprothese (Easytech, FX-Solutions)

1. Ackland DC, Roshan-Zamir S, Richardson M, Pandey MG: Moment arms of the shoulder musculature after reverse total shoulder arthroplasty. *J Bone Joint Surg Am* 2010; 92(5): 1221-1230
2. Athwal GS, Sperling JW, Rispoli DM, Cofield RH: Periprosthetic humeral fractures during shoulder arthroplasty. *J Bone Joint Surg Am* 2009; 91(3): 594-603
3. Ballas R, Beguin L: Results of a stemless reverse shoulder prosthesis at more than 58 months mean without loosening. *J Shoulder Elbow Surg.* 2013; 22(9): 1-6
4. Beck S, et al.: Long-term results of the reverse Total Evolutive Shoulder System (TESS). *Archives of Orthopaedic and Trauma Surgery* 2019; 139: 1039-1044
5. Berth A, Pap, G: Stemless shoulder prosthesis versus conventional anatomic shoulder prosthesis in patients with osteoarthritis: a comparison of the functional outcome after a minimum of two years follow-up. *J Orthop Traumatol* 2012; 14(1): 31-37
6. Boileau P, Morin-Salvo N, Gauci MO et al.: Angled BIO-RSA (bony-increased offset-reverse shoulder arthroplasty): a solution for the management of glenoid bone loss and erosion. *J Shoulder Elbow Surg* 2017; 26: 2133-2142
7. Boileau P, O'Shea K, Moineau G, Rousanne Y: Bony Increased-Offset Reverse Shoulder Arthroplasty (BIO-RSA) for Cuff Tear Arthropathy. *Oper Tech Orthop* 2011; 21(1): 69-78
8. Boileau P, Watkinson DJ, Hatzidakis AM, Balg F: Grammont reverse prosthesis: design, rationale, and biomechanics. *J Shoulder Elbow Surg* 2005; 14(1): 147-161
9. Boileau P, Watkinson D, Hatzidakis AM, Hovorka I: Neer Award 2005: the Grammont reverse shoulder prosthesis: results in cuff tear arthritis, fracture sequelae, and revision arthroplasty. *J Shoulder Elbow Surg* 2006; 15: 527-540
10. Bufquin T, Hersan A, Hubert L, Massin P: Reverse shoulder arthroplasty for the treatment of three- and four-part fractures of the proximal humerus in the elderly: a prospective review of 43 cases with a short-term follow-up. *J Bone Joint Surg Br* 2007; 89(4): 516-520
11. Cazeneuve JF, Cristofari DJ: [Grammont reversed prosthesis for acute complex fracture of the proximal humerus in an elderly population with 5–12 years follow-up]. *Rev Chir Orthop Reparatrice Appar Mot* 2006; 92: 543-548
12. Churchill JL, Garrigues GE: Current controversies in reverse total shoulder arthroplasty. *JBS Rev* 2016; 4(6):01874474-201606000-00002.
13. Churchill RS, Athwal GS: Stemless shoulder arthroplasty-current results and designs. *Curr Rev Musculoskelet Med* 2016; 9(1): 10-16
14. Constant CR; Murley AH: A clinical method of functional assessment of the shoulder. *Clin Orthop Relat Res* 1987; 214: 160-164
15. Cuff D, Clark R, Pupello D et al.: Reverse shoulder arthroplasty for the treatment of rotator cuff deficiency: a concise follow-up, at a minimum of five years, of a previous report. *J Bone Joint Surg Am* 2012; 94: 1996-2000
16. Delloye C, Joris D, Colette A, Eudier A, Dubuc JE: [Mechanical complications of total shoulder inverted prosthesis]. *Rev Chir Orthop Reparatrice Appar Mot* 2002; 88(4): 410-414
17. De Wilde L, Mombert M, Van Petegem P, Verdonk R: [Revision of shoulder replacement with a reversed shoulder prosthesis (Delta III): report of five cases]. *Acta Orthop Belg* 2001; 67: 348-353
18. De Wilde LF, Van Ovost E, Uyttendaele D, Verdonk R: [Results of an inverted shoulder prosthesis after resection for tumor of the proximal humerus]. *Rev Chir Orthop Reparatrice Appar Mot* 2002; 88: 373-378
19. Edwards TB, Trappey GJ, Riley C et al.: Inferior tilt of the glenoid component does not decrease scapular notching in reverse shoulder arthroplasty: results of a prospective randomized study. *J Shoulder Elbow Surg* 2012; 21:641-646
20. Frankle M, Siegal S, Pupello D et al.: The reverse shoulder prosthesis for glenohumeral arthritis associated with severe rotator cuff deficiency. A minimum two-year follow-up study of sixty patients. *J Bone Joint Surg Am* 2005; 87: 1697-1705
21. Gonzalez JF, Alami GB, Baque F, Walch G, Boileau P: Complications of unconstrained shoulder prostheses. *J Shoulder Elbow Surg* 2011; 20(4): 666-682
22. Grammont PM, Baulot E: Delta shoulder prosthesis for rotator cuff rupture. *Orthopedics.* 1993; 16(1): 65-68
23. Hudak PL, Amadio PC, Bombardier C: Development of an upper extremity outcome measure: the DASH (disabilities of the arm, shoulder and hand). The Upper Extremity Collaborative Group (UECG). *Am J Ind Med* 1996; 29(6): 602-608
24. Huguet D, DeClercq G, Rio B, Teissier J, Zipoli B, TESS Group: Results of a new stemless shoulder prosthesis: radiologic proof of maintained fixation and stability after a minimum of three years' follow-up. *J Shoulder Elbow Surg* 2010; 19(6): 847-852
25. Irlenbusch U: [Survival rate and complications of stemmed shoulder prostheses in primary osteoarthritis]. *Orthopade* 2013; 42(7): 507-515
26. Jerosch J, von Engelhardt LV: Schafftfreie inverse Schulterendoprothetik – eine interessante Ergänzung. *OUP* 2019; 8: 341-352
27. Jobin CM, Brown GD, Bahu MJ, et al.: Reverse total shoulder arthroplasty for cuff tear arthropathy: the clinical effect of deltoid lengthening and center of rotation medialization. *J Shoulder Elbow Surg* 2012; 21(10): 1269-1277
28. Kadum B, Mukka S, Englund E, Sayed-Noor A, Sjoden G. Clinical and radiological outcome of the Total Evolutive Shoulder System (TESS) reverse shoulder arthroplasty: a prospective comparative non-randomised study. *Int Orthop* 2014; 38(5): 1001-1006
29. Kelly JD, Humphrey CS, Norris TR: Optimizing glenosphere position and fixation in reverse shoulder arthroplasty, Part one: the 12mm rule.

- Journal of Shoulder and Elbow surgery 2008; 17: 589-594
30. Kempton LB, Balasubramaniam M, Ankerson E, Wiater JM: A radiographic analysis of the effects of prosthesis design on scapular notching following reverse total shoulder arthroplasty. *J Shoulder Elbow Surg* 2011; 20(4): 571-576
 31. Kim HJ, Kwon TY, Jeon YS, Kang SG, Rhee YG, Rhee SM: Neurologic deficit after reverse total shoulder arthroplasty: correlation with distalization. *J Shoulder Elbow Surg* 2020; 29(6):1096-1103
 32. Kim SH, Wise BL, Zhang Y, Szabo RM: Increasing incidence of shoulder arthroplasty in the United States. *J Bone Joint Surg Am* 2011; 93(24): 2249-2254
 33. King JJ, Farmer KW, Struk AM, Wright TW: Uncemented versus cemented humeral stem fixation in reverse shoulder arthroplasty. *Int Orthop* 2015; 39(2): 291-298
 34. Ladermann A, Denard PJ, Boileau P et al.: Effect of humeral stem design on humeral position an range of motion in reverse shoulder arthroplasty. *Int Orthop* 2015; 39: 2205-2213
 35. Ladermann A, Denard PJ, Boileau P et al.: What is the best glenoid configuration in onlay reverse shoulder arthroplasty? *Int Orthop* 2018; 42: 1339-1346
 36. Lädermann A, Edwards TB, Walch G: Arm lengthening after reverse shoulder arthroplasty: a review. *Int Orthop* 2014; 38(5): 991-1000
 37. Lädermann A, Walch G, Lubbeke A, et al.: Influence of arm lengthening in reverse shoulder arthroplasty. *J Shoulder Elbow Surg* 2012; 21(3): 336-341
 38. Lädermann A, Williams MD, Melis B, Hoffmeyer P, Walch G: Objective evaluation of lengthening in reverse shoulder arthroplasty. *J Shoulder Elbow Surg* 2009; 18(4): 588-595
 39. Melis B, DeFranco M, Ladermann A, et al.: An evaluation of the radiological changes around the Grammont reverse geometry shoulder arthroplasty after eight to 12 years. *J Bone Joint Surg Br* 2011; 93(9): 1240-1246
 40. Mizuno N, Denard PJ, Raiss P, Walch G: The clinical and radiographical results of reverse total shoulder arthroplasty with eccentric glenosphere. *Int Orthop* 2012; 36(8): 1647-1653
 41. Moroder P, Ernstbrunner L, Zweiger C, et al.: Short to mid-term results of stemless reverse shoulder arthroplasty in a selected patient population compared to a matched control group with stem. *Int Orthop* 2016; 40(10): 2115-2120
 42. Mulieri P, Dunning P, Klein S, Pupello D, Frankle M: Reverse shoulder arthroplasty for the treatment of irreparable rotator cuff tear without glenohumeral arthritis. *J Bone Joint Surg Am* 2010; 92(15): 2544-2556
 43. Namdari S, Horneff JG, Baldwin K: Comparison of hemiarthroplasty and reverse arthroplasty for treatment of proximal humeral fractures: a systematic review. *J Bone Joint Surg Am* 2013; 95: 1701-1708
 44. Osterhoff G, O'hara NN, D'cruz J et al.: A cost-effectiveness analysis of reverse total shoulder arthroplasty versus hemiarthroplasty for the management of complex proximal humeral fractures in the elderly. *Value Health* 2017; 20: 404-411
 45. Raiss P, Edwards TB, Deutsch A, et al.: Radiographic changes around humeral components in shoulder arthroplasty. *J Bone Joint Surg Am* 2014; 96(7): e54-67
 46. Rettig O, Maier MW, Gantz S, Raiss P, Zeifang F, Wolf SI. Does the reverse shoulder prosthesis medialize the center of rotation in the glenohumeral joint? *Gait Posture* 2013; 37(1): 29-31
 47. Richards RR, Kai-Nan A, Bigliani LU: Standardized method for the assessment of shoulder function *J Shoulder Elbow Surg* 1994; 6: 347 -352
 48. Rittmeister M, Kerschbaumer F: Grammont reverse total shoulder arthroplasty in patients with rheumatoid arthritis and nonreconstructible rotator cuff lesions. *J Shoulder Elbow Surg* 2001; 10: 17-22
 49. Roche CP, Stroud NJ, Martin BL, et al.: The impact of scapular notching on reverse shoulder glenoid fixation. *J Shoulder Elbow Surg* 2013; 22(7): 963-70
 50. Scarlat MM: Complications with reverse total shoulder arthroplasty and recent evolutions. *Int Orthop* 2013; 37(5): 843-851
 51. Sebastia-Forcada E, Cebrian-Gomez R, Lizaur-Utrilla A et al.: Reverse shoulder arthroplasty versus hemiarthroplasty for acute proximal humeral fractures. A blinded randomized, controlled, prospective study. *J Shoulder Elbow Surg* 2014; 23: 1419-1426
 52. Seebauer L, Walter W, Keyl W: Reverse total shoulder arthroplasty for the treatment of defect arthropathy. *Oper Orthop Traumatol* 2005; 17(1): 1-24
 53. Simovitch R, Flurin PH, Wright TW, Zuckerman JD, Roche C. Impact of scapular notching on reverse total shoulder arthroplasty midterm outcomes: 5-year minimum follow-up. *J Shoulder Elbow Surg* 2019; 28(12): 2301-2307
 54. Simovitch RW, Zumstein MA, Lohri E, Helmy N, Gerber C: Predictors of Scapular Notching in Patients Managed with the Delta III Reverse Total Shoulder Replacement. *J Bone Joint Surg Am* 2007; 89(3): 588-600
 55. Singh JA, Sperling J, Schleck C, Harnsen W, Cofield R: Periprosthetic fractures associated with primary total shoulder arthroplasty and primary humeral head replacement: a thirty-three-year study. *J Bone Joint Surg Am* 2012; 94(19): 1777-1785
 56. Sirveaux F, Favard L, Oudet D, Huquet D, Walch G, Mole D: Grammont inverted total shoulder arthroplasty in the treatment of glenohumeral osteoarthritis with massive rupture of the cuff. Results of a multicentre study of 80 shoulders. *J Bone Joint Surg Br* 2004; 86(3): 388-395
 57. Tashjian RZ, Hillyard B, Childress V, et al.: Outcomes after a Grammont-style reverse total shoulder arthroplasty? *J Shoulder Elbow Surg* 2021; 30(1): 10-17
 58. Teissier P, Teissier J, Kouyoumdjian P, et al.: The TESS reverse shoulder arthroplasty without a stem in the treatment of cuff-deficient shoulder conditions: clinical and radiographic results. *J Shoulder Elbow Surg* 2015; 24(1): 45-51
 59. Virani NA, Cabezas A, Gutierrez S et al.: Reverse shoulder arthroplasty components and surgical techniques that restore glenohumeral motion. *J Shoulder Elbow Surg* 2013; 22: 179-187
 60. von Engelhardt LV, Hahn M, Schulz T, Peikenkamp K, Jerosch J: Changes of the bone structure after cap resurfacing arthroplasty of the humeral head. *Orthop Traumatol Surg Res* 2017; 103(4): 493-498
 61. von Engelhardt LV, Manzke M, Filler TJ, Jerosch J: Short-term results of the reverse Total Evolutive Shoulder System (TESS) in cuff tear arthropathy and revision arthroplasty cases. *Arch Orthop Trauma Surg* 2015; 135(7): 897-904
 62. Wall B, Nove-Josserand L, O'Connor DP, Edwards TB, Walch G: Reverse total shoulder arthroplasty: a review of results according to etiology. *J Bone Joint Surg Am* 2007; 89(7): 1476-1485
 63. Wellmann M, Struck M, Pastor MF, Gettmann A, Windhagen H, Smith T: Short and midterm results of reverse shoulder arthroplasty according to

- the preoperative etiology. *Arch Orthop Trauma Surg* 2013; 133(4): 463-471
64. Werner CM, Steinmann PA, Gilbert M, Gerber C: Treatment of painful pseudoparesis due to irreparable rotator cuff dysfunction with the Delta III reverse-ball-and-socket total shoulder-reparable Rotator Cuff Tears: Comparison of Clinical Outcomes With and Without Subscapularis Tear. *Am. J. Sports Med.* 48, 3429–3438 (2020).
 32. Denard, P. J., Brady, P. C., Adams, C. R., Tokish, J. M. & Burkhart, S. S. Preliminary Results of Arthroscopic Superior Capsule Reconstruction with Dermal Allograft. *Arthroscopy* 34, 93–99 (2018).
 33. Hirahara, A. M., Andersen, W. J. & Panero, A. J. Superior Capsular Reconstruction: Clinical Outcomes After Minimum 2-Year Follow-Up. *Am. J. Orthop.* (Belle Mead, NJ). 46, 266–278 (2017).
 34. Pennington, W. T., Bartz, B. A., Pauli, J. M., Walker, C. E. & Schmidt, W. Arthroscopic Superior Capsular Reconstruction With Acellular Dermal Allograft for the Treatment of Massive Irreparable Rotator Cuff Tears: Short-Term Clinical Outcomes and the Radiographic Parameter of Superior Capsular Distance. *Arthroscopy* 34, 1764–1773 (2018).
 35. Werthel, J.-D. et al. Superior capsular reconstruction - A systematic review and meta-analysis. *Orthop. Traumatol. Surg. Res.* 103072 (2021) doi:10.1016/j.OTSR.2021.103072.
 36. Woodmass, J. M. et al. Superior capsule reconstruction using dermal allograft: early outcomes and survival. *J. shoulder Elb. Surg.* 28, S100–S109 (2019).
 37. Collin, P., Matsumura, N., Lädermann, A., Denard, P. J. & Walch, G. Relationship between massive chronic rotator cuff tear pattern and loss of active shoulder range of motion. *J. shoulder Elb. Surg.* 23, 1195–1202 (2014).
 - der prosthesis. *J Bone Joint Surg Am* 2005; 87(7): 1476-1486
 65. Wutzler S, Laurer HL, Huhnstock S, et al.: Periprosthetic humeral fractures after shoulder arthroplasty: operative management and functional outcome. *Arch Orthop Trauma Surg* 2009; 129(2): 237-243
 38. Lim, S., AlRamadhan, H., Kwak, J. M., Hong, H. & Jeon, I. H. Graft tears after arthroscopic superior capsule reconstruction (ASCR): pattern of failure and its correlation with clinical outcome. *Arch. Orthop. Trauma Surg.* 139, 231–239 (2019).
 39. Zastrow, R. K., London, D. A., Parsons, B. O. & Cagle, P. J. Superior Capsule Reconstruction for Irreparable Rotator Cuff Tears: A Systematic Review. *Arthroscopy* 35, 2525-2534.e1 (2019).
 40. Kany, J. Tendon transfers in rotator cuff surgery. *Orthop. Traumatol. Surg. Res.* 106, S43–S51 (2020).
 41. Gerber, C., Vinh, T. S., Hertel, R. & Hess, C. W. Latissimus dorsi transfer for the treatment of massive tears of the rotator cuff. A preliminary report. *Clin. Orthop. Relat. Res.* 51–61 (1988).
 42. Gerber, C., Maquieira, G. & Espinosa, N. Latissimus dorsi transfer for the treatment of irreparable rotator cuff tears. *J. Bone Joint Surg. Am.* 88, 113–120 (2006).
 43. Habermeyer, P., Magosch, P., Rudolph, T., Lichtenberg, S. & Liem, D. Transfer of the tendon of latissimus dorsi for the treatment of massive tears of the rotator cuff: a new single-incision technique. *J. Bone Joint Surg. Br.* 88, 208–212 (2006).
 44. Gerber, C., Rahm, S. A., Catanzaro, S., Farshad, M. & Moor, B. K. Latissimus dorsi tendon transfer for treatment of irreparable posterosuperior rotator cuff tears: long-term results at a minimum follow-up of ten years. *J. Bone Joint Surg. Am.* 95, 1920–1926 (2013).
 66. Zumstein MA, Pinedo M, Old J, Boileau P: Problems, complications, reoperations, and revisions in reverse total shoulder arthroplasty: a systematic review. *J Shoulder Elbow Surg* 2011; 20: 146-157
 45. Waltenspül, M. et al. Mid-term results of arthroscopically assisted latissimus dorsi transfer for irreparable posterosuperior rotator cuff tears. *J. shoulder Elb. Surg.* 30, e676–e688 (2021).
 46. El-Azab, H. M., Rott, O. & Irlenbusch, U. Long-term follow-up after latissimus dorsi transfer for irreparable posterosuperior rotator cuff tears. *J. Bone Joint Surg. Am.* 97, 462–469 (2015).
 47. Neyton, L., Gossing, L., Gasbarro, G. & Kirsch, J. M. Modified L'Episcopo tendon transfer for isolated loss of active external rotation. *J. shoulder Elb. Surg.* 29, 2587–2594 (2020).
 48. Gerhardt, C., Lehmann, L., Lichtenberg, S., Magosch, P. & Habermeyer, P. Modified L'Episcopo tendon transfers for irreparable rotator cuff tears: 5-year follow-up. *Clin. Orthop. Relat. Res.* 468, 1572–1577 (2010).
 49. Wirth, M. A. & Rockwood, C. A. Operative treatment of irreparable rupture of the subscapularis. *J. Bone Joint Surg. Am.* 79, 722–731 (1997).
 50. Resch, H., Povacz, P., Ritter, E. & Matschi, W. Transfer of the pectoralis major muscle for the treatment of irreparable rupture of the subscapularis tendon. *J. Bone Joint Surg. Am.* 82, 372–382 (2000).
 51. Gavriilidis, I., Kircher, J., Magosch, P., Lichtenberg, S. & Habermeyer, P. Pectoralis major transfer for the treatment of irreparable anterosuperior rotator cuff tears. *Int. Orthop.* 34, 689–694 (2010).
 52. Crepaldi, B. E., Neto, J. Q. L., Rezendes, M. R., Júnior, R. M. & Scarcella, D. S. Lower Trapezius Transfer for Patients With Brachial Plexus Injury.

Literatur zum Beitrag:

Joachim Weyrauch, Bodo Kretschmann, Günther F. Finkbeiner

**Geschichte und Zukunft der VSOU
Chronologie und Perspektiven**

- 1 Bauer von Au, HG.: 40 Jahre Vereinigung Süddeutscher Orthopäden e. V., ML-Verlag, Uelzen, 1992
- 2 Clemens, D: Editorial, OUP, I, 4, 144-145, 2012, Deutscher Ärzteverlag
- 3 Ehrhardt, J: Aus unserem Fach, Präsidenten der DGOU, in BVOU, DGU, DGOU, DGOOC, ÖGO, LOU (Hrsg.), Orthopädie und Unfallchirurgie, Mitteilungen und Nachrichten (2011), 12, 159
- 4 Finkbeiner, GF, Hess, H., Schmitt E.: Geschichte der Orthopädie im Saarland (2019), repa-druck. Deutsche Nationalbibliothek, Frankfurt/M. dx. doi.org/10978.3946833/178
- 5 Holfelder, G: Geschichte der Orthopädie in der Bundesrepublik Deutschland 1945-1990, Der Orthopäde (2001), 10; 712-723
- 6 Hoppe, JD: Die Weiterbildungsordnung in N. Jachertz, Gestalten statt Verwalten, Bundesärztekammer (Hrsg.), Deutscher Ärzteverlag, Köln 1998, 134
- 7 Matthias, MM: Chancen und Risiken einer medizinischen Disziplin. Reflexionen über 40 Jahre erlebte Orthopädie. Abschiedsvorlesung am 08.02.1991
- 8 Rabl, CRH: Orthopädie des Fußes, Enke, Stuttgart 1975, 5. Auflage
- 9 Tascher, G: Staat, Macht und ärztliche Berufsausübung 1920-1956, Gesundheitswesen und Politik: Das Beispiel Saarland, Schöningh, Paderborn 2010
- 10 Weyrauch, J: Auswertung von Protokollen der VSO/VSOU und Jahrestagungen, Aufarbeitung der VSOU-Historie mit Frau Heidelinde von Au

Literatur zum Beitrag:

Katharina Schultz, Christoph Beyersdorf, Uwe Maus

Osteoporotische Beckenfrakturen – die unterschätzte Fraktur?

1. Andrich S, Haastert B, Neuhaus E, Neidert K, Arend W, Ohmann C, et al. Epidemiology of Pelvic Fractures in Germany: Considerably High Incidence Rates among Older People. *PLoS One*. 2015;10(9):e0139078.
2. Banierink H, Ten Duis K, Prijs J, Wendt KW, Stirler VMA, van Helden SH et al. What is the long-term clinical outcome after fragility fractures of the pelvis? - A CT-based cross-sectional study. *Injury*. 2022;53(2):506-513.
3. Bloomfield SA. Changes in musculoskeletal structure and function with prolonged bed rest. *Med Sci Sports Exerc*. 1997;29(2):197-206.
4. Bohme J, Hoch A, Boldt A, Josten C. Influence of routine CT examination on fracture classification and therapy for pelvic ring fractures in patients aged over 65 years old. *Z Orthop Unfall*. 2012;150(5):477-483.
5. Bovbjerg P, Hogh D, Froberg L, Schmal H, Kassem M. Effect of PTH treatment on bone healing in insufficiency fractures of the pelvis: a systematic review. *EFORT Open Rev*. 2021;6(1):9-14.
6. Burge R, Dawson-Hughes B, Solomon DH, Wong JB, King A, Tosteson A. Incidence and economic burden of osteoporosis-related fractures in the United States, 2005-2025. *J Bone Miner Res*. 2007;22(3):465-475.
7. Burgess AR, Eastridge BJ, Young JW, Ellison TS, Ellison PS, Jr., Poka A et al. Pelvic ring disruptions: effective classification system and treatment protocols. *J Trauma*. 1990;30(7):848-856.
8. Court-Brown CM, Caesar B. Epidemiology of adult fractures: A review. *Injury*. 2006;37(8):691-697.
9. Eckardt H, Egger A, Hasler RM, Zech CJ, Vach W, Suhm N et al. Good functional outcome in patients suffering fragility fractures of the pelvis treated with percutaneous screw stabilisation: Assessment of complications and factors influencing failure. *Injury*. 2017;48(12):2717-2723.
10. Fuchs T, Rottbeck U, Hofbauer V, Raschke M, Stange R. Pelvic ring fractures in the elderly. Underestimated osteoporotic fracture. *Unfallchirurg*. 2011;114(8):663-670.
11. Hackenbroch C, Riesner HJ, Lang P, Stuby F, Beer M, Friemert B et al. Dual Energy Computed Tomography in Musculoskeletal Imaging, with Focus on Fragility Fractures of the Pelvis. *Z Orthop Unfall*. 2017;155(6):708-715.
12. Hackenbroch C, Riesner HJ, Lang P, Stuby F, Danz B, Friemert B et al. Dual Energy CT - a Novel Technique for Diagnostic Testing of Fragility Fractures of the Pelvis. *Z Orthop Unfall*. 2017;155(1):27-34.
13. Hadji P, Klein S, Gothe H, Haussler B, Kless T, Schmidt T et al. The epidemiology of osteoporosis-Bone Evaluation Study (BEST): an analysis of routine health insurance data. *Dtsch Arztebl Int*. 2013;110(4):52-57.
14. Jackle K, Spering C, Seitz MT, Holler S, Meier MP, Hahn FM et al. Anatomic reduction of the sacroiliac joint in unstable pelvic ring injuries and its correlation with functional outcome. *Eur J Trauma Emerg Surg*. 2020.
15. Jackle K, Meier MP, Seitz MT, Holler S, Spering C, Acharya MR et al. A retrospective study about functional outcome and quality of life after surgical fixation of insufficiency pelvic ring injuries. *BMC Musculoskelet Disord*. 2021;22(1):1035.
16. Kannus P, Palvanen M, Niemi S, Parkkari J, Jarvinen M. Epidemiology of osteoporotic pelvic fractures in elderly people in Finland: sharp increase in 1970-1997 and alarming projections for the new millennium. *Osteoporos Int*. 2000;11(5):443-8.
17. Konieczny MR, Krauspe R. Navigation Versus Fluoroscopy in Multilevel MIS Pedicle Screw Insertion: Separate Analysis of Exposure to Radiation of the Surgeon and of the Patients. *Clin Spine Surg*. 2019;32(5):E258-E65.
18. Lang P, Sterneder M, Riesner HJ, Hackenbroch C, Friemert B, Palm HG. Fragility Fractures of the Pelvic Ring - Does the Evidence of Oedema Lead us to More Surgeries? *Z Orthop Unfall*. 2021;159(5):503-512.
19. Linstrom NJ, Heiserman JE, Kortman KE, Crawford NR, Baek S, Anderson RL et al. Anatomical and biomechanical analyses of the unique and consistent locations of sacral insufficiency fractures. *Spine (Phila Pa 1976)*. 2009;34(4):309-315.
20. Lippuner K, Johansson H, Kanis JA, Rizzoli R. Remaining lifetime and absolute 10-year probabilities of osteoporotic fracture in Swiss men and women. *Osteoporos Int*. 2009;20(7):1131-1140.
21. Maier GS, Kolbow K, Lazovic D, Horas K, Roth KE, Seeger JB et al. Risk factors for pelvic insufficiency fractures and outcome after conservative therapy. *Arch Gerontol Geriatr*. 2016;67:80-85.
22. Mehling I, Hessmann MH, Rommens PM. Stabilization of fatigue fractures of the dorsal pelvis with a trans-sacral bar. Operative technique and outcome. *Injury*. 2012;43(4):446-451.
23. Miki RA, Oetgen ME, Kirk J, Insogna KL, Lindskog DM. Orthopaedic management improves the rate of early osteoporosis treatment after hip fracture. A randomized clinical trial. *J Bone Joint Surg Am*. 2008;90(11):2346-2353.
24. Morris RO, Sonibare A, Green DJ, Masud T. Closed pelvic fractures: characteristics and outcomes in older patients admitted to medical and geriatric wards. *Postgrad Med J*. 2000;76(900):646-650.
25. Na WC, Lee SH, Jung S, Jang HW, Jo S. Pelvic Insufficiency Fracture in Severe Osteoporosis Patient. *Hip Pelvis*. 2017;29(2):120-126.
26. Oberkircher L, Ruchholtz S, Rommens PM, Hofmann A, Bucking B, Kruger A. Osteoporotic Pelvic Fractures. *Dtsch Arztebl Int*. 2018;115(5):70-80.
27. Osterhoff G, Ossendorf C, Wanner GA, Simmen HP, Werner CM. Percutaneous iliosacral screw fixation in S1 and S2 for posterior pelvic ring injuries: technique and perioperative complications. *Arch Orthop Trauma Surg*. 2011;131(6):809-813.
28. Palm HG, Lang P, Hackenbroch C, Sailer L, Friemert B. Dual-energy CT as an innovative method for diagnosing fragility fractures of the pelvic ring: a retrospective comparison with MRI as the gold standard. *Arch Orthop Trauma Surg*. 2020;140(4):473-480.

29. Parry SM, Puthucheary ZA. The impact of extended bed rest on the musculoskeletal system in the critical care environment. *Extrem Physiol Med.* 2015;4:16.
30. Peichl P, Holzer LA, Maier R, Holzer G. Parathyroid hormone 1-84 accelerates fracture-healing in pubic bones of elderly osteoporotic women. *J Bone Joint Surg Am.* 2011;93(17):1583-1587.
31. Pogrund H, Rigal WM, Makin M, Robin G, Menczel J, Steinberg R. Determination of osteoporosis in patients with fractured femoral neck using the Singh index: a Jerusalem study. *Clin Orthop Relat Res.* 1981(156):189-195.
32. Rollmann MF, Herath SC, Kirchhoff F, Braun BJ, Holstein JH, Pohlemann T et al. Pelvic ring fractures in the elderly now and then - a pelvic registry study. *Arch Gerontol Geriatr.* 2017;71:83-88.
33. Rommens PM, Hofmann A. Comprehensive classification of fragility fractures of the pelvic ring: Recommendations for surgical treatment. *Injury.* 2013;44(12):1733-1744.
34. Rommens PM, Wagner D, Hofmann A. Fragility Fractures of the Pelvis. *JBSJ Rev.* 2017;5(3).
35. Sanders D, Fox J, Starr A, Sathy A, Chao J. Transsacral-Transiliac Screw Stabilization: Effective for Recalcitrant Pain Due to Sacral Insufficiency Fracture. *J Orthop Trauma.* 2016;30(9):469-473.
36. Schildhauer TA, Ledoux WR, Chapman JR, Henley MB, Tencer AF, Roult ML, Jr. Triangular osteosynthesis and iliosacral screw fixation for unstable sacral fractures: a cadaveric and biomechanical evaluation under cyclic loads. *J Orthop Trauma.* 2003;17(1):22-31.
37. Smith CT, Barton DW, Piple AS, Carmouche JJ. Pelvic Fragility Fractures: An Opportunity to Improve the Undertreatment of Osteoporosis. *J Bone Joint Surg Am.* 2021;103(3):213-218.
38. Sterneder M, Lang P, Riesner HJ, Hackenbroch C, Friemert B, Palm HG. Insufficiency Fractures vs. Low-Energy Pelvic Ring Fractures - Epidemiological, Diagnostic and Therapeutic Characteristics of Fragility Fractures of the Pelvic Ring. *Z Orthop Unfall.* 2021.
39. Sullivan MP, Baldwin KD, Donegan DJ, Mehta S, Ahn J. Geriatric fractures about the hip: divergent patterns in the proximal femur, acetabulum, and pelvis. *Orthopedics.* 2014;37(3):151-157.
40. Tile M, Pennal GF. Pelvic disruption: principles of management. *Clin Orthop Relat Res.* 1980(151):56-64.
41. Topp R, Ditmyer M, King K, Doherty K, Hornyak J, 3rd. The effect of bed rest and potential of prehabilitation on patients in the intensive care unit. *AACN Clin Issues.* 2002;13(2):263-276.
42. Tosounidis G, Wirbel R, Culemann U, Pohlemann T. Misinterpretation of anterior pelvic ring fractures in the elderly. *Unfallchirurg.* 2006;109(8):678-680.
43. Urits I, Orhurhu V, Callan J, Maganty NV, Pousti S, Simopoulos T et al. Sacral Insufficiency Fractures: a Review of Risk Factors, Clinical Presentation, and Management. *Curr Pain Headache Rep.* 2020;24(3):10.
44. Wagner D, Kamer L, Sawaguchi T, Richards RG, Noser H, Rommens PM. Sacral Bone Mass Distribution Assessed by Averaged Three-Dimensional CT Models: Implications for Pathogenesis and Treatment of Fragility Fractures of the Sacrum. *J Bone Joint Surg Am.* 2016;98(7):584-590.
45. Warden V, Hurley AC, Volicer L. Development and psychometric evaluation of the Pain Assessment in Advanced Dementia (PAINAD) scale. *J Am Med Dir Assoc.* 2003;4(1):9-15.
46. World Health Organization. Guidelines for preclinical evaluation and clinical trials in osteoporosis. Geneva: World Health Organization; 1998. vi, 68 p. p.
47. Yoo JI, Ha YC, Ryu HJ, Chang GW, Lee YK, Yoo MJ et al. Teriparatide Treatment in Elderly Patients With Sacral Insufficiency Fracture. *J Clin Endocrinol Metab.* 2017;102(2):560-565.

Literatur zum Beitrag:

Friederike Thomasius, Uwe Maus

Imminentes Frakturrisiko

Diagnostik und Therapie bei Patienten mit sehr hohem Risiko für osteoporotische Frakturen

1. Lippuner K et al.: Remaining lifetime and absolute 10-year probabilities of osteoporotic fracture in Swiss men and women. *Osteoporos Int.* 2009 Jul;20(7):1131–1140
2. Cauley, J.A. et al.: Incidence of fractures compared to cardiovascular disease and breast cancer: the Women's Health Initiative Observational Study. *Osteoporos Int* (2008) 19: 1717–1723
3. Rupp, M et al.: The incidence of fractures among the adult population of Germany: an analysis from 2009 through 2019. *Deutsches Ärzteblatt International* 118.40 (2021): 665
4. Hadji, P et al.: The epidemiology of osteoporosis Bone Evaluation Study (BEST): an analysis of routine health insurance data". *Deutsches Ärzteblatt International* 110.4 (2013): 52
5. Kanis JA, Norton N, Harvey NC et al. SCOPE 2021: A new scorecard for osteoporosis in Europe. *Arch Osteoporos.* 2021;16(1):82
6. McCloskey, E., et al.: The osteoporosis treatment gap in patients at risk of fracture in European primary care: a multi-country cross-sectional observational study. *Osteoporosis International* 32.2 (2021): 251–259
7. Harvey NC, McCloskey E.: Gaps and solutions in bone health: a global framework for improvement. *International Osteoporosis Foundation Thematic Report*; 2016.
8. McClung MR: Role of bone-forming agents in the management of osteoporosis. *Aging Clin Exp Res.* 2021;33(4):775–791.
9. https://www.awmf.org/uploads/tx_szleitlinien/183-001I_S3_Osteoporose-Prophylaxe-Diagnostik-Therapie_2019-02.pdf, letzter Zugriff 31.3.2022
10. Barron R, Oster G, Grauer A et al.: (2020) Determinants of imminent fracture risk in postmenopausal women with osteoporosis. *Osteoporos Int* 31, 2103–2111
11. van Geel TA, van Helden S, Geusens PP, Winkens B, Dinant GJ: Clinical subsequent fractures cluster in time after first fractures. *Ann Rheum Dis.* 2009;68(1):99–102
12. Kanis JA et al.: Characteristics of recurrent fractures. *Osteoporosis International* 29.8 (2018): 1747–1757
13. Toth E, Banefelt J, Åkesson K, Spångaus A, Ortsäter G, Libanati C: History of Previous Fracture and Imminent Fracture Risk in Swedish Women Aged 55 to 90 Years Presenting With a Fragility Fracture. *J Bone Miner Res.* 2020;35(5):861–868
14. Hadji P, Schweikert B, Kloppmann E et al.: Osteoporotic fractures and subsequent fractures: imminent fracture risk from an analysis of German real-world claims data". *Arch Gynecol Obstet.* 2021;304(3):703–712
15. Silva BC, Costa AG, Cusano NE et al. (2011): Catabolic and anabolic actions of parathyroid hormone on the skeleton. *J Endocrinol Invest* 34:801–810
16. Ominsky MS, Niu QT, Li C et al.: (2014) Tissue-level mechanisms responsible for the increase in bone formation and bone volume by sclerostin antibody. *J Bone Miner Res* 29:1424–1430
17. McClung MR, San Martin J, Miller PD et al.: (2005) Opposite bone remodeling effects of teriparatide and alendronate in increasing bone mass. *Arch Intern Med* 165:1762–1768
18. Neer RM, Arnaud CD, Zanchetta JR et al.: Effect of parathyroid hormone (1-34) on fractures and bone mineral density in postmenopausal women with osteoporosis. *N Engl J Med.* 2001;344(19):1434–1441
19. Kaufman JM, Orwoll E, Goemaere S et al.: Teriparatide effects on vertebral fractures and bone mineral density in men with osteoporosis: treatment and discontinuation of therapy. *Osteoporos Int.* 2005;16(5):510–516
20. Eastell R, Nickelsen T, Marin F, Barker C et al.: Sequential treatment of severe postmenopausal osteoporosis after teriparatide: final results of the randomized, controlled European Study of Forsteo (EUROFORS). *J Bone Miner Res.* 2009;24(4):726–736
21. Cosman F, Crittenden DB, Adachi JD et al.: Romosozumab Treatment in Postmenopausal Women with Osteoporosis. *N Engl J Med.* 2016;375(16):1532–1543
22. Kendler, DL et al.: Effects of teriparatide and risedronate on new fractures in post-menopausal women with severe osteoporosis (VERO): a multicentre, double-blind, double-dummy, randomised controlled trial. *The Lancet* 391.10117 (2018): 230–240
23. Díez-Pérez, A et al.: Effects of teriparatide on hip and upper limb fractures in patients with osteoporosis: a systematic review and meta-analysis. *Bone* 120 (2019): 1–8
24. Geusens, P et al.: Effects of teriparatide compared with risedronate on the risk of fractures in subgroups of postmenopausal women with severe osteoporosis: the VERO trial. *Journal of Bone and Mineral Research* 33.5 (2018): 783–794
25. Saag KG, Petersen J, Brandi ML: Romosozumab or Alendronate for Fracture Prevention in Women with Osteoporosis. *N Engl J Med.* 2017;377(15):1417–1427
26. Laura, Iconaru, et al.: Which treatment to prevent an imminent fracture? *Bone reports* 15 (2021): 101105
27. Curtis, EM et al.: Management of patients at very high risk of osteoporotic fractures through sequential treatments. *Aging Clinical and Experimental Research* (2022): 1–20

Literatur zum Beitrag:

Pascal Martin, Evi Fleischhacker, Stefan Mehaffey, Benjamin Bücking, Ulrich Liener, Carl Neuerburg

Chirurgische Therapie osteoporotischer Frakturen

1. B. Häussler, H. Gothe, D. Göl, G. Glaeske, L. Pientka, D. Felsenberg: Epidemiology, treatment and costs of osteoporosis in Germany--the BoneEVA Study. *Osteoporos. Int.*, vol. 18, no. 1, pp. 77–84, Jan. 2007
2. E. Hernlund et al.: Osteoporosis in the European Union: medical management, epidemiology and economic burden. A report prepared in collaboration with the International Osteoporosis Foundation (IOF) and the European Federation of Pharmaceutical Industry Associations (EFPIA). *Arch. Osteoporos.*, vol. 8, no. 1–2, p. 136, 2013
3. P. N. Sambrook et al.: Influence of fall related factors and bone strength on fracture risk in the frail elderly. *Osteoporos. Int.*, vol. 18, no. 5, pp. 603–610, May 2007
4. C.-S. Rau et al.: Geriatric hospitalizations in fall-related injuries. *Scand. J. Trauma. Resusc. Emerg. Med.*, vol. 22, no. 1, p. 63, Nov. 2014
5. L. P. Fried et al.: Frailty in older adults: evidence for a phenotype. *J. Gerontol. A. Biol. Sci. Med. Sci.*, vol. 56, no. 3, pp. M146–156, Mar. 2001
6. J. E. Morley, S. D. Anker, S. von Haehling: Prevalence, incidence, and clinical impact of sarcopenia: facts, numbers, and epidemiology-update 2014. *J. Cachexia. Sarcopenia Muscle*, vol. 5, no. 4, pp. 253–259, Dec. 2014
7. A. L. Siu, J. D. Penrod, K. S. Boockvar, K. Koval, E. Strauss, R. S. Morrison: Early ambulation after hip fracture: effects on function and mortality. *Arch. Intern. Med.*, vol. 166, no. 7, pp. 766–771, Apr. 2006
8. D. Pfeufer, A. Zeller, S. Mehaffey, W. Böcker, C. Kammerlander, C. Neuerburg: Weight-bearing restrictions reduce postoperative mobility in elderly hip fracture patients. *Arch. Orthop. Trauma Surg.*, vol. 139, no. 9, pp. 1253–1259, Sep. 2019
9. A. Rußow, G. Schütz, M. Berner: Winkelstabile Plattenosteosynthese. pp. 35(01): 20–26, 2019.
10. R. S. B. Petros, P. E. V. Ferreira, R. S. B. Petros: Influence of proximal femur fractures in the autonomy and mortality of elderly patients submitted to osteosynthesis with cephalomedullary nail. *Rev. Bras. Ortop.*, vol. 52, no. Suppl 1, pp. 57–62, 2017
11. C. Kammerlander et al.: Long-term results of the augmented PFNA: a prospective multicenter trial. *Arch. Orthop. Trauma Surg.*, vol. 134, no. 3, pp. 343–349, Mar. 2014
12. C. Kammerlander, S. Erhart, H. Doshi, M. Gosch, M. Blauth: Principles of osteoporotic fracture treatment. *Best Pract. Res. Clin. Rheumatol.*, vol. 27, no. 6, pp. 757–769, Dec. 2013
13. C. Inngul, C.-J. Hedbeck, R. Blomfeldt, G. Lapidus, S. Ponzer, A. Enocson: Unipolar hemiarthroplasty versus bipolar hemiarthroplasty in patients with displaced femoral neck fractures: a four-year follow-up of a randomised controlled trial. *Int. Orthop.*, vol. 37, no. 12, pp. 2457–2464, Dec. 2013
14. A. Scola, F. Gebhard, C. Dehner, G. Röderer: The PFNA® Augmented in Revision Surgery of Proximal Femur Fractures. *Open Orthop. J.*, vol. 8, no. 1, pp. 232–236, 2014
15. N. Kaya, S. Märdian, P. Schwabe, S. Manegold, S. Tsitsilonis: Treatment of Geriatric Proximal Humerus Fractures: Indications and Outcome. *Acta Chir. Orthop. Traumatol. Cech.*, vol. 84, no. 6, pp. 418–423, 2017.
16. J. C. Katthagen, O. Lutz, C. Voigt, H. Lill, A. Ellwein: Cement augmentation of humeral head screws reduces early implant-related complications after locked plating of proximal humeral fractures. *Obere Extrem.*, vol. 13, no. 2, pp. 123–129, 2018
17. J. R. Kang et al.: Primary reverse shoulder arthroplasty using contemporary implants is associated with very low reoperation rates. *J. shoulder Elb. Surg.*, vol. 28, no. 6S, pp. S175–S180, Jun. 2019
18. B. Dezfuli, J. J. King, K. W. Farmer, A. M. Struk, T. W. Wright: Outcomes of reverse total shoulder arthroplasty as primary versus revision procedure for proximal humerus fractures. *J. shoulder Elb. Surg.*, vol. 25, no. 7, pp. 1133–1137, Jul. 2016
19. K. J. Schnake et al.: Classification of Osteoporotic Thoracolumbar Spine Fractures: Recommendations of the Spine Section of the German Society for Orthopaedics and Trauma (DGOU). *Glob. spine J.*, vol. 8, no. 2 Suppl, pp. 46S–49S, Sep. 2018
20. B. D. Elder et al.: The biomechanics of pedicle screw augmentation with cement. *Spine J.*, vol. 15, no. 6, pp. 1432–1445, Jun. 2015
21. S. Bopparaju, J. Varon, S. Surani: Pulmonary embolism with vertebral augmentation procedures. *Case Rep. Pulmonol.*, vol. 2013, p. 785307, 2013
22. K. Sirniö, J. Leppilahti, P. Ohtonen, T. Flinkkilä: Early palmar plate fixation of distal radius fractures may benefit patients aged 50 years or older: a randomized trial comparing 2 different treatment protocols. *Acta Orthop.*, vol. 90, no. 2, pp. 123–128, 2019
23. C. Zeckey et al.: Early Mobilization Versus Splinting After Surgical Management of Distal Radius Fractures. *Dtsch. Arztebl. Int.*, vol. 117, no. 26, pp. 445–451, Jun. 2020
24. P. M. Rommens, A. Hofmann: Comprehensive classification of fragility fractures of the pelvic ring: Recommendations for surgical treatment. *Injury*, vol. 44, no. 12, pp. 1733–1744, Dec. 2013
25. B. J. Edwards et al.: Addressing secondary prevention of osteoporosis in fracture care: follow-up to ‘own the bone’. *J. Bone Joint Surg. Am.*, vol. 93, no. 15, p. e87, Aug. 2011
26. A. de Jong, K. Woods, L. Van Gestel, M. Suresh, M. Porteous: Vitamin D insufficiency in osteoporotic hip fracture patients: rapid substitution therapy with high dose oral cholecalciferol (vitamin D3). *Acta Orthop. Belg.*, vol. 79, no. 5, pp. 578–586, Oct. 2013.

Literatur zum Beitrag:

Hartmut Bork

Osteoporose aus rehabilitativer Sicht

1. Aktionsbündnis Patientensicherheit e.V. (Hrsg.): Vermeidung von Stürzen älterer Patienten im Krankenhaus. Fakten und Erläuterungen. www.aps.-ev.de 2013: 1-19
2. Ashworth NL et al.: Home versus center based physical activity programs in older adults. *Cochrane Database Syst Rev*, 2005(1): CD004017
3. Bachner D, Haas W, Schaffer S, Semlitsch B, Uhl Ch, Weiß R: Evidence-based Leitlinie „Sturzprophylaxe für ältere und alte Menschen in Krankenhäusern und Langzeitpflegeeinrichtungen“ www.ebn.at/cms/dokumente/10154106_5081774/7dd7df8a/Leitlinie_Langversion_Jan_09.pdf 2009
4. Baldwin D, Johnstone B, Ge B, Hewett J, Smith M, Sharp G: Randomized prospective study of a work place ergonomic intervention for individuals with rheumatoid arthritis and osteoarthritis. *Arthritis Care Res* 2012; 64: 1527-1535
5. Benatti FB, Pedersen BK: Exercise as an anti-inflammatory therapy for rheumatic diseases-myokine regulation. *Nat Rev Rheumatol* 2015 11(2): 86–97
6. Bork H: Bewegungsprogramme zur Vorbeugung und Behandlung der Osteoporose. OUP 2015; 11: 531–535 DOI 10.3238/oup.2015.0531–0535
7. Bork H: Rehabilitation bei rheumatischen Erkrankungen und Osteoporose – eine multidisziplinäre Aufgabe. *Der Orthopäde* 2021; 11: 886-893
8. Bork H: Rehabilitation nach hüft- und knieendoprothetischer Versorgung älterer Menschen. *Der Orthopäde* 2017; 46: 69–77
9. Campbell AJ et al.: Randomised controlled trial of a general practice programme of home based exercise to prevent falls in elderly women. *Bmj*, 1997. 315(7115): 1065-9
10. Chilibeck P et al.: Exercise and bone mineral density. *Sports Medicine* 1995; 19: 103-122
11. Colloca G, Santoro M, Gambassi G: Age-related physiologic changes and perioperative management of elderly patients. *Surg Oncol* 2010; 19: 124-130
12. https://www.awmf.org/uploads/tx_szleitlinien/183-001I_S3_Osteoporose-Prophylaxe-Diagnostik-Therapie_2019-02.pdf . Zugegriffen: 12. Juni 2021
13. DVO Leitlinie Physiotherapie und Bewegungstherapie bei Osteoporose. Langfassung Endversion 0.1 vom 29.4.2008. http://www.dv-osteologie.org/dvo_leitlinien/osteoporose-leitlinie-2014
14. Faller H, Ehlebracht-König I, Reusch A: Empowerment durch Patientenschulung in der Rheumatologie. *Z Rheumatol* 2015; 74: 603-608
15. FORTA-Liste (2012) http://www.umm.uni-heidelberg.de/ag/forta/FORTA_liste_deutsch.pdf
16. Geidl W et al.: Entwicklung evidenzgesicherter Konzepte für die Bewegungstherapie in der Rehabilitation. 2012; 30-38
17. Gibbs JC, MacIntyre NJ, Ponzano M, Templeton J, Thabane L, Papaioannou A, Giangregorio LM: Exercise for improving outcomes after osteoporotic spine fracture. (2019) https://www.cochrane.org/CD008618/MUSKEL_exercise-improving-outcomes-after-osteoporotic-spine-fracture
18. Gosch M, et al.: Polypharmacy and pain treatment. *Wien Med Wochenschr* 2010; 160(11-12): 286-292
19. Gosch M: Analgetika beim geriatrischen Patienten. *Z Gerontol Geriat* 2015; 48: 483-493
20. Guralnik JM et al.: Lower-extremity function in persons over the age of 70 years as a predictor of subsequent disability. *N Engl J Med*, 1995; 332(9): 556-61
21. Hayden JA, van Tulder MW, Malmivaara A, et al.: Exercise therapy for treatment of non-specific low back pain. *Cochrane Database Syst Rev* (2005); (3):CD000335. <http://www.ncbi.nlm.nih.gov/pubmed/16034851>
22. Healey F, Scobie S, Oliver D et al.: Falls in English and Welsh hospitals: a national observational study based on retrospective analysis of 12 months of patient safety incident reports. *Qual Saf Health Care* 2008 17: 424-430
23. Heinrich S, Rapp K, Rissmann U, Becker C, König HH: Cost of falls in old age: a systematic review. *Osteoporos Int* epub (2009)
24. Icks A, Haastert B, Wildner M, Becker C, Meyer G: Trend of hip fracture incidence in Germany 1995-2004. Apopuation-based study. *Osteoporos Int* 2008; 19(8): 1139-1145. Epub 2007 Dec. 18
25. Imoto AM, Pardo JP, Brosseau L et al.: Evidence synthesis of types and intensity of therapeutic land-based exercises to reduce pain in individuals with knee osteoarthritis. *Rheumatology International* 2019; 39:1159–1179
26. Kannus P et al.: Why is the age-standardized incidence of low-trauma fractures rising in many elderly populations? *J Bone Miner Res* 2002; 17(8): 1363-7
27. Latham N et al.: Progressive resistance strength training for physical disability in older people. *Cochrane Database Syst Rev*, 2003(2): CD002759
28. Li F. et al.: Tai Chi: improving functional balance and predicting subsequent falls in older persons. *Med Sci Sports Exerc*, 2004; 36(12): 2046-2052
29. Marschall F, Büsch D: Positionspapier für eine beanspruchungsorientierte Trainingsgestaltung im Krafttraining. *Schweizerische Zeitschrift für Sportmedizin und Sporttraumatologie* 2014; 62(1): 24–31
30. Mayer F et al.: Intensität und Effekte von Krafttraining bei Älteren. *Dtsch Arztebl Int* 2011; 108(21): 359-364
31. Mennigen R, Senninger N: Operationen im hohen Alter: Klinische, ethische und juristische Aspekte. *Orthopädie und Unfallchirurgie up2date* 2014; 9:55-68
32. Metsios GS, Stavropoulos-Kalinoglou A, Veldhuijzen van Zanten JJ, Trehan GJ, Panoulas VF, Douglas KM et al.: Rheumatoid arthritis, cardiovascular disease and physical exercise: a systematic review. *Rheumatology (Oxford)* 2008; 47(3): 239–248
33. Metsios GS, Moe RH, van der Esch M, van Zanten J, Fenton SAM, Koutedakis Y et al.: The effects of exercise on cardiovascular disease risk factors and cardiovascular physiology in rheumatoid arthritis. *Rheumatol Int* 2020; 40(3):347–357
34. Newman, M, Minns Lowe C, Barker K (2016) Spinal Orthoses for Vertebral Osteoporosis an Osteoporotic Vertebral Fracture: A Systematic Review. *Arch Phys Med Rehabil*. 97:1013-1025

35. Pedersen BK: Muscle as a secretory-organ. *ComprPhysiol* 2013; 3(3): 1337–1362
36. Pfeifer M, Begerow B, Minne HW: Effects of a new spinal orthosis on posture, trunk strength, and quality of life in women with postmenopausal osteoporosis: a randomized trial. *Am J Phys Med Rehabil.* 2004; 83(3):177-186
37. Podsiadlo D, Richardson S: The Timed "Up&Go": A test of basic functional mobility for frail elderly persons. *J Am Geriatric Soc* 1991; 39: 509-513
38. PRISCUS-Liste (2011) http://priscus.net/download/PRISCUSListe_PRISCUS-TP3_2011.pdf. Zugriffen: 3.6.2016
39. Raschke S, Eckel J: Adipo-myokines: two sides of the same coin—mediators of inflammation and mediators of exercise. *Mediators Inflamm* 2013; 320724
40. Reiners A, Schwarzkopf S in: Stein V, Greitemann B (Hrsg.) *Rehabilitation in Orthopädie und Unfallchirurgie*, 2.Auflage Springer Verlag Berlin-Heidelberg, 2015: 311-320
41. Rubenstein LZ, Harker JO, Salva A, Guigoz Y, Vellas B: Screening for Undernutrition in Geriatric Practice: Developing the Short-Form Mini
42. Nutritional Assessment (MNA-SF). *J. Geront* 2001; 56A: 366-377
43. Scheidt-Nave C, Banzer D, Abendroth K: Schlussbericht Multizentrische Studie zu Verteilung, Determination und prädiktivem Wert der Knochendichte in der deutschen Bevölkerung Förderprojekt des Bundesministeriums für Forschung und Technologie Förderkennzeichen 01KM 9304/0, 1997; 1-45
44. Tinetti M. Falls in Geriatric Medicine. Cassel CH, Larson CK Meier EB Resnick DE NM Rubenstein LZ, Sorenson LB, Editor. Springer: New York 1996: 787-799
45. Tinetti ME, Williams TF, Mayewski R: Fall risk index for elderly patients based on number of chronic disabilities. *Am J Med*, 1986; 80(3): 429-434
46. Verschueren S et al.: Effects of 6-month whole body vibration training on hip density, muscle strength, and postural control in postmenopausal women: a randomised controlled pilot study. *J Bone Miner Res* 2004; 19(3): 352–359
47. Vieira ER, Freund-Heritage R, da Costa BR: Risk factors for geriatric patient falls in rehabilitation hospital settings: a systematic review. *Clin Rehab* 2011; 25: 788-799

Literatur zum Beitrag:

Uwe Maus

Therapie der manifesten Osteoporose

1. Oberkircher L, Ruchholtz S, Rommens PM, Hofmann A, Bücking B, Krüger A. Osteoporotic Pelvic Fractures. *Dtsch Arztebl Int.* 2018;115(5):70-80.
2. Hernlund E, Svedbom A, Ivergård M et al. Osteoporosis in the European Union: medical management, epidemiology and economic burden. A report prepared in collaboration with the International Osteoporosis Foundation (IOF) and the European Federation of Pharmaceutical Industry Associations (EFPIA). *Arch Osteoporos.* 2013;8(1):136.
3. Johansson H, Siggeirsdóttir K, Harvey NC, Odén A, Gudnason V, McCloskey E et al. Imminent risk of fracture after fracture. *Osteoporos Int.* 2017;28(3):775-80.
4. Chapurlat R, Bui M, Sornay-Rendu E, Zebaze R, Delmas PD, Liew D et al. Deterioration of Cortical and Trabecular Microstructure Identifies Women With Osteopenia or Normal Bone Mineral Density at Imminent and Long-Term Risk for Fragility Fracture: A Prospective Study. *J Bone Miner Res.* 2020;35(5):833-44.
5. Buschhorn-Milberger V, Erkenberg J, Guminski B, Thomasius F, Braun J, Bühring B. Evidenz-basierte Prophylaxe, Diagnostik und Therapie der Osteoporose im Jahre 2019. *Arthritis und Rheuma.* 2019;39(06):375-84.
6. Borgström F, Karlsson L, Ortsäter G, Norton N, Halbout P, Cooper C et al. Fragility fractures in Europe: burden, management and opportunities. *Arch Osteoporos.* 2020;15(1):59.
7. Hadji P, Klein S, Gothe H, Häussler B, Kless T, Schmidt T et al. The epidemiology of osteoporosis--Bone Evaluation Study (BEST): an analysis of routine health insurance data. *Dtsch Arztebl Int.* 2013;110(4):52-7.
8. Guzon-Illescas O, Perez Fernandez E, Crespí Villarias N, Quirós Donate FJ, Peña M, Alonso-Blas C et al. Mortality after osteoporotic hip fracture: incidence, trends, and associated factors. *J Orthop Surg Res.* 2019;14(1):203.
9. Thomasius F, Baum E, Bernecker P, Boecker W, Brabant T, Clarenz P et al. DVO Guideline 2017 for the Prophylaxis, Diagnosis and Treatment of Osteoporosis in postmenopausal Women and Men Short Version. *Osteoporos Int.* 2018;27(3):154-60.
10. Kanis JA, McCloskey EV, Johansson H, Oden A, Ström O, Borgström F. Development and use of FRAX in osteoporosis. *Osteoporos Int.* 2010;21 Suppl 2:S407-13.
11. Leslie WD, Schousboe JT, Morin SN, Martineau P, Lix LM, Johansson H et al. Fracture risk following high-trauma versus low-trauma fracture: a registry-based cohort study. *Osteoporos Int.* 2020;31(6):1059-67.
12. Cummings SR, Eastell R. Stop (mis)classifying fractures as high- or low-trauma or as fragility fractures. *Osteoporos Int.* 2020;31(6):1023-4.
13. Schaupp A, Martini S, Schmidmaier R, Drey M. Diagnostic and therapeutic approach to sarcopenia. *Z Gerontol Geriatr.* 2021;54(7):717-24.
14. Genant HK, Jergas M. Assessment of prevalent and incident vertebral fractures in osteoporosis research. *Osteoporos Int.* 2003;14 Suppl 3:S43-55.
15. Sheer RL, Barron RL, Sudharshan L, Pasquale MK. Validated prediction of imminent risk of fracture for older adults. *Am J Manag Care.* 2020;26(3):e91-e7.
16. Hadji P, Schweikert B, Kloppmann E, Gille P, Joeres L, Toth E et al. Osteoporotic fractures and subsequent fractures: imminent fracture risk from an analysis of German real-world claims data. *Arch Gynecol Obstet.* 2021;304(3):703-12.
17. Balasubramanian A, Zhang J, Chen L, Wenkert D, Daigle SG, Grauer A et al. Risk of subsequent fracture after prior fracture among older women. *Osteoporos Int.* 2019;30(1):79-92.
18. Osipov B, Emami AJ, Christiansen BA. Systemic Bone Loss After Fracture. *Clin Rev Bone Miner Metab.* 2018;16(4):116-30.
19. Kendler DL, Marin F, Zerbini CAF, Russo LA, Greenspan SL, Zikan V et al. Effects of teriparatide and risedronate on new fractures in postmenopausal women with severe osteoporosis (VERO): a multicentre, double-blind, double-dummy, randomised controlled trial. *Lancet.* 2018;391(10117):230-40.
20. Jakob F. Osteoporosis-Update 2021. *Dtsch Med Wochenschr.* 2021;146(7):437-40.
21. Herrmann M, Engelke K, Ebert R, Müller-Deubert S, Rudert M, Ziouti F et al. Interactions between Muscle and Bone-Where Physics Meets Biology. *Biomolecules.* 2020;10(3).
22. Cosman F, Crittenden DB, Adachi JD, Binkley N, Czerwinski E, Ferrari S et al. Romosozumab Treatment in Postmenopausal Women with Osteoporosis. *N Engl J Med.* 2016;375(16):1532-43.
23. Saag KG, Petersen J, Brandi ML, Karaplis AC, Lorentzon M, Thomas T et al. Romosozumab or Alendronate for Fracture Prevention in Women with Osteoporosis. *N Engl J Med.* 2017;377(15):1417-27.
24. Fuggle NR, Cooper C, Harvey NC, Al-Daghri N, Brandi ML, Bruyere O et al. Assessment of Cardiovascular Safety of Anti-Osteoporosis Drugs. *Drugs.* 2020;80(15):1537-52.
25. Ebina K, Tsuboi H, Nagayama Y, Kashii M, Kaneshiro S, Miyama A et al. Effects of prior osteoporosis treatment on 12-month treatment response of romosozumab in patients with postmenopausal osteoporosis. *Joint Bone Spine.* 2021;88(5):105219.
26. Laura I, Felicia B, Alexia C, Aude M, Florence B, Murielle S et al. Which treatment to prevent an imminent fracture? *Bone Rep.* 2021;15:101105.
27. Elbers LPB, Raterman HG, Lems WF. Bone Mineral Density Loss and Fracture Risk After Discontinuation of Anti-osteoporotic Drug Treatment: A Narrative Review. *Drugs.* 2021;81(14):1645-55.
28. Obermayer-Pietsch B, Fössl I, Dimai HP. Long-term treatment concepts for osteoporosis. *Internist (Berl).* 2021;62(5):474-85.
29. Fuggle NR, Kassim Javaid M, Fujita M, Halbout P, Dawson-Hughes B, Rizzoli R et al. Fracture Risk Assessment and How to Implement a Fracture Liaison Service. In: Falaschi P, Marsh D, editors. *Orthogeriatrics: The Management of Older Patients with Fragility Fractures.* Cham (CH): Springer Copyright 2021, The Author(s). 2021. p. 241-56.
30. Or O, Fisher Negev T, Hadad V, Shabtai R, Katzir A, Wei Y et al. Fracture Liaison Service for Hip Fractures: Is It A Game Changer? *Isr Med Assoc J.* 2021;23(8):490-3.