

Literaturverzeichnisse 2023

Inhaltsverzeichnis

[01-2023: Literaturverzeichnis Maué, Schuh, Koehl](#)

[01-2023: Literaturverzeichnis Schuh, Koehl, Maué, Unterpaintner](#)

[01-2023: Literaturverzeichnis Völlner](#)

[01-2023: Literaturverzeichnis Jakob, Linhardt](#)

[01-2023: Literaturverzeichnis Jerosch, Kuhlen, Peter](#)

[01-2023: Literaturverzeichnis Benditz](#)

[02-2023: Literaturverzeichnis Ateschrang, Mitrovics, Freude](#)

[02-2023: Literaturverzeichnis Ateschrang, Schröter](#)

[02-2023: Literaturverzeichnis Ateschrang, König](#)

[02-2023: Literaturverzeichnis Bühring, Mitrovics, Ateschrang](#)

[02-2023: Literaturverzeichnis Ternes, Ateschrang](#)

[02-2023: Literaturverzeichnis Ateschrang, Stöckle, Grützner](#)

[03-2023: Literaturverzeichnis Seemann, Böhni, Locher](#)

[03-2023: Literaturverzeichnis Kayser, Lange, Fünfgeld](#)

[03-2023: Literaturverzeichnis Alektoroff, Papanagiotou](#)

[03-2023: Literaturverzeichnis Legat, Klessinger](#)

[03-2023: Literaturverzeichnis Klessinger](#)

[04-2023: Literaturverzeichnis Jerosch](#)

[04-2023: Literaturverzeichnis von Engelhardt, Jerosch](#)

[04-2023: Literaturverzeichnis Koch, Nolte, Hahn, Becker](#)

[04-2023: Literaturverzeichnis von Engelhardt, Jerosch](#)

[04-2023: Literaturverzeichnis C. Gebhart, Veitl, A. Gebhart, Felsing](#)

[04-2023: Literaturverzeichnis von Engelhardt, Jerosch](#)

Literaturverzeichnisse 2023

Inhaltsverzeichnis

[05-2023: Literaturverzeichnis Legat](#)

[05-2023: Literaturverzeichnis Meyer, Wille](#)

[05-2023: Literaturverzeichnis Theodoridis, Randel, Georgallas](#)

[05-2023: Literaturverzeichnis Casser](#)

[05-2023: Literaturverzeichnis Grüner, Lippert-Grüner](#)

[05-2023: Literaturverzeichnis Middeldorf](#)

[05-2023: Literaturverzeichnis Kneer, Schmidt](#)

[05-2023: Literaturverzeichnis Jerosch](#)

[06-2023: Literaturverzeichnis Herzog, Fernandez](#)

[06-2023: Literaturverzeichnis Trapp, von Rüden](#)

[06-2023: Literaturverzeichnis Rupp, Walter, Henssler, Klute, Kerschbaum, Alt](#)

[06-2023: Literaturverzeichnis Reeh, Bieling, Lill, Sehmisch, Ellwein](#)

[06-2023: Literaturverzeichnis Pavlović, Ketter, Ruchholtz](#)

[06-2023: Literaturverzeichnis Jaecker, Steinmeier, Kim, Stöckle, Märdian](#)

Literatur zum Beitrag

Nanette Maué, Alexander Schuh, Philipp Koehl:

Zervikaler Bandscheibenvorfall

1. AWMF Leitlinie Zervikale Radikulopathie. https://www.awmf.org/uploads/tx_szleitlinien/030-082I_S2k_Zervikale_Radikulopathie_2018-01-verlaengert.pdf
2. Benditz A, Koehl P, Necula R, Goyal T, Schuh A. Bandscheibenvorfall. CME 2022; 19 (6): 51-66
3. Burneikiene S, Nelson EL, Mason A, Rajpal S, Villavicencio AT. The duration of symptoms and clinical outcomes in patients undergoing anterior cervical discectomy and fusion for degenerative disc disease and radiculopathy. Spine J. 2015 Mar 1;15(3):427-432
4. Faber F, Benditz A, Boluki D, Grifka J. Anwendung Bildwandler-gestützter Injektionen bei Zervikal- und Lumbalsyndromen [Application of image-guided injection for cervical and lumbar syndromes]. Z Rheumatol. 2020 May;79(4):367-378
5. Frykholm R. Lower cervical vertebral and intervertebral discs. Acta Chir Scand 1951; 101: 345-359
6. Grifka J, Benditz A, Boluki D. Injektionstherapie bei Zervikal- und Lumbalsyndromen. Orthopade. 2017 Feb;46(2):195-214
7. Grimmer A, Wurm G. Chirurgische Strategien bei Bandscheibenvorfällen an der Halswirbelsäule. Journal für Neurologie, Neurochirurgie und Psychiatrie. 2011; 12 (1), 23-23
8. Janka M, Merkel A, Schuh A. Clinical examination of the cervical spine. MMW Fortschr Med. 2018;160(18):54-56
9. Kroeling P, Gross A, Graham N et al.. Electrotherapy for neck pain. Cochrane Database Syst Rev. 2013 Aug 26;(8):CD004251
10. Kuijper B, Tans JT, Van Der Kallen BF et al. (2011) Root compression on MRI compared with clinical findings in patients with recent onset cervical radiculopathy. J Neurol Neurosurg Psychiatry 82:561-563
11. Matsumoto M, Fujimura Y, Suzuki N et al. (1998) MRI of cervical intervertebral discs in asymptomatic subjects. J Bone Joint Surg Br 80:19-24
12. Mochida K, Komori H, Okawa A et al. Regression of cervical disc herniation observed on magnetic resonance images. Spine 1998; 23: 990-997
13. Oezdemir S, Komp M, Hahn P, Ruetten S. Dekompression beim zervikalen Bandscheibenvorfall in vollendoskopischer, ventraler Technik. Oper Orthop Traumatol. 2018 Feb;30(1):25-35
14. Partanen J, Partanen K, Oikarinen H et al. (1991) Preoperative electroneuromyography and myelography in cervical root compression. Electromyogr Clin Neurophysiol 31:21-26
15. Rohde V, Mielke D. Der zervikale Bandscheibenvorfall - Spontanverlauf, Therapieoptionen und klinische Ergebnisse. Die Wirbelsäule 2019; 03: 112-117
16. Schmieder K. Zervikaler Bandscheibenvorfall. In: Börm W, Meyer F (Hrsg). Spinale Neurochirurgie. Verlag Schattauer, Stuttgart, 2009; 66-71
17. Schuh A, Füssel S, Unterpaintner I, Janka M. Das HWS-Syndrom. MMW Fortschr Med. 2016; 158 (1) 52-59
18. Tschugg A, Meyer B, Stoffel M et al.. Operative Versorgung der degenerativen Halswirbelsäule. Nervenarzt. 2018 Jun;89(6):632-638

Literatur zum Beitrag

Alexander Schuh, Philipp Koehl, Nanette Maué, Inge Unterpaintner:

Lumbaler Bandscheibenvorfall

1. AWMF-Leitlinie Lumbale Radikulopathie Deutsche Gesellschaft für Neurologie 2008 Available from:<http://www.uni-duesseldorf.de>
2. AWMF-Leitlinie zur konservativen, operativen und rehabilitativen Versorgung bei Bandscheibenvorfällen mit radikulärer Symptomatik https://www.awmf.org/uploads/tx_szleitlinien/033-048L_S2k_Konservative-operative_rehabilitative-Versorgung-Bandscheibenvorfall-radikulae_2021-06.pdfAWMF
3. Benditz A, Koehl P, Necula R, Goyal T, Schuh A. Bandscheibenvorfall. CME 2022; 19 (6): 51-66
4. Benoist M. The natural history of lumbar disc herniation and radiculopathy. *Joint Bone Spine* 2002; 69: 155-160
5. Czabanka M, Thomé C, Ringel F, et al.. Operative Versorgung degenerativer Erkrankungen der Lendenwirbelsäule. *Nervenarzt*. 2018 Jun;89(6):639-647
6. Dersh J, Mayer TG, Gatchel RJ, Polatin PB, Theodore BR, Mayer EA. Prescription opioid dependence is associated with poorer outcomes in disabling spinal disorders. *Spine (Phila Pa 1976)*. 2008 Sep 15;33(20):2219-2227
7. Ding W, Yin J, Yan T, Nong L, Xu N. Meta-analysis of percutaneous transforaminal endoscopic discectomy vs. fenestration discectomy in the treatment of lumbar disc herniation. *Orthopade*. 2018 Jul;47(7):574-584
8. Faber F, Benditz A, Boluki D, Grifka J. Anwendung Bildwandler-gestützter Injektionen bei Zervikal- und Lumbalsyndromen [Application of image-guided injection for cervical and lumbar syndromes]. *Z Rheumatol*. 2020 May;79(4):367-378
9. Grifka J, Benditz A, Boluki D. Injektionstherapie bei Zervikal- und Lumbalsyndromen. *Orthopade*. 2017 Feb;46(2):195-214
10. Heider FC, Mayer HM. Operative Therapie des lumbalen Bandscheibenvorfalls. *Oper Orthop Traumatol*. 2017 Feb;29(1):59-85
11. Hong X, Shi R, Wang YT, Liu L, Bao JP, Wu XT. Lumbar disc herniation treated by microendoscopic discectomy: Prognostic predictors of long-term postoperative outcome. *Orthopade*. 2018 Dec;47(12):993-1002
12. Janka M, Merkel A, Schuh A. Diagnostik an der Lendenwirbelsäule. *MMW Fortschr Med*. 2019 Jan;161(1):55-58
13. Jensen MC, Brant-Zawadzki MN, Obuchowski N, Modic MT, Malkasian D, Ross JS. Magnetic resonance imaging of the lumbar spine in people without back pain. *N Engl J Med*. 1994 Jul 14;331(2):69-73
14. Klessinger S. Radikuläre Beschwerden der Lendenwirbelsäule - wann operieren? *Orthopädie & Rheuma* 2021; 24 (4): 40-43
15. Kong L, Shang XF, Zhang WZ et al.. Percutaneous endoscopic lumbar discectomy and microsurgical laminotomy: A prospective, randomized controlled trial of patients with lumbar disc herniation and lateral recess stenosis. *Orthopade*. 2019 Feb;48(2):157-164
16. Lee SG, Ahn Y. Transforaminal Endoscopic Lumbar Discectomy: Basic Concepts and Technical Keys to Clinical Success. *Int J Spine Surg*. 2021 Dec;15(suppl 3):S38-S46
17. Mondelli M, Aretini A, Arrigucci U, Ginanneschi F, Greco G, Sicurelli F. Clinical findings and electrodiagnostic testing in 108 consecutive cases of lumbosacral radiculopathy due to herniated disc. *Neurophysiol Clin*. 2013 Oct;43(4):205-215
18. Panagopoulos J, Hush J, Steffens D, Hancock MJ. Do MRI Findings Change Over a Period of Up to 1 Year in Patients With Low Back Pain and/or Sciatica?: A Systematic Review. *Spine (Phila Pa 1976)*. 2017 Apr 1;42(7):504-512
19. Peul WC, van den Hout WB, Brand R, Thomeer RT, Koes BW; Leiden-The Hague Spine Intervention Prognostic Study Group. Prolonged conservative care versus early surgery in patients with sciatica caused by lumbar disc herniation: two year results of a randomised controlled trial. *BMJ*. 2008 Jun 14;336(7657):1355-1358
20. Ruetten S, Komp M. Der Trend zu vollendoskopischen Dekompressionen: Aktuelle Möglichkeiten und Grenzen bei Bandscheibenvorfall und Spinalkanalstenose. *Orthopade*. 2019 Jan;48(1):69-76
21. Schmidt CO, Kohlmann T. Was wissen wir über das Symptom Rückenschmerz? Epidemiologische Ergebnisse zu Prävalenz, Inzidenz, Verlauf, Risikofaktoren. *Z Orthop Ihre Grenzgeb*. 2005 May-Jun;143(3):292-298
22. Schmidt CO, Raspe H, Pflingsten M et al.. Back pain in the German adult population: prevalence, severity, and sociodemographic correlates in a multiregional survey. *Spine (Phila Pa 1976)*. 2007 Aug 15;32(18):2005-2011
23. Schmieder K. Der lumbale Bandscheibenvorfall - Spontanverlauf, Therapieoptionen und klinische Ergebnisse. *Die Wirbelsäule* 2019; 03(02): 107-111
24. Schuh A, Janka M. Diagnostic steps in low back pain. *MMW Fortschr Med*. 2010; 152 (12): 33-35
25. Senocak O, Hürel DM, Sener U, Ugurel B, Oztura I, Ertekin C. Motor conduction time along the cauda equina in patients with lumbar spinal stenosis. *Spine (Phila Pa 1976)*. 2009 Jun 1;34(13):1410-1414
26. Wenig CM, Schmidt CO, Kohlmann T, Schweikert B. Costs of back pain in Germany. *Eur J Pain*. 2009 Mar;13(3):280-286
27. Won YI, Yuh WT, Kwon SW et al.. Interlaminar Endoscopic Lumbar Discectomy: A Narrative Review. *Int J Spine Surg*. 2021 Dec;15(suppl 3):S47-S53

Literatur zum Beitrag

Florian Völlner:

Diagnostik und Therapie der idiopathischen Skoliose

1. Bunnell WPMD (1988) The Natural History of Idiopathic Scoliosis. *Clinical Orthopaedics & Related Research* 229:20–25
2. Charles YP, Diméglio A, Canavese F, Daures J-P (2007) Skeletal Age Assessment from the Olecranon for Idiopathic Scoliosis at Risser Grade 0: The Journal of Bone and Joint Surgery-American Volume 89:2737–2744
3. Grauers A, Einarsdottir E, Gerdhem P (2016) Genetics and pathogenesis of idiopathic scoliosis. *Scoliosis Spinal Disord.* <https://doi.org/10.1186/s13013-016-0105-8>
4. Greulich WW, Pyle SI (1950) Radiographic atlas of skeletal development of the hand and wrist., Second Edition. Stanford University Press, Stanford, California
5. King HA, Moe JH, Bradford DS, Winter RB (1983) The selection of fusion levels in thoracic idiopathic scoliosis. *J Bone Joint Surg Am* 65:1302–1313
6. Lehnert-Schroth C: (2007) Three-dimensional treatment for scoliosis. The Martindale Press, Palo Alto
7. Marion TE, Street JT (2018) Adolescent Idiopathic Scoliosis: A New Classification to Determine Extent of Spinal Arthrodesis. In: Vaccaro AR, Fisher CG, Wilson JR (Hrsg) 50 Landmark Papers, 1. Aufl. CRC Press, S 173–176
8. Mehta MH (1973) Radiographic estimation of vertebral rotation in scoliosis. *J Bone Joint Surg Br* 55:513–520
9. Minkara A, Bainton N, Tanaka M et al (2020) High Risk of Mismatch Between Sanders and Risser Staging in Adolescent Idiopathic Scoliosis: Are We Guiding Treatment Using the Wrong Classification? *Journal of Pediatric Orthopaedics* 40:60–64
10. Nash C, Moe J (1969) A Study of Vertebral Rotation. *The Journal of Bone & Joint Surgery* 51:223–229
11. Negrini S, Donzelli S, Aulisa AG et al (2018) 2016 SOSORT guidelines: orthopaedic and rehabilitation treatment of idiopathic scoliosis during growth. *Scoliosis* 13:3
12. Redding GJ (2014) Early Onset Scoliosis: A Pulmonary Perspective. *Spine Deformity* 2:425–429
13. Rigo MD, Villagrasa M, Gallo D (2010) A specific scoliosis classification correlating with brace treatment: description and reliability. : 2010 Jan 27;5(1):1. doi: 10.1186/1748-7161-5-1
14. Robinson CM, McMaster MJ. Juvenile idiopathic scoliosis. Curve patterns and prognosis in one hundred and nine patients. *J Bone Joint Surg Am.* 1996 Aug;78(8):1140-1148
15. Sanders JO, Khoury JG, Kishan S et al (2008) Predicting Scoliosis Progression from Skeletal Maturity: A Simplified Classification During Adolescence: The Journal of Bone and Joint Surgery-American Volume 90:540–553
16. Sauvegrain J, Nahum H, Bronstein H (1962) [Study of bone maturation of the elbow]. *Ann Radiol (Paris)* 5:542–550
17. Weinstein SL, Dolan LA, Cheng JC et al (2008) Adolescent idiopathic scoliosis. *The Lancet* 371:1527–1537
18. Weinstein SL, Dolan LA, Wright JG, Dobbs MB (2013) Effects of Bracing in Adolescents with Idiopathic Scoliosis. *N Engl J Med* 369:1512–1521
19. Weinstein SL, Ponseti IV (1983) Curve progression in idiopathic scoliosis. *J Bone Joint Surg Am* 65:447–455
20. Weiss, Hans Rudolf (2010) Befundgerechte Physiotherapie bei Skoliose. Richard Pflaum Verlag GmbH
21. Drerup B. Rasterstereographic measurement of scoliotic deformity. *Scoliosis.* 2014 Dec 12;9(1)

Literatur zum Beitrag

Albert Jakob, Oliver Linhardt:

Ursachen und moderne konservative Therapie- maßnahmen der lumbalen, bandscheibenbe- dingten Erkrankungen

1. Li Z, Gui G, Zhang Y, Zhou Y, Yang M, Chang Y, Xu G, Zhao Y: Are facet joint parameters risk factors for recurrent lumbar disc herniation? A pilot study in a Chinese population. *J Clin Neurosci*. 2020 Jul; 77: 36-40
2. Rubinstein SM, de Zoete A, van Middekoop M, Assendelft WJJ, de Boer MR, van Tulder MW: Benefits and harms of spinal manipulative therapy for the treatment of chronic low back pain: systematic review and meta-analysis of randomised controlled trials. *BMJ*. 2019 Mar 13; 364

Literatur zum Beitrag

Jörg Jerosch, Luisa Kuhlen, Rafael Peter:

Die radiologische Beurteilung des Einheilungsverhaltens thermodesinfizierter Femurköpfe

1. Abolghasemian M, Sadeghi Naini M et al.: 2014. Reconstruction of massive uncontained acetabular defects using allograft with cage or ring reinforcement: an assessment of the graft's ability to restore bone stock and its impact on the outcome of revision, *The Bone & Joint Journal* 96-B (3): pp. 319–324
2. Behboudi-Tabrizi N. 2000. Ergebnisse nach Implantation von Bruch-Schneider-Stützschalen bei ausgedehnten Azetabulumdefekten infolge Endoprothesenlockerung. Dissertation zur Erlangung des Doktorgrades der Medizin. Fachbereich Humanmedizin der Johann-Wolfgang-Goethe Universität. Frankfurt am Main
3. Betz RR., 2002. Limitations of autograft and allograft: new synthetic solutions, *Orthopedics* 25(5): pp. 561–570
4. Calori GM., Mazza E., Colombo M., Ripamonti C., 2011. The use of bone-graft substitutes in large bone defects: any specific needs?, *Injury* 42(2): pp. 56–63
5. Cypher TJ., Grossman JP., 1996. Biological principles of bone graft healing, *The Journal of food and ankle surgery*, 35(5): pp. 413–417
6. Finkemeier CG., 2002. Bone-grafting and bone-graft substitutes, *The Journal of bone and joint surgery*. American volume 84-A (3): pp. 454–64
7. Gazdag AR., Lane JM., Glaser D., Forster RA., 1995. Alternatives to Autogenous Bone Graft: Efficacy and Indications, *The Journal of the American Academy of Orthopaedic Surgeons* 3(1): pp. 1–8
8. Gotzen L., von Garrel T., Hofmann C., 1997. Knochenersatz Aktueller Stand und Perspektiven, In: *Unfallchirurgie in Deutschland. Bilanz und Perspektiven*, Oestern H.J., Probst J. (Hrsg.), Springer-Verlag, pp. 394–421
9. Greenwald AS., Boden SD., Goldberg VM., Khan Y., Laurencin CT., Rosier RN., American Academy of Orthopaedic Surgeons, The Committee on Biological Implants, 2001. Bone-graft substitutes: facts, fictions, and applications, *The Journal of bone and joint surgery*. American volume 83-A (2 suppl 2): pp. 98–103
10. Hooten JP Jr., Engh CA., Heekin RD., Vinh TN., 1996. Structural bulk allografts in acetabular reconstruction. Analysis of two grafts retrieved at post-mortem. *The Journal of Bone & Joint Surgery Br.* 78(2): pp. 270–275
11. Jerosch J., Boos M., Neuhäuser C. 2012a. Kosten-Nutzen-Analyse einer lokalen Knochenbank, In: *Knochen transplantation, Knochenbank und klinische Anwendung von Bankknochen*, Jerosch J., Katthagen B.-D., Pruß A. (Hrsg.): pp. 35–44, Deutscher Ärzte-Verlag Köln
12. Jerosch J., Katthagen B.-D., Pruß A., 2012b: *Knochen transplantation, Knochenbank und klinische Anwendung von Bankknochen*, p. XI (Vorwort), Deutscher Ärzte-Verlag Köln
13. Knaepler H., Ascherl R., Kretschmer V., 1990. Immunization against blood group antigens by allogeneic bone transplantation, *Der Chirurg* 61(11): pp. 830–832
14. Knaepler H., Haas H., Püschel HU., 1991a. Biomechanical properties of heat and irradiation treated spongiosa, *Unfallchirurgie* 17(4): pp. 194–199
15. Knaepler H., Ascherl R., von Garrel T., Gotzen L., 1991b. Richtlinien zur allogenen Knochen transplantation, *Chirurg*, 62 (10): pp. 763–765
16. Knaepler H., von Garrel T., Seipp HM., Ascherl R., 1992b. Experimental studies of thermal disinfection and sterilization of allogeneic bone transplants and their effects on biological viability, *Der Unfallchirurg* 95(10): pp. 477–484
17. Knaepler H., von Garrel T., Gürtler L., 1994. Die allogene Knochen transplantation – eine aktuelle Standortbestimmung. *Deutsches Ärzteblatt* 91(15A): pp. 1052–1057
18. Malchau H., Herberts P., Södermann P., Odén A., 2000 Prognose der totalen Hüftarthroplastik. Aktualisierung und Validierung der Daten des Schwedischen Nationalen Hüftarthroplastik-Registers 1979–1998, 67. Annual Meeting of the American Academy of Orthopaedic Surgeons, 15.-19. März 2000, Orlando, USA
19. Mall NA, Nunley RM, Smith KE, Maloney WJ, Clohisy JC, Barrack RL: The fate of grafting acetabular defects during revision total hip arthroplasty, *Clin Orthop Relat Res.* 2010, Dec; 468 (12):3286–94
20. Maronna U. 2012. In: *Knochen transplantation, Knochenbank und klinische Anwendung von Bankknochen*, Jerosch J., Katthagen B.-D., Pruß A. (Hrsg.): pp. IX (Gleitwort), Deutscher Ärzte-Verlag Köln
21. Massin P., Bocquet L., Hutten D., Badelon O., Duparc J., 1995. Radiographic and histologic observations of autoclaved and non autoclaved allografts in the distal femoral metaphysis in dogs, *Revue de chirurgie orthopédique et réparatrice de l'appareil moteur*, 81(3): pp. 189–97
22. Ooura K., Ikenaga M., Kotoura Y., Yamamuro T., 1990. Die Fähigkeit zur Osteokonduktion des erhitzten Knochens (Übersetzung aus dem Japanischen), *The Japanese Orthopaedic Association* 64(8)
23. Pruss A., Hansen A., Kao M., Gürtler L., Pauli G., Benedix F., Von Versen R., 2001a. Comparison of the efficacy of virus inactivation methods in allogeneic avital bone tissue transplants. *Cell Tissue Bank* 2(4): pp. 201–215
24. Pruss A., Seibold M., Benedix F., Frommelt L., von Garrel T., Gürtler L., Dörrfel Y., Pauli G., Göbel UB., 2003a. Validation of the 'Marburg bone bank system' for thermodesinfection of allogeneic femoral head transplants using selected bacteria, fungi, and spores. *Biologicals* 31(4): pp. 287–294
25. Pruss A., Kao M., von Garrel T., Frommelt L., Gürtler L., Benedix F., Pauli G., 2003c. Virus inactivation in bone tissue transplants (femoral heads) by moist heat with the 'Marburg bone bank system', *Biologicals: Journal of the International Association of Biological Standardization* 31(1): pp. 75–82
26. Rueger JM., 1998. Bone substitution materials. Current status and prospects, *Der Orthopäde* 27(7): pp. 72–79
27. Taylor G.J.S., Bannister G.C., Calder S., 1990. Perioperative wound infection in elective orthopaedic surgery. *The Journal of hospital infection* 16: pp. 241–247

28. Vaccaro AR., Chiba K., Heller JG., Patel TCh., Thalgott JS., Truumees E., Fischgrund JS., Craig MR., Berta SC., Wang JC., North American Spine Society for Contemporary Concepts in Spine Care, 2002. Bone grafting alternatives in spinal surgery, *The spine journal: official journal of the North American Spine Society* 2(3): pp. 206–215
29. Vilmar K., Bachmann K.-D., 1996. Bekanntmachungen: Wissenschaftlicher Beirat der Bundesärztekammer, Richtlinien zum Führen einer Knochenbank, *Deutsches Ärzteblatt* 93(34–35): A-2166/ B-1872/ C-1748
30. Von Garrel T., Knaepler H., Gürtler L., 1997. Inactivation of HIV-1 in human femur heads using a heat disinfection system (Lobator SD-1), *Unfallchirurg* 100(5): pp. 375–381
31. Von Garrel T., Gotzen, 1998. Allogene Knochentransplantation und Knochenbanking, *Der Unfallchirurg* 101(9): pp. 713–727.

Literatur zum Beitrag

Achim Benditz:

Die lumbale Spinalkanalstenose – ein Überblick

Diagnostik und Therapieoptionen

1. U. Nimptsch, C. Bolczek, M. Spoden, E. Schuler, J. Zacher, T. Mansky: Volume Growth of Inpatient Treatments for Spinal Disease – Analysis of German Nationwide Hospital Discharge Data from 2005 to 2014. *Z Orthop Unfall*, vol. 156, no. 2, pp. 175–183, 2018
2. W. C. Watters et al.: Degenerative lumbar spinal stenosis: an evidence-based clinical guideline for the diagnosis and treatment of degenerative lumbar spinal stenosis. *The Spine Journal*, vol. 8, no. 2, pp. 305–310, 2008
3. E. I. T. de Schepper, B. W. Koes, E. F. H. Veldhuizen, E. H. G. Oei, S. M. A. Bierma-Zeinstra, P. A. J. Luijsterburg: Prevalence of spinal pathology in patients presenting for lumbar MRI as referred from general practice. *Fam Pract*, vol. 33, no. 1, pp. 51–56, 2016
4. E. I. T. de Schepper et al.: Diagnosis of lumbar spinal stenosis: an updated systematic review of the accuracy of diagnostic tests. *Spine (Phila Pa 1976)*, vol. 38, no. 8, pp. E469–81, 2013
5. S. D. Trigg and Z. Devilbiss: Spine Conditions: Lumbar Spinal Stenosis. *FP Essent*, vol. 461, pp. 21–25, 2017
6. S. V Marawar et al.: Comparison of Surgeon Rating of Severity of Stenosis Using Magnetic Resonance Imaging, Dural Cross-Sectional Area, and Functional Outcome Scores. *World Neurosurg*, vol. 96, pp. 165–170, 2016
7. P. Suri et al.: Does lumbar spinal degeneration begin with the anterior structures? A study of the observed epidemiology in a community-based population. *BMC Musculoskelet Disord*, vol. 12, p. 202, 2011
8. M. Yoshida, K. Shima, Y. Taniguchi, T. Tamaki, T. Tanaka: Hypertrophied ligamentum flavum in lumbar spinal canal stenosis. Pathogenesis and morphologic and immunohistochemical observation. *Spine (Phila Pa 1976)*, vol. 17, no. 11, pp. 1353–1360, 1992
9. J. B. Park, H. Chang, J. K. Lee: Quantitative analysis of transforming growth factor-beta 1 in ligamentum flavum of lumbar spinal stenosis and disc herniation. *Spine (Phila Pa 1976)*, vol. 26, no. 21, pp. E492–5, 2001
10. Z. M. Zhong, J. T. Chen: Overexpression of transforming growth factor-beta1 in degenerative ligamentum flavum. *Nan Fang Yi Ke Da Xue Xue Bao*, vol. 29, no. 2, pp. 316–318, 2009
11. Y.-T. T. Chen et al.: Isolation of mesenchymal stem cells from human ligamentum flavum: implicating etiology of ligamentum flavum hypertrophy. *Spine (Phila Pa 1976)*, vol. 36, no. 18, pp. E1193–200, 2011
12. H. Kosaka et al.: Pathomechanism of loss of elasticity and hypertrophy of lumbar ligamentum flavum in elderly patients with lumbar spinal canal stenosis. *Spine (Phila Pa 1976)*, vol. 32, no. 25, pp. 2805–2811, 2007
13. R. Rispoli, R. Mastrostefano, F. Brunelli: Morphology and TGF-beta1 Concentration Analysis of Ligamentum Flavum in Patients with Lumbar Canal Stenosis and Lumbar Disc Herniation. *Neuroradiol J*, vol. 23, no. 3, pp. 347–353, 2010
14. N. Altinkaya, T. Yildirim, S. Demir, O. Alkan, F. B. Sarica: Factors associated with the thickness of the ligamentum flavum: is ligamentum flavum thickening due to hypertrophy or buckling? *Spine (Phila Pa 1976)*, vol. 36, no. 16, pp. E1093–7, 2011
15. A Benditz, S. Sprenger, L. Rauch, M. Weber, J. Grifka, R. H. Straub: Increased pain and sensory hyperinnervation of the ligamentum flavum in patients with lumbar spinal stenosis. *Journal of Orthopaedic Research*, 2019
16. S. Kobayashi et al.: Effect of lumbar nerve root compression on primary sensory neurons and their central branches: changes in the nociceptive neuropeptides substance P and somatostatin. *Spine (Phila Pa 1976)*, vol. 30, no. 3, pp. 276–282, 2005
17. S. Kobayashi et al.: Blood circulation of cauda equina and nerve root]. *Clin Calcium*, vol. 15, no. 3, pp. 63–72, 2005, doi: ClCa0503383392.
18. E. Chosa, T. Sekimoto, S. Kubo, N. Tajima: Evaluation of circulatory compromise in the leg in lumbar spinal canal stenosis. *Clin Orthop Relat Res*, no. 431, pp. 129–133, 2005
19. H. Verbiest (1909–1997), L. F. Peltier: A Radicular Syndrome From Developmental Narrowing of the Lumbar Vertebral Canal. *Clinical Orthopaedics & Related Research* March 2001, pp. 3–9, 2001
20. N. S. R. Schonstrom, N. F. Bolender, D. M. Spengler: The pathomorphology of spinal stenosis as seen on CT scans of the lumbar spine. *Spine (Phila Pa 1976)*, vol. 10, no. 9, pp. 806–811, 1985
21. G. Andreisek et al.: A systematic review of semiquantitative and qualitative radiologic criteria for the diagnosis of lumbar spinal stenosis. *AJR Am J Roentgenol*, vol. 201, no. 5, pp. W735–46, 2013
22. K. M. C. Cheung et al.: Prevalence and Pattern of Lumbar Magnetic Resonance Imaging Changes in a Population Study of One Thousand Forty-Three Individuals. *Spine (Phila Pa 1976)*, vol. 34, no. 9, pp. 934–940, 2009
23. M. C. Jensen, M. N. Brant-Zawadzki, N. Obuchowski, M. T. Modic, D. Malkasian, J. S. Ross: Magnetic resonance imaging of the lumbar spine in people without back pain. *N Engl J Med*, vol. 331, no. 2, pp. 69–73, 1994
24. C. Schizas et al.: Qualitative Grading of Severity of Lumbar Spinal Stenosis Based on the Morphology of the Dural Sac on Magnetic Resonance Images. *Spine (Phila Pa 1976)*, vol. 35, no. 21, pp. 1919–1924, 2010
25. T. Igawa, J. Katsuhira, A. Hosaka, K. Uchikoshi, S. Ishihara, K. Matsudaira: Kinetic and kinematic variables affecting trunk flexion during level walking in patients with lumbar spinal stenosis. *PLoS One*, vol. 13, no. 5, p. e0197228, 2018
26. S. Hoang, F. B. Mesfin: Spinal Stenosis. in *StatPearls, Treasure Island (FL): StatPearls Publishing*, 2018
27. S. Pourtaheri et al.: Pelvic retroversion: a compensatory mechanism for lumbar stenosis. *J Neurosurg Spine*, vol. 27, no. 2, pp. 137–144, 2017
28. M. Nadeau et al.: The reliability of differentiating neurogenic claudication from vascular claudication based on symptomatic presentation. *Can J Surg*, vol. 56, no. 6, pp. 372–377, 2013

29. R. W. Porter: Spinal stenosis and neurogenic claudication. *Spine (Phila Pa 1976)*, vol. 21, no. 17, pp. 2046–2052, 1996
30. A.B. McKillop, L. J. Carroll, M. C. Battie: Depression as a prognostic factor of lumbar spinal stenosis: a systematic review. *Spine J*, vol. 14, no. 5, pp. 837–846, 2014
31. M. Pakarinen et al.: Depressive burden is associated with a poorer surgical outcome among lumbar spinal stenosis patients: a 5-year follow-up study. *Spine J*, 2014
32. P. Nilges, C. Essau: Depression, anxiety and stress scales: DASS--A screening procedure not only for pain patients. *Schmerz*, vol. 29, no. 6, pp. 649–657, 2015
33. M. Wassenaar et al.: Magnetic resonance imaging for diagnosing lumbar spinal pathology in adult patients with low back pain or sciatica: a diagnostic systematic review. *Eur Spine J*, vol. 21, no. 2, pp. 220–227, 2012
34. R. M. van Rijn et al.: Computed tomography for the diagnosis of lumbar spinal pathology in adult patients with low back pain or sciatica: a diagnostic systematic review. *Eur Spine J*, vol. 21, no. 2, pp. 228–239, 2012
35. R. Chou, S. J. Atlas, S. P. D. O. Stanos, R. W. Rosenquist: Nonsurgical Interventional Therapies for Low Back Pain: A Review of the Evidence for an American Pain Society Clinical Practice Guideline. *Spine May 1*, 2009, vol. 34, no. 10, pp. 1078–1093, 2009
36. Y. Chang, D. E. Singer, Y. A. Wu, R. B. Keller, S. J. Atlas: The effect of surgical and nonsurgical treatment on longitudinal outcomes of lumbar spinal stenosis over 10 years. *J Am Geriatr Soc*, vol. 53, no. 5, pp. 785–792, 2005
37. M. van Tulder et al.: Chapter 3 European guidelines for the management of acute nonspecific low back pain in primary care. *European Spine Journal*, vol. 15, no. 0, pp. s169–s191, 2006
38. C. Ammendolia et al.: Non-Operative Treatment for Lumbar Spinal Stenosis with Neurogenic Claudication: A Systematic Review. *Spine (Phila Pa 1976)*, 2011
39. M. Schiltenswolf, Degenerative lumbar spinal stenosis in older people – Current treatment options. *Deutsches Arzteblatt International*. 2014
40. J. Lurie C. Tomkins-Lane: Management of lumbar spinal stenosis. *BMJ*, vol. 352, p. h6234, 2016
41. F. Faber, A. Benditz, D. Boluki, J. Grifka: The application of different injection methods for cervical and lumbar syndromes. *Schmerz*, vol. 32, no. 1, pp. 65–85, 2018
42. J. Grifka, A. Benditz, D. Boluki: Injection therapy for cervical and lumbar syndromes. *Orthopade*, 2017
43. M. Brunner, T. Schwarz, F. Zeman, M. König, J. Grifka, A. Benditz: Efficiency and predictive parameters of outcome of a multimodal pain management concept with spinal injections in patients with low back pain: a retrospective study of 445 patients. *Archives of Orthopaedic and Trauma Surgery*, 2018
44. A. Benditz et al.: Positive medium-term influence of multimodal pain management on socioeconomic factors and health care utilization in patients with lumbar radiculopathy: A prospective study. *Journal of Pain Research*, 2017
45. Benditz, M. Madl, M. Loher, J. Grifka, D. Boluki, O. Linhardt: Prospective medium-term results of multimodal pain management in patients with lumbar radiculopathy. *Sci Rep*, vol. 6, p. 28187, 2016
46. T. Toyone, T. Tanaka, D. Kato, R. Kaneyama, M. Otsuka: Patients' expectations and satisfaction in lumbar spine surgery. *Spine (Phila Pa 1976)*, vol. 30, no. 23, pp. 2689–2694, 2005
47. V. Amaral et al.: Influence of psychosocial distress in the results of elective lumbar spine surgery. *J Spine Surg*, vol. 3, no. 3, pp. 371–378, 2017
48. Zhang et al., [The efficacy analysis of selective decompression of lumbar root canal of elderly lumbar spinal stenosis]. *Zhonghua Wai Ke Za Zhi*, vol. 51, no. 9, pp. 816–820, 2013
49. U. Liljenqvist: Die lumbale Spinalkanalstenose. *Orthopädie und Unfallchirurgie up2date*, vol. 152, no. 02, pp. 71–85, 2014
50. M. Pintauro, A. Duffy, P. Vahedi, G. Rymarczuk, J. Heller: Interspinous implants: are the new implants better than the last generation? A review. *Curr Rev Musculoskelet Med*, vol. 10, no. 2, pp. 189–198, 2017

Literatur zum Beitrag

Atesch Ateschrang, Franziska Mitrovics, Thomas Freude:

Die chronische Syndesmosen-Verletzung

1. Waterman CBR, Owens MBD, Davey CS, Zaccilli CMA, Belmont LCPJ. The epidemiology of ankle sprains in the United States. *J Bone Joint Surg Am.* 2010;92(13):2279–2284
2. Lin C-F, Gross MT, Weinhold P. Ankle syndesmosis injuries: anatomy, biomechanics, mechanism of injury, and clinical guidelines for diagnosis and intervention. *J Orthop Sports Phys Ther.* 2006;36(6):372–384
3. Lui TH. Tri-ligamentous reconstruction of the distal tibiofibular syndesmosis: a minimally invasive approach. *J Foot Ankle Surg.* 2010;49(5):495–500. Porter DA. Evaluation and treatment of ankle syndesmosis injuries. *Instr Course Lect.* 2009;58:575–581
4. Espinosa N, Smerek JP, Myerson MS. Acute and chronic syndesmosis injuries: pathomechanisms, diagnosis and management. *Foot Ankle Clin.* 2006;11(3):639–657
5. Miyamoto W, Takao M. Management of chronic disruption of the distal tibiofibular syndesmosis. *World J Orthoped.* 2011;2(1):1
6. Gardner MJ, Demetrakopoulos D, Briggs SM, Helfet DL, Lorich DG. Malreduction of the tibiofibular syndesmosis in ankle fractures. *Foot Ankle Int.* 2006;27(10):788–792
7. Takao M, Ochi M, Oae K, Naito K, Uchio Y. Diagnosis of a tear of the tibiofibular syndesmosis. The role of arthroscopy of the ankle. *J Bone Joint Surg Br.* 2003;85(3):324–329
8. Porter DA, Jagers RR, Barnes AF, Rund AM. Optimal management of ankle syndesmosis injuries. *Open Access J Sports Med.* 2014;5:173–182
9. Vosseller JT, Karl JW, Greisberg JK. Incidence of syndesmotic injury. *Orthopedics.* 2014;37(3):e226–e229
10. Vincelette P, Laurin CA, Lévesque HP. The footballer's ankle and foot. *Can Med Assoc J.* 1972 Nov 4;107(9):872-874
11. Engelbrecht E. Die Versorgung tibiofibularer Syndesmosensprengungen mit dem Syndesmosen-Haken [Treatment of tibio-fibular syndesmosis rupture using the syndesmosis hook]. *Chirurg.* 1971 Feb;42(2):92-94
12. Porter DA, May BD, Berney T. Functional outcome after operative treatment for ankle fractures in young athletes: a retrospective case series. *Foot Ankle Int.* 2008;29(9):887–894
13. Magan A, Golano P, Maffulli N, Khanduja V. Evaluation and management of injuries of the tibiofibular syndesmosis. *Br Med Bull.* 2014;111(1):101–115
14. Van Heest TJ, Lafferty PM. Injuries to the ankle syndesmosis. *J Bone Joint Surg Am.* 2014;96(7):603–613
15. Moore JAA, Shank JRR, Morgan SJJ, Smith WRR. Syndesmosis fixation: a comparison of three and four cortices of screw fixation without hardware removal. *Foot Ankle Int.* 2006;27(8):567–572
16. Bava E, Charlton T, Thordarson D. Ankle fracture syndesmosis fixation and management: the current practice of orthopedic surgeons. *Am J Orthoped.* 2010;39(5):242–246
17. Thompson MC, Gesink DS. Biomechanical comparison of syndesmosis fixation with 3.5- and 4.5-millimeter stainless steel screws. *Foot Ankle Int.* 2000;21(9):736–741
18. Parlamas G, Hannon CP, Murawski CD, Smyth NA, Ma Y, Kerkhoffs GM, van Dijk CN, Karlsson J, Kennedy JG. Treatment of chronic syndesmotic injury: a systematic review and meta-analysis. *Knee Surg Sports Traumatol Arthrosc.* 2013 Aug;21(8):1931-1939
19. Colcuc C, Fischer S, Colcuc S, Busse D, Bliemel C, Neun O, Abt HP, Hoffmann R. Treatment strategies for partial chronic instability of the distal syndesmosis: an arthroscopic grading scale and operative staging concept. *Arch Orthop Trauma Surg.* 2016 Feb;136(2):157-163
20. Han SH, Lee JW, Kim S, Suh J-S, Choi YR (2007) Chronic tibiofibular syndesmosis injury: the diagnostic efficiency of magnetic resonance imaging and comparative analysis of operative treatment. *Foot Ankle Int* 28:336–342
21. Clanton TO, Whitlow SR, Williams BT, et al. Biomechanical comparison of 3 current ankle syndesmosis repair techniques. *Foot Ankle Int* 2017; 38(2): 200–207
22. Schon JM, Williams BT, Venderley MB, et al. A 3-D CT analysis of screw and suture-button fixation of the syndesmosis. *Foot Ankle Int* 2017;38(2):208–214
23. Rammelt S, Boszczyk A. Chronic Syndesmotic Injuries: Arthrodesis versus Reconstruction. *Foot Ankle Clin.* 2020 Dec;25(4):631-652
24. Ogilvie-Harris DJ, Reed SC (1994) Disruption of the ankle syndesmosis: diagnosis and treatment by arthroscopic surgery. *Arthroscopy* 10:561–568
25. Katznelson A, Lin E, Militiano J (1983) Ruptures of the ligaments about the tibio-fibular syndesmosis. *Injury* 15:170–172
26. Olson KM, Dairyko GHJ, Toolan BC (2011) Salvage of chronic instability of the syndesmosis with distal tibiofibular arthrodesis: functional and radiographic results. *J Bone Joint Surg Am* 93:66–72
27. Sun Z, Li T, Wang Y, Cao Q, Wu X. Clinical outcome of distal tibiofibular arthrodesis with plate fixation for the treatment of chronic frank syndesmosis instability. *Injury.* 2020 Dec; 51(12): 2981-2985

Literatur zum Beitrag

Atesch Ateschrang, Steffen Schröter:

Osteochondrale Läsionen des Talus

Ein aktuelles Review

1. Tol JL, Struijs PAA, Bossuyt PMM, Verhagen RAW, van Dijk CN. Treatment strategies in osteochondral defects of the talar dome: a systematic review. *Foot Ankle Int.* 2000; 21: 119–126
2. Zengerink M, Struijs PAA, Tol JL, van Dijk CN. Treatment of osteochondral lesions of the talus: a systematic review. *Knee Surg Sports Traumatol Arthrosc.* 2010; 18: 238–246
3. Zanon G, Di Vico G, Marullo M. Osteochondritis dissecans of the talus. *Joints.* 2014; 2: 115–123
4. Coltart WD. Sprained ankle. *Brit Med J.* 1951;2: 957–961
5. Zwingmann J, Suedkamp NP, Schmal H, Niemyer P. Surgical treatment of osteochondritis dissecans of the talus: a systematic review. *Arch Orthop Trauma Surg.* 2012; 132: 1241–1250
6. Berndt A, Harty M. Transchondral fractures (osteochondritis dissecans) of the talus. *J Bone Joint Surg Am.* 1959;41: 988–1020
7. Yurttas Y, Kilic C, Akpancar S, Celikkanat S, Hanifi Gemci M, Hamcan S et al. The relation between ankle morphology and osteochondritis dissecans of talus. *Acta Orthop Belg.* 2018; 84: 229–234
8. Teramoto A, Shoji H, Kura H, Sakakibara Y, Kamiya T, Watanabe K et al. Investigation of factors related to the occurrence of osteochondral lesions of the talus by 3D bone morphology of the ankle. *Bone Joint J.* 2018; 100-B: 1487–1490
9. Procter P, Paul JP. Ankle joint biomechanics. *J Biomech.* 1982;15:627–634
10. Bruns J, Rosenbach B. Pressure distribution at the ankle joint. *Clin Biomech (Bristol, Avon).* 1990; 5: 153–161
11. Athanasiou K, Niederauer GG, Schenck RC Jr. Biomechanical topography of human ankle cartilage. *Ann Biomed Eng.* 1995; 23: 697–704
12. Schmid MR, Pfirrmann CWA, Hodler J, Vienne P, Zanetti M. Cartilage lesions in the ankle joint: comparison of MR arthrography and CT arthrography. *Skeletal Radiol.* 2003; 32: 259–265
13. Verhagen RAW, Maas M, Dijkgraaf MGW, Tol JL, Krips R, van Dijk CN. Prospective study on diagnostic strategies in osteochondral lesions of the talus. Is MRI superior to helical CT? *J Bone Joint Surg Br.* 2005; 87: 41–46
14. Kirschke JS, Braun S, Baum T et al. Diagnostic value of CT arthrography for evaluation of osteochondral lesions at the ankle. *Biomed Res Int.* 2016; 2016: 3594253
15. Yasui Y, Hannon CP, Fraser EJ et al. Lesion size measured on MRI does not accurately reflect arthroscopic measurement in talar osteochondral lesions. *Orthop J Sports Med.* 2019; 7(2): 232596711 882526
16. Letts M, Davidson D, Ahmer A. Osteochondritis dissecans of the talus in children. *J Pediatr Orthop.* 2003;23:617–625
17. Dombrowski ME, Yasui Y, Murawski CD et al. Conservative management and biological treatment strategies: proceedings of the International Consensus Meeting on Cartilage Repair of the Ankle International Consensus Group on Cartilage Repair of the Ankle. *Foot Ankle Int.* 2018; 39(1 suppl): 9S-15S
18. Verhagen RA, Struijs PA, Bossuyt PM, van Dijk CN. Systematic review of treatment strategies for osteochondral defects of the talar dome. *Foot Ankle Clin.* 2003; 8: 233–242
19. Kim JY, Reyes FJV, Yi Y, Lee WC. Is antegrade transmalleolar drilling method for osteochondral lesion of talus necessary? Iatrogenic cystic formation at the tibia: a report of five cases. *Clin Orthop Surg.* 2016; 8: 119–122
20. Donnenwerth MP, Roukis TS. Outcome of arthroscopic debridement and microfracture as the primary treatment for osteochondral lesions of the talar dome. *Arthroscopy.* 2012; 28: 1902–1907
21. Shimozone Y, Coale M, Yasui Y, O'Halloran A, Deyer TW, Kennedy JG. Subchondral bone degradation after microfracture for osteochondral lesions of the talus: an MRI analysis. *Am J Sports Med.* 2018; 46: 642–648
22. Gianakos AL, Yasui Y, Fraser EJ et al. The effect of different bone marrow stimulation techniques on human talar subchondral bone: a micro-computed tomography evaluation. *Arthroscopy.* 2016; 32: 2110–2117
23. Hannon CP, Bayer S, Murawski CD et al. Debridement, curettage, and bone marrow stimulation: Proceedings of the International Consensus Meeting on Cartilage Repair of the Ankle. *Foot Ankle Int.* 2018; 39(1 suppl): 16S-22S
24. Rothrauff BB, Murawski CD, Anghong C et al. International Consensus Group on Cartilage Repair of the Ankle. Scaffold-based therapies: Proceedings of the International Consensus Meeting on Cartilage Repair of the Ankle. *Foot Ankle Int.* 2018; 39(1suppl): 41S-47S
25. Hangody L, Kish G, Moïdis L et al. Mosaicplasty for the treatment of osteochondritis dissecans of the talus: two to seven year results in 36 patients. *Foot Ankle Int.* 2001; 22: 552–558
26. Scranton PJ, Frey CC, Feder KS. Outcome of osteochondral autograft transplantation for type-V cystic osteochondral lesions of the talus. *J Bone Joint Surg Br.* 2006; 88: 614–619
27. Emre T, Ege T, Cift HT, Demircioglu DT, Seyhan B, Uzun M. Open mosaicplasty in osteochondral lesions of the talus: a prospective study. *J Foot Ankle Surg.* 2012; 51: 556–560
28. Valderrabano V, Leumann A, Rasch H, Egelhof T, Hintermann B, Pagenstert G. Knee-to-ankle mosaicplasty for the treatment of osteochondral lesions of the ankle joint. *Am J Sports Med.* 2009; 37(suppl 1): 105S-111S
29. Shimozone Y, Hurley ET, Myerson CL, Kennedy JG. Good clinical and functional outcomes at mid-term following autologous osteochondral transplantation for osteochondral lesions of the talus. *Knee Surg Sports Traumatol Arthrosc.* 2018; 26: 3055–3062
30. Shimozone Y, Seow D, Yasui Y, Fields K, Kennedy JG. Knee-to-talus donor-site morbidity following autologous osteochondral transplantation: a meta-analysis with best-case and worst-case analysis. *Clin Orthop Relat Res.* 2019; 477: 1915–1931
31. Sammarco GJ, Makwana NK. Treatment of talar osteochondral lesions using local osteochondral graft. *Foot Ankle Int.* 2002; 23: 693–698
32. Albrecht FH. Closure of joint cartilage defects using cartilage fragments

- and fibrin glue [German]. *Fortschr Med.* 1983;101(37):1650–1652
33. Salzmänn GM, Ossendorff R, Gilat R, Cole BJ. Autologous Minced Cartilage Implantation for Treatment of Chondral and Osteochondral Lesions in the Knee Joint: An Overview. *Cartilage.* 2021 Dec;13(1 Suppl):1124S–1136S. Published online 2020 Jul 25
34. Bjørn Borsøe Christensen, Casper Bindzus Foldager, Jonas Jensen, and Martin Lind. Autologous Dual-Tissue Transplantation for Osteochondral Repair: Early Clinical and Radiological Results. 2015;6(3):166–173
35. Ettinger S, Stukenborg-Colsman C, Waizy H, Becher C, Yao D, Claassen L et al. Results of HemiCAP® implantation as a salvage procedure for osteochondral lesions of the talus. *J Foot Ankle Surg.* 2017;56:788–792
36. Vuurberg G, Reilingh ML, van Bergen CJA, van Eekeren ICM, Gerards RM, van Dijk CN. Metal resurfacing inlay implant for osteochondral talar defects after failed previous surgery: a midterm prospective follow-up study. *Am J Sports Med.* 2018;46:1685–1692
37. Ebskov LB, Hegnet Andersen K, Bro Rasmussen P, Johansen JK, Benyahia M. Mid-term results after treatment of complex talus osteochondral defects with HemiCAP implantation. *Foot Ankle Surg.* 2020;26:384–390

Literatur zum Beitrag

Atesch Ateschrang, Benjamin König:

Talusfrakturen

Wann, wie und wer?

1. Vallier HA. Fractures of the Talus: State of the Art. 2015 Sep;29(9):385-392
2. Riesner HJ, Lübken FV, Förster S, Lang P, Stuby F, Friemert B, Palm HG. [Current Recommendations for the Therapy of Dislocated Talus Fractures Weber and Marti Type IV - Literature Research]
3. Z Orthop Unfall. 2017 Apr;155(2): 149-156
4. Grear BJ. Review of Talus Fractures and Surgical Timing. Orthop Clin North Am. 2016 Jul;47(3): 625-637
5. Kenwright J, Taylor RG. Major injuries of the talus. J Bone Joint Surg Br 1970; 52: 36–48
6. Hawkins LG. Fractures of the neck of the talus. J Bone Joint Surg Am 1970; 52: 991–1002
7. Vallier HA, Reichard SG, Boyd AJ et al. A new look at the Hawkins classification for talar neck fractures: which features of injury and treatment are predictive of osteonecrosis? J Bone Joint Surg Am 2014;96:192–197
8. Sanders DW, Busam M, Hattwick E et al. Functional outcomes following displaced talar neck fractures. J Orthop Trauma 2004;18:265–270
9. Vallier HA, Nork SE, Barei DP et al. Talar neck fractures: results and outcomes. J Bone Joint Surg Am 2004;86-A:1616–1624
10. Fleuriat Chateau PB, Brokaw DS, Jelen BA et al. Plate fixation of talar neck fractures: preliminary review of a new technique in twenty-three patients. J Orthop Trauma 2002;16:213–219
11. Swanson TV, Bray TJ, Holmes GB Jr. Fractures of the talar neck. A mechanical study of fixation. J Bone Joint Surg Am 1992;74:544–551
12. Inokuchi S, Ogawa K, Usami N. Classification of fractures of the talus: clear differentiation between neck and body fractures. Foot Ankle Int 1996; 17: 748–750

Literatur zum Beitrag

Lars Bühring, Franziska Mitrovics, Atesch Ateschrang:

Akute Syndesmosenverletzung Aktuelle Therapieempfehlungen

1. Spindler FT, Gaube FP, Böcker W, Polzer H, Baumbach SF. Value of Intraoperative 3D Imaging on the Quality of Reduction of the Distal Tibiofibular Joint When Using a Suture-Button System. *Foot Ankle Int.* 2023 Jan;44(1):54-61
2. Souleiman F, Heilemann M, Hennings R, Hepp P, Gueorguiev B, Richards G, Osterhoff G, Gehweiler D. Effect of weightbearing and foot positioning on 3D distal tibiofibular joint parameters. *Sci Rep.* 2022 Jun 7;12(1):9357
3. Haraguchi N, Toga H, Shiba N, Kato F. Avulsion fracture of the lateral ankle ligament complex in severe inversion injury: incidence and clinical outcome. *Am J Sports Med.* 2007 Jul;35(7):1144-1152
4. Haraguchi N, Haruyama H, Toga H, Kato F. Pathoanatomy of posterior malleolar fractures of the ankle. *J Bone Joint Surg Am.* 2006 May;88(5):1085-1092
5. Bartoníček J, Rammelt S, Kostlivý K, Vaněček V, Klika D, Trešl I. Anatomy and classification of the posterior tibial fragment in ankle fractures. *Arch Orthop Trauma Surg.* 2015 Apr;135(4):505-516
6. Bejarano-Pineda L, Guss D, Waryasz G, DiGiovanni CW, Kwon JY. The Syndesmosis, Part I: Anatomy, Injury Mechanism, Classification, and Diagnosis. *Orthop Clin North Am.* 2021 Oct;52(4):403-415
7. Kašper Š, Bartoníček J, Kostlivý K, Malík J, Tuček M. Maisonneuve fracture. *Rozhl Chir.* 2020 Winter;99(2):77-85
8. Gardner MJ, Demetrakopoulos D, Briggs SM, Helfet DL, Lorch DG. The ability of the Lauge-Hansen classification to predict ligament injury and mechanism in ankle fractures: an MRI study. *J Orthop Trauma.* 2006 Apr;20(4):267-272
9. Gardner MJ, Brodsky A, Briggs SM, Nielson JH, Lorch DG. Fixation of posterior malleolar fractures provides greater syndesmotically stability. *Clin Orthop Relat Res.* 2006 Jun;447:165-171
10. Baumbach SF, Böcker W, Polzer H. Offene Reposition und interne Fixation von Frakturen des posterioren Malleolus [Open reduction and internal fixation of posterior malleolus fractures]. *Oper Orthop Traumatol.* 2021 Apr;33(2):112-124
11. Song DJ, Lanzi JT, Groth AT, Drake M, Orchowski JR, Shaha SH, Lindell KK. The Effect of Syndesmosis Screw Removal on the Reduction of the Distal Tibiofibular Joint: A Prospective Radiographic Study. *Foot Ankle Int.* 2014 Jun;35(6):543-548
12. Zhang P, Liang Y, He J, Fang Y, Chen P, Wang J. A systematic review of suture-button versus syndesmotically screw in the treatment of distal tibiofibular syndesmosis injury. *BMC Musculoskelet Disord.* 2017 Jul 4;18(1):286
13. Huang CT, Huang PJ, Lu CC, Shih CL, Cheng YM, Chen SJ. Syndesmosis Changes before and after Syndesmotically Screw Removal: A Retrospective Radiographic Study. *Medicina (Kaunas).* 2022 Mar 18;58(3):445
14. Khurana A, Kumar A, Katekar S, Kapoor D, Vishwakarma G, Shah A, Singh MS. Is routine removal of syndesmotically screw justified? A meta-analysis. *Foot (Edinb).* 2021 Dec;49:101776
15. Desouky O, Elseby A, Ghalab AH. Removal of Syndesmotically Screw After Fixation in Ankle Fractures: A Systematic Review. *Cureus.* 2021 Jun 4;13(6):e15435
16. Lalli TA, Matthews LJ, Hanselman AE, Hubbard DF, Bramer MA, Santrock RD. Economic impact of syndesmosis hardware removal. *Foot (Edinb).* 2015 Sep;25(3):131-133
17. Vetter SY, Euler J, Beisemann N, Swartman B, Keil H, Grützner PA, Franke J. Validation of radiological reduction criteria with intraoperative cone beam CT in unstable syndesmotically injuries. *Eur J Trauma Emerg Surg.* 2021 Aug;47(4):897-903

Literatur zum Beitrag

Sebastian Ternes, Atesch Ateschrang:

Frakturen des oberen Sprunggelenkes Anfängeroperation oder doch Komplexeingriff

1. Elsoe R, Ostgaard SE, Larsen P: Population-based epidemiology of 9767 ankle fractures. *Foot Ankle Surg* 2018; 24: 34–39
2. Stufkens SAS, van den Bekerom MPJ, Kerkhoffs GMMJ, Hintermann B, van Dijk CN: Long-term outcome after 1822 operatively treated ankle fractures: A systematic review of the literature. *Injury* 2011; 42: 119–127
3. Black EM, Antoci V, Lee JT, u.a.: Role of Preoperative Computed Tomography Scans in Operative Planning for Malleolar Ankle Fractures. *Foot Ankle Int* 2013; 34: 697–704
4. Aiyer AA, Zachwieja EC, Lawrie CM, Kaplan JRM: Management of Isolated Lateral Malleolus Fractures. *J Am Acad Orthop Surg* 2019; 27: 50–59
5. Rammelt S, Manke E: Syndesmosenverletzungen. *Unfallchirurg* 2018; 121: 693–703
6. Weber BG: Verletzungen des oberen Sprunggelenkes. Aktuelle Probleme in der Chirurgie. Bd. 3. Stuttgart: Huber 1966
7. Gardner MJ, Demetrakopoulos D, Briggs SM, Helfet DL, Lorich DG: The Ability of the Lauge-Hansen Classification to Predict Ligament Injury and Mechanism in Ankle Fractures: An MRI Study. *J Orthop Trauma* 2006; 20: 267–272
8. Lauge N: Fractures of the ankle: Analytic Historic Survey as the Basis of New Experimental, Roentgenologic and Clinical Investigations. *Arch Surg* 1948; 56: 259
9. Meinberg E, Agel J, Roberts C, Karam M, Kellam J: Fracture and Dislocation Classification Compendium—2018. *J Orthop Trauma* 2018; 32: S1–10
10. Günther K-P, Hoffmann, Reinhard: SOPs in der Orthopädie und Unfallchirurgie. Günther K-P, Hoffmann R (Hrsg.) Stuttgart New York: Georg Thieme Verlag 2018
11. Pichl J, Hoffmann R: Geriatrische Sprunggelenkfrakturen. *Unfallchirurg* 2011; 114: 681–687
12. Baumbach SF, Herterich V, Dambelmont A, Hieber F, Böcker W, Polzer H: Open reduction and internal fixation of the posterior malleolus fragment frequently restores syndesmotic stability. *Injury* 2019; 50: 564–570
13. Evers J, Barz L, Wähnert D, Grüneweller N, Raschke MJ, Ochman S: Size matters: The influence of the posterior fragment on patient outcomes in trimalleolar ankle fractures. *Injury* 2015; 46: S109–113
14. Beck M, Brunk M, Wichelhaus A, Mittlmeier T, Rotter R: Intraoperative three-dimensional imaging in ankle syndesmotic reduction. *BMC Musculoskelet Disord* 2021; 22: 116
15. Chen X-Z, Chen Y, Liu C-G, Yang H, Xu X-D, Lin P: Arthroscopy-Assisted Surgery for Acute Ankle Fractures: A Systematic Review. *Arthrosc J Arthrosc Relat Surg* 2015; 31: 2224–2231
16. Baumbach SF, Urresti-Gundlach M, Braunstein M, u.a.: Propensity Score-Matched Analysis of Arthroscopically Assisted Ankle Fracture Treatment Versus Conventional Treatment. *Foot Ankle Int* 2021; 42: 400–408
17. Braunstein M, Baumbach SF, Böcker W, Mutschler W, Polzer H: Arthroscopisch assistierte Frakturversorgung am oberen Sprunggelenk. *Unfallchirurg* 2016; 119: 92–99
18. Smeeing DPJ, Houwert RM, Briet JP, u.a.: Weight-bearing or non-weight-bearing after surgical treatment of ankle fractures: a multicenter randomized controlled trial. *Eur J Trauma Emerg Surg* 2020; 46: 121–130
19. Sharma T, Farrugia P: Early versus Late Weight Bearing & Ankle Mobilization in the Postoperative Management of Ankle Fractures: A Systematic Review and Meta-analysis of Randomized Controlled Trials. *Foot Ankle Surg* 2022

Literatur zum Beitrag

Atesch Ateschrang, Ulrich Stöckle, Paul Grützner:

Behandlungsprinzipien von Pilonfrakturen

1. Barei D, Nork S. Fractures of the tibial plafond. *Foot Ankle Clin N Am* 2008; 13: 571–591
2. Chen D, Li B, Aubeeluck A et al.: Open reduction and internal fixation of posterior pilon fractures with buttress plate. *Acta Orthop Bras* 2014; 22: 48–53
3. Ruedi TP, Allgoewer. Fractures of the lower end of the tibia into the ankle joint. *Injury* 1969; 1: 92–99
4. Leonetti D, Tigani D. Pilon fractures: a new classification system based on CT scan. *Injury* 2017; 48: 2311–2317
5. Sirkin M, Sanders R, DiPasquale T et al.: A staged protocol for soft tissue management in the treatment of complex pilon fractures. *J Orthop Trauma* 1999; 13: 78–84
6. White T, Kennedy S, Cooke C et al.: Primary internal fixation of AO type C pilon fractures is safe. *Orthopaedic Trauma Association Proceedings*. Phoenix, October 5 - 7, 2006
7. Guy P, White T, Cooke C et al.: The results of early primary open reduction and internal fixation for treatment of AO C-type tibial pilon fractures: a cohort study. *J Orthop Trauma* 2010; 24: 757–763
8. Cole P, Merle R, Bhandari M et al.: The pilon map: fracture lines and comminution zones in OTA/AO Type 43C3 pilon fractures. *J Orthop Trauma* 2013; 27: 152–156
9. Assal M, Ray A, Stern R. Strategies and surgical approaches in open reduction internal fixation of pilon fractures. *J Orthop Trauma* 2015; 29: 69–79
10. Chen H, Cui X, Ma B et al.: Staged procedure protocol based on the four-column concept in the treatment of AO/OTA type 43-C3.3 pilon fractures. *J Int Med Res* 2019; 47: 2045–2055
11. Barei DP, Nork SE, Bellabarba C et al.: Is the absence of an ipsilateral fibular fracture predictive of increased radiographic tibial pilon fracture severity? *J Orthop Trauma* 2006; 20: 6–10
12. Kurylo JC, Datta N, Iskander KN et al.: Does the fibula need to be fixed in complex pilon fractures? *J Orthop Trauma* 2015; 29: 424–427
13. Williams TM, Marsh JL, Nepola JV et al.: External fixation of tibial plafond fractures: is routine plating of the fibula necessary? *J Orthop Trauma* 1998; 12: 16–20
14. White TO, Guy P, Cooke CJ et al.: The results of early primary open reduction and internal fixation for treatment of OTA 43. C-type tibial pilon fractures: A cohort study. *J Orthop Trauma* 2010; 24: 757–763
15. McKinley TO, Rudert MJ, Koos DC et al.: Incongruity versus instability in the etiology of posttraumatic arthritis. *Clin Orthop Relat Res* 2004; 423: 44–51
16. Murray MM, Zurakowski D, Vrahas MS. The death of articular chondrocytes after intra-articular fracture in humans. *J Trauma* 2004; 56: 128–131
17. Jeffrey JE, Gregory DW, Aspden RM. Matrix damage and chondrocyte viability following a single impact load on articular cartilage. *Arch Biochem Biophys* 1995; 10: 87–96
18. Milentijevic D, Rubell F, Liew AS et al.: An in vivo rabbit model for cartilage trauma: a preliminary study of the influence of impact stress magnitude on chondrocyte death and matrix damage. *J Orthop Trauma* 2005; 19: 466–473
19. Williams TM1, Nepola JV, DeCoster TA et al.: Factors affecting outcome in tibial plafond fractures. *Clin Orthop Relat Res* 2004; 423: 93–98
20. Penny P1, Swords M, Heisler J, Cien A. Ability of modern distal tibia plates to stabilize comminuted pilon fracture fragments: is dual plate fixation necessary? *Injury* 2016; 47: 1761–1769
21. Aneja A, Luo TD, Liu B et al.: Anterolateral distal tibia locking plate osteosynthesis and their ability to capture OTAC3 pilon fragments. *Injury* 2018; 49: 409–413
22. Oken OF, Yildirim AO, Asilturk M: Finite element analysis of the stability of AO/OTA 43-C1 type distal tibial fractures treated with distal tibia medial anatomic plate versus anterolateral anatomic plate. *Acta Orthop Traumatol Turc* 2017; 51: 404–408
23. Ketz J, Sanders R: Staged posterior tibial plating for the treatment of Orthopaedic Trauma Association 43C2 and 43C3 tibial pilon fractures. *J Orthop Trauma* 2012; 26: 341–347
24. Howard JL, Agel J, Barei DP, Benirschke SK, Nork SE: (2008) A prospective study evaluating incision placement and wound healing for tibial plafond fractures. *J Orthop Trauma* 22: 299–305
25. Stannard JP, Volgas DA, McGwin G 3rd, Stewart RL, Obremskey W, Moore T, Anglen JO (2012) Incisional negative pressure wound therapy after high-risk lower extremity fractures. *J Orthop Trauma* 26(1):37–42
26. Beaman DN, Gellman R: Fracture reduction and primary ankle arthrodesis: A reliable approach for severely comminuted tibial pilon fracture. *Clin Orthop Relat Res* 2014; 472: 3823–3834
27. Zelle BA, Gruen GS, McMillen RL, Dahl JD: Primary arthrodesis of the tibiotalar joint in severely comminuted high-energy pilon fractures. *J Bone Joint Surg Am* 2014; 96: e91
28. Cutillas-Ybarra MB, Lizaur-Utrilla A, Lopez-Prats FA: (2015) Prognostic factors of health-related quality of life in patients after tibial plafond fracture: a pilot study. *Injury* 46: 2253–2257
29. Bonato LJ, Edwards ER, Gosling CM et al.: (2017) Patient reported health related quality of life early outcomes at 12 months after surgically managed tibial plafond fracture. *Injury* 48(4): 946–953
30. Volgas D, DeVries JG, Stannard JP: (2010) Short-term financial outcomes of pilon fractures. *J Foot Ankle Surg* 49(1): 47–51
31. Harris AM, Patterson BM, Sontich JK, Vallier HA: (2006) Results and outcomes after operative treatment of high-energy tibial plafond fractures. *Foot Ankle Int* 27(4): 256–265
32. De-Las-Heras-Romero J, Lledo-Alvarez AM, Lizaur-Utrilla A, Lopez-Prats FA: (2017) Quality of life and prognostic factors after intra-articular tibial pilon fracture. *Injury* 48(6): 1258–1263

Literatur zum Beitrag

Ricarda Seemann, Ueli Böhni, Hermann Locher:

Zervikogene Kopfschmerzen

Die Halswirbelsäule als Schlüsselorgan im Kopfschmerz- Management

1. Radtke A., Neuhauser H: Prevalence and burden of headache and migraine in Germany. *Headache* 2009, 49, 79–89
2. Landeszentrum Gesundheit Nordrhein-Westfalen: Gesundheitszustand der Bevölkerung. Allgemeine Übersicht zur Mortalität und Morbidität. Häufigste Diagnosen i. d. allgemein-ärztl. Praxis, NRW. https://www.lzg.nrw.de/ges_bericht/ges_indi/indikationen_laender/themen3_1/index.html (Stand: 04.05.2020)
3. Headache classification committee of the international headache society (ihs) the international classification of headache disorders, 3rd edition. *Cephalalgia: an international journal of headache* 2018, 38, 1–211
4. Ashina S, Bendtsen L, Lyngberg AC, Lipton, RB, Hajiyeva N, Jensen R: Prevalence of neck pain in migraine and tension-type headache: A population study. *Cephalalgia: an international journal of headache* 2015, 35, 211–219
5. Kaniecki RG: Migraine and tension-type headache: An assessment of challenges in diagnosis. *Neurology* 2002, 58, S15–20
6. Sjaastad O, Fredriksen TA, Pfaffenrath V: Cervicogenic headache: Diagnostic criteria. The cervicogenic headache international study group. *Headache* 1998, 38, 442–445
7. Goadsby PJ, Bartsch T: On the functional neuroanatomy of neck pain. *Cephalalgia: an international journal of headache* 2008, 28 Suppl 1, 1–7
8. Hall T, Briffa K, Hopper D, Robinson K: Reliability of manual examination and frequency of symptomatic cervical motion segment dysfunction in cervicogenic headache. *Manual therapy* 2010, 15, 542–546
9. Zito G, Jull G, Story I: Clinical tests of musculoskeletal dysfunction in the diagnosis of cervicogenic headache. *Manual therapy* 2006, 11, 118–129
10. Böhni U: Diagnose der dysfunction und therapie der kopfgelenkregion *Manuelle Medizin* 2014, 52, 251–268
11. Chaibi A, Russell MB: Manual therapies for cervicogenic headache: A systematic review. *The journal of headache and pain* 2012, 13, 351–359
12. Bronfort G, Assendelft WJ, Evans R, Haas M, Bouter L: Efficacy of spinal manipulation for chronic headache: A systematic review. *Journal of manipulative and physiological therapeutics* 2001, 24, 457–466
13. Falsiroli Maistrello L, Rafanelli M, Turrolla A: Manual therapy and quality of life in people with headache: Systematic review and meta-analysis of randomized controlled trials. *Current pain and headache reports* 2019, 23, 78

Literatur zum Beitrag

Ralph Kayser, Antje Lange, Liv Fünfgeld:

Manuelle Diagnostik und Therapie von Funktionsstörungen der oberen Halswirbelsäule und die Rolle von „Atlasfunktionsstörungen“

1. Palmer BJ (1933) The Subluxation Specific – The Adjustment Specific. Davenport Iova
2. Mildenberger F (2015) Verschobene Wirbel – verschwommene Traditionen: Chiropraktik, Chirotherapie und Manuelle Medizin. Franz Steiner, Stuttgart
3. Peper W (1978) Der chiropraktische Report, Haug, Heidelberg
4. Gutmann G (1981) Funktionelle Klinik und Pathologie der Wirbelsäule. Band I/1: Funktionsanalytische Röntgendiagnostik der Halswirbelsäule und Kopfelenke. Fischer, Stuttgart
5. Gutmann G, Biedermann H (1984): Funktionelle Pathologie und Klinik der Wirbelsäule. Band 1: Die Halswirbelsäule: Allgemeine funktionelle Pathologie und klinische Syndrome. Fischer, Stuttgart/New York
6. Arlen A (1985) Leitfaden zur Atlastherapie. Ass Rech Med Prev Sante 1–9
7. Arlen A, Kraemer M, Patris A (1990) L'Analyse radiofonctionnelle du rachis cerviale, 2e partie la bascule paradoxale de l'atlas. Ann Réadaptation Méd Phys 33:591–601
8. Coenen W (2010) Manuelle Medizin bei Säuglingen und Kindern. Entwicklungsneurologie, Klinik, therapeutische Konzepte. Springer, Heidelberg
9. Coenen W, Barth F, Henning P et al. (2010) Atlastherapie nach Arlen: 3-Zeichen-Test statt Röntgen. Ergebnisse einer multizentrischen Studie. Manuelle Med 53:330–337
10. Sacher RS (2013) Säuglinge mit funktionellen Störungen der sensomotorischen Organisation ohne Vorliegen systemischer Grunderkrankungen. Empfehlungen zur manuellen Untersuchung und Behandlung. Manuelle Med 51:465–467
11. Forte M (2009) Grundlagen der funktionellen Medizin nach Forte. Manuelle Med 47:418–422
12. Von Heymann W, Böhni U, Locher H (2005) Grundlagenforschung trifft Manualmedizin. Ergebnisse der Bodenseekonferenz deutschsprachiger Manualmediziner, Bad Horn. Manuelle Med 43:385–394
13. Sachse J, Harke G, Linz W (2012) Extremitätengelenke – Manuelle Untersuchung und Mobilisationsbehandlung für Ärzte und Physiotherapeuten. 8. Aufl., Urban & Fischer, München
14. Schnell H, Wagner FMJ, Locher H (2022) Die segmentale und somatische Dysfunktion. Wie funktioniert Manuelle Medizin. Orthopäde 51:253–262
15. Von Heymann W (2015) Zur Neurophysiologie der oberen HWS. Manuelle Med 53:114–120
16. Böhni U, Lauper H, Locher H (2020) Diagnostische und therapeutische Techniken praktisch anwenden. In: Böhni U, Lauper H, Locher H: Manuelle Medizin. 2. Aufl., Thieme, Stuttgart, 247–259
17. Schünke M (2006) Funktionelle Systeme und klinische Bezüge. In: Prometheus, Kopf und Neuroanatomie. 1. Aufl., Thieme, Stuttgart, 316–325
18. Plato G, Weiler E, Kopp S (2017) Änderung der Herzratenvariabilität durch die Atlasimpulstherapie nach Arlen. Manuelle Med 55:151–159
19. Sacher R, Knüdel M, Wuttke M, Wüstkamp N, Derlien S, Loudovici-Krug D (2021) Manual therapy of infants with postural and movement asymmetries and positional preference. Effects of one-time treatment. Manuelle Med 59:117–127
20. Sacher R, Wuttke M, Göhmann U et al. (2022) Effects of Single Manual Medicine Treatment for Infants with Postural and Movements Asymmetries and Positional Preference: A Multicentre Randomised Controlled Trial – AMMT for IPMA (2022) Phys Med Rehab Kurort 32(05):263–272

Literatur zum Beitrag:

Kirill Alektoroff, Panagiotis Papanagiotou:

Schleudertrauma der Halswirbelsäule

1. Boban J, Thurner M, van Goethem JW (2018) Spine and spinal cord trauma. In: Barkhof F et al. (Hrsg.) Clinical neuroradiology. Springer Nature Switzerland AG, https://doi.org/10.1007/978-3-319-61423-6_28-1
2. Krakenes J (2007) Whiplash injuries. In: van Goethem JW, van den Hauwe L, Parizel PM Spinal imaging. Imaging of the spine and spinal cord. Springer Nature Switzerland AG, S 257–277
3. Tegenthoff et al. (2020) Beschleunigungstrauma der Halswirbelsäule, S1-Leitlinie. In: Deutsche Gesellschaft für Neurologie (Hrsg.), Leitlinien für Diagnostik und Therapie in der Neurologie. Online: www.dgn.org/leitlinien (abgerufen am 01.02.2023)
4. Anderson SE, Boesch C, Zimmermann H et al. (2011) Are there cervical spine findings at MR imaging that are specific to acute symptomatic whiplash injury? A prospective controlled study with four experienced blinded readers. *Radiology* 262:567–575
5. Tanaka N, Atesok K, Nakanishi K et al. (2018) Pathology and treatment of traumatic cervical spine syndrome: whiplash injury. *Advances in Orthopedics*, Hindawi, <https://doi.org/10.1155/2018/4765050>
6. Carroll LJ, Holm LW, Hogg-Johnson S et al. (2008) Course and prognostic factors for neck pain in whiplash-associated disorders (WAD). *Spine* 33:83–92
7. Spitzer WO, Skovron ML, Salmi LR et al. (1995) Scientific monograph of the Quebec task force on whiplash-associated disorders: redefining “whiplash” and its management. *Spine* 20:2–235
8. Peolsson A, Karlsson A, Ghafouri B et al. (2019) Pathophysiology behind prolonged whiplash associated disorders: study protocol for an experimental study. *BMC Musculoskeletal Disorders* 20:51
9. Ulbrich EJ, Eigenheer S, Boesch C et al. (2011) Alterations of the transverse ligament: an MRI study comparing patients with acute whiplash and matched control subjects. *AJR Am J Roentgenol* 197:961–967
10. Karlsson A, Leinhard OD, Aslund U et al. (2016) An investigation of fat infiltration of the multifidus muscle in patients with severe neck symptoms associated with chronic whiplash-associated disorder. *J Orthop Sports Phys Ther* 46:886–893
11. Weber KA, Smith AC, Wasielewski Ma et al. (2019) Deep learning convolutional neural networks for the automatic quantification of muscle fat infiltration following whiplash injury. *Sci Rep* 9:7973. <https://doi.org/10.1038/s41598-019-44416-8>

Literatur zum Beitrag

Martin Legat, Stephan Klessinger:

Radiofrequenztherapie bei zervikalen Facettengelenkschmerzen

Diagnostik und Therapie chronischer Nackenschmerzen

1. GBD 2015 Disease and Injury Incidence and Prevalence Collaborators. Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. *Lancet*. 2016;388(10053):1545–1602. Erratum in: *Lancet*. 2017;389(10064):e1
2. Fejer R, Kyvik KO, Hartvigsen J: The prevalence of neck pain in the world population: a systematic critical review of the literature. *Eur Spine J*. 2006;15(6):834–848
3. Manchikanti L, Singh V, Rivera J, Pampati V: Prevalence of cervical facet joint pain in chronic neck pain. *Pain Physician*. 2002;5(3):243–249. Erratum in: *Pain Physician*. 2002 Oct;5(4):445
4. Aprill C, Bogduk N: The prevalence of cervical zygapophyseal joint pain. A first approximation. *Spine (Phila Pa 1976)*. 1992;17(7):744–747
5. Bogduk N, Marsland A: The cervical zygapophysial joints as a source of neck pain. *Spine (Phila Pa 1976)*. 1988;13(6):610–617
6. Speldewinde GC, Bashford GM, Davidson IR: Diagnostic cervical zygapophyseal joint blocks for chronic cervical pain. *Med J Aust*. 2001;174(4):174–176
7. Cooper G, Bailey B, & Bogduk N: Cervical zygapophysial joint pain maps. *Pain Med*. 2007;8(4), 344–353
8. Lord SM, Barnsley L, Wallis BJ, Bogduk N: Chronic cervical zygapophysial joint pain after whiplash. A placebo-controlled prevalence study. *Spine (Phila Pa 1976)*. 1996;21(15):1737–1744; discussion 1744–1745
9. Aprill C, Dwyer A, Bogduk N: Cervical zygapophyseal joint pain patterns. II: A clinical evaluation. *Spine (Phila Pa 1976)*. 1990;15(6):458–461
10. Manchikanti L, Manchikanti KN, Pampati V, Brandon DE, Giordano J: The prevalence of facet-joint-related chronic neck pain in postsurgical and nonpostsurgical patients: a comparative evaluation. *Pain Pract*. 2008;8(1):5–10
11. Barnsley L, & Bogduk N: Medial branch blocks are specific for the diagnosis of cervical zygapophyseal joint pain. *Regional Anesthesia*, 1993;18(6), 343–350
12. Cohen SP, Bajwa ZH, Kraemer JJ et al.: Factors predicting success and failure for cervical facet radiofrequency denervation: a multi-center analysis. *Reg Anesth Pain Med*. 2007;32(6):495–503
13. Jull G, Bogduk N, & Marsland A: The accuracy of manual diagnosis for cervical zygapophysial joint pain syndromes. *Medical Journal of Australia*, 1988;148(5), 233–236
14. King W, Lau P, Lees R, Bogduk N: The validity of manual examination in assessing patients with neck pain. *The Spine Journal*, 2007;7(1), 22–26
15. Rudy IS, Poulos A, Owen L et al.: The correlation of radiographic findings and patient symptomatology in cervical degenerative joint disease: A cross-sectional study. *Chiropractic & Manual Therapies*, 2015;23(1), 9
16. Le Clec'h Y, Peterson CK, Brunner F, Pfirrmann C: Cervical facet joint imaging-guided injections: A comparison of outcomes in patients referred based on imaging findings vs palpation for pain. *Journal of Manipulative and Physiological Therapeutics*, 2016;39(7), 480–486
17. Morishita K, Kasai Y, Uchida A: Hypertrophic change of facet joint in the cervical spine. *Med Sci Monit*. 2008;14(2):CR62–64.
18. Matar HE, Navalkisoor S, Berovic M et al.: Is hybrid imaging (SPECT/CT) a useful adjunct in the management of suspected facet joints arthropathy? *Int Orthop*. 2013;37(5):865–870
19. Nolan 3rd JE, Sundet AD, Kagan BD, Lake TJ, Krag MH, Lunardini DL: The positive prediction of single photon emission computed tomography/computed tomography (SPECT/CT) in the outcome of intervention for cervical facet pain. *Spine J*, 2022;22(10), 1622–1627
20. Barnsley L, Lord SM, Wallis BJ, Bogduk N: The prevalence of chronic cervical zygapophysial joint pain after whiplash. *Spine (Phila Pa 1976)*. 1995;20(1):20–25; discussion 26
21. Barnsley L, Lord S, Bogduk N: Whiplash injury. *Pain*. 1994;58(3):283–307
22. Lord SM, Barnsley L, Wallis BJ, Bogduk N: Chronic cervical zygapophysial joint pain after whiplash. A placebo-controlled prevalence study. *Spine (Phila Pa 1976)*. 1996;21(15):1737–44; discussion 1744–1745
23. Vasseljen O, Woodhouse A, Bjørngaard JH, Leivseth L: Natural course of acute neck and low back pain in the general population: the HUNT study. *Pain*. 2013;154(8):1237–1244. Epub 2013 Apr 2.
24. Hurley RW, Adams MCB, Barad M et al.: Consensus practice guidelines on interventions for cervical spine (facet) joint pain from a multispecialty international working group. *Reg Anesth Pain Med*. 2022;47(1):3–59
25. Bogduk N: The clinical anatomy of the cervical dorsal rami. *Spine (Phila Pa 1976)*. 1982;7(4):319–330
26. Schneider BJ, Joshi M, Ehsanian R: Patient-perceived duration of effect of lidocaine and bupivacaine following diagnostic medial branch blocks; a multicenter study. *Interventional Pain Med*. 2022;1:1000873
27. Wahezi SE, Molina JJ, Alexeev E: Cervical Medial Branch Block Volume Dependent Dispersion Patterns as a Predictor for Ablation Success: A Cadaveric Study. *PM R*. 2019;11(6):631–639
28. Kennedy DJ, Mattie R, Scott Hamilton A, Conrad B, Smuck M: Detection of Intravascular Injection During Lumbar Medial Branch Blocks: A Comparison of Aspiration, Live Fluoroscopy, and Digital Subtraction Technology. *Pain Med*. 2016;17(6):1031–1036
29. Bogduk N: (ed.) Practice guidelines for spinal diagnostic and treatment procedures. 2nd edn. ed. 2013. San Francisco: International Spine Intervention Society.
30. Falco FJ, Datta S, Manchikanti L: An updated review of the diagnostic utility of cervical facet joint injections. *Pain Physician*. 2012;15(6):E807–838.

31. Cohen SP, Hooten WM: Advances in the diagnosis and management of neck pain. *BMJ*. 2017;358:j3221
32. Gellhorn AC, Katz JN, Suri P: Osteoarthritis of the spine: the facet joints. *Nat Rev Rheumatol*. 2013;9(4):216–224
33. Lee SH, Kang CH, Lee SH: Ultrasound-guided radiofrequency neurotomy in cervical spine: sonoanatomic study of a new technique in cadavers. *Clin Radiol*. 2008;63(11):1205–1212
34. Siegenthaler A, Eichenberger U, Curatolo M: A shortened radiofrequency denervation method for cervical zygapophysial joint pain based on ultrasound localization of the nerves. *Pain Med*. 2011;12(12), 1703–1709
35. Finlayson RJ, Thonnagith A, Elgueta MF, Perez J, Etheridge JB, Tran DQ: Ultrasound-Guided Cervical Medial Branch Radiofrequency Neurotomy: Can Multitined Deployment Cannulae Be the Solution? *Reg Anesth Pain Med*. 2017;42(1):45–51
36. Dreyfuss P, Halbrook B, Pauza K, Joshi A, McLarty J, Bogduk N: Efficacy and validity of radiofrequency neurotomy for chronic lumbar zygapophysial joint pain. *Spine (Phila Pa 1976)*. 2000;25(10), 1270–1277
37. Costandi S, Garcia-Jacques M, Dews T et al.: Optimal Temperature for Radiofrequency Ablation of Lumbar Medial Branches for Treatment of Facet-Mediated Back Pain. *Pain Pract*. 2016;16(8):961–968
38. Lord SM, Barnsley L, Wallis BJ, McDonald G, Bogduk N: Percutaneous Radio-Frequency Neurotomy for Chronic Cervical Zygapophysial-Joint Pain. *N Engl J Med*. 1996;335(23)
39. Wallis BJ, Lord SM, Bogduk N: Resolution of psychological distress of whiplash patients following treatment by radiofrequency neurotomy: A randomised, double-blind, placebo-controlled trial. *Pain*. 1997;73(1), 15–22
40. Stovner LJ, Kolstad F, Helde G: Radiofrequency denervation of facet joints C2-C6 in cervicogenic headache: A randomized, double-blind, sham-controlled study. *Cephalalgia*. 2004;24(10),821–830
41. van Eerd M, de Meij N, Kessels A et al.: Efficacy and long-term effect of radiofrequency denervation in patients with clinically diagnosed cervical facet joint pain: A double-blind randomized controlled trial. *Spine*, 2021;46(5):285–293
42. MacVicar J, Borowczyk JM, MacVicar AM, Loughnan BM, Bogduk N: Cervical medial branch radiofrequency neurotomy in New Zealand. *Pain Med*. 2012;13(5):647–654
43. Engel A, King W, Schneider BJ, Duszynski B, Bogduk N. The Effectiveness of Cervical Medial Branch Thermal Radiofrequency Neurotomy Stratified by Selection Criteria: A Systematic Review of the Literature. *Pain Med*. 2020;21(11):2726–2737
44. Manchikanti L, Knezevic NN, Knezevic E et al.: A Systematic Review and Meta-analysis of the Effectiveness of Radiofrequency Neurotomy in Managing Chronic Neck Pain. *Pain Ther*. 2023;12(1):19–66
45. Klessinger S: Ursachen, Diagnostik und Therapie des zervikogenen Schwindels. *Orthopädie & Rheuma* 2022;25(2):36–42.
46. Hahn T, Halatsch ME, Wirtz C, Klessinger S: Response to Cervical Medial Branch Blocks In Patients with Cervicogenic Vertigo. *Pain Physician*. 2018;21(3):285–294.
47. Zhu X, Grover MJ: Cervicogenic Dizziness Successfully Treated With Upper Cervical Medial Branch Nerve Radiofrequency Ablation: A Case Report. *A A Pract*. 2018;10(6):150–153

Literatur zum Beitrag

Stephan Klessinger:

Degenerative zervikale Myelopathie

Pathogenese, Bildgebung und Therapie

1. Zileli M, Borkar SA, Sinha S et al.: Cervical Spondylotic Myelopathy: Natural Course and the Value of Diagnostic Techniques – WFNS Spine Committee Recommendations. *Neurospine*. 2019;16(3):386–402
2. Houten JK, Shahsavarani S, Verma RB: The Natural History of Degenerative Cervical Myelopathy. *Clin Spine Surg*. 2022;35(10):396–402
3. Boogaarts HD, Bartels RH: Prevalence of cervical spondylotic myelopathy. *Eur Spine J*. 2015;24 Suppl 2:139–141
4. Karadimas SK, Gatzounis G, Fehlings MG: Pathobiology of cervical spondylotic myelopathy. *Eur Spine J*. 2015;24 Suppl 2:132–138
5. Tetreault L, Goldstein CL, Arnold P et al.: Degenerative Cervical Myelopathy: A Spectrum of Related Disorders Affecting the Aging Spine. *Neurosurgery*. 2015;77 Suppl 4:S51–67
6. Karadimas SK, Erwin WM, Ely CG, Dettori JR, Fehlings MG: Pathophysiology and natural history of cervical spondylotic myelopathy. *Spine (Phila Pa 1976)*. 2013;38(22 Suppl 1):S21–36
7. Nouri A, Tetreault L, Singh A, Karadimas SK, Fehlings MG: Degenerative Cervical Myelopathy: Epidemiology, Genetics, and Pathogenesis. *Spine (Phila Pa 1976)*. 2015;40(12):E675–93
8. Karadimas SK, Moon ES, Yu WR et al.: A novel experimental model of cervical spondylotic myelopathy (CSM) to facilitate translational research. *Neurobiol Dis*. 2013;54:43–58
9. Inukai T, Uchida K, Nakajima H et al.: Tumor necrosis factor-alpha and its receptors contribute to apoptosis of oligodendrocytes in the spinal cord of spinal hyperostotic mouse (twy/twy) sustaining chronic mechanical compression. *Spine (Phila Pa 1976)*. 2009;34(26):2848–2857
10. Li GS, Wang XX, Tan RB, Wang KH, Hu XS, Hu Y: Ultrastructural destruction of neurovascular unit in experimental cervical spondylotic myelopathy. *Front Neurosci*. 2022;16:1031180
11. Özkan N, Chihi M, Schoenberg T et al.: First neurological symptoms in degenerative cervical myelopathy: does it predict the outcome? *Eur Spine J*. 2022;31(2):327–333
12. Gibson J, Nouri A, Krueger B et al.: Degenerative Cervical Myelopathy: A Clinical Review. *Yale J Biol Med*. 2018;91(1):43–48
13. Rhee JM, Heflin JA, Hamasaki T, Freedman B: Prevalence of physical signs in cervical myelopathy: a prospective, controlled study. *Spine (Phila Pa 1976)*. 2009;34(9):890–895
14. Law KKP, Lau KKL, Shea GKH, Cheung KMC: Quantitative physical performance tests can effectively detect Degenerative Cervical Myelopathy: A systematic review and meta-analysis. *Eur Spine J*. 2022;31(12):3347–3364
15. Tetreault L, Kopjar B, Nouri A et al.: The modified Japanese Orthopaedic Association scale: establishing criteria for mild, moderate and severe impairment in patients with degenerative cervical myelopathy. *Eur Spine J*. 2017;26(1):78–84
16. Rohde V, Mielke D: Der zervikale Bandscheibenvorfall – Spontanverlauf, Therapieoptionen und klinische Ergebnisse. *Die Wirbelsäule* 2019;03:112–117
17. Waddell WH, Vaughan WE, Abtahi AM: Radiographic Parameters in Cervical Myelopathy: Review of Current Literature. *Clin Spine Surg*. 2022;35(10):389–395
18. Rajan PV, Pelle DW, Savage JW: New Imaging Modalities for Degenerative Cervical Myelopathy. *Clin Spine Surg*. 2022;35(10):422–430
19. Khan SN, Erickson G, Sena MJ, Gupta MC: Use of flexion and extension radiographs of the cervical spine to rule out acute instability in patients with negative computed tomography scans. *J Orthop Trauma*. 2011;25(1):51–56
20. McCracken B, Klineberg E, Pickard B, Wisner DH: Flexion and extension radiographic evaluation for the clearance of potential cervical spine injuries in trauma patients. *Eur Spine J*. 2013;22(7):1467–1473
21. Martin AR, Tetreault L, Nouri A, Curt A et al.: Imaging and Electrophysiology for Degenerative Cervical Myelopathy [AO Spine RECODE-DCM Research Priority Number 9]. *Global Spine J*. 2022;12(1_suppl):130S-146S
22. Severino R, Nouri A, Tessitore E: Degenerative Cervical Myelopathy: How to Identify the Best Responders to Surgery? *J Clin Med*. 2020;9(3):759
23. Xu N, Zhang Y, Zhou G, Zhao Q, Wang S: The value of dynamic MRI in the treatment of cervical spondylotic myelopathy: a protocol for a prospective randomized clinical trial. *BMC Musculoskelet Disord*. 2020;21(1):83
24. Park WT, Min WK, Shin JH et al.: High reliability and accuracy of dynamic magnetic resonance imaging in the diagnosis of cervical spondylotic myelopathy: a multicenter study. *BMC Musculoskelet Disord*. 2022;23(1):1107
25. Shabani S, Kaushal M, Budde MD, Wang MC, Kurpad SN: Diffusion tensor imaging in cervical spondylotic myelopathy: a review. *J Neurosurg Spine*. 2020;28:1–8
26. Fehlings MG, Wilson JR, Yoon ST, Rhee JM, Shamji MF, Lawrence BD: Symptomatic progression of cervical myelopathy and the role of nonsurgical management: a consensus statement. *Spine (Phila Pa 1976)*. 2013;38(22 Suppl 1):S19–20
27. Shimomura T, Sumi M, Nishida K et al.: Prognostic factors for deterioration of patients with cervical spondylotic myelopathy after nonsurgical treatment. *Spine (Phila Pa 1976)*. 2007;32(22):2474–2479
28. Fehlings MG, Wilson JR, Kopjar B et al.: Efficacy and safety of surgical decompression in patients with cervical spondylotic myelopathy: results of the AOSpine North America prospective multi-center study. *J Bone Joint Surg Am*. 2013;95(18):1651–1658
29. Fehlings MG, Ibrahim A, Tetreault L et al.: A global perspective on the outcomes of surgical decompression in patients with cervical spondylotic myelopathy: results from the prospective multicenter AOSpine international study on 479 patients. *Spine (Phila Pa 1976)*. 2015;40(17):1322–1328

30. Kadaňka Z, Bednařík J, Novotný O, Urbánek I, Dušek L: Cervical spondylotic myelopathy: conservative versus surgical treatment after 10 years. *Eur Spine J.* 2011;20(9):1533–1538
31. Karim SM, Cadotte DW, Wilson JR et al.: Effectiveness of Surgical Decompression in Patients With Degenerative Cervical Myelopathy: Results of the Canadian Prospective Multicenter Study. *Neurosurgery.* 2021;89(5):844–851
32. Badhiwala JH, Witiw CD, Nassiri F et al.: Efficacy and Safety of Surgery for Mild Degenerative Cervical Myelopathy: Results of the AOSpine North America and International Prospective Multicenter Studies. *Neurosurgery.* 2019;84(4):890–897
33. Pitzen T, Drumm J, Ostrowski G, Ruf M: Zervikale Myelopathie: Wann operieren? Pro: Spät operieren. *Die Wirbelsäule* 2017;01:53–58
34. Kothe R: Zervikale Myelopathie: Wann operieren? Contra: Früh operieren. *Die Wirbelsäule* 2017;01:59–64
35. Du W, Wang HX, Zhang JT et al.: Cervical alignment and clinical outcome of anterior decompression with fusion vs. posterior decompression with fixation in kyphotic cervical spondylotic myelopathy. *Front Neurosci.* 2022;16:1029327
36. Satin AM, Rush AJ 3rd, Derman PB: Review of Prospective Trials for Degenerative Cervical Myelopathy. *Clin Spine Surg.* 2022;35(10):410–417
37. Fehlings MG, Barry S, Kopjar B et al.: Anterior versus posterior surgical approaches to treat cervical spondylotic myelopathy: outcomes of the prospective multicenter AOSpine North America CSM study in 264 patients. *Spine (Phila Pa 1976).* 2013;38(26):2247–52
38. Ghogawala Z, Terrin N, Dunbar MR et al.: Effect of Ventral vs Dorsal Spinal Surgery on Patient-Reported Physical Functioning in Patients With Cervical Spondylotic Myelopathy: A Randomized Clinical Trial. *JAMA.* 2021;325(10):942–951
39. Ghogawala Z, Terrin N, Dunbar MR et al.: Effect of Ventral vs Dorsal Spinal Surgery on Patient-Reported Physical Functioning in Patients With Cervical Spondylotic Myelopathy: A Randomized Clinical Trial. *JAMA.* 2021;325(10):942–951
40. Su BW, Tadepalli V, Kamalapaty PN, Shimer A: Prognostic Factors Impacting Surgical Outcomes in Patients With Cervical Spondylotic Myelopathy. *Clin Spine Surg.* 2022;35(10):418–421

Literatur zum Beitrag

Jörg Jerosch:

Nicht jeder dorsale Fersenschmerz ist eine Haglundexostose

1. Anderson JA, S. E. (Jul;466(7): 2008). Surgery for retrocalcaneal bursitis: a tendon-splitting versus a lateral approach. Clin Orthop Relat Res., 1678-1682. Epub 2008 May 9
2. Jerosch J, Nasef NM: Endoscopic Calcaneoplasty – Rational, Surgical Technique and early results: a preliminary report. KNEE SURG SPORTS TRAUMATOL. ARTHROSC. 11 (2003), 190-195
3. Jerosch J., Schunck J, Sokkar SH: Endoscopic calcaneoplasty (ECP) as a surgical treatment of Haglund's syndrome. Knee Surg.Sports Traumatol. Arthrosc. 15 (2007) 927-934
4. Jerosch J, Sokkar S, Dücker M, Donner A: Endoscopic Calcaneoplasty (ECP) in Haglund's Syndrome. Indication, Surgical Technique, Surgical Findings and Results. Z Orthop Unfall. 2012 (150) 250-256
5. Jerosch J., Meyer I: Ergebnisse nach der operativen Therapie der ansatznahen Enthesiopathie der Achillessehne. Orthopädische und Unfallchirurgische Praxis 3 (2014) 136-141
6. Jerosch J: Endoscopic Calcaneoplasty. Foot and ankle Clinics of North America, March 2015, Volume 20, Number 1, 149-165
7. Johnson KW, Z. C. (Apr;27(4) 2006). Surgical management of insertional calcific achilles tendinosis with a central tendon splitting approach . Foot Ankle Int., 245-250
8. Kvist M. (Sep;18(3): 1994). Achilles tendon injuries in athletes. Sports Med, 173-201
9. Lehto MU, J. M. (1994;2:). Chronic Achilles peritendinitis and retrocalcaneal bursitis. Long-term follow-up of surgically treated cases. Knee Surg Sports Traumatol Arthrosc., 182-185
10. Lohrer H, A. S.-L. (Sep;466(9): 2008). The Achilles tendon insertion is crescent-shaped: an in vitro anatomic investigation. Clin Orthop Relat Res., 2230-2237. Epub 2008 May 28
11. Lyman J, W. P. (Mar;32(2): 2004). Strain behavior of the distal achilles tendon: implications for insertional achilles tendinopathy. Am J Sports Med., 457-461
12. Maffulli N, R. J. (2006 Jul;16(4):). Chondral metaplasia in calcific insertional tendinopathy of the Achilles tendon. Clin J Sport Med, 329-334
13. Maffulli N, T. V. (Jan-Feb;32(1):. 2004). Calcific insertional Achilles tendinopathy: reattachment with bone anchors. Am J Sports Med., 174-182
14. Myerson MS, M. W. ((1998) 80:). Disorders of the Insertion of the Achilles Tendon and Achilles Tendinitis. The Journal of Bone and Joint Surgery, S. 1814-1824
15. Paavola M, K. P. (2002;36). Surgical treatment for chronic Achilles tendinopathy: a prospective 7-month follow-up study. Br J Sports Med, S. 178-182
16. Schepsis AA, W. C. (1994;22:). Surgical management of Achilles tendon overuse injuries. A long-term follow-up study. . Am J Sports Med., S. 611-609
17. Shim JW, E. S. (Nov;5(4): 2006). Influence of cyclic hydrostatic pressure on fibrocartilaginous metaplasia of achilles tendon fibroblasts. Biomech Model Mechanobiol, S. 247-52. Epub 2006 Jan 17
18. van Dijk CN, v. D. (Mar-Apr;29(2): 2001). Endoscopic calcaneoplasty. Am J Sports Med., S. 185-189
19. Wagner E, G. J. (Sep;27(9) 2006). Technique and results of Achilles tendon detachment and reconstruction for insertional Achilles tendinosis. Foot Ankle Int., S. 677-684
20. Watson AD, A. R. (Jun;22(6):. 2001). Comparison of results of retrocalcaneal decompression for retrocalcaneal bursitis and insertional achilles tendinosis with calcific spur. Foot Ankle Int., S. 524-525

Literatur zum Beitrag

Jörg Jerosch:

Nicht jeder dorsale Fersenschmerz ist eine Haglundexostose

1. Anderson JA, S. E. (Jul;466(7): 2008). Surgery for retrocalcaneal bursitis: a tendon-splitting versus a lateral approach. Clin Orthop Relat Res., 1678-1682. Epub 2008 May 9
2. Jerosch J, Nasef NM: Endoscopic Calcaneoplasty – Rational, Surgical Technique and early results: a preliminary report. KNEE SURG SPORTS TRAUMATOL. ARTHROSC. 11 (2003), 190-195
3. Jerosch J., Schunck J, Sokkar SH: Endoscopic calcaneoplasty (ECP) as a surgical treatment of Haglund's syndrome. Knee Surg.Sports Traumatol. Arthrosc. 15 (2007) 927-934
4. Jerosch J, Sokkar S, Dücker M, Donner A: Endoscopic Calcaneoplasty (ECP) in Haglund's Syndrome. Indication, Surgical Technique, Surgical Findings and Results. Z Orthop Unfall. 2012 (150) 250-256
5. Jerosch J., Meyer I: Ergebnisse nach der operativen Therapie der ansatznahen Enthesiopathie der Achillessehne. Orthopädische und Unfallchirurgische Praxis 3 (2014) 136-141
6. Jerosch J: Endoscopic Calcaneoplasty. Foot and ankle Clinics of North America, March 2015, Volume 20, Number 1, 149-165
7. Johnson KW, Z. C. (Apr;27(4) 2006). Surgical management of insertional calcific achilles tendinosis with a central tendon splitting approach . Foot Ankle Int., 245-250
8. Kvist M. (Sep;18(3): 1994). Achilles tendon injuries in athletes. Sports Med, 173-201
9. Lehto MU, J. M. (1994;2:). Chronic Achilles peritendinitis and retrocalcaneal bursitis. Long-term follow-up of surgically treated cases. Knee Surg Sports Traumatol Arthrosc., 182-185
10. Lohrer H, A. S.-L. (Sep;466(9): 2008). The Achilles tendon insertion is crescent-shaped: an in vitro anatomic investigation. Clin Orthop Relat Res., 2230-2237. Epub 2008 May 28
11. Lyman J, W. P. (Mar;32(2): 2004). Strain behavior of the distal achilles tendon: implications for insertional achilles tendinopathy. Am J Sports Med., 457-461
12. Maffulli N, R. J. (2006 Jul;16(4):). Chondral metaplasia in calcific insertional tendinopathy of the Achilles tendon. Clin J Sport Med, 329-334
13. Maffulli N, T. V. (Jan-Feb;32(1):. 2004). Calcific insertional Achilles tendinopathy: reattachment with bone anchors. Am J Sports Med., 174-182
14. Myerson MS, M. W. ((1998) 80:). Disorders of the Insertion of the Achilles Tendon and Achilles Tendinitis. The Journal of Bone and Joint Surgery, S. 1814-1824
15. Paavola M, K. P. (2002;36). Surgical treatment for chronic Achilles tendinopathy: a prospective 7-month follow-up study. Br J Sports Med, S. 178-182
16. Schepsis AA, W. C. (1994;22:). Surgical management of Achilles tendon overuse injuries. A long-term follow-up study. . Am J Sports Med., S. 611-609
17. Shim JW, E. S. (Nov;5(4): 2006). Influence of cyclic hydrostatic pressure on fibrocartilaginous metaplasia of achilles tendon fibroblasts. Biomech Model Mechanobiol, S. 247-52. Epub 2006 Jan 17
18. van Dijk CN, v. D. (Mar-Apr;29(2): 2001). Endoscopic calcaneoplasty. Am J Sports Med., S. 185-189
19. Wagner E, G. J. (Sep;27(9) 2006). Technique and results of Achilles tendon detachment and reconstruction for insertional Achilles tendinosis. Foot Ankle Int., S. 677-684
20. Watson AD, A. R. (Jun;22(6):. 2001). Comparison of results of retrocalcaneal decompression for retrocalcaneal bursitis and insertional achilles tendinosis with calcific spur. Foot Ankle Int., S. 524-525

Literatur zum Beitrag

Lars Victor von Engelhardt, Jörg Jerosch:

Welche Vorteile bietet der Schenkelhals-teilerhaltende Kurzschaft in der Hüftendoprothetik?

- Aggarwal VK, Weintraub S, Klock J et al.: Frank Stinchfield Award: A comparison of prosthetic joint infection rates between direct anterior and non-anterior approach total hip arthroplasty. *Bone Joint J* 2019; 101: 2–8
- Asayama I, Naito M, Fujisawa M, Kambe T: Relationship between radiographic measurements of reconstructed hip joint position and the Trendelenburg sign. *J Arthroplast* 2002; 17: 747–751
- Australian Orthopaedic Association National Joint Replacement Registry. Hip, Knee & Shoulder Arthroplasty Annual Report 2020; <https://aoanjrr.sahmri.com/annual-reports-2020>
- Babisch J: Möglichkeiten der patientenindividuellen Hüftgelenkrekonstruktion und Knochenresektion bei Kurzschaftprothesen. In: J.Jerosch (Hrsg.) Kurzschaftendoprothesen – Wo liegen die Unterschiede, Köln: Deutscher Ärzteverlag, 2013: 193–227
- Banerjee S, Pivec R, Issa K et al.: Outcomes of short stems in total hip arthroplasty. *Orthopedics* 2013; 36: 700–707
- Bergschmidt P, Bader R, Finze S et al.: Cementless total hip replacement: a prospective clinical study of the early functional and radiological outcomes of three different hip stems. *Arch Orthop Trauma Surg* 2010; 130: 125–133
- Bieger R, Ignatius A, Decking R et al.: Primary stability and strain distribution of cementless hip stems as a function of implant design. *Clin Biomech* 2012; 27: 158–64
- Bieger R, Ignatius A, Reichel H et al.: Bio mechanics of a short stem: In vitro primary stability and stress shielding of a conservative cementless hip stem. *J Orthop Res* 2013; 31: 1180–1186
- Bohara S, Suthakorn J. Surface coating of orthopedic implant to enhance the osseointegration and reduction of bacterial colonization: a review. *Biomater Res* 2022; 26:26
- Budde S, Seehaus F, Schwarze M et al.: Analysis of migration of the Nanos® short-stem hip implant within two years after surgery. *Int Orthop* 2016; 40: 1607–1614
- Dettmer M, Pourmoghaddam A, Kreuzer SW: Comparison of Patient-Reported Outcome from Neck-Preserving, Short-Stem Arthroplasty and Resurfacing Arthroplasty in Younger Osteoarthritis Patients. *Adv Orthop* 2015; 817689
- Deutsche Gesellschaft für Endoprothetik e.V. (AE) Pressemitteilung vom 1./2. Dezember 2017 in Hamburg und Pressekonferenz am 30. November 2017: Schlüsselochchirurgie und weniger Abrieb – Schonender Hüftgelenkersatz bei jungen Patienten, Freiburg & Hamburg, November/Dezember 2017
- Drosos GI, Touzopoulos P: Short stems in total hip replacement: evidence on primary stability according to the stem type. *Hip Int* 2019; 29: 118–127
- Ercan A, Sokkar SM, Schmid G et al.: Periprosthetic bone density changes after MiniHipTM cementless femoral short stem: one-year results of dual-energy X-ray absorptiometry study. *SICOT J* 2016; 2: 40
- Ettinger M, Ettinger P, Ezechieli M et al.: CCD and offset after Nanos short stem in total hip arthroplasty. *Technol Health Care* 2013; 21: 149–155
- Freitag T, Kappe T, Fuchs M et al.: Migration pattern of a femoral short-stem prosthesis: a 2-year EBRA-FCA-study. *Arch Orthop Trauma Surg* 2014; 134: 1003–1008
- German Arthroplasty Registry (EPRD): Annual Report 2020; https://www.eprd.de/fileadmin/user_upload/Dateien/Publikationen/Berichte/Jahresbericht2020-Web_2020–12–11_F.pdf
- Giuseppe M, Mattia B, Nadia B et al.: Ceramic-on-ceramic versus ceramic-on-polyethylene in total hip arthroplasty: a comparative study at a minimum of 13 years follow-up. *BMC Musculoskelet Disord* 2021; 22: 1062
- Jerosch J, Ercan A, Filler TJ, Herwig A, von Engelhardt L, Schmid G.: Schenkelhalsteilerhaltende Kurzschaftprothese – Auch fünf Jahre nach Implantation noch gute Knochendichte am Femur. *Orthopädie & Rheuma* 2019; 22: 39–44
- Jerosch J, Grasselli C, Kothny PC et al.: Postoperative Veränderungen von Offset, CCD-Winkel und Beinlänge nach Implantation einer metadiaphysär fixierten Kurzschaftprothese – eine radiologische Untersuchung. *Z Orthop Unfall* 2012; 150: 20–26
- Jerosch J, Theising C, Fadel ME: Antero-lateral minimal invasive (ALMI) approach for total hip arthroplasty technique and early results. *Arch Orthop Trauma Surg* 2006; 126: 164–173
- Jerosch J, von Engelhardt LV: A Differentiated View on Short Stemmed Hip Arthroplasty – What are the Differences in Fixation and Biomechanics? *Z Orthop Unfall* 2019; 157: 548–557
- Kiyama T, Naito M, Shinoda T, Maeyama A: Hip abductor strengths after total hip arthroplasty via the lateral and posterolateral approaches. *J Arthroplast* 2010; 25: 76–80
- Kutzner KP, Kovacevic MP, Freitag T et al.: Influence of patient-related characteristics on early migration in calcar-guided short-stem total hip arthroplasty: a 2-year migration analysis using EBRA-FCA. *J Orthop Surg Res* 2016; 11: 29
- Lerch M, von der Haar-Tran A, Windhagen H et al.: Bone remodelling around the Metha short stem in total hip arthroplasty: a prospective dual-energy X-ray absorptiometry study. *Int Orthop* 2012; 36: 533–538
- Liang H, Yang W, Pan J et al.: Are short-stem prostheses superior to conventional stem prostheses in primary total hip arthroplasty? A systematic review and meta-analysis of randomised controlled trials. *BMJ Open* 2018; e021649
- Mihalko WM, Assaf D, Sungu M: Reproducing the hip center with a femoral neck-re-taining implant. *Orthopedics* 2015; 38: 21–26
- Quisquater L, Timmermans A, Vandenaabeele F, Driessen R, Corten K. Gluteus: Maximus Transfer as an Augmentation Technique for Patients With Severe Abductor Deficiency of the Hip. *Orthopedics* 2020; 43: 299–305
- Renkawitz T, Weber T, Dullien S et al.: Leg length and offset differences above 5mm after total hip arthroplasty are associated with altered gait kinematics. *Gait Post* 2016; 49: 196–201

30. Robinson RP, Lovell TP, Green TM: Hip arthroplasty using the cementless CLS stem. A 2–4-year experience. *J Arthroplasty* 1994; 9: 177–192
31. Sakalkale DP, Sharkey PF, Eng K, Hozack WJ, Rothman RH: Effect of femoral component offset on polyethylene wear in total hip arthroplasty. *Clin Orthop Relat Res* 2001; 125–134
32. Shafy TA, Sayed A, Abdelazeem AH: Study of the bone behavior around a neck preserving short stem implant: bone densitometric analysis over a span of two years. *SICOT J* 2016; 2: 31
33. Shah NV, Huddleston HP, Wolff DT et al.: Does Surgical Approach for Total Hip Arthroplasty Impact Infection Risk in the Obese Patient? A Systematic Review. *Orthopedics* 2022; 45: 67–72
34. Shapira J, Chen SL, Rosinsky PJ et al.: The effect of postoperative femoral offset on outcomes after hip arthroplasty: A systematic review. *J Orthop* 2020; 22: 5–11
35. Schnurr C, Schellen B, Dargel J et al.: Low Short-Stem Revision Rates: 1–11 Year Results From 1888 Total Hip Arthroplasties. *J Arthroplasty* 2017; 32: 487–493
36. Swiss National Joint Registry. Annual Report of the Swiss National Joint Registry (SIRIS), Hip and Knee 2012–2019. 2019; https://www.swiss-medtech.ch/sites/default/files/2021-01/201204_SIRIS-Report2020_online-1.pdf
37. Triantafyllopoulos GK, Memtsoudis SG, Wang H, Ma Y, Alexiades MM, Poultsides LA: Surgical approach does not affect deep infection rate after primary total hip arthroplasty. *Hip Int* 2019; 29: 597–602
38. van Loon J, Hoornenborg D, van der Vis HM et al.: Ceramic-on-ceramic vs ceramic-on-polyethylene, a comparative study with 10-year follow-up. *World J Orthop* 2021; 12: 14–23
39. von Engelhardt LV, Breil-Wirth A, Kothny C, Seeger JB, Grasselli C, Jerosch J: Long-term results of an anatomically implanted hip arthroplasty with a short stem prosthesis (Mini-Hip™). *World J Orthop* 2018; 9: 210–219
40. von Engelhardt LV, Jerosch J: Konservativ, Hüftarthroskopie, Hüftkappe, Kurzschaft, Standardschaft. Welche Optionen sind bei der Coxarthrose sinnvoll? *OUP* 2021; 10: 139–147
41. von Lewinski G, Floerkemeier T: 10-year experience with short stem total hip arthroplasty. *Orthopedics* 2015; 38: 51–56
42. Weber M, Merle C, Nawabi DH et al.: Inaccurate offset restoration in total hip arthroplasty results in reduced range of motion. *Sci Rep* 2020; 10: 13208
43. Whiteside LA, Roy ME: Incidence and treatment of abductor deficiency during total hip arthroplasty using the posterior approach. *Bone Joint J* 2019; 101: 116–122
44. Whiteside LA: Surgical technique: Gluteus maximus and tensor fascia lata transfer for primary deficiency of the abductors of the hip. *Clin Orthop Relat Res* 2014; 472: 645–653
45. Windhagen H, Chincisan A, Choi HF, Thorey F: Soft-tissue balance in short and straight stem total hip arthroplasty. *Orthopedics* 2015; 38: 14–20
46. Wolff J: Das Gesetz der Transformation der Knochen. Reprint: Wessinghage D: Reprints medizinhistorischer Schriften. Schattauer, Stuttgart 1982
47. Yan SG, Chevalier Y, Liu F, Hua X et al.: Metaphyseal anchoring short stem hip arthroplasty provides a more physiological load transfer: a comparative finite element analysis study. *J Orthop Surg Res* 2020; 15: 498
48. Zeh A, Pankow F, Röllinshoff M et al.: A prospective dual-energy X-ray absorptiometry study of bone remodeling after implantation of the Nanos short-stemmed prosthesis. *Acta Orthop Belg* 2013; 79: 174–180

Literatur zum Beitrag

Katharina Koch, Ingo Nolte, Michael Hahn, Andreas Becker:

Die Stabilität der Hüftpfannenbeschichtung mit einem Titandrahtnetz in der 3. Generation

Eine Studie an 31 Explantaten mit einer Standzeit von 20 Jahren (16–27 Jahre)

1. Bobynd JD, Toh KK, Hacking SA, Tanzer M, Krygier JJ. Tissue response to porous tantalum acetabular cups: a canine model. *J Arthroplasty* 1999; 14(3):347-354
2. Bojescul JA, Xenos JS, Callaghan JJ, Savory CG. Results of porous-coated anatomic total hip arthroplasty without cement at fifteen years: a concise follow-up of a previous report. *J Bone Joint Surg Am.* 2003;85(6):1079-1083
3. Della Valle CJ, Berger RA, Shott S et al.. Primary total hip arthroplasty with a porous-coated acetabular component. *J. Bone Joint Surg.* 2004;86A:1217–1222
4. Donath K. Die Trenn-Dünnschliff-Technik zur Herstellung histologischer Präparate von nicht schneidbaren Geweben und Materialien. *Der Präparator.* 1988; 34:197–206
5. Galante J, Rostoker W, Lueck R, Ray RD. Sintered fiber metal composites as a basis for attachment of implants to bone. *J Bone Joint Surg Am.* 1971;53(1):101-114
6. Gasser B. Coating of the RM cup. In: Horne G(Ed) *Hip Joint Surgery. The RM cup - Longterm experience with an elastic monoblock acetabular implant.* Hamburg Einhorn-Press Verlag 2008. 16-22
7. Hahn M, Vogel M, Delling G. Undecalcified preparation of bone tissue: report of technical experience and development of new methods, Virchows Archiv A Pathological Anatomy and Histopathology 1991; 418:1–7
8. Klika AK, Murray TG, Darwiche H, Barsoum WK. Options for acetabular fixation surfaces. *J Long Term Eff Med Implants.* 2007;17(3):187-192
9. Lachiewicz PF, Soileau ES. Second-generation modular acetabular components provide fixation at 10 to 16 years. *Clin Orthop Relat Res.* 2012;470(2):366-372
10. Matsushita I, Morita Y, Ito Y, Motomura H, Kimura T. Long-term clinical and radiographic results of cementless total hip arthroplasty for patients with rheumatoid arthritis: minimal 10-year follow-up. *Mod Rheumatol.* 2014; 24(2): 281-284
11. Mayman DJ, González Della Valle A et al.. Late fiber metal shedding of the first and second-generation Harris Galante acetabular component. A report of 5 cases. *Arthroplasty.* 2007; 22(4): 624-629
12. Petersen MB, Poulsen IH, Thomsen J, Solgaard S. The hemispherical Harris-Galante acetabular cup, inserted without cement. The results of an eight to eleven-year follow-up of one hundred and sixty-eight hips. *J. Bone Joint Surg.* 1999; 81: 219–224
13. Ryan G, Pandit A, Apatsidis DP. Fabrication methods of porous metals for use in orthopaedic applications. *Biomaterials* 2006; 27(13): 2651–2670
14. Sheth NP, Nelson CL, Springer BD, Fehring TK, Paprosky WG. Acetabular bone loss in revision total hip arthroplasty: evaluation and management. *J Am Acad Orthop Surg.* 2013; 21:128-139
15. Slullitel G, González Della Valle A, Buttarò M, Piccaluga F. Early bead shedding of the Vitalock acetabular cup—a report on 7 cases. *Acta Orthop Scand* 2003;74(6):658-660
16. Urban RM, Hall DJ, Della Valle C, Wimmer MA, Jacobs JJ, Galante J. Successful long-term fixation and progression of osteolysis associated with first generation cementless acetabular components retrieved post mortem *J Bone Joint Surg Am.* 2012; 94: 1877-1885
17. Valle AG, Zoppi A, Peterson MG, Salvati EA. Clinical and radiographic results associated with a modern, cementless modular cup design in total hip arthroplasty. *J. Bone Joint Surg.* 2004; 86A:1998–2004
18. von Knoch M, Sychterz CJ, Engh CA Jr, Engh CA Sr. Incidence of late bead shedding from uncemented porous coated cups. A radiographic evaluation. *Clin Orthop.* 1997;(342):99-105
19. Willie BM, Bloebaum RD, Bireley WR, Bachus KN, Hofmann AA. Determining relevance of a weight-bearing ovine model for bone ingrowth assessment. *J Biomed Mater Res A.* 2004; 69: 567-576

Literatur zum Beitrag

Lars Victor von Engelhardt, Jörg Jerosch:

Hüftarthroskopie und konservative Therapie bei der Hüftarthrose

In welchen Fällen ist da erfolgversprechend, was ist wesentlich um zu guten Ergebnissen zu kommen, was können wir erwarten?

1. Anderson LA, Anderson MB, Erickson JA, Chrastil J, Peters CL: Acetabular Wall Indices Help to Distinguish Acetabular Coverage in Asymptomatic Adults With Varying Morphologies. *Clin Orthop Relat Res* 2017; 475: 1027–1033
2. Ayeni OR, Adamich J, Farrokhhyar F et al.: Surgical management of labral tears during femoroacetabular impingement surgery: a systematic review. *Knee Surg Sports Traumatol Arthrosc* 2014; 22: 756–762
3. Bayliss LE, Culliford D, Monk AP et al.: The effect of patient age at intervention on risk of implant revision after total replacement of the hip or knee: a population-based cohort study. *Lancet* 2017; 389(10077): 1424–1430
4. Beaulé PE, Speirs AD, Anwender H et al.: Surgical Correction of Cam Deformity in Association with Femoroacetabular Impingement and Its Impact on the Degenerative Process within the Hip Joint. *J Bone Joint Surg Am* 2017; 99: 1373–1381
5. Beck M, Kalhor M, Leunig M, Ganz R: Hip morphology influences the pattern of damage to the acetabular cartilage: femoroacetabular impingement as a cause of early osteoarthritis of the hip. *J Bone Joint Surg Br* 2005; 87:1012–1018
6. Bert JM: Abandoning microfracture of the knee: has the time come? *Arthroscopy* 2015; 31: 501–505
7. Breil-Wirth A, von Engelhardt LV, Lobner S, Jerosch J: Retrospektive Untersuchung einer zellfreien Matrix zur Knorpeltherapie. *OUP* 2016; 9: 515–520
8. Bretschneider H, Trattinig S, Landgraber S et al.: Arthroscopic matrix-associated, injectable autologous chondrocyte transplantation of the hip: significant improvement in patient-related outcome and good transplant quality in MRI assessment. *Knee Surg Sports Traumatol Arthrosc*. 2020; 28: 1317–1324
9. Büchler L, Neumann M, Schwab JM, Iselein L, Tannast M, Beck M: Arthroscopic versus open cam resection in the treatment of femoroacetabular impingement. *Arthroscopy* 2013; 29: 653–660
10. Cheek T, Smith T, Wills K, Jennings MP, Rawat J, Foster B: Universal screening may reduce the incidence of late diagnosis of developmental dysplasia of the hip: a systematic review and meta-analysis. *Bone Joint J* 2023; 105: 198–208
11. Claßen T, Körsmeier K, Kamminga M et al.: Is early treatment of cam-type femoroacetabular impingement the key to avoiding associated full thickness isolated chondral defects? *Knee Surg Sports Traumatol Arthrosc* 2016; 24: 2332–2337
12. Clohisy JC, Knaus ER, Hunt DM, Lesher JM, Harris-Hayes M, Prather H: Clinical presentation of patients with symptomatic anterior hip impingement. *Clin Orthop Relat Res* 2009; 467: 638–644
13. Colvin AC, Koehler SM, Bird J: Can the change in center-edge angle during pincer trimming be reliably predicted? *Clin Orthop Relat Res* 2011; 469: 1071–1074
14. Cong S, Pan J, Huang G, Xie D, Zeng C: The Modified Longitudinal Capsulotomy by Outside-In Approach in Hip Arthroscopy for Femoroplasty and Acetabular Labrum Repair-A Cohort Study. *J Clin Med* 2022; 11: 4548
15. Domb BG, Chaharbakshi EO, Rybalko D, Close MR, Litrenta J, Perets I: Outcomes of hip arthroscopic surgery in patients with Tönnis grade 1 osteoarthritis at a minimum 5-year follow-up: a matched-pair comparison with a Tönnis grade 0 control group. *Am J Sports Med* 2017; 45: 2294–2302
16. Domb BG, Gui C, Lodhia P: How much arthritis is too much for hip arthroscopy: a systematic review. *Arthroscopy* 2015; 31: 520–529
17. Dong Y, Zhang B, Yang Q, Zhu J, Sun X: The effects of platelet-rich plasma injection in knee and hip osteoarthritis: a meta-analysis of randomized controlled trials. *Clin Rheumatol* 2021; 40: 263–277
18. Dukas AG, Gupta AS, Peters CL, Aoki SK: Surgical Treatment for FAI: Arthroscopic and Open Techniques for Osteoplasty. *Curr Rev Musculoskelet Med* 2019; 12: 281–290
19. Fickert S, Aurich M, Albrecht D et al.: Biologische Rekonstruktion lokalisiert vollschichtiger Knorpelschäden des Hüftgelenks: Empfehlungen der Arbeitsgemeinschaft „Klinische Geweberegeneration“ der DGOU und des Hüftkomitees der AGA. *Z Orthop Unfall* 2017; 155: 670–682
20. Filan D, Mullins K, Carton P: Hip Arthroscopy in the Presence of Advanced Osteoarthritis Results in 57 % Survivorship, With 78 % Survivor Satisfaction, at 10 Years. A Matched-Control Study. *Arthroscopy*. 2023; 39: 256–268
21. Fransen M, McConnell S, Hernandez-Molina G, Reichenbach S: Exercise for osteoarthritis of the hip. *Cochrane Database Syst Rev* 2014; 22: CD007912
22. Gavenis K, Schmidt-Rohlfing B, Andereya S, Mumme T, Schneider U, Mueller-Rath R: A cell-free collagen type I device for the treatment of focal cartilage defects. *Artif Organs* 2010; 34: 79–83
23. Gicquel T, Gédouin JE, Krantz N et al.: Function and osteoarthritis progression after arthroscopic treatment of femoroacetabular impingement: a prospective study after a mean follow-up of 4.6 (4.2–5.5) years. *Orthop Traumatol Surg Res* 2014; 100: 651–656
24. Go CC, Kyin C, Maldonado DR, Domb BG: Surgeon Experience in Hip Arthroscopy Affects Surgical Time, Complication Rate, and Reoperation Rate: A Systematic Review on the Learning Curve. *Arthroscopy* 2020; 36: 3092–3105
25. Gosvig KK, Jacobsen S, Sonne-Home S, Palm H, Troelsen A: Prevalence of malformations of the hip joint and their relationship to sex, groin pain, and risk of osteoarthritis: a population-based survey. *J Bone Joint Surg Am* 2010; 92: 1162–1169
26. Green CJ, Beck A, Wood D, Zheng MH: The biology and clinical evidence of microfracture in hip preservation surgery. *J Hip Preserv Surg* 2016; 3: 108–123

27. Gürsan O, Hapa O, Matsuda DK et al.: Postoperative alpha angle seems to be important for the achievement of clinical significance at a minimum 5-year follow-up after primary hip arthroscopy. *Journal of Hip Preservation Surgery* 2023
28. Gwathmey FW, Jones KS, Thomas Byrd JW: Revision hip arthroscopy: findings and outcomes. *J Hip Preserv Surg* 2017; 4: 318–323
29. Haneda M, Rai MF, O’Keefe RJ, Brophy RH, Clohisy JC, Pascual-Garrido C: Inflammatory Response of Articular Cartilage to Femoroacetabular Impingement in the Hip. *Am J Sports Med* 2020; 48: 1647–1656
30. Hanson JA, Kapron AL, Swenson KM, Maak TG, Peters CL, Aoki SK: Discrepancies in measuring acetabular coverage: Revisiting the anterior and lateral center edge angles. *J Hip Preserv Surg* 2015; 2: 280–286
31. Harris JD, Erickson BJ, Bush-Joseph CA, Nho SJ: Treatment of femoroacetabular impingement: a systematic review. *Curr Rev Musculoskelet Med* 2013; 6: 207–218
32. Harris JD, McCormick FM, Abrams GD et al.: Complications and reoperations during and after hip arthroscopy: a systematic review of 92 studies and more than 6000 patients. *Arthroscopy* 2013; 29: 589–595
33. Harris WH: Etiology of osteoarthritis of the hip. *Clin Orthop Relat Res* 1986; 213: 20–33
34. Haviv B, O’Donnell J: The incidence of total hip arthroplasty after hip arthroscopy in osteoarthritic patients. *Sports Med Arthrosc Rehabil Ther Technol* 2010; 2: 18
35. Heyworth BE, Shindle MK, Voos JE, Rudzki JR, Kelly BT: Radiologic and intraoperative findings in revision hip arthroscopy. *Arthroscopy* 2007; 23: 1295–1302
36. Horner NS, Khanduja V, MacDonald AE, Naendrup JH, Simunovic N, Ayeini OR: Femoral neck fractures as a complication of hip arthroscopy: A systematic review. *J Hip Preserv Surg* 2017; 4: 9–17
37. Kellgren JH, Lawrence JS: Radiological assessment of osteoarthrosis. *Ann Rheum Dis* 1957; 16: 494–502
38. Kelly BT, Weiland DE, Schenker ML, Philippon MJ: Arthroscopic labral repair in the hip: surgical technique and review of the literature. *Arthroscopy* 2005; 21: 1496–1504
39. Kolasinski SL, Neogi T, Hochberg MC et al.: American College of Rheumatology/Arthritis Foundation Guideline for the Management of Osteo-
73. Robinson PG, Murray IR, Maempel J, Rankin CS, Hamilton D, Gaston P: Use of Biologics as an Adjunct Therapy to Arthroscopic Surgery for the Treatment of Femoroacetabular Impingement: A Systematic Review. *Orthop J Sports Med* 2019; 7: 2325967119890673
74. Sanders TL, Reardon P, Levy BA, Krych AJ: Arthroscopic treatment of global pincer-type femoroacetabular impingement. *Knee Surg Sports Traumatol Arthrosc* 2017; 25: 31–35
75. Sansone M, Ahldén M, Jonasson P et al.: Outcome of hip arthroscopy in patients with mild to moderate osteoarthritis – a prospective study. *J Hip Preserv Surg* 2016; 3: 61–67
76. Sardana V, Philippon MJ, de Sa D et al.: Revision Hip Arthroscopy Indications and Outcomes: A Systematic Review. *Arthroscopy* 2015; 31: 2047–2055
77. Schneider U, Schmidt-Rohlfing B, Gavenis K, Maus U, Mueller-Rath R, Andereya S: A comparative study of 3 different cartilage repair techniques. *Knee Surg Sports Traumatol Arthrosc* 2011; 19: 2145–2152
78. Shapira J, Annin S, Rosinsky PJ, Maldonado DR, Lall AC, Domb BG: Total hip arthroplasty after pelvic osteotomy for acetabular dysplasia: A systematic review. *J Orthop.* 2021; 25: 112–119
79. Siebenrock KA, Kistler L, Schwab JM, Büchler L, Tannast M: The acetabular wall index for assessing anteroposterior femoral head coverage in symptomatic patients. *Clin Orthop Relat Res* 2012; 470: 3355–3360
80. Sogbein OA, Shah A, Kay J et al.: Predictors of Outcomes After Hip Arthroscopic Surgery for Femoroacetabular Impingement: A Systematic Review. *Orthop J Sports Med* 2019; 7: 2325967119848982
81. Sohatee MA, Ali M, Khanduja V, Malviya A: Does hip preservation surgery prevent arthroplasty? Quantifying the rate of conversion to arthroplasty following hip preservation surgery. *J Hip Preserv Surg* 2020; 7: 168–182
82. Spahn G, Hofmann GO, von Engelhardt LV: Mechanical debridement versus radiofrequency in knee chondroplasty with concomitant medial meniscectomy: 10-year results from a randomized controlled study. *Knee Surg Sports Traumatol Arthrosc* 2016; 24: 1560–1568
83. Spencer-Gardner LS, Camp CL, Martin JR, Sierra RJ, Trousdale RT, Krych AJ: Does Prior Surgery for Femoroacetabular Impingement Compromise Hip Arthroplasty Outcomes? *J Arthroplasty* 2016; 31: 1899–1903
84. Tannast M, Hanke MS, Zheng G et al.: What are the radiographic reference values for acetabular under- and overcoverage? *Clin Orthop Relat Res* 2015; 473: 1234–1246
85. Thauinat M, Murphy CG, Chatellard R et al.: Capsulotomy first: a novel concept for hip arthroscopy. *Arthrosc Tech* 2014; 3: e599–603
86. Thomas GER, Palmer AJR, Batra RN et al.: Subclinical deformities of the hip are significant predictors of radiographic osteoarthritis and joint replacement in women. A 20 year longitudinal cohort study. *Osteoarthritis Cartilage* 2014; 22: 1504–1510
87. von Engelhardt LV, El Tabbakh MR, Engers R, Lahner M, Jerosch J: Hip arthroscopy for excision of osteoid osteoma and for the application of a collagen cartilage implant: Case report in a professional athlete, and literature review. *Technol Health Care* 2016; 24: 957–964
88. von Engelhardt LV, Jerosch J: Hüftimpingement – arthroskopische Möglichkeiten. Behandlung der knöchernen Deformitäten, begleitender Labrum- und Knorpelschäden und der Kapsel. *OUP* 2019; 8: 378–388
89. von Engelhardt LV, Seipelt M, Seeger JB, Jerosch J: Hüftimpingement und Rückkehr in den Sport. Wie kommen wir im Rahmen der Nachbehandlung und insbesondere mit der Physiotherapie zu optimalen Ergebnissen? *OUP* 2021; 10: 85–90
90. von Engelhardt LV, Spahn G, Jerosch J: Therapiemöglichkeiten bei chronischen, degenerativen Knorpelschäden. *OUP* 2018; 7: 382–387
91. Yacovelli S, Abdelaal M, Fillingham Y, Sutton R, Madding R, Parvizi J: Prior Pelvic Osteotomy Affects the Outcome of Subsequent Total Hip Arthroplasty. *J Arthroplasty.* 2021; 36: 600–604
92. Yin QF, Wang L, Liang T, Zhao H, Wang XS: Longitudinal Capsulotomy in Hip Arthroscopy: A Safe and Feasible Procedure for Cam-Type Femoroacetabular Impingement. *Orthop Surg* 2021; 13: 1793–1801
93. Zhang W, Doherty M, Arden N et al.: EULAR evidence based recommendations for the management of hip osteoarthritis: report of a task force of the EULAR Standing Committee for International Clinical Studies Including Therapeutics (ESCISt). *Ann Rheum Dis* 2005; 64: 669–681
94. Zhao Z, Ma JX, Ma XL: Different Intra-articular Injections as Therapy for Hip Osteoarthritis: A Systematic Review and Network Meta-analysis. *Arthroscopy* 2020; 36: 1452–1464

- arthritis of the Hand, Hip, and Knee. *Arthritis Care Res* 2020; 72: 149–162
40. Körsmeier K, Claßen T, Kamminga M, Rekowski J, Jäger M, Landgraeber S: Arthroscopic three-dimensional autologous chondrocyte transplantation using spheroids for the treatment of full-thickness cartilage defects of the hip joint. *Knee Surg Sports Traumatol Arthrosc* 2016; 24: 2032–2037
41. Kovalenko B, Bremjit P, Fernando N: Classifications in Brief: Tönnis Classification of Hip Osteoarthritis. *Clin Orthop Relat Res* 2018; 476:1680–1684
42. Kowalczyk M, Yeung M, Simunovic N, Ayeni OR: Does femoroacetabular impingement contribute to the development of hip osteoarthritis? A systematic review. *Sports Med Arthrosc Rev* 2015; 23: 174–179
43. Larson CM, Giveans MR, Samuelson KM, Stone RM, Bedi A: Arthroscopic Hip Revision Surgery for Residual Femoroacetabular Impingement (FAI): Surgical Outcomes Compared With a Matched Cohort After Primary Arthroscopic FAI Correction. *Am J Sports Med* 2014; 42: 1785–1790
44. Larson CM, Wulf CA: Intraoperative fluoroscopy for evaluation of bony resection during arthroscopic management of femoroacetabular impingement in the supine position. *Arthroscopy* 2009; 25(10): 1183–1192
45. Lee JW, Hwang DS, Kang C, Hwang JM, Chung HJ: Arthroscopic repair of acetabular labral tears associated with femoroacetabular impingement: 7–10 years of long-term follow-up results. *Clin Orthop Surg* 2019; 11: 28–35
46. Leunig M, Beaulé PE, Ganz R: The concept of femoroacetabular impingement: current status and future perspectives. *Clin Orthop Relat Res* 2009; 467: 616–622
47. Lund B, Mygind-Klavsen B, Grønbech et al.: Danish Hip Arthroscopy Registry (DHAR): the outcome of patients with femoroacetabular impingement (FAI). *J Hip Preserv Surg* 2017; 4: 170–177
48. Lung R, O'Brien J, Grebenyuk J et al.: The prevalence of radiographic femoroacetabular impingement in younger individuals undergoing total hip replacement for osteoarthritis. *Clin Rheumatol* 2012; 31: 1239–1242
49. Macek J: Gel Scaffolds and Membranes-which one is a better choice in hip cartilage defects treatment: advantages and disadvantages. Abstract, ISHA Academy 2019, EP15.12
50. Mancini D, Fontana A: Five-year results of arthroscopic techniques for the treatment of acetabular chondral lesions in femoroacetabular impingement. *Int Orthop* 2014; 38: 2057–2064
51. Mannava S, Chahla J, Geeslin AG et al.: Platelet-Rich Plasma Augmentation for Hip Arthroscopy. *Arthrosc Tech* 2017; 6: e763-e768
52. Mansor Y, Perets I, Close MR, Mu BH, Domb BG: In search of the spherical femoroplasty: Cam overresection leads to inferior functional scores before and after revision hip arthroscopic surgery. *Am J Sports Med* 2018; 46: 2061–2071
53. Martin HD: Clinical examination of the hip. *Oper Tech Orthop* 2005; 15: 177–181
54. Matsuda DK, Carlisle JC, Arthurs SC, Wierks CH, Philippon MJ: Comparative systematic review of the open dislocation, mini-open, and arthroscopic surgeries for femoroacetabular impingement. *Arthroscopy* 2011; 27: 252–269
55. Matsuda DK, Gupta N, Hanami D: Hip arthroscopy for challenging deformities: global pincer femoroacetabular impingement. *Arthrosc Tech* 2014; 3: 197–204
56. Mehta N, Chamberlin P, Marx RG et al.: Defining the Learning Curve for Hip Arthroscopy: A Threshold Analysis of the Volume-Outcomes Relationship. *Am J Sports Med* 2018; 46: 1284–1293
57. Memon M, Kay J, Hache P et al.: Athletes experience a high rate of return to sport following hip arthroscopy. *Knee Surg Sports Traumatol Arthrosc* 2019; 27: 3066–3104
58. Menge TJ, Briggs KK, Dornan GJ, McNamara SC, Philippon MJ: Survivorship and Outcomes 10 Years Following Hip Arthroscopy for Femoroacetabular Impingement: Labral Debridement Compared with Labral Repair. *J Bone Joint Surg Am* 2017; 99: 997–1004
59. Monahan PF, Jimenez AE, Owens JS et al.: Postoperative Alpha Angle Is Predictive of Return to Sport in Athletes Undergoing Hip Arthroscopy for Femoroacetabular Impingement. *Arthroscopy* 2022; 38: 1204–1214
60. Neumann M, Cui Q, Siebenrock KA, Beck M: Impingement-free hip motion: the 'normal' angle alpha after osteochondroplasty. *Clin Orthop Relat Res* 2009; 467: 699–703
61. Nötzli HP, Wyss TF, Stoecklin CH, Schmid MR, Treiber K, Hodler J: The contour of the femoral head-neck junction as a predictor for the risk of anterior impingement. *J Bone Joint Surg Br* 2002; 84: 556–560
62. Nwachukwu BU, Rebolledo BJ, McCormick F, Rosas S, Harris JD, Kelly BT: Arthroscopic Versus Open Treatment of Femoroacetabular Impingement: A Systematic Review of Medium- to Long-Term Outcomes. *Am J Sports Med* 2016; 44: 1062–1068
63. Orth P, Duffner J, Zurakowski D, Cucchiari M, Madry H: Small-diameter awls improve articular cartilage repair after microfracture treatment in a translational animal model. *Am J Sports Med* 2016; 44: 209–219
64. Osawa Y, Hasegawa Y, Seki T, Amano T, Higuchi Y, Ishiguro N: Significantly Poor Outcomes of Total Hip Arthroplasty After Failed Periacetabular Osteotomy. *J Arthroplasty* 2016; 31: 1904–1909
65. Philippon MJ, Briggs KK, Carlisle JC, Patterson DC: Joint space predicts THA after hip arthroscopy in patients 50 years and older. *Clin Orthop Relat Res* 2013; 471: 2492–2496
66. Philippon MJ, Schenker ML, Briggs KK, Koppersmith DA, Maxwell RB, Stubbs AJ: Revision hip arthroscopy. *Am J Sports Med* 2007; 35: 1918–1921
67. Philippon MJ, Schroder ESG, Briggs KK: Hip arthroscopy for femoroacetabular impingement in patients aged 50 years or older. *Arthroscopy* 2012; 28: 59–65
68. Philippon MJ, Wolff AB, Briggs KK, Zehms CT, Koppersmith DA: Acetabular rim reduction for the treatment of femoroacetabular impingement correlates with preoperative and postoperative center-edge angle. *Arthroscopy* 2010; 26: 757–761
69. Pierannunzi L: Femoroacetabular impingement: question-driven review of hip joint pathophysiology from asymptomatic skeletal deformity to end-stage osteoarthritis. *J Orthop Traumatol* 2019; 20: 32
70. Rafols C, Monckeberg JE, Numair J, Botello J, Rosales J: Platelet-Rich Plasma Augmentation of Arthroscopic Hip Surgery for Femoroacetabular Impingement: A Prospective Study With 24-Month Follow-up. *Arthroscopy* 2015; 31: 1886–1892
71. Rego PR, Mascarenhas V, Oliveira FS et al.: Morphologic and angular planning for cam resection in femoroacetabular impingement: value of the omega angle. *Int Orthop* 2016; 40: 2011–2017
72. Rhee C, Le Francois T, Byrd JWT, Glazebrook M, Wong I: Radiographic diagnosis of pincer-type femoroacetabular impingement: a systematic review. *Orthop J Sports Med* 2017; 5: 2325967117708307

Literatur zum Beitrag

Christoph Gebhart, Wolfram Veitl, Alexander Gebhart, Clemens Felsing:

Vierdimensionale Computertomographie des Hüftgelenkes bei Femuroacetabulärem Impingement (FAI)

1. Amanatullah DF, Antkowiak T, Pillay K, et al.: Femoroacetabular impingement: current concepts in diagnosis and treatment. *Orthopedics* 2015 Mar;38(3):185–199
2. Ganz R, Leunig M, Leunig-Ganz K, Harris WH: The etiology of osteoarthritis of the hip: an integrated mechanical concept. *Clin Orthop Relat Res* 2008;466(2):264–272. Epub 2008 Jan 10
3. Griffin DR, Dickenson EJ, O'Donnell J et al.: The Warwick Agreement on femoroacetabular impingement syndrome (FAI syndrome): an international consensus statement. *Br J Sports Med.* 2016 Oct;50(19):1169–1176
4. Van Houcke J, Khanduja V, Audenaert EA: Accurate Arthroscopic Cam Resection Normalizes Contact Stresses in Patients With Femoroacetabular Impingement *Am J Sports Med.* 2021 Jan;49(1):42–48
5. Statistik Austria, Radioaktivität und Strahlung in Österreich 2005 und 2006, Daten und Bewertung aus <https://www.statistik.at/>
6. Fazel et al.: Exposure to Low-Dose Ionizing Radiation from Medical Imaging Procedures, *The New England Journal of Medicine*, August 27, 2009, Vol 361, No.9

Literatur zum Beitrag

Lars Victor von Engelhardt, Jörg Jerosch:

Hüftimpingement

Wie kommen wir mittels Anamnese, klinischer Untersuchung und Röntgen zur richtigen Diagnose?

1. Beaulé PE, Speirs AD, Anwander H, et al.: Surgical Correction of Cam Deformity in Association with Femoroacetabular Impingement and Its Impact on the Degenerative Process within the Hip Joint. *J Bone Joint Surg Am* 2017; 99(16): 1373–1381
2. Beck M, Kalhor M, Leunig M, Ganz R: Hip morphology influences the pattern of damage to the acetabular cartilage: femoroacetabular impingement as a cause of early osteoarthritis of the hip. *J Bone Joint Surg Br* 2005; 87(7): 1012–1018
3. Büchler L, Neumann M, Schwab JM, Iselin L, Tannast M, Beck M: Arthroscopic versus open cam resection in the treatment of femoroacetabular impingement. *Arthroscopy* 2013; 29(4): 653–660
4. Byrd JW, Jones KS: Traumatic rupture of the ligamentum teres as a source of hip pain. *Arthroscopy* 2004; 20: 385–391
5. Byrd JW: Evaluation of the hip: history and physical examination. *N Am J Sports Phys Ther* 2007; 2(4): 231–240
6. Claßen T, Körsmeier K, Kamminga M, et al.: Is early treatment of cam-type femoroacetabular impingement the key to avoiding associated full thickness isolated chondral defects? *Knee Surg Sports Traumatol Arthrosc* 2016; 24(7): 2332–2337
7. Clohisy JC, Knaus ER, Hunt DM, Leshner JM, Harris-Hayes M, Prather H: Clinical presentation of patients with symptomatic anterior hip impingement. *Clin Orthop Relat Res* 2009; 467(3): 638–644
8. de Silva V, Swain M, Broderick C, McKay D: Does high level youth sports participation increase the risk of femoroacetabular impingement? A review of the current literature. *Pediatr Rheumatol Online J* 2016; 14(1): 16
9. Domb BG, Gui C, Lodhia P: How much arthritis is too much for hip arthroscopy: a systematic review. *Arthroscopy* 2015; 31(3): 520–529
10. Doran C, Pettit M, Singh Y, Sunil Kumar KH, Khanduja V: Does the Type of Sport Influence Morphology of the Hip? A Systematic Review. *Am J Sports Med* 2022; 50(6): 1727–1741
11. Ellis HB, Briggs KK, Philippon MJ: Innovation in hip arthroscopy: is hip arthritis preventable in the athlete? *Br J Sports Med* 2011; 45(4): 253–258
12. Freke MD, Kemp J, Svege I, Risberg MA, Semciw A, Crossley KM: Physical impairments in symptomatic femoroacetabular impingement: a systematic review of the evidence. *Br J Sports Med* 2016; 50 (19): 1180
13. Ganz R, Parvizi J, Beck M et al: (2003) Femoroacetabular impingement: A cause for osteoarthritis of the hip. *Clin Orthop Relat Res* 417: 112–120
14. Gavenis K, Schmidt-Rohlfing B, Andereya S, Mumme T, Schneider U, Mueller-Rath R: A cell-free collagen type I device for the treatment of focal cartilage defects. *Artif Organs* 2010; 34: 79–83
15. Gebhart C: Subspinales Impingement des Hüftgelenks Arthroskopie 2014; 27: 93–97
16. Gwathmey FW, Jones KS, Thomas Byrd JW: Revision hip arthroscopy: findings and outcomes. *J Hip Preserv Surg* 2017; 4(4): 318–323
17. Hamula MJ, Ryan MK, Baron SL, Bloom DA, Youm T: Atypical Hip Pain in Femoroacetabular Impingement: A Comparison of Outcomes Based on Primary Hip Pain Location. *Am J Sports Med* 2020; 48(1): 167–172
18. Heyworth BE, Shindle MK, Voos JE, Rudzki JR, Kelly BT: Radiologic and intraoperative findings in revision hip arthroscopy. *Arthroscopy* 2007; 23(12): 1295–1302
19. Hogervorst T, Bouma H, de Boer SF, de Vos J: Human hip impingement morphology: an evolutionary explanation. *J Bone Joint Surg Br* 2011; 93: 769–776
20. Hölmich P, Dienst M: Differentialdiagnose von Hüft- und Leistenschmerzen – Symptome und körperliche Untersuchungstechnik. *Orthopade* 2006, 35: 8–15
21. Kellgren JH, Lawrence JS: Radiological assessment of osteo-arthritis. *Ann Rheum Dis* 1957; 16: 494–502
22. Konstantinidis G, Mitchell M, Boyd G, Coody C, Ghosh S, Wong I: Poor Sensitivity of Magnetic Resonance Arthrography to Detect Hip Chondral Delamination: A Retrospective Follow-Up of 227 FAI-Operated Patients. *Cartilage* 2019; 23: 1947603518816453
23. Lahner M, Walter PA, von Schulze Pellengahr C, Hagen M, von Engelhardt LV, Lukas C: Comparative study of the femoroacetabular impingement (FAI) prevalence in male semi-professional and amateur soccer players. *Arch Orthop Trauma Surg* 2014; 134(8): 1135–1141
24. Lee YJ, Kim SH, Chung SW, Lee YK, Koo KH: Causes of Chronic Hip Pain Undiagnosed or Misdiagnosed by Primary Physicians in Young Adult Patients: a Retrospective Descriptive Study. *J Korean Med Sci* 2018; 33(52): e339
25. Lequesne MG, Laredo JD: The faux profil (oblique view) of the hip in the standing position. Contribution to the evaluation of osteoarthritis of the adult hip. *Ann Rheum Dis* 1998; 57(11): 676–681
26. Leunig M, Beck M, Dora C, Ganz R: Femoroacetabular impingement: trigger for the development of coxarthrosis. *Orthopade* 2006; 35: 77–84
27. Leunig M, Beck M, Stauffer E et al.: Free nerve endings in the ligamentum capitis femoris. *Acta Orthop Scand* 2000; 71: 452–454
28. Lindner D, Shohat N, Botser I, Agar G, Domb BG: Clinical presentation and imaging results of patients with symptomatic gluteus medius tears. *J Hip Preserv Surg*. 2015 May 19;2(3):310–315
29. Locks R, Chahla J, Mitchell JJ, Soares E, Philippon MJ: Dynamic Hip Examination for Assessment of Impingement During Hip Arthroscopy. *Arthrosc Tech* 2016; 5(6): 1367–1372
30. Martin HD, Palmer IJ: History and physical examination of the hip: the basics. *Curr Rev Musculoskelet Med* 2013; 6(3): 219–225
31. Meghpara MB, Yelton MJ, Annin S, et al.: Return to Activity After Gluteus Medius Repair in Active Patients Older Than 50 Years. *Orthop J Sports Med* 2021; 9(1): 2325967120967968

32. Meghpara MB, Bheem R, Haden M, et al.: Differences in Clinical Presentations and Surgical Outcomes of Gluteus Medius Tears Between Men and Women. *Am J Sports Med* 2020; 48(14): 3594–3602
33. Meghpara MB, Bheem R, Shah S et al.: Prevalence of Gluteus Medius Pathology on Magnetic Resonance Imaging in Patients Undergoing Hip Arthroscopy for Femoroacetabular Impingement: Asymptomatic Tears Are Rare, Whereas Tendinosis Is Common. *The American Journal of Sports Medicine* 2020; 48(12): 2933–2938
34. Memon M, Kay J, Hache P, et al.: Athletes experience a high rate of return to sport following hip arthroscopy. *Knee Surg Sports Traumatol Arthrosc* 2019; 27(10): 3066–3104
35. Menge TJ, Briggs KK, Dornan GJ, McNamara SC, Philippon MJ: Survivorship and Outcomes 10 Years Following Hip Arthroscopy for Femoroacetabular Impingement: Labral Debridement Compared with Labral Repair. *J Bone Joint Surg Am* 2017; 99(12): 997–1004
36. Mullins K, Hanlon M, Carton P: Arthroscopic correction of femoroacetabular impingement improves athletic performance in male athletes. *Knee Surg Sports Traumatol Arthrosc* 2020; 28: 2285–2294
37. Neumann M, Cui Q, Siebenrock KA, Beck M: Impingement-free hip motion: the ‘normal’ angle alpha after osteochondroplasty. *Clin Orthop Relat Res* 2009; 467(3): 699–703
38. Nötzli HP, Wyss TF, Stoecklin CH, Schmid MR, Treiber K, Hodler J: The contour of the femoral head-neck junction as a predictor for the risk of anterior impingement. *J Bone Joint Surg Br* 2002; 84(4): 556–560
39. Philippon MJ, Maxwell RB, Johnston TL, Schenker M, Briggs KK: Clinical presentation of femoroacetabular impingement. *Knee Surg Sports Traumatol Arthrosc* 2007; 15: 1041–1047
40. Philippon MJ, Schenker ML, Briggs KK, Kuppersmith DA, Maxwell RB, Stubbs AJ: Revision hip arthroscopy. *Am J Sports Med* 2007; 35(11): 1918–1921
41. Philippon MJ, Schroder ESG, Briggs KK: Hip arthroscopy for femoroacetabular impingement in patients aged 50 years or older. *Arthroscopy* 2012; 28(1): 59–65
42. Raveendran R, Stiller JL, Alvarez C, et al.: Population-based prevalence of multiple radiographically-defined hip morphologies: the Johnston County Osteoarthritis Project. *Osteoarthritis Cartilage* 2018; 26(1): 54–61
43. Reddy N, Martinez JR, Mulligan E, Nakonezny P, Wells J: Sleep quality and nocturnal pain in patients with femoroacetabular impingement and acetabular dysplasia. *BMC Musculoskelet Disord* 2020; 21(1): 134
44. Rego PR, Mascarenhas V, Oliveira FS, et al.: Morphologic and angular planning for cam resection in femoroacetabular impingement: value of the omega angle. *Int Orthop* 2016; 40(10): 2011–2017
45. Rhee C, Le Francois T, Byrd JWT, Glazebrook M, Wong I: Radiographic Diagnosis of Pincer-Type Femoroacetabular Impingement: A Systematic Review. *Orthop J Sports Med* 2017; 5(5): 2325967117708307
46. Ruzbarsky JJ, Comfort SM, Lee S, Pierpoint LA, Philippon MJ: The Relationship Between the Joint Space and Outcomes After Hip Arthroscopic Surgery for Femoroacetabular Impingement: Reevaluating the 2-mm Rule. *Am J Sports Med* 2023; 51(6): 1538–1547
47. Sardana V, Philippon MJ, de Sa D et al.: Revision Hip Arthroscopy Indications and Outcomes: A Systematic Review. *Arthroscopy* 2015; 31(10): 2047–2055
48. Sogbein OA, Shah A, Kay J, Memon M, Simunovic N, Belzile EL, Ayeni OR: Predictors of Outcomes After Hip Arthroscopic Surgery for Femoroacetabular Impingement: A Systematic Review. *Orthop J Sports Med* 2019; 7(6): 2325967119848982
49. Sohatee MA, Ali M, Khanduja V, Malviya A: Does hip preservation surgery prevent arthroplasty? Quantifying the rate of conversion to arthroplasty following hip preservation surgery. *J Hip Preserv Surg* 2020; 7(2): 168–182
50. von Engelhardt LV, Jerosch J: Hüftimpingement und Rückkehr in den Sport. Wie kommen wir mit der Hüftarthroskopie zu optimalen Ergebnissen und was können unsere Patienten erwarten? OUP 2021; 10: 70–78
51. von Engelhardt LV, Seipelt M, Seeger JB, Jerosch J: Hüftimpingement und Rückkehr in den Sport. Wie kommen wir im Rahmen der Nachbehandlung und insbesondere mit der Physiotherapie zu optimalen Ergebnissen? OUP 2021; 10: 85–90

Literatur zum Beitrag

Martin Legat:

Interventionelle Maßnahmen beim Therapieren eines CRPS

Welche Therapie ist evidenzbasiert?

1. de Oliveira Rocha R et al.: Thoracic sympathetic block for the treatment of complex regional pain syndrome type I: A double-blind randomized controlled study, *PAIN*[®], Bd. 155, Nr. 11, S. 2274–2281, Nov. 2014
2. Aleanakian R, Chung B-Y, Feldmann Jr RE, Benrath J: Effectiveness, Safety, and Predictive Potential in Ultrasound-Guided Stellate Ganglion Blockades for the Treatment of Symptomatically Maintained Pain, *Pain Pract.*, Bd. 20, Nr. 6, S. 626–638, 2020
3. Stanton TR, Wand BM, Carr DB, Birklein F, Wasner GL, O’Connell NE: Local anaesthetic sympathetic blockade for complex regional pain syndrome, *Cochrane Database Syst. Rev.*, Nr. 8, 2013
4. Kemler MA, de Vet HCW, Barendse GAM, van den Wildenberg FAJM, van Kleef M: Effect of spinal cord stimulation for chronic complex regional pain syndrome Type I: five-year final follow-up of patients in a randomized controlled trial, *J. Neurosurg.*, Bd. 108, Nr. 2, S. 292–298, Feb. 2008
5. Visnjevac O et al.: A Comprehensive Outcome-Specific Review of the Use of Spinal Cord Stimulation for Complex Regional Pain Syndrome, *Pain Pract.*, Bd. 17, Nr. 4, S. 533–545, 2017
6. Kapural L et al.: Novel 10-kHz High-frequency Therapy (HF10 Therapy) Is Superior to Traditional Low-frequency Spinal Cord Stimulation for the Treatment of Chronic Back and Leg Pain The SENZA-RCT Randomized Controlled Trial, *Anesthesiol. J. Am. Soc. Anesthesiol.*, Bd. 123, Nr. 4, S. 851–860, Okt. 2015
7. Lamer TJ, Moeschler SM, Gazelka HM, Hooten WM, Bendel MA, Murad MH: Spinal Stimulation for the Treatment of Intractable Spine and Limb Pain: A Systematic Review of RCTs and Meta-Analysis, *Mayo Clin. Proc.*, Bd. 94, Nr. 8, S. 1475–1487, Aug. 2019
8. Mekhail N et al.: Paresthesia-Free Dorsal Root Ganglion Stimulation: An ACCURATE Study Sub-Analysis, *Neuromodulation Technol. Neural Interface*, Bd. 23, Nr. 2, S. 185–195, Feb. 2020
9. Levy RM et al.: Therapy Habituation at 12 Months: Spinal Cord Stimulation Versus Dorsal Root Ganglion Stimulation for Complex Regional Pain Syndrome Type I and II, *J. Pain*, Bd. 21, Nr. 3, S. 399–408, März 2020
10. Deer T et al.: Safety Analysis of Dorsal Root Ganglion Stimulation in the Treatment of Chronic Pain, *Neuromodulation Technol. Neural Interface*, Bd. 23, Nr. 2, S. 239–244, Feb. 2020
11. van Rijn MA et al.: Intrathecal baclofen for dystonia of complex regional pain syndrome, *Pain*, Bd. 143, Nr. 1, S. 41–47, Mai 2009
12. Huntoon MA, Burgher AH: Ultrasound-Guided Permanent Implantation of Peripheral Nerve Stimulation (PNS) System for Neuropathic Pain of the Extremities: Original Cases and Outcomes, *Pain Med.*, Bd. 10, Nr. 8, S. 1369–1377, Nov. 2009

Literatur zum Beitrag

Carolin Meyer, Christian Wille

Management neuropathischer Schmerzen Ein erfahrungs- und evidenzbasierter Behandlungsalgorithmus

1. van Hecke O, Austin SK, Khan RA et al.: (2014) Neuropathic pain in the general population: A systematic review of epidemiological studies. *Pain* 155:654–662
2. Haanpää M, Attal N, Backonja M et al.: (2011) NeuPSIG guidelines on neuropathic pain assessment
3. Scholz J, Finnerup NB, Attal N et al.: (2019) The IASP classification of chronic pain for ICD-11: Chronic neuropathic pain. *Pain* 160:53–59
4. Mendell LM: (2022) The Path to Discovery of Windup and Central Sensitization. *Frontiers in Pain Research* 3
5. Finnerup NB, Haroutounian S, Kamerman P et al.: (2016) Neuropathic pain: an updated grading system for research and clinical practice. *Pain* 157:1599–606
6. Breivik H, Collett B, Ventafridda V et al.: (2006) Survey of chronic pain in Europe: Prevalence, impact on daily life, and treatment. *European Journal of Pain* 10:287–333
7. Haanpää M: (2013) The assessment of neuropathic pain patients. *Pain Management* 3:59–65
8. Baron R: Leitlinien für Diagnostik und Therapie in der Neurologie Pharmakologisch nicht interventionelle Therapie chronisch neuropathischer Schmerzen
9. Mekhail N, Visnjevac O, Azer G et al.: (2018) Spinal Cord Stimulation 50 Years Later. *Reg Anesth Pain Med* 43:1
10. Visnjevac O, Costandi S, Patel BA et al.: (2017) A Comprehensive Outcome-Specific Review of the Use of Spinal Cord Stimulation for Complex Regional Pain Syndrome. *Pain Practice* 17:533–545
11. Jones MR, Viswanath O, Peck J et al.: (2018) A Brief History of the Opioid Epidemic and Strategies for Pain Medicine. *Pain Ther*
12. O’Connell NE, Ferraro MC, Gibson W et al.: (2021) Implanted spinal neurostimulation interventions for chronic pain in adults. *Cochrane Database of Systematic Reviews* 2021
13. Farber SH, Han JL, Elsamadicy AA et al.: (2017) Long-term Cost Utility of Spinal Cord Stimulation in Patients with Failed Back Surgery Syndrome. *Pain Physician* 20:E797–E805
14. Zucco F, Ciampichini R, Lavano A et al.: (2015) Cost-Effectiveness and Cost-Utility Analysis of Spinal Cord Stimulation in Patients With Failed Back Surgery Syndrome: Results From the PRECISE Study. *Neuromodulation: Technology at the Neural Interface* 18:266–276
15. Schlereth T. et al.: (2019) Diagnose und nicht interventionelle Therapie neuropathischer Schmerzen Leitlinien für Diagnostik und Therapie in der Neurologie
16. Üçeyler N, Sommer C: (2011) Neuropathic Pain Assessment – An Overview of Existing Guidelines and Discussion Points for the Future. *Eur Neurol Rev* 6:128
17. Bennett MI, Attal N, Backonja MM et al.: (2007) Using screening tools to identify neuropathic pain
18. Freynhagen R, Tölle TR, Gockel U, Baron R: (2016) The painDETECT project – far more than a screening tool on neuropathic pain. *Curr Med Res Opin* 32:1033–1057
19. Klasen BW, Hallner D, Schaub C et al.: (2004) Validation and reliability of the German version of the Chronic Pain Grade questionnaire in primary care back pain patients. *Psychosoc Med* 1:Doc07
20. Schiltenswolf M, Klinger R: (2008) Patienten mit vorbestehender Schmerzchronifizierung und/oder psychischen Auffälligkeiten. *Orthopade* 37:990–996
21. Vollert J, Maier C, Attal N et al.: (2017) Stratifying patients with peripheral neuropathic pain based on sensory profiles. *Pain* 158:1446–1455
22. Baron R: Leitlinien für Diagnostik und Therapie in der Neurologie Pharmakologisch nicht interventionelle Therapie chronisch neuropathischer Schmerzen
23. McNicol ED, Ferguson MC, Schumann R: (2017) Methadone for neuropathic pain in adults. *Cochrane Database of Systematic Reviews* 5:CD012499
24. Cooper TE, Chen J, Wiffen PJ et al.: (2017) Morphine for chronic neuropathic pain in adults. *Cochrane Database of Systematic Reviews* 5:CD011669
25. Duehmke RM, Derry S, Wiffen PJ et al.: (2017) Tramadol for neuropathic pain in adults. *Cochrane Database of Systematic Reviews* 6:CD003726
26. Bernardy K, Klose P, Welsch P, Häuser W (2018) Efficacy, acceptability and safety of cognitive behaviour therapies in fibromyalgia syndrome – A systematic review and meta-analysis of randomized controlled trials. *European Journal of Pain* 22:242–260
27. Vanneste T, Van Lantschoot A, Van Boexem K, Van Zundert J: (2017) Pulsed radiofrequency in chronic pain. *Curr Opin Anaesthesiol* 30:577–582
28. Hailong J, Hao R, Zipu J et al.: (2018) Pulsed Radiofrequency Improves Neuropathic Pain in Chronic Constriction Injury Rats through the Upregulation of the Transcription and Translation Levels of Glial Cell Line-Derived Neurotrophic Factor. *Pain Physician* 21:33–40
29. AWMF (2013) Epidurale Rückenmarkstimulation zur Therapie chronischer Schmerzen. AWMF online 2014–2016
30. Deer T, Slavin K V., Amirdelfan K et al.: (2018) Success Using Neuromodulation With BURST (SUNBURST) Study: Results From a Prospective, Randomized Controlled Trial Using a Novel Burst Waveform. *Neuromodulation: Technology at the Neural Interface* 21:56–66

Literatur zum Beitrag

Theodoros Theodoridis, Ulricke Randel, Constantinos Georgallas:

Interventionelle Wirbelsäulentherapie ohne Zuhilfenahme bildgebender Verfahren

1. Barnsley L, Bogduk N (1993) Medial branch blocks are specific for the diagnosis of cervical zygapophysial joint pain. *Reg Anaesth* 18:343–350
2. Becker C, Heidersdorf S, Drewlo S, Zirke S, Krämer J, Willburger R (2007) Efficacy of epidural perineural injections with autologous conditioned serum for lumbar radicular compression. An investor-initiated, prospective, double-blind, reference-controlled study. *Spine* 32, 17:1803–1808
3. Carrera F (1980) Lumbar facet injection in LBP and sciatica. *Radiology* 137:661–664
4. Crette S et al (1997) Epidural corticosteroid injections for sciatica due to herniated nucleus pulposus. *N Engl J Med* 336:1634–1640
5. Chakraverty R, Pynsent P, Isaacs K (2007) Which spinal levels are identified by palpation of the iliac crests and the posterior superior iliac spines? *J Anat.*;210(2):232–236
6. Cuckler JM, Bernini PA, Wiesel SW, Booth RE Jr., Rothman RH, Pickens GT (1985) The use of steroids in the treatment of lumbar radicular pain. *J Bone Joint Surg Am.* 67:63–66
7. Dreyfuss P, Schwarzer AC, Lau P, Bogduk N (1997) Specificity of lumbar medial branch and L5 dorsal ramus blocks: a computed tomographic study. *Spine* 22:895–902
8. Ghormley RK (1993) Low back pain with special reference to the art. Facets with presentation of an operative procedure. *J Amer Med Ass.* 101,1773
9. Greitemann, B, Schmidt, R (Federführung) (2020) Leitlinie zur konservativen, operativen und rehabilitativen Versorgung bei Bandscheibenvorfällen mit radikulärer Symptomatik, S2k Leitlinie der Deutschen Gesellschaft für Orthopädie und Orthopädische Chirurgie (DGOOC), der Sektion Wirbelsäule der Deutschen Gesellschaft für Orthopädie und Unfallchirurgie (DGOU), der Deutschen Gesellschaft für Neurochirurgie (DGNC) und der Deutschen Wirbelsäulengesellschaft (DWG). (AWMF-Registernummer: 033–048)
10. Klenerman C, Greenwood R, Davenport HT et al (1984) Lumbar epidural injection in the treatment of sciatica. *Brit. J. Rheumatol.* 23:35–38
11. Koes BW et al (1995) Efficacy of epidural steroid injections for low back pain and sciatica: a systematic review of randomised clinical trials. *Pain* 63: 279–288
12. Koes BW et al (1999) Epidural steroid injections for low back pain and sciatica: an updated systematic review of randomised clinical trials. *Pain Digest* 9: 241–247
13. Krämer J, Ludwig J, Bickert U, Owczarek V, Traupe M (1997) Lumbar epidural perineural injection: a new technique. *Eur Spine J.* 6:357–361
14. Lakchayapakorn K, Suwanlikhid N (2014) The interlaminar and the narrowest distances at the L3/4 and L4/5 interspinous spaces and location of the intercrestal line in Thai cadavers. *J Med Assoc Thai*;97 Suppl 8:S1–6.
15. Macnab J, Dall D (1971) The blood supply of the lumbar spine and its application to the technique of intertransverse lumbar fusion. *J Bone Jt Surg B53*, 628
16. Manchikanti L, Pampati VS, Paganati RR, Fellows B (1999) The prevalence of facet joint pain in chronic low back pain. *Pain Physician* 2:59–64
17. Manchikanti L, Singh V, Rivera J, Pampati V (2002) Prevalence of cervical facet joint pain in chronic neck pain. *Pain Physician* 5:243–249
18. Manchikanti L et al (2013) An update of comprehensive evidence-based Guidelines for interventional techniques in chronic spinal pain. Part II: guidance and recommendations. *Pain Physician* 16:49–283
19. McQuay H, Moore A (1998) Epidural corticosteroids for sciatica. In: *An evidence-based resource for pain relief*, 216–218, The Bath Press Ltd, Bath
20. Moran R, O'Connell D, Walsh MG (1988) The diagnostic value of facet injections. *Spine*, 13, 1407–1410
21. NG L, Chaudhary N, Sell P (2005) The efficacy of corticosteroids in periradicular infiltration for chronic radicular pain. *Spine* 30, 8:857–862
22. Reichert B, Hrsg. (2018) *Palpations-Techniken- Anatomie in vivo*. Stuttgart: Thieme
23. Reischauer F (1953) Zur Technik der lokalen Novocainbehandlung bei Lumbago/Ischias. *Dtsch med Wschr.* 78,1373
24. Schwarzer AC, Aprill CN, Derby R, Fortin J, Kine G, Bogduk N (1994) Clinical features of patients with pain stemming from the lumbar zygapophysial joints. Is the lumbar facet joint syndrome a clinical entity? *Spine* 19:1132–1137
25. Teske W, Zirke S, Nottenkämper J, Lichtinger T, Theodoridis Th, Krämer J, Schmidt K (2011) Anatomical and surgical study of volume determination of the anterolateral epidural space nerve root L5/S1 under the aspect of epidural perineural injection in minimal invasive treatment of lumbar nerve root compression. *European Spine J* Juni 20:537–541
26. Teske W, Zirke S, Trippe C, Krämer J, Willburger RE, Theodoridis Th, Beer AM, Molsberger A (2009) Epidural injection therapy with local anaesthetics versus cortisone in the lumbar spine syndrome: a prospective study. *Z Orthop Unfall* 147(2):199–220
27. Theodoridis T, Krämer J (2019) *Spinal Injection Techniques*. Thieme, Stuttgart
28. Theodoridis T, Mamarvar R, Krämer J, Wiese M, Teske W (2009) Einstichwinkel bei der epidural-perineuralen Injektion an der Lendenwirbelsäule *Z Orthop Unfall* 147(1): 65–68
29. Theodoridis T (2012) Stellenwert der Injektionstherapie bei degenerativen Erkrankungen der Lendenwirbelsäule. *Orthopäde* 41:94–99
30. Theodoridis T, Randel U, Georgallas C (2019) Landmarkengestützte Injektionstechniken an der Wirbelsäule *OUP*;8:528–539
31. Theodoridis T (2019) Landmarkengestützte Infiltrationen und Injektionstechniken an der Hals-, Brust- und Lendenwirbelsäule. In: Jerosch J (Hrsg) *Minimalinvasive Wirbelsäulenintervention* Springer, Berlin, S 35–53

32. Van Tulder MW, Koes BW, Bouter LM (1997) Conservative treatment of acute and chronic non-specific low back pain: a systematic review of randomised clinical trials of the most common interventions. *Spine* 22(18):2128–2156
33. Wattanaruangkowit P, Lakchayapakorn K (2010) The position of the lumbar vertebrae in relation to the intercrestal line. *J Med Assoc Thai*;93(11):1294–300
34. Watts RW, Silagy CA (1995) A meta analysis on the efficacy of epidural corticosteroids in the treatment of sciatica. *Anaesth Intens Care* 23: 564–569
35. Young KH, King AI (1983) Mechanism of facet load transmission as a hypothesis for low back pain. *Spine* 8:327

Literatur zum Beitrag

Raimund Casser:

Interdisziplinäre Multimodale Schmerztherapie (IMST)

1. Gerbershagen HU (1986) Organisierte Schmerzbehandlung. Eine Standortbestimmung. Internist 27:459–469
2. Hildebrandt J, Pflingsten M, Franz C, Saur P, Seeger D (1996) Das Göttinger Rücken Intensiv Programm. (GRIP) – ein multimodales Behandlungsprogramm für Patienten mit chronischen Rückenschmerzen, Teil 1. Ergebnisse im Überblick. Schmerz 4:190–203
3. Arnold B, Brinkschmidt T, Casser HR, Gralow I, Irnich D, Klimczyk K, Müller G, Nagel B, Pflingsten M, Schiltenswolf M, Sittl R, Söllner W, (2009) Multimodale Schmerztherapie – Konzepte und Indikation. Schmerz 23: 112–120
4. Arnold B, Brinkschmidt T, Casser HR, Diezemann A, Gralow I, Irnich D, Kaiser U, Klases B, Klimczyk K, Lutz L, Nagel B, Pflingsten M, Sabatowski R, Schesser R, Schiltenswolf M, Seeger D, Söllner W (2014) Multimodale Schmerztherapie für die Behandlung chronischer Schmerzsyndrome. Konsensuspapier der Ad-hoc-Kommission Multimodale interdisziplinäre Schmerztherapie der Deutschen Schmerzgesellschaft. Schmerz 28:459–472
5. P. Nilges, W. Rief 2010: F45.41 Chronische Schmerzstörung mit somatischen und psychischen Faktoren. Der Schmerz; 24:209–212
6. Arnold et al. (2015): Chronische Schmerzstörung mit somatischen und psychischen Faktoren (F 45.41). Prüfkriterien zur Operationalisierung der ICD-10-GM Diagnose. Der Schmerz 31(6), 555–558
7. Flor H, Fydrich T, Turk DC (1992) Efficacy of multidisciplinary pain treatment centers: Efficacy of multidisciplinary pain treatment centers: a metaanalytic review. Pain 49: 221–230
8. Guzman J, Esmail R, Karjalainen K, et al. (2002) Multidisciplinary rehabilitation for chronic low back pain: systematic review. Cochrane Database Syst Rev (1): CD000963
9. Schonstein E, Kenny DT, Keating J, et al. (2002) Work conditioning, work hardening and functional restoration for workers with back and neck pain: Review. Cochrane Database Syst Rev (4):CD001822
10. Jensen Stochkendahl M, Christensen HAW, Hartvigsen J, et al. (2007) Manuelle Untersuchung der Wirbelsäule. Ein systematischer, kritischer Review zur Reproduzierbarkeit. Manuelle Medizin 45: 301–308
11. Hildebrandt J, Pflingsten M (2009) Vom GRIP zur multimodalen Schmerztherapie. Orthopäde 38: 885–895
12. Nagel B, Korb J (2009) Multimodale Therapie – nachhaltig wirksam und kosteneffektiv. Orthopäde 38: 907–912
13. Casser et al. (2013) Interdisziplinäres Assessment zur multimodalen Schmerztherapie. Schmerz 27: 363–370
14. Nationale Versorgungsleitlinie Kreuzschmerz. Langfassung 2. Auflage Version 1 (2017). <http://www.leitlinien.de/mdb/downloads/nvl/kreuzschmerz/kreuzschmerz-2aufl-vers1-lang.pdf>. (25.10.2022)
15. Casser HR, Hüppe M, Kohlmann, Korb J, Lindena G, Maier C, Nagel B, Pflingsten M, Thoma R (2015) Deutscher Schmerzfragebogen (DSF) und standardisierte Dokumentation mit KEDOQ-Schmerz. Schmerz 26:168–175
16. Bertelsmannstiftung, Experten-Panel Rückenschmerz (Hrsg) (2007) Gesundheitspfad Rücken. www.bertelsmann-stiftung.de/bst/de/media/xcms_bst_dms_21536__2.pdf
17. Hüge V, Müller E, Beyer A et al. Patients with chronic pain syndromes. Impact of an individual outpatient therapy program on pain and health-related quality of life 2010. Schmerz; 24:459–467
18. Pflingsten M (2001) Multimodale Verfahren – auf die Mischung kommt es an. Schmerz 15: 492–498
19. Loeser JD. Desirable characteristics for pain treatment facilities: report of the IASP taskforce. In: Bond MR, Charlton JE, Woolf CJ, eds. Proceedings of the 6th world congress on Pain. Amsterdam: Elsevier; 1998 411–415
20. Casser HR (2016) Spezifischer, nicht-spezifischer, akuter-subakuter und chronischer Rückenschmerz: Definition. In: Casser HR, Hasenbring M, Becker A, Baron R (Hrsg.) Rücken- und Nackenschmerzen, Springer, Berlin
21. Jacobson E (1939) Progressive relaxation. University of Chicago Press, Chicago
22. Senf W, Gerlach G (2011) Psychodynamische Psychotherapie bei chronischen Schmerzen. In: Kröner-Herwig B, Frettlöh J, Klinger R, Nilges P (Hrsg) Schmerzpsychotherapie, 6. Aufl. Springer, Heidelberg, S 116–134
23. Hasenbring M, Verbunt JA (2010) Fear-avoidance and Endurance-related Responses to Pain: New Models of Behavior and Their Consequences for Clinical Practice. Clin J Pain 26:747–753
24. Hechler T, Ruhe AK, Schmidt P et al. Inpatient-based intensive interdisciplinary pain treatment for highly impaired children with severe chronic pain: randomized controlled trial of efficacy and economic effects. Pain 2014; 155:118–128
25. Schiltenswolf M, Buchner M, Heindl B et al. Comparison of a biopsychosocial therapy (BT) with a conventional biomedical therapy (MT) of subacute low back pain in the first episode of sick leave: a randomized controlled trial. Eur Spine 2006; J 15: 1083–1092
26. Häuser W, Bernardy K, Arnold B et al Efficacy of multicomponent treatment in fibromyalgia syndrome: a meta-analysis of randomized controlled clinical trials. Arthritis Rheum 2009;61(2):216–224
27. Brömme J, Mohokum M, Disch AC et al. Interdisziplinäre multimodale Schmerztherapie vs. Konventionelle Therapie – Eine Kostenanalyse bei Patienten mit chronischen Rückenschmerzen. Schmerz 2015; 29:195–202
28. Buchner M, Zahlen-Hinguranage A, Schiltenswolf M et al. Therapy outcome after multidisciplinary treatment for chronic neck and chronic low back pain. Scand J Rheumatol 2006; 35:363–36729

29. Gunreben-Stempfle B, Griebinger N, Lang E et al. Effectiveness of an intensive multidisciplinary headache treatment program. *Headache* 2009; 49:990–1000
30. Mattenklodt P, Ingenhorst A, Wille C et al. Multimodal group therapy for the elderly with chronic pain: concept and results in a before and after comparison. *Schmerz* 2008; 22:551–561
31. Pöhlmann K, Tonhauser T, Joraschky P et al. The Dachau multidisciplinary treatment program for chronic pain. *Schmerz* 2009; 23:40–46
32. Schütze A, Kaiser U, Ettrich U et al. Evaluation of a multimodal pain therapy at the University Pain Centre Dresden. *Schmerz* 2009; 23:609–617
33. Kamper SJ, Apeldoorn AT, Chiarotto A et al. Multidisciplinary biopsychosocial rehabilitation for chronic low back pain 2014. *Cochrane Database Syst Rev* D000963
34. Scascighini L, Toma V, Dober-Spielmann S, Sprott H (2008). Multidisciplinary treatment for chronic pain: a systematic review of interventions and outcomes. *Rheumatology*; 47:670–678
35. Smolenski UC, Seidel W, Scholler M et al. Ergebnisse einer multizentrischen Studie der ANOA-Kliniken, Auswertung, DKOU-Kongresses Berlin 2014
36. Niemier K, Seidel W, Psczolla M et al. (Hrsg.) 2018: *Schmerzerkrankungen des Bewegungssystems*, De Gruyter Berlin
37. Seddigh S, Rothgangl Ch, Maihöfner. Multimodale Therapieprogramme bei neuropathischen Schmerzen wirksam? *Der Schmerz*; 2014; 28 (Suppl 1):38–39
38. Diercks R, Bron C, Dorrestijn O et al. Guideline for diagnosis and treatment of subacromial pain syndrome. *Acta Orthop.* 2014; 85(3):314–22
39. Pflingsten et al. (2019) *Sektorenübergreifende interdisziplinäre multimodale Schmerztherapie*. *Schmerz* 2019.33: 191–203

Literatur zum Beitrag

Stephan Grüner, Marcela Lippert-Grüner:

Sinnvolle und mögliche orthopädisch-unfallchirurgisch-schmerztherapeutische Indikationen von Botulinumtoxin

- Jabbari B (2015) Molecular structure, mode of action and immunology of botulinum neurotoxins. In: Jabbari B (Hrsg) Botulinum toxin – treatment of pain disorders. Springer, New York Heidelberg Dordrecht London, S1–13
- Scott AB (2004) Development of Botulinum Toxin therapy. *Dermatologic Clinics* 22:131–133
- Barash J, Arnon S (2014) A novel strain of *Clostridium botulinum* that produces type B and type H botulinum toxins. *Journal of Infectious Diseases* 209(2):183–191
- Dressler D (2021) Clinical pharmacology of Botulinum Toxin drugs. In: Whitcup SM, Hallett M (Hrsg) Botulinum Toxin Therapy. Springer Nature, Cham:93–106
- Thirunavukkarasu N, Johnson E, Pillai S et al. (2018) Botulinum neurotoxin detection methods for public health response and surveillance. *Frontiers in Bioengineering and Biotechnology* 6:80
- Wendt S, Eder I, Wölfel R, Braun P, Lippmann N, Rodloff A (2017) Botulismus: Diagnostik und Therapie. *Deutsche Medizinische Wochenschrift* 142:1304–1312
- Hackett G, Moore K, Burgin D et al. (2018) Purification and characterization of recombinant botulinum neurotoxin serotype FA, also known as serotype H. *Toxins* 10(5):195
- Rao AK, Sobel J, Chtaham-Stephens K, Luquez C (2021) Clinical Guidelines for Diagnosis and Treatment of Botulism, 2021. *CDC Recommendations and Reports* 70(2):1–30. https://www.cdc.gov/mmwr/volumes/70/rr/rr7002a1.htm?s_cid=rr7002a1_w. Zugegriffen 14.02.2023
- Arnon SS, Schechter R, Inglesby TV et al. (2001) Botulinum Toxin as a biological weapon. *Journal of the American Medical Association* 285(8):1059–1070
- Bossi P, Tegnell A, Baka A, Van Loock F et al. (2004) BICHAT-Leitlinien – zur klinischen Behandlung von Botulismus und mit Bioterrorismus zusammenhängenden Botulismus. *Eurosurveillance* 12:1–5
- Bundesamt für Bevölkerungsschutz und Katastrophenhilfe (2007) Biologische Gefahren II – Entscheidungshilfen zu medizinisch angemessenen Vorgehensweisen in einer B-Gefahrenlage 3. Auflage, Bonn (aktualisiert 2013) S 205–207. https://www.rki.de/DE/Content/Infekt/Biosicherheit/Agenzien/bg_botulismus.pdf?__blob=publicationFile#:~:text=Botulinumtoxin%20ist%20eines%20der%20st%C3%A4rksten,in%20der%20Kriegswaffenliste%20ge%2D%20f%C3%BChrt. Zugegriffen 18.02.2023
- National Institute of Allergy and Infectious Disease (NIAID). <https://www.niaid.nih.gov/research/emerging-infectious-diseases-pathogens>. Zugegriffen: 19.02.2023
- Homann CN, Wemzel K, Kriechbaum N et al (2002) Botulinumtoxin – Die Dosis macht das Gift. *Nervenarzt* 73:519–524
- Ali FR, Al-Niaimi F. (2016) Justinus Kerner and sausage poisoning: the birth of botulinum toxin. *International Journal of Dermatology* 11:1295–1296
- Erbguth FJ (2004) Historical Notes on Botulism, *Clostridium botulinum*, Botulinum Toxin, and the idea of the therapeutic use of the Toxin. *Movement Disorders* 19(8):S2-S6
- Erbguth FJ (2007) From poison to remedy: the chequered history of botulinum toxin. *Journal of Neural Transmission* 115:559–565
- Häfner S (2009) Justinus Kerners wagemutige Experimente mit Botulinumtoxin. *Aktuelle Neurologie* 36:412–417
- Jabbari B (2016) History of botulinum toxin treatment in movement disorders. *Tremor and Other Hyperkinetic Movements* 6:394
- Krüger T, Jung S, Wollmer A (2016) Botulinumtoxin-ein neuer Wirkstoff in der Psychopharmakotherapie?. *Psychopharmakotherapie* 23(1):2–7
- Schott H (2003) Geschichte der Medizin: Justinus Kerner – Medizin und Magie im Geiste der Romantik. *Deutsches Ärzteblatt* 100A:173–176
- Kreyden O, Geiges M, Böni R, Burg G (2000) Botulinumtoxin: Vom Gift zum Medikament. *Hautarzt* 51:733–737
- Lippmann N, Wendt S, Eder I et al. (2018) Update: Botulismus in Deutschland. https://www.researchgate.net/publication/324545780_Update_Botulismus_in_Deutschland. Zugegriffen: 14.02.2023
- Pfausler B (2017, überarbeitet 2019) S1-Leitlinie Botulismus. https://register.awmf.org/assets/guidelines/030-109I_S1_Botulismus_2019-08-abgelaufen.pdf. Zugegriffen 14.02.2023
- Fock R (2007) Außergewöhnliche biologische Gefahren. In: Bundesamt für Bevölkerungsschutz und Katastrophenhilfe (Hrsg) Biologische Gefahren I – Handbuch zum Bevölkerungsschutz, 3. Auflage, Bonn:26–39. https://www.bbk.bund.de/SharedDocs/Downloads/DE/Mediathek/Publikationen/CBRN/handbuch-bevuschutz-biologische-gefahren-3auf-lage.pdf?__blob=publicationFile&v=4. Zugegriffen: 14.02.2023
- Lonati D, Schichi A, Crevani M et al. (2020) Foodborne Botulism: Clinical Diagnosis and Medical Treatment. *Toxins* 12(8):509
- Rasetti-Escargueil C, Lemichez E, Poppo MR (2020) Human Botulism in France, 1875–2016. *Toxins* 12(5): 338
- Hall I (1943) The danger of botulism. *American Journal of Public Health* 33:818–820
- European Centre for Disease Prevention and Control ECDC (2023). <https://atlas.ecdc.europa.eu/public/index.aspx?Dataset=27&Health-Topic=7>. Zugegriffen 14.02.2023
- Robert Koch Institut (2023) Epidemiologisches Bulletin 10/2023 (09.03.2023). https://www.rki.de/DE/Content/Infekt/EpidBull/Archiv/2023/Ausgaben/10_23.pdf. Zugegriffen 07.06.2023
- European Centre for Disease Prevention and Control ECDC (2023) Weekly Bulletin Week 13. <https://www.ecdc.europa.eu/sites/default/files/documents/communicable-disease-threats-report-week-13-2023.pdf>. Zugegriffen 07.06.2023

31. Harris RA, Annibaldi F, Austin JW (2020) Adult intestinal toxemia botulism. *Toxins* 12(2):81
32. Scott AB, Rosenbaum A, Collins CC (1973) Pharmacologic weakening of extraocular muscles. *Investigative Ophthalmology & Visual Science* 12(12):924–927
33. Pellett S (2012) Learning from the past: historical aspects of bacterial toxins as pharmaceuticals. *Current Opinion in Microbiology* 15:292–299
34. European Medical Agency. <https://www.ema.europa.eu/en/medicines/human/EPAR/nuceiva>. Zugegriffen 14.02.2023
35. Evolus. <https://evolus.com>. Zugegriffen 14.02.2023
36. Rote Liste. <https://www.rote-liste.de>. Zugegriffen: 14.02.2023
37. Hugel Südkorea. <http://www.hugel.co.kr/en/m21.php>. Zugegriffen 17.02.2023
38. Dressler D, Pan L, Su J, Teng F, Jin J (2021) Lantox—The chinese Botulinum Toxin drug—complete English bibliography and comprehensive formalised literature review. *Toxins* 13:370
39. Berardelli A, Conte A (2021) The Use of Botulinum Toxin for Treatment of the Dystonias. In: Whitcup SM, Hallett M (Hrsg) *Botulinum Toxin Therapy*. Springer Nature, Cham:107–126
40. Schulz A, Lippert-Grüner M, Grüner S (2016) Botulinumtoxin – mögliche Indikationen in O & U. *Orthopädische und Unfallchirurgische Praxis* 4:218–221
41. Aurora SA, Winner P, Freeman MS et al (2011) Onabotulinumtoxin A for Treatment of Chronic Migraine: Pooled Analyses of the 56-Week PREEMPT Clinical Program. *Headache* 51(9):1358–1373
42. Cogné M, Creuzé A, Petit H, Delleci C, Dehail P, de Seze M (2019) Number of botulinumtoxin injections needed to stop requests for treatment for chronic lateral epicondylar tendinopathy. *Annals of Physical and Rehabilitation Medicine* 62(5):336–341
43. Creuzé A, Petit H, de Seze M (2018) Short-term effect of low-dose, electromyography-guided botulinum toxin A injection in the treatment of chronic lateral epicondylar tendinopathy: a randomized, double-blinded study. *Journal of Bone Joint Surgery [Am]* 100:818–826
44. Espandar R, Heidari P, Rasouli MR et al. (2010) Use of anatomic measurement to guide injection of botulinum toxin for the management of chronic lateral epicondylitis: a randomized controlled trial. *Canadian Medical Association Journal* 182(8):768–773 [46]
45. Guo YH, Kuan TS, Chen KL et al. (2016) Comparison between steroid and 2 different sites of botulinum toxin injection in the treatment of lateral epicondylalgia: a randomized, double-blind, active drug-controlled pilot study. *Archives of Physical Medicine and Rehabilitation* 98:36–42
46. Hayton MJ, Santini AJA, Hughes PJ, Frostick SP, Trail IA, Stanley JK (2005) Botulinum Toxin injection in the treatment of tennis elbow. *Journal of Bone Joint Surgery [Am]* 87-A(3):503–507
47. Keizer SB, Rutten HP, Pilot P, Morre HHE, van Os JJ, Verburg AD (2002) Botulinum Toxin injection versus surgical treatment for tennis elbow. *Clinical Orthopaedics and Related Research* 401:125–131
48. Lee SH, Choi HH, Chang MC (2020) The effect of Botulinum Toxin injection into the common extensor tendon in patients with chronic lateral epicondylitis: a randomized trial. *Pain Medicine* 21(9):1971–1976
49. Lin YC, Tu YK, Chen SC, Lin JL, Chen SC, Guo HR (2010) Comparison between botulinum toxin and corticosteroid injection in the treatment of acute and subacute tennis elbow: a prospective, randomized, double-blind, active drug-controlled pilot study. *American Journal of Physical Medicine & Rehabilitation* 89:653–659
50. Placzek R, Deuretzbacher G, Meiss AL (2005) Therapie der chronischen Epicondylopathia humeri radialis mit Botulinumtoxin A – eine doppelblinde, placebokontrollierte und randomisierte Multicenterstudie. *Zeitschrift für Orthopädie und Unfallchirurgie* 143(5):498–503
51. Placzek R, Deuretzbacher G, Meiss AL (2006) Therapie der chronischen Epicondylopathia humeri radialis mit Botulinumtoxin A – eine doppelblinde, placebokontrollierte und randomisierte Multicenterstudie. *Obere Extremität* 1:41–46
52. Placzek R, Deuretzbacher G, Meiss AL (2006) Therapie der chronischen Epicondylopathia humeri radialis mit Botulinumtoxin A – eine doppelblinde, placebokontrollierte und randomisierte Multicenterstudie. *Orthopädische Praxis* 42(11):629–636
53. Placzek R, Drescher W, Deuretzbacher G et al. (2007) Treatment of chronic radial epicondylitis with Botulinum Toxin A: a double-blind, placebo-controlled, randomized multicenter study. *Journal of Bone and Joint Surgery* 89-A(2):255–260
54. Placzek R, Lindner MS, Deuretzbacher G, Hempfing A, Meiss AL (2004) Therapie der chronischen Epicondylopathia humeri radialis mit Botulinumtoxin A – eine Therapiestudie mit 2 Jahren Nachuntersuchungszeitraum. *Zeitschrift für Orthopädie* 142:701–705
55. Placzek R, Lindner MS, Deuretzbacher G (2006) Therapie der chronischen Epicondylopathia humeri radialis mit Botulinumtoxin A – eine Therapiestudie mit einem Nachuntersuchungszeitraum von 18 Monaten. *Zeitschrift für Orthopädie* 142:701–705
56. Wong SM, Hui ACF, Tong, PY, Poon DWF, Yu E, Wong LKS (2005) Treatment of lateral epicondylitis with botulinum toxin. *Annals of Internal Medicine* 143(11):793–797
57. Grüner S, Schulz A, Lippert-Grüner M (2020) Treatment of chronic epicondylitis with botulinum toxin – literary review, modified injection scheme and case report. *American Journal of Physical Medicine & Rehabilitation* 99 (S1 3S):369
58. Grüner S, Schulz A, Schlüter-Brust K, Lippert-Grüner M (2020) Botulinumtoxin bei chronischer Epicondylitis humeroradiales. *Zeitschrift für Orthopädie und Unfallchirurgie* 159(5):555–564
59. Lippert-Grüner M, Grüner S, Rasova K, Schulz A (2017) Controversies concerning Botulinum Toxin. In: Raudenska J, Javurkova A, Varrassi G (Hrsg) *Pain management, issues and controversies*. Nova biomedical New York:161–169
60. Moore C, Hulsopple C, Boyce B (2020) Utilization of Botulinum Toxin for musculoskeletal disorders. *Current Sports Medicine Reports* 19(6):617–622
61. Song B, Day D, Jayaram P (2020) Efficacy of Botulinum Toxin in treating lateral epicondylitis – does injection location matter? A systematic Review. *American Journal of Physical Medicine & Rehabilitation* 99:1157–1163
62. Thiele K, Unmann A, Akgün D et al (2023) Infiltrationstherapien am Ellenbogengelenk bei Epicondylopathia humeri radialis. *Orthopädie* 52(5):379–386
63. Lin YC, Wu WT, Hsu YC, Han DS, Chang KV (2018) Comparative effectiveness of botulinum toxin versus non-surgical treatments for treating lateral epicondylitis: a systematic review and meta-analysis. *Clinical rehabilitation* 32(2):131–145

64. Su YC, Guo YH, Hsieh PC, Lin YC (2022) Effectiveness of different doses of botulinum neurotoxin in lateral epicondylalgia: A network meta-analysis. *Annals of Physical and Rehabilitation Medicine* 66(3):101711
65. Tavassoli M, Jokar R, Zamani M, Khafri S, Esmaeilnejad-Ganji, SM (2022) Clinical efficacy of local injection therapies for lateral epicondylitis: A systematic review and network meta-analysis. *Caspian Journal of Internal Medicine* 13(2):311–325
66. Benecke R, Heinze A, Reichel G, Hefter H, Göbel H (2011) Botulinum Type A toxin complex for the relief of upper back myofascial pain syndrome: How do fixed-location injections compare with trigger point-focused injections? *Pain Medicine* 12:1607–1614
67. Kamali A, Kaya A, Ardicoglu O, Ozgocmen S, Ozkurt Zengin F, Bayik Y (2005) Comparison of lidocaine injection, botulinum toxin injection, and dry needling to trigger points in myofascial pain syndrome. *Rheumatology International* 25:604–611
68. Ferrante FM, Bearn L, Rothrock R, Ling L (2005) Evidence against trigger point injection technique for the treatment of cervicothoracic myofascial pain with Botulinum Toxin Type A. *Anesthesiology*; 103:377–383
69. Göbel H, Heinze A, Reichel G, Hefter H, Benecke R (2006) Efficacy and safety of a single Botulinum Type A toxin complex treatment (Dysport) for the relief of upper back myofascial pain syndrome. *Pain* 125:82–88
70. Jerosch J, Söhling M (2012) Open-label, Multicenter, Randomized Study Investigating the Efficacy and Safety of Botulinum Toxin Type A in the Treatment of Myofascial Pain Syndrome in the Neck and Shoulder Girdle. *Journal of Musculoskeletal Pain* 20(2):95–99
71. Kongsagul S, Vitoonpong T, Kitisomprayoonkul W, Tantisirawat N (2020) Ultrasound guided physiological saline injection for patients with myofascial pain. *Journal of Medical Ultrasound* 28:99–103
72. Lew HL, Lee EH, Castaneda A, Klima R, Date E (2008) Therapeutic use of Botulinum Toxin Type A in treating neck and upper-back pain of myofascial origin: a pilot study. *Archives of Physical Medicine and Rehabilitation* 89:75–80
73. Nicol AL, WU II, Ferrante FM (2014) Botulinum Toxin Type A injections for cervical and shoulder girdle myofascial pain using an enriched protocol design. *Anaesthesia & Analgesia* 118(6):1326–1335
74. Ojala T, Arakoski JPA, Partanen J (2006) The effect of small doses of botulinum toxin A on neck-shoulder myofascial pain syndrome: a double-blind, randomized, and controlled crossover trial. *Clinical Journal of Pain* 22(1):90–96
75. Tantanatip, A, Patisumpitawong W, Lee S (2021) Comparison of the effects of physiologic saline interfascial and lidocaine trigger point injections in treatment of myofascial pain syndrome: a double-blind randomized controlled trial. *Archives of Rehabilitation Research and Clinical Translation* 3:100119
76. Wheeler AH, Goolkasian P, Gretz SS (2001) Botulinum Toxin A for the treatment of chronic neck pain. *Pain* 94:255–260
77. Ahadi T, Sasan S, Forogh B, Madani SP, Raissi GR (2022) Comparison of the effect of ultrasound-guided injection of Botulinum Toxin Type A and corticosteroid in the treatment of chronic plantar fasciitis. *American Journal of Physical Medicine & Rehabilitation* 101(8):733–737
78. Ahmad J, Ahmad SH, Jones K (2017) Treatment of plantar fasciitis with Botulinum Toxin: a randomized, controlled study. *Foot Ankle International* 38(1):1–7
79. Abbasian M, Baghbani S, Barangi S, Fairhurst PG, Ebrahimpour A, Krause F, Hasemi M (2020) Outcomes of ultrasound-guided gastrocnemius injection with Botulinum Toxin for chronic plantar fasciitis. *Foot Ankle International* 41(1):63–68
80. Babcock, MS, Foster L, Pasquina P, Jabbari B (2005) Treatment of pain attributed to plantar fasciitis with Botulinum Toxin Type A: a short-term, randomized, placebo-controlled, double-blind study. *American Journal of Physical Medicine & Rehabilitation* 84:649–654
81. Díaz-Llopis IV, Rodríguez-Ruiz CM, Mulet-Perry S, Mondejar-Gomez FJ, Climent-Barbera JM, Cholbi-Llobel F (2012) Randomized controlled study of the efficacy of the injection of Botulinum Toxin Type A versus corticosteroids in chronic plantar fasciitis: results at one and six months. *Clinical Rehabilitation* 26:594–606
82. Elizondo-Rodríguez J, Araugo-Lopez Y, Moreno-Gonzalez JA, Cardenas-Estrada E, Mendoza-Lemus O, Acosta-Olivo C (2013) A comparison of Botulinum Toxin A and intralesional steroids for the treatment of plantar fasciitis: a randomized, double-blinded study. *Foot Ankle International* 1:8–14
83. Elizondo-Rodríguez J, Simental-Mendía M, Peña-Martínez V, Vilchez-Cavazos F, Tamez-Mata Y, Acosta-Olivo C (2020) Comparison of Botulinum Toxin A, corticosteroid, and anesthetic injection for plantar fasciitis. *Foot Ankle International* 1:8–14
84. Grüner S, Schulz A, Lippert-Grüner M (2019) Botulinumtoxin – Option bei therapierefraktärer chronischer Plantarfasziitis? *Orthopädie & Rheuma* 22(4):20–25
85. Huang YC, Wei SH, Wang HK, Lieu FK (2010) Ultrasonographic guided Botulinum Toxin Type A for plantar fasciitis: an outcome-based investigation for treating pain and gait changes. *Journal of Rehabilitation Medicine* 42:136–140
86. Peterlein CD, Funk JF, Hölscher A, Schuh A, Placzek R (2012) Is Botulinum Toxin A effective for the treatment of plantar fasciitis? *Clinical Journal of Pain* 28:527–533
87. Roca B, Mendoza MA, Roca M (2016) Comparison of extracorporeal shock wave therapy with Botulinum Toxin Type A in the treatment of plantar fasciitis. *Disability and Rehabilitation* 38(21):2114–2121
88. Samant PD, Kale SY, Ahmed S, Asif A, Fefar M, Singh SD (2018) Randomized controlled study comparing clinical outcomes after injection Botulinum Toxin Type A versus corticosteroids in chronic plantar fasciitis. *International Journal of Research in Orthopaedics* 4:672–675
89. Acosta-Olivo C, Simental-Mendia LE, Vilchez-Cavazos F, Peña-Martínez VM, Elizondo-Rodríguez J, Simental-Mendía M (2021) Clinical efficacy of Botulinum Toxin in the treatment of plantar fasciitis: a systematic review and meta-analysis of randomized clinical trials. *Archives of physical medicine and rehabilitation* 103(2):364–371
90. Al-Bouloushi Z, López-Royo MP, Arian M, Gomez-Trullen EM, Herrero P (2018) Minimally invasive non-surgical management of plantar fasciitis: a systematic review. *Journal of Bodywork and Movement Therapy* 23:122–137
91. Gao R, Sun J, Zhang L, Chen S, Dong W, Yu H, Han B, Tan M, Li X (2021) Comparative effectiveness of minimally invasive nonsurgical treatments for plantar fasciitis: a network meta-analysis of 30 randomized controlled trials. *Pain Physician* 24:E955-E971
92. Guimaraes J, Arcanjo FL, Leporace G, Metsavaht LF, Conceição CS, Moreno MV, Marçal Vieira TE, Cunha Moraes C, Gomes Neto M (2023) Effects of

- therapeutic interventions on pain due to plantar fasciitis: A systematic review and meta-analysis. *Clinical Rehabilitation* 37(6):727–746
93. Li H, Lv H, Lin T (2018) Comparison of efficacy of eight treatments for plantar fasciitis: A network meta-analysis. *Journal of Cellular Physiology* 1:860–870
94. Liu J, Xu Y-Y, Zhang QL, Luo WF (2018) Efficacy and safety of Botulinum Toxin Type A in treating patients of advanced age with idiopathic trigeminal neuralgia. *Pain Research and Management*: 7365148
95. Shehata HS, El-Tamawy MS, Rhamzi G, (2013) Botulinum Toxin-Type A: could it be an effective treatment option in intractable trigeminal neuralgia? *Journal of Headache and Pain* 14:92
96. Wu CJ, Lian Y-J, Zhang HF, Chen Y, Xie NC, Wang LJ (2012) Botulinum Toxin Type A for the treatment of trigeminal neuralgia: results from a randomized, double-blind, placebo-controlled trial. *Cephalgia* 32(6):443–450
97. Zhang H, Lian Y, Ma Y, Chen Y, He C, Xie N, Wu C (2014) Two doses of Botulinum Toxin Type A for the treatment of trigeminal neuralgia: observation of therapeutic effect from a randomized, double-blind, placebo-controlled trial. *Journal of Headache and Pain* 15:65
98. Zúñiga C, Piedimonte F, Díaz S, Micheli F (2013) Acute treatment of trigeminal neuralgia with Onabotulinum toxin A. *Clinical Neuropharmacology* 36:146–150
99. Chen Y, Tsai CH, Bae TH, Huang CY, Chen C, Kang Y-N, Chiu W-K (2023) Effectiveness of Botulinum Toxin Injection on Bruxism: A Systematic Review and Meta-analysis of Randomized Controlled Trials. *Aesthetic Plastic Surgery* 47:775–790
100. Durán-Hernández S, Soto-Rodríguez JF, Allen-Bobadilla J, Durán-Hernández N, García-Mosco P (2019) Osteoarthritis of the hip conservative treatment with Type A Botulinum Toxin. *Gaceta medica de Mexico* 155 (Suppl. 1):S44–48
101. Eleopra R, Rinaldo S, Lettieri C, Santamato A, Bortolotti P, Lentino C, Tamborino C, Causero A, Devigili G (2018) Abotulinumtoxin A: A new therapy for hip osteoarthritis. A prospective randomized double-blind multicenter study. *Toxins* 10:448
102. Marchini C, Acler M, Bolognari MA, Causero A, Volpe D, Regis D, Rizzo A, Rosa R, Eleopra R, Manganotti P (2010) Efficacy of Botulinum toxin type A treatment of functional impairment of degenerative hip joint: Preliminary results. *Journal of Rehabilitation Medicine* 42:691–693
103. Ghasemi M, Ansari M, Basiri K, Shaijannejad V (2014) The effects of intradermal Botulinum Toxin Type A injections on pain symptoms of patients with diabetic neuropathy. *Journal of Research in Medical Science* 19:106–111
104. Salehi H, Moussaei M, Kamiab Z, Vakilian A (2019) The effects of Botulinum Toxin Type A injection on pain symptoms, quality of life, and sleep quality of patients with diabetic neuropathy. *Iranian Journal of Neurology* 18(3):99–107
105. Taheri M, Sedaghat M, Solhpour A, Rostami P, Safarpour Lima B (2020) The Effect of Intradermal Botulinum Toxin a injections on painful diabetic polyneuropathy. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews* 14:1823–1828
106. Yuan RY, Sheu JJ, Yu JM, Chen W-T, Tseng I-J, Chang H-H, Hu C-J (2009) Botulinum Toxin for diabetic neuropathic pain. *Neurology* 72:1473–1478
107. Ahrendt-Nielsen L, Jiang GL, DeGryse R, Turkel CC (2017) Intra-articular Onabotulinumtoxin A in osteoarthritis knee pain: effect on human mechanistic pain biomarkers and clinical pain. *Scandinavian Journal of Rheumatology* 46(4): 303–316
108. Bao X, Tan JW, Flyzik M, Ma X-C, Liu H, Liu H-Y (2018) Effect of therapeutic exercise on knee osteoarthritis after intraarticular injection of Botulinum Toxin Type A, hyaluronate or saline. *Journal of Rehabilitation Medicine* 50(6):534–541
109. Boon A, Smith J, Dahm DL, Sorenson EJ, Larson DR, Fitz-Gibbon PD, Dykstra DD, Singh JA (2010) Efficacy of intra-articular Botulinum Toxin Type A in painful knee osteoarthritis: a pilot study. *Physical Medicine & Rehabilitation* 2:268–276
110. Blanshan N, Krug H (2020) The Use of Botulinum Toxin for the Treatment of Chronic Joint Pain: Clinical and Experimental Evidence. *Toxins* 12(5): 314
111. Courseau M, Salle PV, Ranoux D, de Pouilly Lachatre A (2018) Efficacy of intra-articular Botulinum Toxin in osteoarticular joint pain: a meta-analysis of randomized controlled trials. *Clinical Journal of Pain* 34(4):383–389
112. Hosseini M, Azadvari M, Kargozar E, Emami Razavi SZ, Rahimi-Dehgolan S, Maghbouli N (2021) A systematic review with meta-analysis on the efficacy of intra-articular Botulinum-Toxin Injection in knee osteoarthritis Treatment. *Muscles, Ligaments and Tendons Journal* 11(3):3–17
113. Hsieh LF, Wu CW, Chou CC, Yang S-W, Wu S-H, Lin Y-J, Hsu W-C (2016) Effects of Botulinum Toxin landmark-guided intra-articular injection in subjects with knee osteoarthritis. *Physical medicine and rehabilitation* 8:1127–1135
114. Ismiarto YD, Prasetyo GT (2023) Efficacy and safety of intra-articular Botulinum Toxin A injection for knee osteoarthritis. *Journal of Bone and Joint Surgery Open Access*:e22.00121
115. McAlindon TE, Schmidt U, Bugarin D, Abrams S, Geib T, DeGryse RE, Kim K, Schnitzer TJ (2018) Efficacy and safety of single-dose Onabotulinumtoxin A in the treatment of symptoms of osteoarthritis of the knee: results of a placebo-controlled, double-blind study. *Osteoarthritis Cartilage* 26(10):1291–1299
116. Mendes JG, Natour J, Nunes-Tamashiro JC, Toffolo SR, Rosenfeld A, Vilar Furtado RN (2019) Comparison between intraarticular Botulinum Toxin Type A, corticosteroid, and saline in knee osteoarthritis: a randomized controlled trial. *Clinical Rehabilitation* 33(6):1015–1026
117. Rezasoltani Z, Azizi A, Najafi S, Sanati E, Dadarkhah A, Abdorazaghi F (2020) Physical therapy, intra-articular dextrose prolotherapy, Botulinum neurotoxin, and hyaluronic acid for knee osteoarthritis: Randomized clinical trial. *International Journal of Rehabilitation* 43(3):219–227
118. Rezasoltani Z, Dadarkhah A, Tabatabaee SM, Abdorazaghi F, Mofrad MK, Mofrag RK (2021) Therapeutic effects of intra-articular Botulinum neurotoxin versus physical therapy in knee osteoarthritis. *Anesthesiology and Pain Medicine* 11(3):e112789
119. Sconza C, Leonardi G, Carfi C, Kon E, Respizzi S, Scaturro D, Mauro GL, Massazza G, Di Matteo B (2023) Intra-articular injection of Botulinum Toxin for the treatment of knee osteoarthritis: a systematic review of randomized controlled trials. *International Journal of Molecular Sciences* 24:1486
120. Shukla D, Sreedhar SK, Rastogi V (2018) A comparative study of Botulinum Toxin A with triamcinolone compared to triamcinolone alone in the treatment of osteoarthritis of knee. *Anesthesia Essays and Researches* 12(1):47–49
121. Wang C, Zhao J, Gao F, Jia M, Hu L, Gao C (2023) The efficacy and safety of intra-articular Botulinum Toxin Type A injection for knee osteoarthritis:

- a meta-analysis of randomized controlled trials. *Toxicon* 224:107026
122. Zhai S, Huang B, Yu K (2019) The efficacy and safety of Botulinum Toxin Type A in painful knee osteoarthritis: a systematic review and meta-analysis. *Journal of International Medical Research* 48(4):300060519895868
123. Cogné M, Petit H, Creuzé A et al (2017) Are paraspinal intramuscular injections of Botulinum Toxin A (BoNT-A) efficient in the treatment of chronic low-back pain? A randomized, double-blinded crossover trial. *BMC Musculoskeletal Disord* 18:454
124. De Andrés J, Aduara VM, Palmisani S, Villanueva V, Lopez-Alarcon MD (2010) A double-blind, controlled, randomized trial to evaluate the efficacy of Botulinum Toxin for the treatment of lumbar myofascial pain in humans. *Regional Anesthesia & Pain Medicine* 35(3):255–260
125. Foster L, Clapp L, Erickson M, Jabbari B (2001) Botulinum toxin A and chronic low back pain. *Neurology* 56:1290–1293
126. Jazayeri SM, Ashraf A, Fini HM, Karimian H, Nasab MV (2011) Efficacy of Botulinum Toxin type A for treating chronic low back pain. *Anesthesiology and Pain Medicine* 1(2):77–80
127. Machado D, Kumar A, Jabbari B (2016) Abobotulinum Toxin A in the treatment of chronic low back pain. *Toxins* 8:374
128. Elsayy AGS, Ameer AH, Gazar YA, El-Sayed Allam A, Chan S-M, Chen S-Y, Hou J-D, Tai Y-T, Lin J-A, Galluccio F, Nada DW, Esmat A (2023) Efficacy of ultrasound-guided injection of Botulinum Toxin, ozone, and lidocaine in Piriformis Syndrome. *Healthcare* 11:95
129. Fishman LM, Anderson C, Rosner B (2002) BOTOX and physical therapy in the treatment of piriformis syndrome. *American Journal of Physical Medicine & Rehabilitation* 81(12):936–942
130. Fishman LM, Wilkens AN, Rosner B (2017) Electrophysiologically identified piriformis syndrome is successfully treated with Incobotulinum Toxin A and physical therapy. *Muscle & Nerve* 56(2):258–263
131. Hilal FM, Bashawyah A, El-Sayed Allam A, Lam, KHS, El Oumri AA, Galluccio F, Al Kharabsheh A, Kaye AD, Salti A, Varrassi G (2022) Efficacy of Botulinum Toxin, local anesthetics, and corticosteroids in patients with Piriformis Syndrome: A systematic review and meta-analysis. *Pain Physician* 25:325–337
132. Koh MM, Tan YL (2022) Use of botulinum neurotoxin in the treatment of piriformis syndrome: A systematic review. *Journal of Clinical Orthopaedics and Trauma* 31:101951
133. Apalla Z, Sotiriou E, Lallas A, Lazariadou E, Ioannides D (2013) Botulinumtoxin A in postherpetic neuralgia – a parallel, randomized, double-blind, single-dose, placebo-controlled trial. *Clinical Journal of Pain* 29(10):857–864
134. Xiao L, Mackey S, Hui H, Xong D, Zhang Q, Zhang D (2010) Subcutaneous injection of Botulinum Toxin A is beneficial in postherpetic neuralgia. *Pain Medicine* 11: 1827–1833
135. Cinone N, Letizia S, Santoro L, Gravina M, Amoroso L, Molteni F, Raineri M, Santamato A (2018) Intra-articular injection of Botulinum Toxin Type A for shoulder pain in glenohumeral osteoarthritis: a case series summary and review of the literature. *Journal of Pain Research* 11:1239–1245
136. Hashemi SM, Hosseini Khamene SM, Naderi-Nabi B, Ghasemi M (2018) Effects of ultrasound-guided intra-articular Botox vs. corticosteroids for shoulder osteoarthritis. *Anaesthesia, Pain & Intensive Care* 22(3):355–360
137. Hsu PC, Wu WT, Han DS et al (2020) Comparative effectiveness of Botulinum Toxin Injection for chronic shoulder pain: a meta-analysis of randomized controlled trials. *Toxins* 12:251
138. Joo YJ, Yoon SJ, Kim CW, Chang K-V (2013) A comparison of the short-term effects of a Botulinum Toxin Type A and triamcinolone acetate injection on adhesive capsulitis of the shoulder. *Annals of Rehabilitation Medicine* 37(2):208–214
139. Lee JH, Lee SH, Song SH (2011) Clinical Effectiveness of Botulinum Toxin Type B in the treatment of subacromial bursitis or shoulder Impingement Syndrome. *Clinical Journal of Pain* 27(6):523–528
140. Lin MT, Chiang CF, Wu CH, Huang Y-T, Tu Y-K, Wang T-G (2019) Comparative effectiveness of injection therapies in rotator cuff tendinopathy: a systematic review, pairwise and network meta-analysis of randomized controlled trials. *Archives of Physical Medicine and Rehabilitation* 100(2):336–349
141. Singh J, Mahowald ML, Noorbaloochi S (2010) Intraarticular Botulinum Toxin A for refractory painful total knee arthroplasty: a randomized controlled trial. *Journal of Rheumatology* 37(11):2377–2386
142. Dhanasekara CS, Payberah D, Chyu JY, Shen C-L, Kahathuduwa CN (2023) The effectiveness of botulinum toxin for chronic tension-type headache prophylaxis: A systematic review and meta-analysis. *Cephalalgia* 43(3): 3331024221150231
143. Freund B, Rao A (2019) Efficacy of Botulinum Toxin in tension-type headaches: A systematic review of the literature. *Pain Practice* 19(5):541–551
144. Roland SB, Pripp AH, Msomphora MR, Kavrstein G (2021) The efficacy of botulinum toxin A treatment for tension-type or cervicogenic headache: a systematic review and meta-analysis of randomized, placebo-controlled trials. *Scandinavian Journal of Pain* 21(4):635–652
145. Talbet JH, Elnahry AC (2022) OnabotulinumtoxinA for the treatment of headache: an updated review. *Journal of Integrative Neuroscience* 21(1):1–8
146. Chen JTN, Tang ACW, Lin SC, Tang S F-T (2015) Anterior knee pain caused by patellofemoral pain syndrome can be relieved by Botulinum toxin type A injection. *Clinical Neurology and Neurosurgery* 129 S1: S27–S29
147. Pal S, Choi J-H, Delp SL, Fredericson M (2023) Botulinum neurotoxin type A improves vasti muscle balance, patellar tracking, and pain in patients with chronic patellofemoral pain. *Journal of Orthopaedic Research* 41:962–972
148. Singer BJ, Silbert PL, Dunne WS, Song S, Singer KP (2006) An open label pilot investigation of the efficacy of Botulinum toxin type A [Dysport] injection in the rehabilitation of chronic anterior knee pain. *Disability and Rehabilitation*, 28(11):707–713
149. Singer BJ, Silbert BI, Silbert PL, Singer KP (2015) The role of Botulinum Toxin Type A in the clinical management of refractory anterior knee pain. *Toxins* 7:3388–3404
150. Singer BJ, Silbert PL, Song S, Dunne JW, Singer KP (2011) Treatment of refractory anterior knee pain using Botulinum Toxin Type A (Dysport) injection to the distal vastus lateralis muscle: a randomised placebo controlled crossover trial. *British Journal of Sports Medicine* 45:640–645
151. Reuter I, Lorbach O, Mehnert S, Kaps M, Engelhardt M (2010) Botulinum toxin improves reduced dorsiflexion after Achilles tendon surgery. *Knee Surgery, Sports Traumatology, Arthroscopy* 18(2):265–268
152. Charrow A, DiFacio M, Foster L, Pasquina PF, Tsao JW (2008) Intradermal Botulinum Toxin Type A injection ef-

- fectively reduces residual limb hyperhidrosis in amputees: a case series. Archives of Physical Medicine and Rehabilitation 89:1407–1409
153. Wu H, Sultana R, Taylor KB, Szabo A (2012) A prospective randomized double-blinded pilot study to examine the effect of Botulinum Toxin Type A injection versus Lidocaine/Depomedrol injection on residual and phantom limb pain. Clinical Journal of Pain 28(2):108–112
154. Lee Y, Lee CJ, Choi E, Lee PB, Lee H-J, Nahm FS (2018) Lumbar sympathetic block with Botulinum Toxin Type A and Type B for the complex regional pain syndrome. Toxins 10:164
155. Wu KPH, Chen CK, Lin SC, Pei Y-C, Lin R-H, Tsai W-C, Tang S F-T (2015) Botulinum toxin type A for patients with painful hallux valgus: a double-blind, randomized controlled study. Clinical Neurology and Neurosurgery 129 S1:S58-S62
156. Singh JA, Mahowald ML, Noorbaloochi S (2010) Intraarticular Botulinum Toxin A for refractory painful total knee arthroplasty: a randomized controlled trial. Journal of Rheumatology 37(11):2377–2386
157. Smith EB, Shafi KA, Greis AC; Maltenfort MG, Chen AF (2016) Decreased flexion contracture after total knee arthroplasty using Botulinum toxin A: a randomized controlled trial. Knee Surgery, Sports Traumatology, Arthroscopy 24:3229–3234
158. Climent JM, Mondejar-Gomez F, Rodriguez-Ruiz C, Diaz-Llopis I, Gomez-Gallego D, Martin-Medina P (2013) Treatment of Morton Neuroroma with Botulinum Toxin A: a pilot study. Clinical Drug Investigation 33:497–503
159. Sun SF, Hsu CW, Lin HS, Chou Y-J, Chen J-Y, Wang J-L (2014) Efficacy of intraarticular Botulinum Toxin A and intraarticular hyaluronate plus rehabilitation exercise in patients with unilateral ankle osteoarthritis: a randomized controlled trial. Journal of Foot and Ankle research 7:9

Literatur zum Beitrag

Stefan Middeldorf:

Fahrtauglichkeit unter Schmerzmedikamenten

1. DVR Deutscher Verkehrssicherheitsrat: Getötete und Verletzte im Straßenverkehr 1999 – 2019; www.dvr.de, abgerufen 2021
2. Forsa Gesellschaft für Sozialforschung und statistische Analysen mbH, Erhebung 2015, ADAC e.V. 2/2021
3. Begutachtungsleitlinie zur Kraftfahreignung, Bundesanstalt für Straßenwesen, Bergisch Gladbach, Stand 31.12.2019
4. Kapitel 3.14.2, Begutachtungsleitlinie zur Kraftfahreignung, Bundesanstalt für Straßenwesen, Bergisch Gladbach, Stand 31.12.2019
5. Begutachtungsleitlinien zur Kraftfahreignung, Kommentar, 2. Auflage, Kirschbaum Verlag Bonn, Juli 2005
6. Kapitel 3.12.2, Dauerbehandlung mit Arzneimitteln, Begutachtungsleitlinien zur Kraftfahreignung, Kommentar, 2. Auflage, Kirschbaum Verlag Bonn, Juli 2005
7. Medikamente im Straßenverkehr, Fluch & Segen, www.adac.de
8. Opiode bei dauerhaft starken Schmerzen, www.Patienten-Information.de
9. Laux, G.; Dietmaier, O.: Praktische Psychopharmakotherapie, Elsevier, Urban&Fischer Verlag, 2006
10. Kapitel 3.14.1, Begutachtungsleitlinie zur Kraftfahreignung, Bundesanstalt für Straßenwesen, Bergisch Gladbach, Stand 31.12.2019

Literatur zum Beitrag

Werner Kneer, Jörg Schmidt:

Befunddokumentation mit der Neutral Null Methode bei Begutachtung Hinweise für den Nichtgeübten

1. Cave EF, Roberts SM (1936) A method for measuring and recording joint function. *J Bone Joint Surg* 18(2): 455–466
2. Debrunner HU (1971) Gelenkmessung (Neutral-0-Methode), Längenmessung, Umfangmessung. Bulletin des Offiziellen Organs der Arbeitsgemeinschaft für Osteosynthesefragen, Bern 5. Gerhardt JJ, Russe O (1975) International SFTR method
3. Simmel S, Settner M, Schmidt J, Ernst U (2017): Neutral-0-Methode – Zeit für ein Update? *Trauma Berufskrankheit*, 19:170–174
4. Untersuchungstechniken des Schultergelenks. Expertenevaluation auf der Basis einer Literaturanalyse (2012). *Obere Extremität* 7:3–68. Springer-Verlag 2012
5. Blaauw and Muhlig (2012): Measurement of external rotation of the shoulder in patients with obstetric brachial plexus palsy *Journal of Brachial Plexus and Peripheral Nerve Injury*: 7:8
6. Ryf Chr, Weymann A: (1995) The neutral zero method- A principle of measuring joint function. *Injury*, Volume 26, Supplement 1, 1–11, ISSN 0020–1383
7. Hoffmann-Richter U, Jeger J, Schmidt H: Das Handwerk ärztlicher Begutachtung. Kohlhammer, Stuttgart, 1. Auflage 2012: 76–76
8. Schiltewolf M, Rompe G: Befunderhebung an den Gliedmaßen, Kapitel 7.2 in: Schiltewolf, M, Hollo, DF, Gaidzik W [Hrg]: *Begutachtung der Haltungs- und Bewegungsorgane*. 7. Auflage, Stuttgart, New York, Verlag Thieme 2020: 284–286
9. Ludolph E: Gutachtliche Untersuchung, Kapitel 7 in: Ludolph E: *Der Unfallmann, Begutachtung der Folgen von Arbeitsunfällen, privaten Unfällen und Berufskrankheiten*, 13. Auflage, Berlin-Heidelberg, Verlag Springer 2012: 81–90
10. Grosser V: Die Messung gesundheitlicher Beeinträchtigungen und Funktionsstörungen: Möglichkeiten und Grenzen in: Thomann KD, Schröter F, Grosser V: *Handbuch der Orthopädisch-unfallchirurgischen Begutachtung*, Verlag Elsevier Urban & Fischer München – Jena, 2. Auflage 2013:13–27
11. Schönberger A, Mehrrens G, Valentin H: *Arbeitsunfall und Berufskrankheit*, 9. Auflage, Berlin, Verlag Erich Schmidt, 2017: 560
12. DGUV: *Hinweise für die Erstattung von Gutachten bei Arbeitsunfällen*
13. Wich M et al.: DGUV [Herausgeber]: *Grundlagen der Begutachtung von Arbeitsunfällen – Erläuterung für Sachverständige*, 2. aktualisierte Neuauflage, Berlin, Juli 2016:42
14. [https://register.awmf.org/assets/guidelines/Leitlinie_Allgemeine_Grundlagen_der_medicinischen_Begutachtung_AWMF-Registernummer_094/001_Entwicklungsstufe_S2k_Federfuehrende_Gesellschaft_Deutsche_Gesellschaft_fuer_neurowissenschaftliche_Begutachtung_\(DGNB\)](https://register.awmf.org/assets/guidelines/Leitlinie_Allgemeine_Grundlagen_der_medicinischen_Begutachtung_AWMF-Registernummer_094/001_Entwicklungsstufe_S2k_Federfuehrende_Gesellschaft_Deutsche_Gesellschaft_fuer_neurowissenschaftliche_Begutachtung_(DGNB))
15. *Leitlinien für die orthopädische Begutachtung* © swiss orthopaedics / 2.2017

Literatur zum Beitrag

Jörg Jerosch:

Konservative Schmerztherapie bei der Arthrose

1. Jordan JM, Helmick CG, Renner JB et al.: Prevalence of knee symptoms and radiographic and symptomatic knee osteoarthritis in African Americans and Caucasians: the Johnston County Osteoarthritis Project. *J Rheumatol* 2007; 34(1): 172–180
2. van Dijk GM, Veenhof C, Schellevis F et al.: Comorbidity, limitations in activities and pain in patients with osteoarthritis of the hip or knee. *BMC Musculoskelet Disord* 2008 26; 9:95
3. Putnam W, Lawson B, Frail D et al.: Potential for drug interactions in seniors with osteoarthritis. *Can Fam Physician* 2006; 52(3): 340–341
4. Freemont AJ, Hoyland JA. Morphology, mechanisms and pathology of musculoskeletal ageing. *J Pathol* 2007; 211(2): 252–259
5. Jinks C, Jordan K, Croft P. Disabling knee pain—another consequence of obesity: results from a prospective cohort study. *BMC Public Health* 2006; 19;6: 258
6. Janssen I, Mark AE. Separate and combined influence of body mass index and waist circumference on arthritis and knee osteoarthritis. *Int J Obes (Lond)* 2006; 30(8): 1223–1228
7. Guccione AA, Felson DT, Anderson JJ, et al.: The effects of specific medical conditions on the functional limitations of elders in the Framingham Study. *Am J Public Health* 1994; 84(3): 351–358
8. Cai G, Aitken D, Laslett LL, et al: Effect of Intravenous Zoledronic Acid on Tibiofemoral Cartilage Volume Among Patients With Knee Osteoarthritis With Bone Marrow Lesions: A Randomized Clinical Trial. *JAMA* 2020 21; 323(15): 1456–1466
9. Jerosch, J., Heisel, J.: Management der Arthrose – innovative Therapiekonzepte. Deutscher Ärzteverlag, Köln, 2010
10. Jerosch, J.: Arthrosemanagement. Hans Marseille Verlag, München, 2015
11. Hummer, C.D., Angst, F., Ngai, W. et al. High molecular weight Intraarticular hyaluronic acid for the treatment of knee osteoarthritis: a network meta-analysis. *BMC Musculoskelet Disord* 2020; 21: 702
12. Altman RD et al., Product Differences in Intra-articular Hyaluronic Acids for Osteoarthritis of the Knee. *Am J Sports Med* 2016; 44(8): 2158–2165
13. Bhandari M et al., Intra-articular hyaluronic acid in the treatment of knee osteoarthritis: a Canadian evidence-based perspective. *Ther Adv Musculoskelet Dis* 2017; 9(9): 231–246
14. Conrozier T, Monfort J, Chevalier X et al.: EUROVISCO Recommendations for Optimizing the Clinical Results of Viscosupplementation in Osteoarthritis. *Cartilage* 2020; 11(1): 47–59
15. Henrotin Y, Chevalier X, Deberg M et al.: Osteoarthritis Group of French Society of Rheumatology. Early decrease of serum biomarkers of type II collagen degradation (Coll2–1) and joint inflammation (Coll2–1 NO₂) by hyaluronic acid intra-articular injections in patients with knee osteoarthritis: a research study part of the Bio-visco study. *J Orthop Res* 2013; 31(6): 901–907
16. Conrozier T, Balblanc JC, Richette P et al.: Osteoarthritis Group of the French Society of Rheumatology. Early effect of hyaluronic acid intra-articular injections on serum and urine biomarkers in patients with knee osteoarthritis: An open-label observational prospective study. *J Orthop Res* 2012; 30(5): 679–685
17. Henrotin Y, Chevalier X, Raman R et al.: EUROVISCO Guidelines for the Design and Conduct of Clinical Trials Assessing the Disease-Modifying Effect of Knee Viscosupplementation. *Cartilage* 2020; 11(1): 60–70
18. Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften (AWMF). S2k-Leitlinie 033–004: Gonarthrose. 18.12.2017. http://www.awmf.org/uploads/tx_szleitlinien/033–004l_S2k_Gonarthrose_2018–01.pdf
19. Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften (AWMF): S3-Leitlinie 145/003. Langzeitanwendung von Opioiden bei nicht tumorbedingten Schmerzen – „LONTS“. Stand: 09/2014, Überarbeitung 01/2015. http://www.awmf.org/uploads/tx_szleitlinien/145–003l_S3_LONTS_2015–01.pdf
20. Bannuru RR, Schmid CH, Kent DM et al.: Comparative effectiveness of pharmacologic interventions for knee osteoarthritis. A systematic review and network meta-analysis. *Ann Intern Med* 2015; 152: 46–54
21. Jörg Jerosch, Andreas With-Breil: Worauf müssen wir beim Einsatz von Metamizol achten? OUP 2017; 9: 577–581
22. Bruyere O, Pavelka K, Rovati LC, et al. Glucosamine sulfate reduces osteoarthritis progression in postmenopausal women with knee osteoarthritis: evidence from two 3-year studies. *Menopause* 2004; 11(2): 138–143
23. Clegg DO, Reda DJ, Harris CL, et al.: The efficacy of glucosamine and chondroitin sulfate in patients with painful knee osteoarthritis: The Glucosamine/chondroitin Arthritis Intervention Trial (GAIT). Annual Scientific Meeting of the American College of Rheumatology, San Diego (CA) 2005
24. Kahan A, Uebelhart D, De Vathaire F, Delmas PD, Reginster JY. Long-term effects of chondroitins 4 and 6 sulfate on osteoarthritis progression prevention, a two-year, randomized, double-blind, placebo-controlled trial. *Arthritis Rheum* 2009; 60(2): 524–533
25. Baum K, Hofmann U, Bock F. The Influence of Lower-Body Training, Upper-Body Training and a Combination of Both on Pain, Functionality and Quality of Life in Knee Osteoarthritis Patients. *Journal of Applied Life Sciences International* 2020; 23(11): 38–51
26. Freys S, Pogatzki-Zahn E. Akutschmerz -Therapie in der operativen Medizin. *De Gruyter* 2020
27. Altman R, Bedi A, Manjoo A, Niazi F, Shaw P, Mease P. Anti-Inflammatory Effects of Intra-Articular Hyaluronic Acid: A Systematic Review. *Cartilage* 2019; 10(1): 43–52
28. Hummer CD, Angst F, Ngai W, Whittington C, Yoon SS, Duarte L, Manitt C, Schemitsch E. High molecular weight intraarticular hyaluronic acid for the treatment of knee osteoarthritis: network meta-analysis. *BMC Musculoskelet Disord* 2020; 21(1): 702

29. Christopher Vannabouathong 1, Mohit Bhandari 2, Asheesh Bedi 3, Vickyas Khanna 2, Patrick Yung 4, Vijay Shetty 5, Moin Khan 1 3: Nonoperative Treatments for Knee Osteoarthritis: An Evaluation of Treatment Characteristics and the Intra-Articular Placebo Effect: A Systematic Review. *JBJS Rev*, 2018 Jul;6(7):e5
30. GBD 2019 Diseases and Injuries Collaborators. Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. *Lancet* 2020; 396(10258): 1204–1222
31. Hagen M, Madhavan T, Bell J. Combined analysis of 3 cross-sectional surveys of pain in 14 countries in Europe, the Americas, Australia, and Asia: impact on physical and emotional aspects and quality of life. *Scand J Pain* 2020; 20(3): 575–589
32. Derry S, Wiffen PJ, Kalso EA et al.: Topical analgesics for acute and chronic pain in adults – an overview of Cochrane Reviews. *Cochrane Database Syst Rev* 2017; 5(5): CD008609
33. Deere KC, Clinch J, Holliday K et al.: Obesity is a risk factor for musculoskeletal pain in adolescents: findings from a population-based cohort. *Pain* 2012; 153(9): 1932–1938
34. <https://de.statista.com/statistik/daten/studie/153908/umfrage/fettleibigkeit-unter-erwachsenen-in-oecd-laendern/>
35. Megale RZ, Deveza LA, Blyth FM, Naganathan V, Ferreira PH, McLachlan AJ, Ferreira ML. Efficacy and Safety of Oral and Transdermal Opioid Analgesics for Musculoskeletal Pain in Older Adults: A Systematic Review of Randomized, Placebo-Controlled Trials. *J Pain* 2018; 19(5): 475.e1–475.e24
36. Rao P, Knaus EE. Evolution of nonsteroidal anti-inflammatory drugs (NSAIDs): cyclooxygenase (COX) inhibition and beyond. *J Pharm Pharm Sci* 2008; 11(2): 81–110
37. Derry S, Conaghan P, Da Silva JA, Wiffen PJ, Moore RA. Topical NSAIDs for chronic musculoskeletal pain in adults. *Cochrane Database Syst Rev* 2016; 4(4): CD007400
38. Folzer E, Gonzalez D, Singh R, Derendorf H. Comparison of skin permeability for three diclofenac topical formulations: an in vitro study. *Pharmazie* 2014; 69(1): 27–31
39. Miyatake S, Ichiyama H, Kondo E, Yasuda K. Randomized clinical comparisons of diclofenac concentration in the soft tissues and blood plasma between topical and oral applications. *Br J Clin Pharmacol* 2009; 67(1): 125–129
40. Efe T, Sagnak E, Roessler PP et al.: Penetration of topical diclofenac sodium 4 % spray gel into the synovial tissue and synovial fluid of the knee: a randomised clinical trial. *Knee Surg Sports Traumatol Arthrosc* 2014; 22(2): 345–350
41. Celebi D, Guy RH, Edler KJ, Scott JL. Ibuprofen delivery into and through the skin from novel oxidized cellulose-based gels and conventional topical formulations. *Int J Pharm* 2016; 514(1): 238–243
42. Patel A, Bell M, O'Connor C, Inchley A, Wibawa J, Lane ME. Delivery of ibuprofen to the skin. *Int J Pharm* 2013; 457(1): 9–13
43. Seefried L, Blyth M, Maheshwari R et al.: Penetration of topical diclofenac into synovial tissue and fluid of osteoarthritic knees: a multicenter, randomized, placebo-controlled, pharmacokinetic study. *Ther Adv Musculoskelet Dis* 2020; 12: 1759720X20943088
44. Zhang Q, Flach CR, Mendelsohn R, Page L, Whitson S, Boncheva Bettex M. Visualization of Epidermal Reservoir Formation from Topical Diclofenac Gels by Raman Spectroscopy. *J Pain Res* 2020; 13:1621–1627
45. Zeng C, Wei J, Persson MSM et al.: Relative efficacy and safety of topical non-steroidal anti-inflammatory drugs for osteoarthritis: a systematic review and network meta-analysis of randomised controlled trials and observational studies. *Br J Sports Med* 2018; 52(10): 642–650
46. Gondolph-Zink B, Gronwald U. Wirkstoffkonzentrationen in artikulären und periartikulären Geweben des Kniegelenkes nach kutaner Anwendung von von Diclofenac-Diethylammonium Emulgel. *Aktuelle Rheumatol* 1996; 21: 298–304
47. Wiffen PJ, Xia J. Systematic review of topical diclofenac for the treatment of acute and chronic musculoskeletal pain. *Curr Med Res Opin* 2020; 36(4):637–650
48. Schaible, H-G: Antikörpertherapie bei Arthrose? *OUP* 2021; 10: 174–179
49. Moser LB, Bauer C, Jeyakumar V, Niculescu-Morza EP, Nehrer S. Hyaluronic Acid as a Carrier Supports the Effects of Glucocorticoids and Diminishes the Cytotoxic Effects of Local Anesthetics in Human Articular Chondrocytes In Vitro. *Int J Mol Sci* 2021; 22(21): 11503
50. Bauer C, Niculescu-Morza E, Jeyakumar V, Kern D, Späth SS, Nehrer S. Chondroprotective effect of high-molecular-weight hyaluronic acid on osteoarthritic chondrocytes in a cocultivation inflammation model with M1 macrophages. *J Inflamm (Lond)*. 2016; 13(1): 31
51. Hangody L, Szody R, Lukasik P et al. Intraarticular Injection of a Cross-Linked Sodium Hyaluronate Combined with Triamcinolone Hexacetonide (Cingal) to Provide Symptomatic Relief of Osteoarthritis of the Knee: A Randomized, Double-Blind, Placebo-Controlled Multicenter Clinical Trial. *Cartilage* 2018; 9(3): 276–283
52. Karasavvidis T, Totlis T, Gilat R, Cole BJ. Platelet-Rich Plasma Combined With Hyaluronic Acid Improves Pain and Function Compared With Hyaluronic Acid Alone in Knee Osteoarthritis: A Systematic Review and Meta-analysis. *Arthroscopy* 2021; 37(4): 1277–1287
53. Bansal H, Leon J, Pont JL, Wilson DA, Bansal A, Agarwal D, Preoteasa I. Platelet-rich plasma (PRP) in osteoarthritis (OA) knee: Correct dose critical for long term clinical efficacy. *Sci Rep* 2021; 11(1): 3971
54. Kim JH, Park YB, Ha CW, Roh YJ, Park JG. Adverse Reactions and Clinical Outcomes for Leukocyte-Poor Versus Leukocyte-Rich Platelet-Rich Plasma in Knee Osteoarthritis: A Systematic Review and Meta-analysis. *Orthop J Sports Med* 2021; 9(6): 23259671211011948
55. Baria MR, Vasileff WK, Borchers J, DiBartola A, Flanigan DC, Plunkett E, Magnussen RA. Treating Knee Osteoarthritis With Platelet-Rich Plasma and Hyaluronic Acid Combination Therapy: A Systematic Review. *Am J Sports Med* 2022; 50(1):273–281
56. Bell EC et al. Does land based exercise-therapy improve physical activity in people with knee osteoarthritis? A systematic review with meta-analyses. *Osteoarthritis Cartilage* 2022; 30(11): 1420–1433
57. Engel B, Just J, Bleckwenn M, Weckbecker K. Therapieoptionen bei Gicht, *Dtsch Arztebl Int* 2017; 114: 215–222
58. Tamayo T, Brinks R, Hoyer A, Kuß O, Rathmann W. Prävalenz und Inzidenz von Diabetes mellitus in Deutschland, *Dtsch Arztebl Int* 2016; 113: 177–182
59. Girndt M, Trocchi P, Scheidt-Nave C, Markau S, Stang A. The Prevalence of Renal Failure. Results from the German Health Interview and Examination Survey for Adults, 2008–2011 (DEGS1). *Dtsch Arztebl Int* 2016; 113(6): 85–91
60. Moßhammer D, Haumann H, Mörike K, Joos S. Polypharmazie – Tendenz steigend, Folgen schwer kalkulierbar, *Dtsch Arztebl Int* 2016; 113: 627–633

61. De Silva V, El-Metwally A, Ernst E, Le-with G, Macfarlane GJ. Arthritis Research UK Working Group on Complementary and Alternative Medicines. Evidence for the efficacy of complementary and alternative medicines in the management of osteoarthritis: a systematic review. *Rheumatology (Oxford)* 2011; 50(5): 911–920
62. Bannuru RR, Osani MC, Vaysbrot EE et al.: OARSI guidelines for the non-surgical management of knee, hip, and polyarticular osteoarthritis. *Osteoarthritis Cartilage* 2019; 27(11): 1578–1589
63. Martel-Pelletier J, Barr AJ, Cicuttini FM et al.: Osteoarthritis. *Nat Rev Dis Primers* 2016; 2:16072
64. Rutjes AW, Jüni P, da Costa BR, Trelle S, Nüesch E, Reichenbach S. Viscosupplementation for osteoarthritis of the knee: a systematic review and meta-analysis. *Ann Intern Med* 2012; 157(3): 180–191
65. Henrotin Y, Raman R, Richette P et al.: Consensus statement on viscosupplementation with hyaluronic acid for the management of osteoarthritis. *Semin Arthritis Rheum* 2015; 45(2):140–149
66. Leo-Gröning I, <https://www.pharmazeitische-zeitung.de/ausgabe-332014/interaktionen-erkennen-und-vermeiden>
67. https://cdn.ymaws.com/www.esska.org/resource/resmgr/docs/consensus_projects/2203_orbit_brochure_spread.pdf

Literatur zum Beitrag

Alexander N. Herzog, Francisco F. Fernandez:

Posttraumatische cubitale Deformitäten bei Kindern und Jugendlichen Supracondyläre Korrekturosteotomie des distalen Humerus

1. Waters PM, S.D., Flynn JM: Evaluation of the Injured Pediatric Elbow, Supracondylar Fractures of the Distal Humerus, in Rockwood and Wilkins' Fractures in Children, S.D. Waters PM, Flynn JM, Editor. 2019, Lippincott Williams & Wilkins: Philadelphia. p. 463–527
2. Shah AS, C.M.: Upper Extremity Fractures, in Lovell and Winter's Pediatric Orthopaedics, F.J. Weinstein SL, Crawford HA, Editor. 2020, Lippincott Williams & Wilkins: Philadelphia. p. 1632–1711
3. Herzog AN, FF Fernandez: Das posttraumatische Bewegungsdefizit des Ellenbogengelenks im Kindes- und Jugendalter. Obere Extremität, 2023. 18(3): p. 163–175
4. Gamble JG, Vorhies JS: Remodeling of Sagittal Plane Malunion After Pediatric Supracondylar Humerus Fractures. J Pediatr Orthop, 2020. 40(10): p. e903-e909
5. Persiani P et al.: Adequacy of treatment, bone remodeling, and clinical outcome in pediatric supracondylar humeral fractures. J Pediatr Orthop B, 2012. 21(2): p. 115–120
6. Simanovsky N et al.: Underreduced supracondylar fracture of the humerus in children: clinical significance at skeletal maturity. J Pediatr Orthop, 2007. 27(7): p. 733–738
7. O'Driscoll SW, Bell DF, Morrey BF: Posterolateral rotatory instability of the elbow. J Bone Joint Surg Am, 1991. 73(3): p. 440–446
8. O'Driscoll, SW et al.: Tardy posterolateral rotatory instability of the elbow due to cubitus varus. J Bone Joint Surg Am, 2001. 83(9): p. 1358–1369
9. Herzog AN, Wirth T, Fernandez FF: Supracondylar Dome Osteotomy With a Posterior Triceps-splitting Approach for Acute Correction of Posttraumatic Cubital Axis Deformities in Adolescent Patients. J Pediatr Orthop, 2023. 43(1): p. e17-e24
10. French, PR: Varus deformity of the elbow following supracondylar fracture of the humerus in children. Lancet, 1959. 2(7100): p. 439–441
11. Voss, FR et al.: Uniplanar supracondylar humeral osteotomy with preset Kirschner wires for posttraumatic cubitus varus. J Pediatr Orthop, 1994. 14(4): p. 471–478
12. Devnani, AS: Lateral closing wedge supracondylar osteotomy of humerus for post-traumatic cubitus varus in children. Injury, 1997. 28(9–10): p. 643–647
13. Liddell TR, Hennrikus WL, Bresnahan JJ: A Simple Dual-Planar Osteotomy to Correct Cubitus Varus Deformity in Children. J Orthop Trauma, 2016. 30(10): p. e340–345
14. Koch PP, Exner GU: Supracondylar medial open wedge osteotomy with external fixation for cubitus varus deformity. J Pediatr Orthop B, 2003. 12(2): p. 116–122
15. Davids JR et al.: Translation step-cut osteotomy for the treatment of posttraumatic cubitus varus. J Pediatr Orthop, 2011. 31(4): p. 353–365
16. Tien YC et al.: Dome corrective osteotomy for cubitus varus deformity. Clin Orthop Relat Res, 2000(380): p. 158–166
17. Kumar K et al.: Correction of cubitus varus by French or dome osteotomy: a comparative study. J Trauma, 2000. 49(4): p. 717–721
18. Banerjee S et al.: Corrective dome osteotomy using the paratricipital (triceps-sparing) approach for cubitus varus deformity in children. J Pediatr Orthop, 2012. 32(4): p. 385–393
19. Bauer AS Pham B, Lattanza LL: Surgical Correction of Cubitus Varus. J Hand Surg Am, 2016. 41(3): p. 447–452
20. Levine MJ, Horn BD, Pizzutillo PD: Treatment of posttraumatic cubitus varus in the pediatric population with humeral osteotomy and external fixation. J Pediatr Orthop, 1996. 16(5): p. 597–601
21. Acar MA et al.: Treatment of posttraumatic cubitus varus with corrective supracondylar humeral osteotomies using the methyl methacrylate external fixator. J Pediatr Orthop, 2014. 34(3): p. 253–259
22. Belthur MV et al.: Correction of Cubitus Varus After Pediatric Supracondylar Elbow Fracture: Alternative Method Using the Taylor Spatial Frame. J Pediatr Orthop, 2016. 36(6): p. 608–617
23. Lee SC et al.: Remodeling after lateral closing-wedge osteotomy in children with cubitus varus. Orthopedics, 2012. 35(6): p. e823–828
24. Solfelt DA et al.: Supracondylar osteotomy for the treatment of cubitus varus in children: a systematic review. Bone Joint J, 2014. 96-b(5): p. 691–700
25. Raney EM et al.: Complications of supracondylar osteotomies for cubitus varus. J Pediatr Orthop, 2012. 32(3): p. 232–240
26. Kasser JR, Richards K, Millis M: The triceps-dividing approach to open reduction of complex distal humeral fractures in adolescents: a Cybex evaluation of triceps function and motion. J Pediatr Orthop, 1990. 10(1): p. 93–96
27. Blasier RD: The triceps-splitting approach for repair of distal humeral malunion in children. A report of a technique. Am J Orthop (Belle Mead NJ), 1996. 25(9): p. 621–624
28. Bellemore MC et al.: Supracondylar osteotomy of the humerus for correction of cubitus varus. J Bone Joint Surg Br, 1984. 66(4): p. 566–572
29. Oppenheim WL et al.: Supracondylar humeral osteotomy for traumatic childhood cubitus varus deformity. Clin Orthop Relat Res, 1984(188): p. 34–39

Literatur zum Beitrag

Oliver Trapp, Christian von Rüden:

Klavikulafrakturen

Indikationsstellung und aktuelle Therapieempfehlungen

1. Robinson CM: Fractures of the clavicle in the adult. Epidemiology and classification. *J Bone Joint Surg Br* 1998; 80:476–484
2. Kihlström C, Möller M, Lönn K, Wolf O: Clavicle fractures: epidemiology, classification and treatment of 2422 fractures in the Swedish Fracture Register; an observational study. *BMC Musculoskelet Disord* 2017;18(1):82
3. Chen W, Zhu Y, Liu S, Hou Z, Zhang X, Lv H, Zhang Y: Demographic and socioeconomic factors influencing the incidence of clavicle fractures, a national population-based survey of five hundred and twelve thousand, one hundred and eighty seven individuals. *Int Orthop* 2018;42(3):651–658
4. Biberthaler P, Schubert EC, Kirchhoff C, Kanz KG: Current management of midshaft clavicle fractures. *MMW Fortschr Med* 2015;157(3):50–53
5. Nawar K, Eliya Y, Burrow S, Peterson D, Ayeni O, de Sa D: Operative Versus Non-operative Management of Mid-diaphyseal Clavicle Fractures in the Skeletally Immature Population: A Systematic Review and Meta-analysis. *Curr Rev Musculoskelet Med* 2020;13(1):38–49
6. Rasmussen JV, Jensen SL, Petersen JB, Falstie-Jensen T, Lausten G, Olsen BS: A retrospective study of the association between shortening of the clavicle after fracture and the clinical outcome in 136 patients. *Injury* 2011;42(4):414–417
7. Beirer M, Zyskowski M, Crönlein M, Pförringer D, Schmitt-Sody M, Sandmann G, Huber-Wagner S, Biberthaler P, Kirchhoff C: Concomitant intra-articular glenohumeral injuries in displaced fractures of the lateral clavicle. *Knee Surg Sports Traumatol Arthrosc* 2017;25(10):3237–3241
8. Alexander OM: Radiography of the acromioclavicular articulation. *Med Radiogr Photogr* 1954; 30:34–39
9. Wurm M, Beirer M, Biberthaler P, Kirchhoff C: [Clavicular fractures: Diagnostics, management and treatment]. *Unfallchirurg* 2018;121(12):983–998
10. O'Neill BJ, Hirpara KM, O'Brain D, McGarr C, Kaar TK: Clavicle fractures: a comparison of five classification systems and their relationship to treatment outcomes. *Int Orthop* 2011;35(6):909–914
11. Allman FL: Fractures and ligamentous injuries of the clavicle and its articulation. *J Bone Joint Surg Am* 1967;49(4):774–784
12. Neer CS: Fractures of the distal clavicle with detachment of the coracoclavicular ligaments in adults. *J Trauma* 1963;3:99–110
13. Neer CS: Fractures of the distal third of the clavicle. *Clin Orthop Relat Res* 1968;58:43–50
14. Nordqvist A, Petersson C: The incidence of fractures of the clavicle. *Clin Orthop Relat Res* 1994;300:127–132
15. Meinberg EG, Agel J, Karam MD, Kellam JF: Introduction: Fracture and Dislocation Classification Compendium-2018. *J Orthop Trauma* 2018;32(Suppl1):S1–S10
16. Gustilo RB, Anderson JT: Prevention of infection in the treatment of one thousand and twenty-five open fractures of long bones: retrospective and prospective analyses. *J Bone Joint Surg Am* 1976;58(4):453–458
17. Tscherner H, Oestern HJ: [A new classification of soft-tissue damage in open and closed fractures (author's transl)]. *Unfallheilkunde* 1982;85:111–5.
18. Lenza M, Buchbinder R, Johnston RV, Ferrari BA, Faloppa F: Surgical versus conservative interventions for treating fractures of the middle third of the clavicle. *Cochrane Database Syst Rev* 2019;1(1):CD009363
19. Hierholzer C, Woltmann A: [Complications after clavicle fractures]. *Trauma Berufskrankh* 2012;14(Suppl 1):18–25
20. Kani KK, Porrino JA, Mulcahy H, Chew FS: The floating shoulder. *Emerg Radiol* 2019;26(4):459–464
21. van Doesburg PG, El Saddy S, Alta TD, van Noort A, van Bergen CJA: Treatment of coracoid process fractures: a systematic review. *Arch Orthop Trauma Surg* 2021;141(7):1091–1100
22. Nasir MU, Alsugair F, Sheikh A, Ouellette H, Munk P, Mallinson P: A Comprehensive Radiologic Review of Shoulder Girdle Trauma. *Semin Musculoskelet Radiol* 2022;26(5):527–534
23. Smeeing DPJ, van der Ven DJC, Hietbrink F et al.: Surgical Versus Nonsurgical Treatment for Midshaft Clavicle Fractures in Patients Aged 16 Years and Older: A Systematic Review, Meta-analysis, and Comparison of Randomized Controlled Trials and Observational Studies. *Am J Sports Med* 2017;45(8):1937–1945
24. Lazarides S, Zafiropoulos G: Conservative treatment of fractures at the middle third of the clavicle: the relevance of shortening and clinical outcome. *J Shoulder Elbow Surg* 2006;15(2):191–194
25. Fuglesang HF, Flugsrud GB, Randsborg PH, Stavem K, Utvåg SE: Radiological and functional outcomes 2.7 years following conservatively treated completely displaced midshaft clavicle fractures. *Arch Orthop Trauma Surg* 2016;136(1):17–25
26. Eskola A, Vainionpää S, Myllynen P, Päätilä H, Rokkanen P: Outcome of clavicular fracture in 89 patients. *Archives of orthopaedic and traumatic surgery. Arch Orthop Trauma Surg* (1978) 1986;105(6):337–338
27. Asadollahi S, Hau RC, Page RS, Richardson M, Edwards ER: Complications associated with operative fixation of acute midshaft clavicle fractures. *Injury* 2016;47(6):1248–1252
28. Vautrin M, Kaminski G, Barimani B et al.: Does candidate for plate fixation selection improve the functional outcome after midshaft clavicle fracture? A systematic review of 1348 patients. *Shoulder Elbow* 2019;11(1):9–16
29. Wu CL, Chang HC, Lu KH: Risk factors for nonunion in 337 displaced midshaft clavicular fractures treated with Knowles pin fixation. *Arch Orthop Trauma Surg* 2013;133(1):15–22
30. Ban I, Troelsen A: Risk profile of patients developing nonunion of the clavicle and outcome of treatment-analysis of fifty five nonunions in seven hundred and twenty nine consecutive fractures. *Int Orthop* 2016;40(3):587–593
31. Neer CS 2nd: Nonunion of the clavicle. *J Am Med Assoc* 1960;172:1006–1011

32. Martetschläger F, Gaskill TR, Millett PJ: Management of clavicle nonunion and malunion. *J Shoulder Elbow Surg* 2013;22(6):862–868
33. Jørgensen A, Troelsen A, Ban I: Predictors associated with nonunion and symptomatic malunion following non-operative treatment of displaced midshaft clavicle fractures – a systematic review of the literature. *Int Orthop* 2014;38(12):2543–2549
34. von Rüden C, Morgenstern M, Friederichs J, Augat P, Hackl S, Woltmann A, Bühren V, Hierholzer C: Comparative study suggests that human bone morphogenetic proteins have no influence on the outcome of operative treatment of aseptic clavicle non-unions. *Int Orthop* 2016;40(11):2339–2345
35. Augat P, von Rüden C: Evolution of fracture treatment with bone plates. *Injury* 2018;49 Suppl 1:S2-S7
36. Ochs BG, Gonser CE, Baron HC, Stöckle U, Badke A, Stuby FM: [Refracture of long bones after implant removal. An avoidable complication?]. *Unfallchirurg* 2012;115(4):323–329
37. Schubert I, Moers K, Fernandez FF, Schneidmüller D, Sektion Kindertraumatologie in der DGU, Schmitteneber PP, Strohm PC: Clavicle shaft fractures in childhood and adolescence. *Unfallchirurgie (Heidelberg)* 2023;126(3):244–251
38. Andersen K, Jensen PO, Lauritzen J: Treatment of clavicular fractures. Figure-of-eight bandage versus a simple sling. *Acta Orthop Scand* 1987;58:71–74
39. Catapano M, Hoppe D, Henry P, Nam D, Robinson LR, Wasserstein D: Healing, Pain and Function after Midshaft Clavicular Fractures: A Systematic Review of Treatment with Immobilization and Rehabilitation. *PM R* 2019;11(4):401–408
40. Ahrens PM, Garlick NI, Barber J, Tims EM: Clavicle Trial Collaborative Group. The Clavicle Trial: A Multicenter Randomized Controlled Trial Comparing Operative with Nonoperative Treatment of Displaced Midshaft Clavicle Fractures. *J Bone Joint Surg Am* 2017;99(16):1345–1354
41. Yetter T, Harper J, Weatherby PJ, Somerson JS: Complications and Outcomes After Surgical Intervention in Clavicular Nonunion: A Systematic Review. *JBJS Rev* 2023;11(1):e22.00171
42. Hulsmans MH, van Heijl M, Houwert RM et al.: Surgical fixation of midshaft clavicle fractures: A systematic review of biomechanical studies. *Injury* 2018;49(4):753–765
43. Smith SD, Wijedicks CA, Jansson KS et al.: Stability of mid-shaft clavicle fractures after plate fixation versus intramedullary repair and after hardware removal. *Knee Surg Sports Traumatol Arthrosc* 2014;22(2):448–545
44. Burnham J, Kim D, Kamineni S: From Midshaft Clavicle Fractures: A Critical review. *Orthopedics* 2016;39(5):e814–821
45. Houwert RM, Wijedicks FJ, Steins Bischof C, Verleisdonk EJ, Kruyt M: Plate fixation versus intramedullary fixation for displaced mid-shaft clavicle fractures: a systematic review. *Int Orthop* 2012;36(3):579–585
46. Zhang B, Zhu Y, Zhang F, Chen W, Tian Y, Zhang Y: Meta-analysis of plate fixation versus intramedullary fixation for the treatment of mid-shaft clavicle fractures. *Scand J Trauma Resusc Emerg Med* 2015;23:27
47. Vannabouathong C, Chiu J, Patel R et al.: An evaluation of treatment options for medial, midshaft, and distal clavicle fractures: a systematic review and meta-analysis. *JSES Int* 2020;4(2):256–271
48. Reisch T, Camenzind RS, Fuhrer R, Riede U, Helmy N: The first 100 patients treated with a new anatomical pre-contoured locking plate for clavicular midshaft fractures. *BMC Musculoskelet Disord* 2019;20(1):4
49. Frima H, van Heijl M, Michelitsch C et al.: Clavicle fractures in adults; current concepts. *Eur J Trauma Emerg Surg* 2020;46(3):519–529
50. Frima H, Houwert RM, Sommer C: Displaced medial clavicle fractures: operative treatment with locking compression plate fixation. *Eur J Trauma Emerg Surg* 2020;46(1):207–213
51. Salipas A, Kimmel LA, Edwards ER, Rakhra S, Moaveni AK: Natural history of medial clavicle fractures. *Injury* 2016;47(10):2235–2239
52. Nordqvist A, Petersson CJ, Redlund Johnell I: Mid-clavicle fractures in adults: end result study after conservative treatment. *J Orthop Trauma* 1998;12(8):572–576
53. Throckmorton T, Kuhn JE: Fractures of the medial end of the clavicle. *J Shoulder Elbow Surg* 2007;16(1):49–54
54. Wurm M, Siebenlist S, Zyskowski M et al.: Excellent clinical and radiological outcome following locking compression plate fixation of displaced medial clavicle fractures. *BMC Musculoskelet Disord* 2021;22(1):905
55. Asadollahi S, Bucknill A: Acute medial clavicle fracture in adults: a systematic review of demographics, clinical features and treatment outcomes in 220 patients. *J Orthop Traumatol* 2019;20(1):24
56. Oe K, Gaul L, Hierholzer C et al.: Operative Management of Periarticular Medial Clavicle Fractures – Report of 10 Cases. *J Trauma Acute Care Surg* 2012;72(2):E1-E7
57. Sidhu VS, Hermans D, Duckworth DG: The operative outcomes of displaced medial-end clavicle fractures. *J Shoulder Elbow Surg* 2015;24(11):1728–1734
58. Kim KC, Shin HD, Cha SM: Surgical treatment of displaced medial clavicle fractures using a small T-shaped plate and tension band sutures. *Arch Orthop Trauma Surg* 2011;131(12):1673–1676
59. Bartonicek J, Fric V, Pacovsky V: Displaced fractures of the medial end of the clavicle: report of five cases. *J Orthop Trauma* 2010;24:e31–e35
60. Titchener A, See A, Van Rensburg L, Tytherleigh-Strong G: Displaced medial end clavicular fractures treated with an inverted distal clavicle plate contoured through 90 degrees. *J Shoulder Elbow Surg* 2019;28(4):e97-e103
61. Jäger M, Breitner S: Therapy related classification of lateral clavicular fracture. *Unfallheilkunde* 1984;87(11):467–473
62. Cho CH, Kim BS, Kim DH, Choi CH, Dan J, Lee H: Distal clavicle fractures: a new classification system. *Orthop Traumatol Surg Res* 2018;104(8):1231–1235
63. Hall JA, Schemitsch CE, Vicente MR et al.: Canadian Orthopaedic Trauma Society (COTS). Operative Versus Nonoperative Treatment of Acute Displaced Distal Clavicle Fractures: a Multicenter Randomized Controlled Trial. *J Orthop Trauma* 2021;35(12):660–666
64. Alaaee F, Apostolakis J, Singh H et al.: Lateral clavicle fracture with coracoclavicular ligament injury: a biomechanical study of 4 different repair techniques. *Knee Surg Sports Traumatol Arthrosc* 2017;25(7):2013–2019
65. Kim DW, Kim DH, Kim BS, Cho CH: Current Concepts for Classification and Treatment of Distal Clavicle Fractures. *Clin Orthop Surg* 2020;12(2):135–144
66. Panagopoulos A, Solou K, Tatani I et al.: What is the optimal surgical treatment for Neer type IIB (IIC) distal clavicle fractures? A systematic review and meta-analysis. *J Orthop Surg Res* 2022;17(1):215

67. Sandstrom C, Gross J, Kennedy S: Distal clavicle fracture radiography and treatment: a pictorial essay. *Emerg Radiol* 2018;25(3):311–319
68. Boonard M, Sumanont S, Arirachakaran A et al.: Fixation method for treatment of unstable distal clavicle fracture: systematic review and network meta-analysis. *Eur J Orthop Surg Traumatol* 2018;28(6):1065–1078
69. Hickland P, Goodland C, Zachariah S, E Murphy L, Neil M: Operative management of lateral third clavicle fractures: a comparison of internal fixation methods. *Eur J Orthop Surg Traumatol* 2023;33(1):159–165
70. Xu Y, Guo X, Peng H, Dai H, Huang Z, Zhao J: Different internal fixation methods for unstable distal clavicle fractures in adults: a systematic review and network meta-analysis. *J Orthop Surg Res* 2022;17(1):43
71. Orlandi TV, Rogers NS, Burger MC, King PR, Lamberts RP: A prospective randomized controlled trial comparing plating augmented with coracoclavicular fixation and hook plate fixation of displaced distal-third clavicle fractures. *J Shoulder Elbow Surg* 2022;31:906–913
72. Singh A, Schultzel M, Fleming JF, Navarro RA: Complications after surgical treatment of distal clavicle fractures. *Orthop Traumatol Surg Res* 2019;105(5):853–859
73. Malik SS, Tahir M, Remtulla M, Malik S, Jordan RW: A systematic review and meta-analysis comparing the use of hook plates and superior plates in the treatment of displaced distal clavicle fractures. *Arch Orthop Trauma Surg* 2023;143(1):329–352
74. Axelrod DE, Ekhtiari S, Bozzo A, Bhandari M, Johal H: What Is the Best Evidence for Management of Displaced Midshaft Clavicle Fractures? A Systematic Review and Network Meta-analysis of 22 Randomized Controlled Trials. *Clin Orthop Relat Res* 2020;478(2):392–402
75. Xu J, Xu L, Xu W, Gu Y, Xu J: Operative versus nonoperative treatment in the management of midshaft clavicular fractures: a meta-analysis of randomized controlled trials. *J Shoulder Elbow Surg* 2014;23(2):173–181
76. Kong L, Zhang Y, Shen Y: Operative versus nonoperative treatment for displaced midshaft clavicular fractures: a meta-analysis of randomized clinical trials. *Arch Orthop Trauma Surg* 2014;134(11):1493–500
77. Qin M, Zhao S, Guo W et al.: Open reduction and plate fixation compared with non-surgical treatment for displaced midshaft clavicle fracture: A meta-analysis of randomized clinical trials. *Medicine (Baltimore)* 2019;98(20):e15638
78. Amer K, Smith B, Thomson JE et al.: Operative Versus Nonoperative Outcomes of Middle-Third Clavicle Fractures: A Systematic Review and Meta-Analysis. *J Orthop Trauma* 2020;34(1):e6-e13
79. Guerra E, Previtali D, Tamborini S, Filardo G, Zaffagnini S, Candrian C: Midshaft Clavicle Fractures: Surgery Provides Better Results as Compared With Nonoperative Treatment: A Meta-analysis. *Am J Sports Med* 2019;47(14):3541–3551
80. Shi F, Hu H, Tian M, Fang X, Li X: Comparison of 3 treatment methods for midshaft clavicle fractures: A systematic review and network meta-analysis of randomized clinical trials. *Injury* 2022;53(6):1765–1776
81. Yan MZ, Yuen WS, Yeung SC et al.: Operative management of midshaft clavicle fractures demonstrates better long-term outcomes: A systematic review and meta-analysis of randomised controlled trials. *PLoS One* 2022;17(4):e0267861

Literatur zum Beitrag

Markus Rupp, Nike Walter, Leopold Henssler, Lisa Klute, Maximilian Kerschbaum, Volker Alt:

Frakturassozierte Infektionen an der oberen Extremität

Was gibt es zu beachten?

1. Walter N, Rupp M, Lang S, Alt V: The epidemiology of fracture-related infections in Germany. *Sci Rep* 2021; 11(1)
2. Baertl S, Walter N, Engelstaedter U, Ehrenschwender M, Hitzebichler F, Alt V et al.: What Is the Most Effective Empirical Antibiotic Treatment for Early, Delayed, and Late Fracture-Related Infections? *Antibiotics (Basel)* 2022; 11(3)
3. McNally M, Corrigan R, Sliepen J, Dudareva M, Rentenaar R, IJpma F et al.: What Factors Affect Outcome in the Treatment of Fracture-Related Infection? *Antibiotics (Basel)* 2022; 11(7)
4. Rupp M, Walter N, Pfeifer C, Lang S, Kerschbaum M, Krutsch W et al.: The Incidence of Fractures Among the Adult Population of Germany-an Analysis From 2009 through 2019. *Dtsch Arztebl Int* 2021; (Forthcoming)
5. Rupp M, Walter N, Baertl S, Lang S, Lowenberg DW, Alt V: Terminology of bone and joint infection. *Bone Joint Res* 2021; 10(11):742–743
6. McNally M, Govaert G, Dudareva M, Morgenstern M, Metsemakers W-J: Definition and diagnosis of fracture-related infection. *EFORT Open Rev* 2020; 5(10):614–619
7. Metsemakers WJ, Kortram K, Morgenstern M, Moriarty TF, Meex I, Kuehl R et al.: Definition of infection after fracture fixation: A systematic review of randomized controlled trials to evaluate current practice. *Injury* 2018; 49(3):497–504
8. Metsemakers WJ, Morgenstern M, McNally MA, Moriarty TF, McFadyen I, Scarborough M et al.: Fracture-related infection: A consensus on definition from an international expert group. *Injury* 2018; 49(3):505–510
9. van den Kieboom J, Bosch P, Plate JDJ, IJpma FFA, Kuehl R, McNally MA et al.: Diagnostic accuracy of serum inflammatory markers in late fracture-related infection: a systematic review and meta-analysis. *Bone Joint J* 2018; 100-B(12):1542–1550
10. Lowenberg DW, Rupp M, Alt V: Understanding and treating chronic osteomyelitis. In: Browner B, Jupiter J, Krettek C, Anderson P, editors. *Skeletal trauma: basic science, management, and reconstruction*. 6th ed. Elsevier; 2019. p. 702–742
11. Resnick D: *Diagnosis of bone and joint disorders*. 3rd ed. Philadelphia: W.B. Saunders Company; op. 1995
12. Termaat MF, Raijmakers PGHM, Scholten HJ, Bakker FC, Patka P, Haarman HJTM: The accuracy of diagnostic imaging for the assessment of chronic osteomyelitis: a systematic review and meta-analysis. *The Journal of Bone and Joint Surgery-American Volume* 2005; 87(11):2464–2471
13. Lemans JVC, Hobbelink MGG, IJpma FFA, Plate JDJ, van den Kieboom J, Bosch P et al.: The diagnostic accuracy of 18F-FDG PET/CT in diagnosing fracture-related infections. *Eur J Nucl Med Mol Imaging* 2019; 46(4):999–1008
14. Hellebrekers P, Rentenaar RJ, McNally MA, Hietbrink F, Houwert RM, Leenen LPH et al.: Getting it right first time: The importance of a structured tissue sampling protocol for diagnosing fracture-related infections. *Injury* 2019; 50(10):1649–1655
15. Morgenstern M, Athanasou NA, Ferguson JY, Metsemakers W-J, Atkins BL, McNally MA: The value of quantitative histology in the diagnosis of fracture-related infection. *Bone Joint J* 2018; 100-B(7):966–972
16. Walter N, Rupp M, Baertl S, Alt V: The role of multidisciplinary teams in musculoskeletal infection. *Bone Joint Res* 2022; 11(1):6–7
17. Rupp M, Walter N, Popp D, Hitzebichler F, Heyd R, Geis S et al.: Multidisciplinary Treatment of Fracture-Related Infection Has a Positive Impact on Clinical Outcome—A Retrospective Case Control Study at a Tertiary Referral Center. *Antibiotics (Basel)* 2023; 12(2):230
18. Rupp M, Kern S, Weber T, Menges TD, Schnettler R, Heiß C et al.: Polymicrobial infections and microbial patterns in infected nonunions – a descriptive analysis of 42 cases. *BMC Infect Dis* 2020; 20(1):667
19. Rupp M, Baertl S, Walter N, Hitzebichler F, Ehrenschwender M, Alt V: Is There a Difference in Microbiological Epidemiology and Effective Empirical Antimicrobial Therapy Comparing Fracture-Related Infection and Periprosthetic Joint Infection? A Retrospective Comparative Study. *Antibiotics (Basel)* 2021; 10(8)
20. Buijs MAS, van den Kieboom J, Sliepen J, Wever KLH, van Breugel JM, Hietbrink F et al.: Outcome and risk factors for recurrence of early onset fracture-related infections treated with debridement, antibiotics and implant retention: Results of a large retrospective multicentre cohort study. *Injury* 2022; 53(12):3930–3937
21. Depypere M, Sliepen J, Onsea J, Debaveye Y, Govaert GAM, IJpma FFA et al.: The Microbiological Etiology of Fracture-Related Infection. *Front Cell Infect Microbiol* 2022; 12:934485
22. Hudek R, Brobeil A, Brüggemann H, Sommer F, Gattenlöhner S, Gohlke F: *Cutibacterium acnes* is an intracellular and intra-articular commensal of the human shoulder joint. *J Shoulder Elbow Surg* 2021; 30(1):16–26
23. Hsu JE, Bumgarner RE, Matsen FA: Propionibacterium in Shoulder Arthroplasty: What We Think We Know Today. *J Bone Joint Surg Am* 2016; 98(7):597–606
24. Both A, Klante TO, Lübke A, Büttner H, Hartel MJ, Grossterlinden LG et al.: Growth of *Cutibacterium acnes* is common on osteosynthesis material of the shoulder in patients without signs of infection. *Acta Orthop* 2018; 89(5):580–584
25. Achermann Y, Goldstein EJC, Coenye T, Shirtliff ME: Propionibacterium acnes: from commensal to opportunistic biofilm-associated implant pathogen. *Clin Microbiol Rev* 2014; 27(3):419–440
26. Metsemakers W-J, Morgenstern M, Senneville E, Borens O, Govaert GAM, Onsea J et al.: General treatment principles for fracture-related infection: recommendations from an international expert group. *Arch Orthop Trauma Surg* 2020; 140(8):1013–1027

27. Hudak PL, Amadio PC, Bombardier C, Beaton D, Cole D, Davis A et al.: Development of an upper extremity outcome measure: The DASH (disabilities of the arm, shoulder, and hand). *Am. J. Ind. Med.* 1996; 29(6):602–608
28. Richards RR, An KN, Bigliani LU, Friedman RJ, Gartsman GM, Gristina AG et al.: A standardized method for the assessment of shoulder function. *J Shoulder Elbow Surg* 1994; 3(6):347–352
29. Godfrey J, Hamman R, Lowenstein S, Briggs K, Kocher M: Reliability, validity, and responsiveness of the simple shoulder test: psychometric properties by age and injury type. *J Shoulder Elbow Surg* 2007; 16(3):260–267
30. Padua R, Girolamo L de, Grassi A, Cucchi D: Choosing patient-reported outcome measures for shoulder pathology. *EFORT Open Rev* 2021; 6(9):779–787

Literatur zum Beitrag

Freya M. Reeh, Maren Bieling, Helmut Lill, Stephan Sehmisch, Alexander Ellwein

State of the Art bei der Frakturprothese am Oberarmkopf

1. Burkhart KJ, Dietz SO, Bastian L, Thelen U, Hoffmann R, Müller LP: The treatment of proximal humeral fracture in adults. *Dtsch Arztebl Int.* 2013;110 (35–36): 591–597
2. Pavone V, Vescio A, Denaro R et al.: Use of different devices for surgical treatment of proximal humerus fractures in adults: a systematic review. *Acta Biomed.* 2021;92 (4): e2021198
3. Pinkas D, Wanich TS, DePalma AA, Gruson KI: Management of malunion of the proximal humerus: current concepts. *J Am Acad Orthop Surg.* 2014;22 (8): 491–502
4. Stahl D, Fuente GDL: Reverse total shoulder arthroplasty for a 4-part proximal humerus fracture. *Journal of Orthopedic Trauma.* 2016;30: S9-S10
5. Launonen AP, Lepola V, Saranko A, Flinkkilä T, Laitinen M, Mattila VM: Epidemiology of proximal humerus fractures. *Arch Osteoporos.* 2015;10: 209
6. Warriner AH, Patkar NM, Curtis JR et al.: Which fractures are most attributable to osteoporosis? *J Clin Epidemiol.* 2011;64 (1): 46–53
7. Howard L, Berdusco R, Momoli F et al.: Open reduction internal fixation vs. non-operative management in proximal humerus fractures: a prospective, randomized controlled trial protocol. *BMC Musculoskelet Disord.* 2018;19 (1): 299
8. Palvanen M, Kannus P, Niemi S, Parkkari J: Update in the epidemiology of proximal humeral fractures. *Clin Orthop Relat Res.* 2006;442: 87–92
9. Fjalestad T, Hole M, Hovden IAH, Blücher J, Strømsøe K: Surgical treatment with an angular stable plate for complex displaced proximal humeral fractures in elderly patients: A randomized controlled trial. *Journal of Orthopaedic Trauma.* 2012;26 (2): 98–106
10. Mellstrand Navarro C, Brolund A et al.: Treatment of humerus fractures in the elderly: A systematic review covering effectiveness, safety, economic aspects and evolution of practice. *PLoS One.* 2018;13 (12): e0207815
11. Bell JE, Leung BC, Spratt KF et al.: Trends and variation in incidence, surgical treatment, and repeat surgery of proximal humeral fractures in the elderly. *J Bone Joint Surg Am.* 2011;93 (2): 121–131
12. Südkamp N, Bayer J, Hepp P et al.: Open reduction and internal fixation of proximal humeral fractures with use of the locking proximal humerus plate. Results of a prospective, multicenter, observational study. *J Bone Joint Surg. Am.* 2009;91 (6): 1320–1328
13. Lill H, Scheibel M, Voigt C: Die proximale Humerusfraktur. Springer Verlag, Berlin, Heidelberg. 2014
14. Warnhoff M, Lill H, Jensen G, Ellwein A, Dey-Hazra RO: Proximale Humerusfraktur – was sagt die aktuelle Literatur? *Obere Extremität.* 2018;14: 9–17
15. Erdle B, Izadpanah K, Eberbach H et al.: Primäre Frakturprothese und inverse Schulterprothese bei komplexer Humeruskopffraktur: Eine Alternative zur gelenkerhaltenden Osteosynthese? *Orthopäde.* 2018;47 (5): 410–419
16. Dezfuli B, King JJ, Farmer KW, Struk AM, Wright TW: Outcomes of reverse shoulder arthroplasty as primary versus revision procedure for proximal humerus fractures. *J Shoulder Elbow Surg.* 2016;25 (7): 1133–1137
17. White JJE, Soothill JR, Morgan M et al.: Outcomes for a large metaphyseal volume hemiarthroplasty in complex fractures of the proximal humerus. *J Shoulder Elbow Surg.* 2017; 26(3):478–483
18. Shukla DR, McAnany S, Kim J, Overlay S, Parsons BO: Hemiarthroplasty versus reverse shoulder arthroplasty for treatment of proximal humeral fractures: a meta-analysis. *J Shoulder Elbow Surg.* 2016;25 (2): 330–340
19. Grubhofer F, Wieser K, Meyer DC et al.: Reverse total shoulder arthroplasty for acute head-splitting, 3- and 4-part fractures of the proximal humerus in the elderly. *J Shoulder Elbow Surg.* 2016;25 (10): 1690–1698
20. Jarrett CD, Brown BT, Schmidt CC: Reverse shoulder arthroplasty. *Orthop Clin North Am.* 2013;44 (3): 389–408
21. Bauer S, Corbaz J, Athwal GS et al.: Lateralization in Reverse Shoulder Arthroplasty. *J Clin Med.* 2021; 10(22):5380
22. Warnhoff M, Jensen G, Lill H, Ellwein A: Current trends in reverse fracture arthroplasty. *Unfallchirurgie (Heidelb.).* 2022;125(9):690–698
23. Ohl X, Bonneville N, Gallinet D et al.: How the greater tuberosity affects clinical outcomes after reverse shoulder arthroplasty for proximal humeral fractures. *J Shoulder Elbow Surg.* 2018; 27:2139–2144
24. Jain NP, Mannan SS, Dharmarajan R, Rangan A: Tuberosity healing after reverse shoulder arthroplasty for complex proximal humeral fractures in elderly patients—does it improve outcomes? A systematic review and meta-analysis. *J Shoulder Elbow Surg.* 2019; 28:e78–e91
25. Ockert B, Siebenburger G, Kettler M et al.: Long-term functional outcomes (median 10 years) after locked plating for displaced fractures of the proximal humerus. *J Shoulder Elbow Surg.* 2014; 23(8)1223–1231
26. Onggo JR, Nambiar M, Onggo JD et al.: Improved functional outcome and tuberosity healing in patients treated with fracture stems than non-fracture stems during shoulder arthroplasty for proximal humeral fracture: a meta-analysis and systematic review. *J Shoulder Elbow Surg.* 2021; 30:695–705
27. Crespo AM, Luthringer TA, Frost A et al.: Does reverse total shoulder arthroplasty for proximal humeral fracture portend poorer outcomes than for elective indications? *J Shoulder Elbow Surg.* 2021; 30:40–50
28. Lehtimäki K, v. Rasmussen J, Kukkonen J et al.: Low risk of revision after reverse shoulder arthroplasty for acute proximal humeral fractures. *JSES Int* 2020; 4:151–15.
29. Edwards TB, Williams MD, Labriola JE et al Subscapularis insufficiency and the risk of shoulder dislocation after reverse shoulder arthroplasty. *J Shoulder Elbow Surg.* 2009; 18:892–896
30. Smith CD, Guyver P, Bunker TD: Indications for reverse shoulder replacement: a systematic review. *J Bone Joint Surg Br.* 2012; 94:577–583

Literatur zum Beitrag

Melina Pavlović, Vanessa Ketter, Steffen Ruchholtz:

Periprothetische Frakturen des Humerus Eine Übersicht – Epidemiologie, Einteilung, Therapiemöglichkeiten und Outcome

1. Andersen JR, Williams CD, Cain R, Mighell M, Frankle M: Surgically treated humeral shaft fractures following shoulder arthroplasty. *J Bone Joint Surg Am* 2013; 95: 9–18
2. Athwal GS, Sperling JW, Rispoli DM, Cofield RH: Periprosthetic humeral fractures during shoulder arthroplasty. *J Bone Joint Surg Am*. 2009; 91: 594–603
3. Auran RL, Tran TL, Dehghan N, McKee MD, Lederman ES: Reliability of Current Classification Systems for Periprosthetic Fractures of the Humerus. *J Orthop Trauma* 2022; 37: 83–88
4. Campell JT, Moore RS, Iannotti JP et al.: Periprosthetic humeral fractures: mechanisms of fracture and treatment options. *J Shoulder Elb Surg* 1998; 7:406–413
5. Clavert P, Warner JJ: Displaced periprosthetic humeral fracture treated with functional bracing: a report of two cases. *J Shoulder Elb Surg* 2005; 14: 221–223
6. Duncan CP, Haddad FS: Diagnosis of periprosthetic fractures, classification. In: Schütz M et al. (Hrsg): Periprosthetic fracture Management. Stuttgart: Georg Thieme Verlag KG, 2013: 47–50
7. Fram B, Elder A, Namdari S: Periprosthetic humeral fractures in shoulder arthroplasty. *JBJS Reviews* 2019; 7:e61–10
8. Gauci MO, Cavalier M, Gonzalez JF et al.: Revision of failed shoulder arthroplasty: epidemiology, etiology, and surgical options. *J Shoulder Elbow Surg* 2020; 29: 541–549
9. Geßmann J, Königshausen M, Schildhauer TA, Seybold D: Periprosthetic humeral fractures: from osteosynthesis to prosthetic replacement. *Oper Orthop Traumatol* 2019; 31: 84–97
10. Giannotti S, Bottai V, Dell’osso G et al.: Indices of risk assessment of fracture of the proximal humerus. *Clin cases Miner bone Metab* 2012; 9: 37–39
11. Gonzalez JF, Alami GB, Baque F et al.: Complications of unconstrained shoulder prostheses. *J Shoulder Elbow Surg* 2011; 20: 668–682
12. Kirchoff C, Kirchoff S, Biberthaler P: Classification of periprosthetic shoulder fractures. *Unfallchirurg* 2016; 119: 264–272
13. Klug A, Herrmann E, Fischer S, Hoffmann R, Gramlich Y: Projections of primary and revision shoulder arthroplasty until 2040: facing a massive rise in fracture-related procedures. *J Clin Med* 2021; 10: 5123
14. Kuhn MZ, King JJ, Wright TW et al.: Periprosthetic humerus fractures after shoulder arthroplasty: An evaluation of available classification systems. *J Shoulder Elb Surg* 2022; 31: 2034–2042
15. Kumar S, Sperling JW, Haidukewych et al.: Periprosthetic humeral fractures after shoulder arthroplasty. *J Bone Joint Surg Am* 2004; 86: 680–689
16. Lehtimäki K, Rasmussen JV, Kukkonen J et al.: Low risk of revision after reverse shoulder arthroplasty for acute proximal humeral fractures. *JSES Int* 2020; 4: 151–155
17. Mondanelli N, Troiano E, Facchini A et al.: Treatment algorithm of periprosthetic femoral fractures. *Geriatr Orthop Surg Rehabil* 2022; 10: 13
18. Mourkus H, Phillips NJ, Rangan A, Peach CA: Management of periprosthetic fractures of the humerus : a systematic review. *Bone Joint J* 2022; 104: 416–423
19. Novi M, Porcellini G, Donà A et al.: A long-term follow-up of post-operative periprosthetic humeral fracture in shoulder arthroplasty. *Geriatr Orthop Surg Rehabil* 2021; 26: 12
20. Ott N, Harland A, Hackl M et al.: Primary stability of fixation methods for periprosthetic fractures of the humerus: a biomechanical investigation. *J Shoulder Elbow Surg* 2021; 30: 2184–2190
21. Patel AH, Wilder JH, Ofa SA et al.: Trending a decade of proximal humerus fracture management in older adults. *JSES Int* 2021; 13: 137–143
22. Siekmann H, Bowen TS, Huschak M, Radetzki F, Bauer C, Walther J: Conservative treatment of periprosthetic humeral fractures years after cemented fracture prostheses: A case series. *Unfallchirurg* 2020; 123: 29–35
23. Singh JA, Sperling J, Schleck C, Harnsen W, Cofield R: Periprosthetic fractures associated with primary total shoulder arthroplasty and primary humeral head replacement: a thirty-three-year study. *J Bone Joint Surg Am* 2012; 94: 1777–1785
24. Sperling JW, Cofield RH, O’Driscoll SW, Torchia ME, Rowland CM: Radiographic assessment of ingrowth total shoulder arthroplasty. *J shoulder Elb Surg* 2000; 9: 507–513
25. Werner BS, Abdelkawi AF, Boehm D et al.: Long-term analysis of revision reverse shoulder arthroplasty using cemented long stems. *J Shoulder Elbow Surg* 2017; 26: 273–278
26. Wiethölter M, Akgün D, Plachel F et al.: Inter-Observer and Intra-Observer Reliability Assessment of the Established Classification Systems for Periprosthetic Shoulder Fractures. *J Clin Med* 2023; 12: 3168
27. Worland 1999 Worland RL, Kim DY, Arredondo J: Periprosthetic humeral fractures: management and classification. *J Shoulder Elbow Surg* 1999; 8: 590–594
28. Wright TW, Cofield RH: Humeral fractures after shoulder arthroplasty. *J Bone Joint Surg Am* 1995; 77: 1340–1346
29. Zumstein MA, Pinedo M, Old J, Boileau P: Problems, complications, reoperations, and revisions in reverse total shoulder arthroplasty: a systematic review. *J Shoulder Elbow Surg* 2010; 20: 12–22

Literatur zum Beitrag

Vera Jaeger, Annika Steinmeier, Ji Won Kim, Ulrich Stöckle, Sven Märdian:

Distale Humerusfrakturen

1. Robinson, CM et al.: Adult distal humeral metaphyseal fractures: epidemiology and results of treatment. *J Orthop Trauma*, 2003. 17(1): p. 38–47
2. Galano GJ, Ahmad CS, Levine WN: Current treatment strategies for bicolunar distal humerus fractures. *J Am Acad Orthop Surg*, 2010. 18(1): p. 20–30
3. Nauth A et al.: Distal humeral fractures in adults. *J Bone Joint Surg Am*, 2011. 93(7): p. 686–700
4. Amis AA, Miller H: The mechanisms of elbow fractures: an investigation using impact tests in vitro. *Injury*, 1995. 26(3): p. 163–168
5. McKee MD et al.: A multicenter, prospective, randomized, controlled trial of open reduction – internal fixation versus total elbow arthroplasty for displaced intra-articular distal humeral fractures in elderly patients. *J Shoulder Elbow Surg*, 2009. 18(1): p. 3–12
6. McKee MD et al.: Functional outcome after open supracondylar fractures of the humerus. The effect of the surgical approach. *J Bone Joint Surg Br*, 2000. 82(5): p. 646–651
7. Seekamp A et al.: Long-term results of therapy of open and closed fractures of the elbow joint. *Unfallchirurg*, 1997. 100(3): p. 205–211
8. Ruan HJ et al.: Incidence, management, and prognosis of early ulnar nerve dysfunction in type C fractures of distal humerus. *J Trauma*, 2009. 67(6): p. 1397–1401
9. Doornberg J et al.: Two and three-dimensional computed tomography for the classification and management of distal humeral fractures. Evaluation of reliability and diagnostic accuracy. *J Bone Joint Surg Am*, 2006. 88(8): p. 1795–1801
10. Dubberley JH et al.: Outcome after open reduction and internal fixation of capitellar and trochlear fractures. *J Bone Joint Surg Am*, 2006. 88(1): p. 46–54
11. Wolf JM et al.: Acute trauma to the upper extremity: what to do and when to do it. *Instr Course Lect*, 2010. 59: p. 525–538
12. Phillips CS, Segalman KA: Diagnosis and treatment of post-traumatic medial and lateral elbow ligament incompetence. *Hand Clin*, 2002. 18(1): p. 149–159
13. Tarassoli P, McCann P, Amirfeyz RP: Complex instability of the elbow. *Injury*, 2017. 48(3): p. 568–577
14. Ruchelsman DE et al.: Open reduction and internal fixation of capitellar fractures with headless screws. *J Bone Joint Surg Am*, 2008. 90(6): p. 1321–1329
15. Zha Y et al.: Biomechanical comparison of three internal fixation configurations for low transcondylar fractures of the distal humerus. *Injury*, 2023. 54(2): p. 362–369
16. Lee SK et al.: A comparison between orthogonal and parallel plating methods for distal humerus fractures: a prospective randomized trial. *Eur J Orthop Surg Traumatol*, 2014. 24(7): p. 1123–1131
17. Stoffel K et al.: Comparative stability of perpendicular versus parallel double-locking plating systems in osteoporotic comminuted distal humerus fractures. *J Orthop Res*, 2008. 26(6): p. 778–784
18. Huang TL et al.: Surgical treatment of acute displaced fractures of adult distal humerus with reconstruction plate. *Injury*, 2004. 35(11): p. 1143–1148
19. Athwal GS et al.: Precontoured parallel plate fixation of AO/OTA type C distal humerus fractures. *J Orthop Trauma*, 2009. 23(8): p. 575–580
20. Shin SJ, Sohn HS, Do NH: A clinical comparison of two different double plating methods for intraarticular distal humerus fractures. *J Shoulder Elbow Surg*, 2010. 19(1): p. 2–9
21. Yetter TR, Weatherby PJ, Somerson JS: Complications of articular distal humeral fracture fixation: a systematic review and meta-analysis. *J Shoulder Elbow Surg*, 2021. 30(8): p. 1957–1967
22. Hackl M et al.: Peri-implant failure in dual plating of the distal humerus-A biomechanical analysis with regard to screw and plate positioning. *Injury*, 2015. 46(11): p. 2142–2145
23. Kim DH et al.: Primary Total Elbow Replacement for Treatment of Complex Distal Humerus Fracture: Outcomes of Short-term Follow-up. *Clin Shoulder Elb*, 2020. 23(1): p. 20–26
24. Celli A Morrey BF: Total elbow arthroplasty in patients forty years of age or less. *J Bone Joint Surg Am*, 2009. 91(6): p. 1414–1418
25. Park JG et al.: Clinical Outcomes of Semiconstrained Total Elbow Arthroplasty in Patients Who Were Forty Years of Age or Younger. *J Bone Joint Surg Am*, 2015. 97(21): p. 1781–1791
26. Cho JW et al.: Clinical outcome of AO/OTA type C fracture of the distal humerus using the expanded paratricipital approach and cadaveric comparison of the exposure of the paratricipital and expanded paratricipital approaches to the distal humerus. *J Shoulder Elbow Surg*, 2020. 29(8): p. 1554–1563
27. Schmidt-Horlohe K et al.: One-third tubular-hook-plate osteosynthesis for olecranon osteotomies in distal humerus type-C fractures: a preliminary report of results and complications. *Injury*, 2012. 43(3): p. 295–300
28. Illicial EM et al.: Comparison of outcomes after triceps split versus sparing surgery for extra-articular distal humerus fractures. *Injury*, 2014. 45(10): p. 1545–1548
29. Theivendran K, Duggan PJ, Deshmukh SC: Surgical treatment of complex distal humeral fractures: functional outcome after internal fixation using precontoured anatomic plates. *J Shoulder Elbow Surg*, 2010. 19(4): p. 524–532
30. Gofton WT et al.: Functional outcome of AO type C distal humeral fractures. *J Hand Surg Am*, 2003. 28(2): p. 294–308
31. Lauder A, Richard MJ: Management of distal humerus fractures. *Eur J Orthop Surg Traumatol*, 2020. 30(5): p. 745–762
32. Kervinen KV, Salmela MT, Lahdeoja TA: Outcomes of AO/OTA C-type fractures of the distal humerus after open reduction and internal fixation with locking plate constructs in patients at least 65 years old. *BMC Musculoskelet Disord*, 2022. 23(1): p. 523
33. Moursy M et al.: Distal humerus fracture in patients over 70 years of age: results of open reduction and internal fixation. *Arch Orthop Trauma Surg*, 2022. 142(1): p. 157–164

34. Reising K et al.: Stabilisation of articular fractures of the distal humerus: early experience with a novel perpendicular plate system. *Injury*, 2009. 40(6): p. 611–617
35. Clavert P et al.: Outcomes of distal humerus fractures in patients above 65 years of age treated by plate fixation. *Orthop Traumatol Surg Res*, 2013. 99(7): p. 771–777
36. Huang TL et al.: The results of open reduction and internal fixation in elderly patients with severe fractures of the distal humerus: a critical analysis of the results. *J Trauma*, 2005. 58(1): p. 62–69
37. Movassaghi K et al.: Predictors of Adverse Events in the Surgical Treatment of Adult Distal Humerus Fractures. *Orthopedics*, 2023: p. 1–6
38. Morrey BF, An KN: Stability of the elbow: osseous constraints. *J Shoulder Elbow Surg*, 2005. 14(1 Suppl S): p. 174S-178S
39. Mittlmeier T, Beck M: Dislocation of the adult elbow joint. *Unfallchirurg*, 2009. 112(5): p. 487–505
40. Stehle J, Gohlke F: Classification of elbow stiffness and indications for surgical treatment. *Orthopade*, 2011. 40(4): p. 282–290
41. Ulmar B, Eschler A, Mittlmeier T: Open arthrolysis of elbow stiffness. *Unfallchirurg*, 2012. 115(8): p. 725–737; quiz 738
42. Douglas K et al.: Incidence and risk factors of heterotopic ossification following major elbow trauma. *Orthopedics*, 2012. 35(6): p. e815–822
43. Foruria AM et al.: Heterotopic ossification after surgery for distal humeral fractures. *Bone Joint J*, 2014. 96-B(12): p. 1681–1687
44. Shearin JW et al.: Ulnar Nerve Management with Distal Humerus Fracture Fixation: A Meta-Analysis. *Hand Clin*, 2018. 34(1): p. 97–103
45. Mehlhoff TL, Bennett JB: Distal humeral fractures: fixation versus arthroplasty. *J Shoulder Elbow Surg*, 2011. 20(2 Suppl): p. S97–106
46. Dey Hazra RO et al.: Fracture-pattern-related therapy concepts in distal humeral fractures. *Obere Extremität*, 2018. 13(1): p. 23–32