

Literaturverzeichnisse 2025

Inhaltsverzeichnis

[01-2025: Literaturverzeichnis von Engelhardt, Hudek](#)

[01-2025: Literaturverzeichnis Kiriazis, Pallmann, Holschen, Agneskirchner](#)

[01-2025: Literaturverzeichnis Reeh, Riesselmann, Lill, Ellwein](#)

[01-2024: Literaturverzeichnis Fal, Kircher](#)

[05-2025: Literaturverzeichnis Drenck, Korthaus, Eggeling, Frings, Frosch, Akoto](#)

[02-2025: Literaturverzeichnis von Walther, Haselbeck](#)

[02-2025: Literaturverzeichnis Lange, Heumann, Peyerl](#)

[02-2025: Literaturverzeichnis Goldhahn, Hauffen, Schlewitz](#)

[02-2024: Literaturverzeichnis Zimmermann, Schäfer, Blattert](#)

[02-2025: Literaturverzeichnis Wagner, Palm](#)

[02-2025: Literaturverzeichnis Mayr, Marchich, Scherer, Palm](#)

Literaturverzeichnisse 2025

Inhaltsverzeichnis

Literatur zum Beitrag

Lars Victor von Engelhardt, Robert Hudek:

Konservative Therapie und arthroskopische CAM Prozedur bei der Schulterarthrose

Wie kommen wir zu guten Ergebnissen?

- Ahrens PM, Boileau P: The long head of biceps and associated tendinopathy. *J Bone Joint Surg Br* 2007; 89(8): 1001–1009
- Alashkham A, Soames R: The glenoid and humeral head in shoulder osteoarthritis: A comprehensive review. *Clin Anat* 2021; 34(5): 710–720
- Arner JW, Elrick BP, Nolte PC, Haber DB, Horan MP, Millett PJ: Survivorship and patient-reported outcomes after comprehensive arthroscopic management of glenohumeral osteoarthritis: minimum 10-year follow-up. *Am J Sports Med* 2021; 49(1): 130–136
- Batushansky A, Zhu S, Komaravolu RK, South S, Mehta-D'souza P, Griffin TM: Fundamentals of OA. An initiative of osteoarthritis and cartilage. Chapter 9: Obesity and metabolic factors in OA. *Osteoarthritis Cartilage* 2021; 21(00880–3): 1063–4584
- Böhm E, Gleich J, Siebenbürger G, Böcker W, Ockert B: Rotatorenmanschettenruptur Indikationen und pathologiespezifische rekonstruktive Verfahren. *Unfallchirurg* 2021; 124: 108–116
- Braun C, Hanchard NC, Handoll HH, Betthäuser A: Predicting the outcome of conservative treatment with physiotherapy in adults with shoulder pain associated with partial-thickness rotator cuff tears – a prognostic model development study. *BMC Musculoskelet Disord* 2018; 19: 329
- Chalmers PN, Salazar DH, Steger-May K et al.: Radiographic progression of arthritic changes in shoulders with degenerative rotator cuff tears. *J Shoulder Elbow Surg* 2016; 25(11): 1749–1755
- Chong AC, Ochs JL, Zackula RE, MacFadden LN, Prohaska DJ: The effect of different combinations of three stacked half-hitches and suture materials on an arthroscopic knot in a dry or wet environment. *Iowa Orthop J* 2018; 38: 79–86
- Codman EA: The shoulder; rupture of the supraspinatus tendon and other lesions in or about the subacromial bursa. Boston: T. Todd Company, 1934
- Colen S, Geervliet P, Haverkamp D, Van Den Bekerom MP: Intra-articular infiltration therapy for patients with glenohumeral osteoarthritis: a systematic review of the literature. *Int J Shoulder Surg* 2014; 8(4): 114–121
- Di Giacomo G, De Gasperis N: The role of hyaluronic acid in patients affected by glenohumeral osteoarthritis. *J Biol Regul Homeost Agents* 2015; 29(4): 945–951
- Dong Y, Zhang B, Yang Q, Zhu J, Sun X: The effects of platelet-rich plasma injection in knee and hip osteoarthritis: a meta-analysis of randomized controlled trials. *Clin Rheumatol* 2021; 40(1): 263–277
- Goyal D, Keyhani S, Lee EH, Hui JH: Evidence-based status of microfracture technique: a systematic review of level I and II studies. *Arthroscopy* 2013; 29(9): 1579–1588
- Guo JJ, Wu K, Guan H et al.: Three-Year Follow-up of conservative treatments of shoulder osteoarthritis in older patients. *Orthopedics* 2016; 39(4): 634–641
- Harkness EF, Macfarlane GJ, Silman AJ et al.: Is musculoskeletal pain more common now than 40 years ago? Two population-based cross-sectional studies. *Rheumatology* 2005; 44(7): 890–895
- Heuberger PR, Kolblinger R, Buchleitner S et al.: Arthroscopic management of massive rotator cuff tears: an evaluation of debridement, complete, and partial repair with and without force couple restoration. *Knee Surg Sports Traumatol Arthrosc* 2016; 24: 3828–3837
- Ibounig T, Simons T, Launonen A, Paavola M: Glenohumeral osteoarthritis: an overview of etiology and diagnostics. *Scandinavian Journal of Surgery*. 2021; 110(3): 441–451
- Jeong HY, Jeon YS, Lee DK, Rhee YG: Rotator cuff tear with early osteoarthritis: how does it affect clinical outcome after large to massive rotator cuff repair? *J Shoulder Elbow Surg* 2019; 28(2): 237–243
- Keener JD, Galatz LM, Teefey SA et al.: A prospective evaluation of survivorship of asymptomatic degenerative rotator cuff tears. *J Bone Joint Surg Am* 2015; 97: 89–98
- Keener JD, Patterson BM, Orvets N, Chamberlain AM: Degenerative rotator cuff tears: refining surgical indications based on natural history data. *J Am Acad Orthop Surg* 2019; 27(5): 156–165
- Kim DH, Min SG, Lee HS et al.: Clinical outcome of rotator cuff repair in patients with mild to moderate glenohumeral osteoarthritis. *Knee Surg Sports Traumatol Arthrosc* 2021; 29(3): 998–1005
- Kim SH, Yoo JC, Wang JH, Choi KW, Bae TS, Lee CY: Arthroscopic sliding knot: how many additional half-hitches are really needed? *Arthroscopy* 2005; 21(4): 405–411
- Kim YS, Kim SE, Bae SH, Lee HJ, Jee WH, Park CK: Tear progression of symptomatic full-thickness and partial-thickness rotator cuff tears as measured by repeated MRI. *Knee Surg Sports Traumatol Arthrosc* 2017; 25(7): 2073–2080
- Kim YS, Lee HJ, Kim JH, Noh DY: When should we repair partial-thickness rotator cuff tears? Outcome comparison between immediate surgical repair versus delayed repair after 6-month period of nonsurgical treatment. *Am J Sports Med* 2018; 46: 1091–1096
- Kircher J, Morhard M, Magosch P, Ebinger N, Lichtenberg S, Habermeyer P: How much are radiological parameters related to clinical symptoms and function in osteoarthritis of the shoulder? *Int Orthop* 2010; 34(5): 677–681
- Kirschner JS, Cheng J, Creighton A et al.: Efficacy of Ultrasound-Guided Glenohumeral Joint Injections of Leukocyte-Poor Platelet-Rich Plasma Versus Hyaluronic Acid in the Treatment of Glenohumeral Osteoarthritis: A Randomized, Double-Blind Controlled Trial. *Clin J Sport Med*. 2022; 32(6): 558–566
- Kraeutler MJ, Cohen SB, Ciccotti MG, Dodson CC: Accuracy of intra-articular injections of the glenohumeral joint through an anterior approach:

- arthroscopic correlation. *J Shoulder Elbow Surg* 2012; 21(3): 380–383
28. Loughlin J: Genetic contribution to osteoarthritis development: current state of evidence. *Curr Opin Rheumatol* 2015; 27(3): 284–288
29. Mannava S, Chahla J, Geeslin AG et al.: Platelet-rich plasma augmentation for hip arthroscopy. *Arthrosc Tech* 2017; 6(3): 763–768
30. Marcacci M, Andriolo L, Kon E, Shabshin N, Filardo G: Aetiology and pathogenesis of bone marrow lesions and osteonecrosis of the knee. *EFORT Open Rev* 2017; 1(5): 219–224
31. Marinko LN, Chacko JM, Dalton D, Chacko CC: The effectiveness of therapeutic exercise for painful shoulder conditions: a meta-analysis. *J Shoulder Elbow Surg* 2011; 20(8): 1351–1359
32. Matava MJ, Purcell DB, Rudzki JR: Partial-thickness rotator cuff tears. *Am J Sports Med* 2005; 33(9): 1405–1417
33. Meier SW, Meier JD: Rotator cuff repair: the effect of double-row fixation on three-dimensional repair site. *J Shoulder Elbow Surg* 2006; 15(6): 691–696
34. Memel DS, Kirwan JR, Sharp DJ, Hehir M: General practitioners miss disability and anxiety as well as depression in their patients with osteoarthritis. *Br J Gen Pract* 2000; 50(457): 645–648
35. Merolla G, Sperling JW, Paladini P, Porcellini G: Efficacy of hylan G-F 20 versus 6-methylprednisolone acetate in painful shoulder osteoarthritis: a retrospective controlled trial. *Musculoskelet Surg* 2011; 95(3): 215–224
36. Miller C, Savoie FH: Glenohumeral abnormalities associated with full-thickness tears of the rotator cuff. *Orthop Rev* 1994; 23(2): 159–162
37. Millett PJ, Fritz EM, Frangiamore SJ, Mannava S: Arthroscopic management of glenohumeral arthritis: a joint preservation approach. *J Am Acad Orthop Surg* 2018; 26(21): 745–752
38. Millett PJ, Gaskill TR: Arthroscopic management of glenohumeral arthritis: humeral osteoplasty, capsular release, and arthroscopic axillary nerve release as a joint-preserving approach. *Arthroscopy* 2011; 27(9): 1296–1303
39. Millett PJ, Gobeze R, Boykin RE: Shoulder osteoarthritis: diagnosis and management. *Am Fam Physician* 2008; 78(5): 605–611
40. Millett PJ, Horan MP, Pennock AT, Rios D: Comprehensive Arthroscopic Management (CAM) procedure: clinical results of a joint-preserving arthroscopic treatment for young, active patients with advanced shoulder osteoarthritis. *Arthroscopy* 2013; 29(3): 440–448
41. Mitchell JJ, Horan MP, Greenspoon JA, Menge TJ, Tahal DS, Millett PJ: Survivorship and patient-reported outcomes after comprehensive arthroscopic management of glenohumeral osteoarthritis: minimum 5-year follow-up. *Am J Sports Med* 2016; 44(12): 3206–3213
42. Mitchell JJ, Warner BT, Horan MP et al.: Comprehensive arthroscopic management of glenohumeral osteoarthritis: preoperative factors predictive of treatment failure. *Am J Sports Med* 2017; 45(4): 794–802
43. Mithoefer K, McAdams T, Williams RJ, Kreuz PC, Mandelbaum BR: Clinical efficacy of the microfracture technique for articular cartilage repair in the knee: an evidence-based systematic analysis. *Am J Sports Med* 2009; 37(10): 2053–2063
44. Mook WR, Petri M, Greenspoon JA, Millett PJ: The comprehensive arthroscopic management procedure for treatment of glenohumeral osteoarthritis. *Arthrosc Tech* 2015; 4(5): 435–441
45. Moosmayer S, Lund G, Seljom U et al.: Comparison between surgery and physiotherapy in the treatment of small and medium-sized tears of the rotator cuff: a randomised controlled study of 103 patients with one-year follow-up. *J Bone Joint Surg Br* 2010; 92: 83–91
46. Moosmayer S, Lund G, Seljom US et al.: At a 10-year follow-up, tendon repair is superior to physiotherapy in the treatment of small and medium-sized rotator cuff tears. *J Bone Joint Surg Am* 2019; 101(12): 1050–1060
47. Nagra NS, Zargar N, Smith RD, Carr AJ: Mechanical properties of all-suture anchors for rotator cuff repair. *Bone Joint Res* 2017; 6(2): 82–89
48. Namdari S, Henn RF 3rd, Green A: Traumatic anterosuperior rotator cuff tears: the outcome of open surgical repair. *J Bone Joint Surg Am* 2008; 90: 1906–1913
49. Nho SJ, Slabaugh MA, Seroyer ST et al.: Does the literature support double-row suture anchor fixation for arthroscopic rotator cuff repair? A systematic review comparing double-row and single-row suture anchor configuration. *Arthroscopy* 2009; 25(11): 1319–1328
50. Nolte PC, Elrick BP, Arner JW et al.: Total shoulder arthroplasty after previous arthroscopic surgery for glenohumeral osteoarthritis: a case-control matched cohort study. *Am J Sports Med* 2021; 49(7): 1839–1846
51. Ogilvie-Harris DJ, Wiley AM: Arthroscopic surgery of the shoulder. A general appraisal. *J Bone Joint Surg Br* 1986; 68(2): 201–207
52. Osti L, Buda M, Andreotti M, Osti R, Massari L, Maffulli N: Transtendon repair in partial articular supraspinatus tendon tear. *Br Med Bull* 2017; 123(1): 19–34
53. Padki A, Chen JY, Lee MJH, Ang BFH, Lie DTT: Septuagenarians aged 75 years and older do benefit from arthroscopic rotator cuff repair: a propensity matched-pair analysis. *JSES Int* 2021; 5(3): 459–462
54. Park JG, Cho NS, Song JH, Baek JH, Jeong HY, Rhee YG: Rotator cuff repair in patients over 75 years of age: clinical outcome and repair integrity. *Clin Orthop Surg* 2016; 8(4): 420–427
55. Pedowitz RA, Nicandri GT, Angelo RL, Ryu RK, Gallagher AG: Objective assessment of knot-tying proficiency with the fundamentals of arthroscopic surgery training program workstation and knot tester. *Arthroscopy* 2015; 31(10): 1872–1879
56. Plachel F, Moroder P, Gerhardt C, Scheibel M: Anterosuperiore Rotatorenmanschettenläsion beim jungen Patienten. *Arthroskopie* 2017; 30: 216–222
57. Rafols C, Monckeberg JE, Numair J, Botello J, Rosales J: Platelet-rich plasma augmentation of arthroscopic hip surgery for femoroacetabular impingement: a prospective study with 24-month follow-up. *Arthroscopy* 2015; 31(10): 1886–1892
58. Rijs Z, de Groot PCJ, Zwitter EW, Visser CPJ: Is the anterior injection approach without ultrasound guidance superior to the posterior approach for adhesive capsulitis of the shoulder? A sequential, prospective trial. *Clin Orthop Relat Res* 2021; 479(11): 2483–2489
59. Ruder JA, Dickinson EY, Peindl RD, Habet NA, Fleischli JE: Greater tuberosity decortication decreases load to failure of all-suture anchor constructs in rotator cuff repair. *Arthroscopy* 2018; 34(10): 2777–2781
60. Rutten MJ, Collins JM, Maresch BJ, et al.: Glenohumeral joint injection: a comparative study of ultrasound and fluoroscopically guided techniques before MR arthrography. *Eur Radiol* 2009; 19(3): 722–730
61. Samilson RL, Prieto V: Dislocation arthropathy of the shoulder. *J Bone Joint Surg Am* 1983; 65(4): 456–460

62. Schoenfeldt TL, Trenhaile S, Olson R: Glenohumeral osteoarthritis: frequency of underlying diagnoses and the role of arm dominance—a retrospective analysis in a community-based musculoskeletal practice. *Rheumatol Int* 2018; 38(6): 1023–1029
63. Sethi PM, Kingston S, Elattrache N: Accuracy of anterior intra-articular injection of the glenohumeral joint. *Arthroscopy* 2005; 21(1): 77–80
64. Sheibani-Rad S, Giveans MR, Arnoczky SP, Bedi A: Arthroscopic single-row versus double-row rotator cuff repair: a meta-analysis of the randomized clinical trials. *Arthroscopy* 2013; 29(2): 343–348
65. Smith CD, Alexander S, Hill AM, et al.: A biomechanical comparison of single and double-row fixation in arthroscopic rotator cuff repair. *J Bone Joint Surg Am* 2006; 88(11): 2425–2431
66. Strauss EJ, Salata MJ, Kercher J, et al.: Multimedia article. The arthroscopic management of partial-thickness rotator cuff tears: a systematic review of the literature. *Arthroscopy* 2011; 27(4): 568–580
67. Sun L, Zhang Q, Ge H, Sun Y, Cheng B: Which is the best repair of articular-sided rotator cuff tears: a meta-analysis. *J Orthop Surg Res* 2015; 10: 84
68. Urwin M, Symmons D, Allison T, et al.: Estimating the burden of musculoskeletal disorders in the community: the comparative prevalence of symptoms at different anatomical sites, and the relation to social deprivation. *Ann Rheum Dis* 1998; 57(11): 649–655
69. Van Thiel GS, Sheehan S, Frank RM, et al.: Retrospective analysis of arthroscopic management of glenohumeral degenerative disease. *Arthroscopy* 2010; 26(11): 1451–1455
70. Verweij LPE, Pruijssen EC, Kerkhoffs GMMJ, et al.: Treatment type may influence degree of post-dislocation shoulder osteoarthritis: a systematic review and meta-analysis. *Knee Surg Sports Traumatol Arthrosc* 2021; 29(7): 2312–2324
71. Wang X, Hunter D, Xu J, Ding C: Metabolic triggered inflammation in osteoarthritis. *Osteoarthritis Cartilage* 2015; 23(1): 22–30
72. Weinstein DM, Bucchieri JS, Pollock RC, Flatow EL, Bigliani LU: Arthroscopic debridement of the shoulder for osteoarthritis. *Arthroscopy* 2000; 16(5): 471–476
73. Wieser K, Rahm S, Farshad M, Ek ET, Gerber C, Meyer DC: Stitch positioning influences the suture hold in supraspinatus tendon repair. *Knee Surg Sports Traumatol Arthrosc* 2013; 21(7): 1587–1592
74. Yamanaka K, Fukuda H: Pathological studies of the supraspinatus tendon with reference to incomplete thickness tears. In: Takagishi N (Hrsg): *The shoulder*. Tokio: Professional Postgraduate Studies, 1987: 220–224
75. Yamanaka K, Matsumoto T: The joint side tear of the rotator cuff. A follow-up study by arthrography. *Clin Orthop Relat Res* 1994; (304): 68–73
76. Zedde P, Cudoni S, Giachetti G et al.: Subchondral bone remodeling: comparing nanofracture with microfracture. An ovine in vivo study. *Joints* 2016; 4(2): 87–93
77. Zhang L, Xing R, Huang Z, et al.: Synovial fibrosis involvement in osteoarthritis. *Front Med (Lausanne)* 2021; 8: 684389
78. Zhang W, Doherty M, Arden N, et al.: EULAR evidence based recommendations for the management of hip osteoarthritis: report of a task force of the EULAR Standing Committee for International Clinical Studies Including Therapeutics (ESCIIT). *Ann Rheum Dis* 2005; 64(5): 669–681
79. Zink TR, Schmidt CC, Papadopoulos DV, et al.: Locating the rotator cable during subacromial arthroscopy: bursal- and articular-sided anatomy. *J Shoulder Elbow Surg* 2021; 30(7): 57–65

Literatur zum Beitrag

Alexandros Kiriazis, Jonas Pallmann, Malte Holschen, Jens Agneskirchner:

Aktuelles zur Diagnostik und Therapie der symptomatischen langen Bizepssehne

1. Ahmed AF, Toubasi A, Mahmoud S et al.: Long head of biceps tenotomy versus tenodesis: a systematic review and meta-analysis of randomized controlled trials. *Shoulder Elbow* 2021; 13:583–591
2. Alqahtani SM, Bicknell RT: Outcomes following long head of biceps tendon tenodesis. *Curr Rev Musculoskelet Med* 2016; 9:378–387
3. Ardebol J, Ghayyad K, Pak T et al.: Long head of biceps tendon management in the setting of massive rotator cuff tears. *JSES Rev Rep Tech* 2024; 4:662–667
4. Armstrong A, Teefey SA, Wu T et al.: The efficacy of ultrasound in the diagnosis of long head of the biceps tendon pathology. *J Shoulder Elbow Surg* 2006; 15:7–11
5. Barile A, Lanni G, Conti L et al.: Lesions of the biceps pulley as cause of anterosuperior impingement of the shoulder in the athlete: potentials and limits of MR arthrography compared with arthroscopy. *Radiol Med* 2013; 118:112–122
6. Beall DP, Williamson EE, Ly JQ et al.: Association of biceps tendon tears with rotator cuff abnormalities: degree of correlation with tears of the anterior and superior portions of the rotator cuff. *AJR Am J Roentgenol* 2003; 180:633–639
7. Belay ES, Wittstein JR, Garrigues GE et al.: Biceps tenotomy has earlier pain relief compared to biceps tenodesis: a randomized prospective study. *Knee Surg Sports Traumatol Arthrosc* 2019; 27:4032–4037
8. Belk JW, Kraeutler MJ, Houck DA et al.: Biceps tenodesis versus tenotomy: a systematic review and meta-analysis of level I randomized controlled trials. *J Shoulder Elbow Surg* 2021; 30:951–960
9. Boileau P, Ahrens PM, Hatzidakis AM: Entrapment of the long head of the biceps tendon: the hourglass biceps—a cause of pain and locking of the shoulder. *J Shoulder Elbow Surg* 2002; 13:249–257
10. Boileau P, Parratte S, Chuinard C et al.: Arthroscopic treatment of isolated type II SLAP lesions: biceps tenodesis as an alternative to reinsertion. *Am J Sports Med* 2009; 37:929–936
11. Boutin RD, Marder RA: MR Imaging of SLAP Lesions. *The Open Orthopaedics Journal* 2018; 12:314–323
12. Brockmeyer M, Tompkins M, Kohn DM et al.: SLAP lesions: a treatment algorithm. *Knee Surg Sports Traumatol Arthrosc* 2016; 24:447–455
13. Castricini R, Familiari F, De Gori M et al.: Tenodesis is not superior to tenotomy in the treatment of the long head of biceps tendon lesions. *Knee Surg Sports Traumatol Arthrosc* 2018; 26:169–175
14. Castro BKC, Corrêa FG, Maia LB et al.: Effectiveness of conservative therapy in tendinopathy-related shoulder pain: A systematic review of randomized controlled trials. *Phys Ther Sport* 2021; 49:15–20
15. Chen CH, Hsu KY, Chen WJ et al.: Incidence and severity of biceps long head tendon lesion in patients with complete rotator cuff tears. *J Trauma* 2005; 58:1189–1193
16. Churgay CA: Diagnosis and treatment of biceps tendinitis and tendinosis. *Am Fam Physician* 2009; 80:470–476
17. Connolly KP, Schwartzberg RS, Reuss B et al.: Sensitivity and specificity of noncontrast magnetic resonance imaging reports in the diagnosis of type-II superior labral anterior-posterior lesions in the community setting. *J Bone Joint Surg Am* 2013; 95:308–313
18. Dierickx C, Ceccarelli E, Conti M et al.: Variations of the intra-articular portion of the long head of the biceps tendon: a classification of embryologically explained variations. *J Shoulder Elbow Surg* 2009; 18:556–565
19. Diplock B, Hing W, Marks D: The long head of biceps at the shoulder: a scoping review. *BMC Musculoskeletal Disorders* 2023; 24
20. Dubrow SA, Streit JJ, Shishani Y et al.: Diagnostic accuracy in detecting tears in the proximal biceps tendon using standard nonenhancing shoulder MRI. *Open Access J Sports Med* 2014; 5:81–87
21. Duff SJ, Campbell PT: Patient acceptance of long head of biceps brachii tenotomy. *J Shoulder Elbow Surg* 2012; 21:61–65
22. Elser F, Braun S, Dewing CB et al.: Anatomy, function, injuries, and treatment of the long head of the biceps brachii tendon. *Arthroscopy* 2011; 27:581–592
23. Eubank BHF, Lackey SW, Slomp M et al.: Consensus for a primary care clinical decision-making tool for assessing, diagnosing, and managing shoulder pain in Alberta, Canada. *BMC Family Practice* 2021; 22
24. Frank RM, Cotter EJ, Strauss EJ et al.: Management of Biceps Tendon Pathology: From the Glenoid to the Radial Tuberosity. *Instr Course Lect* 2018; 67:439–452
25. Galdi B, Southren DL, Brabston EW et al.: Patients Have Strong Preferences and Perceptions for Biceps Tenotomy Versus Tenodesis. *Arthroscopy* 2016; 32:2444–2450
26. Ge H, Zhang Q, Sun Y et al.: Tenotomy or tenodesis for the long head of biceps lesions in shoulders: a systematic review and meta-analysis. *PLoS One* 2015; 10:e0121286
27. Gombera MM, Kahlenberg CA, Nair R et al.: All-arthroscopic suprapectoral versus open subpectoral tenodesis of the long head of the biceps brachii. *Am J Sports Med* 2015; 43:1077–1083
28. Habermeyer P, Magosch P, Pritsch M et al.: Anterosuperior impingement of the shoulder as a result of pulley lesions: a prospective arthroscopic study. *J Shoulder Elbow Surg* 2004; 13:5–12
29. Hughes JD, Gibbs CM, Drummond M et al.: Failure rates and clinical outcomes after treatment for long-head biceps brachii tendon pathology: a comparison of three treatment types. *JSES Int* 2021; 5:630–635
30. Itoi E, Newman SR, Kuechle DK et al.: Dynamic anterior stabilisers of the shoulder with the arm in abduction. *J Bone Joint Surg Br* 1994; 76:834–836
31. Jackson GR, Meade J, Coombes K et al.: Onlay Versus Inlay Biceps Tenodesis for Long Head of Biceps Tendinopathy: A Systematic Review and

- Meta-analysis. *J Am Acad Orthop Surg Glob Res Rev* 2022; 6
32. Karlsson J: Physical examination tests are not valid for diagnosing SLAP tears: a review. *Clin J Sport Med* 2010; 20:134–135
33. Kerschbaum M, Weiss I, Mayr A et al.: The Arthroscopic Loop Tenodesis Procedure: An Implant-Free Technique to Treat Long Biceps Tendon Pathologies. *Arthroscopy Techniques* 2019; 8:e503–e506
34. Kim TK, Queale WS, Cosgarea AJ et al.: Clinical features of the different types of SLAP lesions: an analysis of one hundred and thirty-nine cases. *J Bone Joint Surg Am* 2003; 85:66–71
35. Lacheta L, Horan MP, Nolte PC et al.: SLAP Repair Versus Subpectoral Biceps Tenodesis for Isolated SLAP Type 2 Lesions in Overhead Athletes Younger Than 35 Years: Comparison of Minimum 2-Year Outcomes. *Orthop J Sports Med* 2022; 10:23259671221105239
36. Maffet MW, Gartsman GM, Moseley B: Superior labrum-biceps tendon complex lesions of the shoulder. *Am J Sports Med* 1995; 23:93–98
37. Mariani EM, Cofield RH, Askew LJ et al.: Rupture of the tendon of the long head of the biceps brachii. Surgical versus nonsurgical treatment. *Clin Orthop Relat Res* 1988; 233–239
38. Martetschläger F, Tauber M, Habermeyer P: Injuries to the Biceps Pulley. *Clin Sports Med* 2016; 35:19–27
39. Mccrum CL, Alluri RK, Batech M et al.: Complications of biceps tenodesis based on location, fixation, and indication: a review of 1526 shoulders. *J Shoulder Elbow Surg* 2019; 28:461–469
40. Mccrum E: MR Imaging of the Rotator Cuff. *Magn Reson Imaging Clin N Am* 2020; 28:165–179
41. Meeks BD, Meeks NM, Froehle AW et al.: Patient Satisfaction After Biceps Tenotomy. *Orthop J Sports Med* 2017; 5:2325967117707737
42. Mehl J: Proximal Biceps Long Head: Anatomy, Biomechanics, Pathology. *Operative Techniques in Sports Medicine* 2018; 26:76–81
43. Morgan CD, Burkhart SS, Palmeri M et al.: Type II SLAP lesions: three subtypes and their relationships to superior instability and rotator cuff tears. *Arthroscopy* 1998; 14:553–565
44. Murthi AM, Vosburgh CL, Neviasser TJ: The incidence of pathologic changes of the long head of the biceps tendon. *J Shoulder Elbow Surg* 2000; 9:382–385
45. Nho SJ, Strauss EJ, Lenart BA et al.: Long head of the biceps tendinopathy: diagnosis and management. *J Am Acad Orthop Surg* 2010; 18:645–656
46. Onyekwelu I, Khatib O, Zuckerman JD et al.: The rising incidence of arthroscopic superior labrum anterior and posterior (SLAP) repairs. *J Shoulder Elbow Surg* 2012; 21:728–731
47. Parisien RL, Trofa DP, Kang HP et al.: Increased Risk of Humeral Fracture With Open Versus Arthroscopic Tenodesis of the Long Head of the Biceps Brachii. *Arthrosc Sports Med Rehabil* 2020; 2:e329–e332
48. Patterson BM, Creighton RA, Spang JT et al.: Surgical Trends in the Treatment of Superior Labrum Anterior and Posterior Lesions of the Shoulder: Analysis of Data From the American Board of Orthopaedic Surgery Certification Examination Database. *Am J Sports Med* 2014; 42:1904–1910
49. Provencher MT, McCormick F, Dewing C et al.: A prospective analysis of 179 type 2 superior labrum anterior and posterior repairs: outcomes and factors associated with success and failure. *Am J Sports Med* 2013; 41:880–886
50. Rudisill SS, Best MJ, O'donnell EA: Clinical Outcomes of Revision Biceps Tenodesis for Failed Long Head of Biceps Surgery: A Systematic Review. *Arthroscopy* 2021; 37(12):3529–3536
51. Schwantes J, Byerly DW: Biceps Tendon Sheath Injection. In: *StatPearls*. Treasure Island (FL) 2024
52. Shi LL, Mullen MG, Freehill MT et al.: Accuracy of long head of the biceps subluxation as a predictor for subscapularis tears. *Arthroscopy* 2015; 31:615–619
53. Slenker NR, Lawson K, Ciccotti MG et al.: Biceps tenotomy versus tenodesis: clinical outcomes. *Arthroscopy* 2012; 28:576–582
54. Snyder SJ, Karzel RP, Del Pizzo W et al.: SLAP lesions of the shoulder. *Arthroscopy* 1990; 6:274–279
55. Somerville L, Willits K, Johnson A et al.: Clinical Assessment of Physical Examination Maneuvers for Superior Labral Anterior to Posterior Lesions. *The Surgery Journal* 2017; 03:e154–e162
56. Streit JJ, Shishani Y, Rodgers M et al.: Tendinopathy of the long head of the biceps tendon: histopathologic analysis of the extra-articular biceps tendon and tenosynovium. *Open Access J Sports Med* 2015; 6:63–70
57. Vangsness CT, Jr., Jorgenson SS, Watson T et al.: The origin of the long head of the biceps from the scapula and glenoid labrum. An anatomical study of 100 shoulders. *J Bone Joint Surg Br* 1994; 76:951–954
58. Varacallo M, Seaman TJ, Mair SD: Biceps Tendon Dislocation and Instability. In: *StatPearls*. Treasure Island (FL) 2024
59. Virk MS, Cole BJ: Proximal Biceps Tendon and Rotator Cuff Tears. *Clin Sports Med* 2016; 35:153–161
60. Virk MS, Nicholson GP: Complications of Proximal Biceps Tenotomy and Tenodesis. *Clin Sports Med* 2016; 35:181–188
61. Waldt S, Metz S, Burkart A et al.: Variants of the superior labrum and labro-bicipital complex: a comparative study of shoulder specimens using MR arthrography, multi-slice CT arthrography and anatomical dissection. *Eur Radiol* 2006; 16:451–458
62. Wellmann M: Diagnostics and treatment of anterosuperior rotator cuff tears. *Orthopade* 2016; 45:130–135
63. Wilk KE, Hooks TR: The Painful Long Head of the Biceps Brachii: Nonoperative Treatment Approaches. *Clin Sports Med* 2016; 35:75–92

Literatur zum Beitrag

Freya M. Reeh, Jan N. Riesselmann, Helmut Lill, Alexander Ellwein

Verletzungen des Acromioclaviculargelenkes Wie kommen wir mit der konservativen und/oder operativen Therapie zu optimalen Ergebnissen?

1. Nordqvist A, Petersson CJ. Incidence and causes of shoulder girdle injuries in an urban population. *J Shoulder Elbow Surg.* 1995;4(2):107–112
2. Allman FL, Jr. Fractures and ligamentous injuries of the clavicle and its articulation. *J Bone Joint Surg Am.* 1967;49(4):774–784
3. Chillemi C, Franceschini V, Dei Giudici L et al. Epidemiology of isolated acromioclavicular joint dislocation. *Emerg Med Int.* 2013;2013:171609
4. Pallis M, Cameron KL, Svoboda SJ, Owens BD. Epidemiology of acromioclavicular joint injury in young athletes. *Am J Sports Med.* 2012;40(9):2072–2077
5. Jensen G, Katthagen JC, Alvarado L, Lill H, Voigt C. Arthroscopically assisted stabilization of chronic AC-joint instabilities in GraftRope™ technique with an additive horizontal tendon augmentation. *Arch Orthop Trauma Surg.* 2013;133(6):841–851
6. Jensen G, Millett PJ, Tahal DS, Al Ibad M, Lill H, Katthagen JC. Concomitant glenohumeral pathologies associated with acute and chronic grade III and grade V acromioclavicular joint injuries. *Int Orthop.* 2017;41(8):1633–1640
7. Martetschläger F, Kraus N, Scheibel M, Streich J, Venjakob A, Maier D. The Diagnosis and Treatment of Acute Dislocation of the Acromioclavicular Joint. *Dtsch Arztebl Int.* 2019;116(6):89–95
8. Nolte PC, Lacheta L, Dekker TJ, Elrick BP, Millett PJ. Optimal Management of Acromioclavicular Dislocation: Current Perspectives. *Orthop Res Rev.* 2020;12:27–44
9. Kocher MS, Feagin JA, Jr. Shoulder injuries during alpine skiing. *Am J Sports Med.* 1996;24(5):665–669
10. Gumina S, Carbone S, Postacchini F. Scapular dyskinesis and SICK scapula syndrome in patients with chronic type III acromioclavicular dislocation. *Arthroscopy.* 2009;25(1):40–45
11. Aliberti GM, Kraeutler MJ, Trojan JD, Mulcahey MK. Horizontal Instability of the Acromioclavicular Joint: A Systematic Review. *Am J Sports Med.* 2020;48(2):504–510
12. Jensen G, Katthagen JC, Alvarado LE, Lill H, Voigt C. Has the arthroscopically assisted reduction of acute AC joint separations with the double tight-rope technique advantages over the clavicular hook plate fixation? *Knee Surg Sports Traumatol Arthrosc.* 2014;22(2):422–430
13. Rosso C, Martetschläger F, Saccomanno MF et al. High degree of consensus achieved regarding diagnosis and treatment of acromioclavicular joint instability among ESA-ESSKA members. *Knee Surg Sports Traumatol Arthrosc.* 2021;29(7):2325–2332
14. Kraus N, Hann C, Minkus M, Maziak N, Scheibel M. Primary versus revision arthroscopically-assisted acromioclavicular and coracoclavicular stabilization of chronic AC-joint instability. *Arch Orthop Trauma Surg.* 2019;139(8):1101–1109
15. Rockwood Jr C. Injuries to the acromioclavicular joint. *Fractures in adults.* 1984;1:860–910
16. Beitzel K, Mazzocca AD, Bak K et al. ISAKOS upper extremity committee consensus statement on the need for diversification of the Rockwood classification for acromioclavicular joint injuries. *Arthroscopy.* 2014;30(2):271–278
17. Velasquez Garcia A, Abdo G. Reliability of the ISAKOS Modification to Subclassify Rockwood Type III Acromioclavicular Joint Injuries. *Orthop J Sports Med.* 2022;10(12):23259671221133379
18. Barth J, Duparc F, Andrieu K et al. Is coracoclavicular stabilisation alone sufficient for the endoscopic treatment of severe acromioclavicular joint dislocation (Rockwood types III, IV, and V)? *Orthop Traumatol Surg Res.* 2015;101(8 Suppl):S297–303
19. Tauber M. Management of acute acromioclavicular joint dislocations: current concepts. *Arch Orthop Trauma Surg.* 2013;133(7):985–995
20. Reid D, Polson K, Johnson L. Acromioclavicular joint separations grades I-III: a review of the literature and development of best practice guidelines. *Sports Med.* 2012;42(8):681–696
21. Mouhsine E, Garofalo R, Crevoisier X, Farron A. Grade I and II acromioclavicular dislocations: results of conservative treatment. *J Shoulder Elbow Surg.* 2003;12(6):599–602
22. Barth J, Duparc F, Andrieu K et al. Is coracoclavicular stabilisation alone sufficient for the endoscopic treatment of severe acromioclavicular joint dislocation (Rockwood types III, IV, and V)? *Orthop Traumatol Surg Res.* 2015;101(8 Suppl):S297–303
23. Dey Hazra RO, Hanhoff M, Kühnapfel A et al. Superior clinical results for early arthroscopic treatment of grade IIIb and V acromioclavicular joint instability compared to delayed operative treatment. *J Shoulder Elbow Surg.* 2023;32(6):1185–1195
24. Song T, Yan X, Ye T. Comparison of the outcome of early and delayed surgical treatment of complete acromioclavicular joint dislocation. *Knee Surg Sports Traumatol Arthrosc.* 2016;24(6):1943–1950
25. Balke M, Schneider MM, Shafizadeh S, Bähis H, Bouillon B, Banerjee M. Current state of treatment of acute acromioclavicular joint injuries in Germany: is there a difference between specialists and non-specialists? A survey of German trauma and orthopaedic departments. *Knee Surg Sports Traumatol Arthrosc.* 2015;23(5):1447–1452
26. Chernchujit B, Tischer T, Imhoff AB. Arthroscopic reconstruction of the acromioclavicular joint disruption: surgical technique and preliminary results. *Arch Orthop Trauma Surg.* 2006;126(9):575–581
27. Dyrna F, Berthold DP, Feucht MJ et al. The importance of biomechanical properties in revision acromioclavicular joint stabilization: a scoping review. *Knee Surg Sports Traumatol Arthrosc.* 2019;27(12):3844–3855
28. Jensen G, Dey Hazra R-O, Hanhoff M, Lill H, Ellwein A. Arthroscopisch assistierte Versorgung der akuten Instabilität des Akromioklavikulargelenkes. *Oberer Extremität.* 2020;15(2):77–85

29. Stein T, Müller D, Blank M et al. Stabilization of Acute High-Grade Acromioclavicular Joint Separation: A Prospective Assessment of the Clavicular Hook Plate Versus the Double Double-Button Suture Procedure. *Am J Sports Med.* 2018;46(11):2725–2734
30. Lloyd AJ, Hurley ET, Davey MS, Pautzenberger L, Mullet H. Arthroscopic Suture-Button Versus Hook-Plate Fixation for Acromioclavicular Joint Injuries-A Systematic Review of Comparative Studies. *Arthrosc Sports Med Rehabil.* 2020;2(5):e671-e6
31. Jensen G, Dey Hazra RO, Al-Ibadi M et al. Arthroscopically assisted single tunnel reconstruction for acute high-grade acromioclavicular joint dislocation with an additional acromioclavicular joint cerclage. *Eur J Orthop Surg Traumatol.* 2023;33(4):1185–1192
32. Tauber M, Hoffelner T, Lehmann L, Kraus N, Scheibel M, Moroder P. Prospective Multicenter Randomized Controlled Trial of Surgical Versus Nonsurgical Treatment for Acute Rockwood Type 3 Acromioclavicular Injury. *Orthop J Sports Med.* 2023;11(8): 23259671231190411
33. Seo JB, Lee DH, Kim KB, Yoo JS. Coracoid clavicular tunnel angle is related with loss of reduction in a single-tunnel coracoclavicular fixation using a dog bone button in acute acromioclavicular joint dislocation. *Knee Surg Sports Traumatol Arthrosc.* 2019;27(12):3835–3843
34. Bieling M, Ellwein A, Lill H, Sehmisch S, Reeh FM. Proximal humerus fracture ans acromioclavicular joint dislocation. *Innov Surg Sci.* 2024;11;9(2):67–82
35. Maier D, Tuecking LR, Bernstein A et al. The acromioclavicular ligament shows an early and dynamic healing response following acute traumatic rupture. *BMC Musculoskelet Disord.* 2020;21(1):593
36. Borbas P, Churchill J, Ek ET. Surgical management of chronic high-grade acromioclavicular joint dislocations: a systematic review. *J Shoulder Elbow Surg.* 2019;28(10):2031–2038
37. Shin SJ, Campbell S, Scott J, McGarry MH, Lee TQ. Simultaneous anatomic reconstruction of the acromioclavicular and coracoclavicular ligaments using a single tendon graft. *Knee Surg Sports Traumatol Arthrosc.* 2014;22(9):2216–2222
38. Ellwein A, Jaeger M, Voigt C et al. Arthroscopically assisted stabilization versus hook plate fixation for chronic acromioclavicular joint separation. *Obere Extremität.* 2020;15(2):103–110
39. Arrigoni P, Brady PC, Zottarelli L et al. Associated lesions requiring additional surgical treatment in grade 3 acromioclavicular joint dislocations. *Arthroscopy.* 2014;30(1):6–10
40. Momenzadeh OR, Gerami MH, Sefidbakht S, Dehghani S. Assessment of Correlation Between MRI and Arthroscopic Pathologic Findings in the Shoulder Joint. *Arch Bone Jt Surg.* 2015;3(4):286–290

Literatur zum Beitrag

Milad Farkhondeh Fal, Jörn Kircher:

Schultergelenksinstabilität

Von der Diagnose bis zur Therapie

1. Howell SM, Galinat BJ: The glenoid-labral socket. A constrained articular surface. *Clin Orthop Relat Res*, 1989(243): p. 122–125
2. Levine WN, Flatow EL: The pathophysiology of shoulder instability. *Am J Sports Med*, 2000. 28(6): p. 910–917
3. Doukas WC, Speer KP: Anatomy, pathophysiology, and biomechanics of shoulder instability. *Orthop Clin North Am*, 2001. 32(3): p. 381–391, vii
4. Kuhn JE, Helmer TT, Dunn WR, Throckmorton VT: Development and reliability testing of the frequency, etiology, direction, and severity (FEDS) system for classifying glenohumeral instability. *J Shoulder Elbow Surg*, 2011. 20(4): p. 548–556
5. Housset V, Ho SWL, Ladermann A, Phua SKA, Hui SJ, Nourissat G: Multidirectional instability of the shoulder: a systematic review with a novel classification. *EFORT Open Rev*, 2024. 9(4): p. 285–296
6. Gerber C, Nyffeler RW: Classification of glenohumeral joint instability. *Clin Orthop Relat Res*, 2002(400): p. 65–76
7. Lebus 5th GF, Raynor MB, Nwosu SK et al.: Predictors for Surgery in Shoulder Instability: A Retrospective Cohort Study Using the FEDS System. *Orthop J Sports Med*, 2015. 3(10): p. 2325967115607434
8. Moroder P, Scheibel M: ABC classification of posterior shoulder instability. *Obere Extremität*, 2017. 12(2): p. 66–74
9. Gagey OJ, Gagey N: The hyperabduction test. *J Bone Joint Surg Br*, 2001. 83(1): p. 69–74
10. Gerber C, Ganz R: Clinical assessment of instability of the shoulder. With special reference to anterior and posterior drawer tests. *J Bone Joint Surg Br*, 1984. 66(4): p. 551–556
11. Bankart AS: Recurrent or Habitual Dislocation of the Shoulder-Joint. *Br Med J*, 1923. 2(3285): p. 1132–1133
12. Baudi P, Campochiaro G, Rebuzzi M, Martino G, Catani F: Assessment of bone defects in anterior shoulder instability. *Joints*, 2013. 1(1): p. 40–48
13. Bergin D: Imaging shoulder instability in the athlete. *Magn Reson Imaging Clin N Am*, 2009. 17(4): p. 595–615, v.
14. Hovelius L, Olofsson A, Sandstrom B et al.: Nonoperative treatment of primary anterior shoulder dislocation in patients forty years of age and younger. a prospective twenty-five-year follow-up. *J Bone Joint Surg Am*, 2008. 90(5): p. 945–952
15. Warby SA, Ford JJ, Hahne AJ et al.: Comparison of 2 Exercise Rehabilitation Programs for Multidirectional Instability of the Glenohumeral Joint: A Randomized Controlled Trial. *Am J Sports Med*, 2018. 46(1): p. 87–97
16. Warby SA, Pizzari T, Ford JJ, Hahne AJ, Watson L: The effect of exercise-based management for multidirectional instability of the glenohumeral joint: a systematic review. *J Shoulder Elbow Surg*, 2014. 23(1): p. 128–142
17. Ahmed I, Ashton F, Robinson CM: Arthroscopic Bankart repair and capsular shift for recurrent anterior shoulder instability: functional outcomes and identification of risk factors for recurrence. *J Bone Joint Surg Am*, 2012. 94(14): p. 1308–1315
18. Zhang M, Liu J, Jia Y et al.: Risk factors for recurrence after Bankart repair: a systematic review and meta-analysis. *J Orthop Surg Res*, 2022. 17(1): p. 113
19. Snyder SJ, Karzel RP, Pizzo WD, Ferkel RD, Friedman MJ: Arthroscopy classics. SLAP lesions of the shoulder. *Arthroscopy*, 2010. 26(8): p. 1117
20. Kircher J: Delta-Loop-Stitch: Three-Point Fixation for Combined Radial and Tangential Capsular Shift for the Treatment of Multidirectional Instability of the Shoulder and Hyperlaxity. *Arthrosc Tech*, 2021. 10(5): p. e1217–e1222
21. Mayer SW, Kraszewski AP, Skelton A, Kontaxis A, Warren R: What Are the Effects of Capsular Plication on Translational Laxity of the Glenohumeral Joint: A Study in Cadaveric Shoulders. *Clin Orthop Relat Res*, 2018. 476(7): p. 1526–1536
22. Boileau P, Villalba M, Hery JY, Balg F, Ahrens P, L. Neyton L: Risk factors for recurrence of shoulder instability after arthroscopic Bankart repair. *J Bone Joint Surg Am*, 2006. 88(8): p. 1755–1763
23. Hartzler RU, Bui CN, Jeong WK et al.: Remplissage of an Off-track Hill-Sachs Lesion Is Necessary to Restore Biomechanical Glenohumeral Joint Stability in a Bipolar Bone Loss Model. *Arthroscopy*, 2016. 32(12): p. 2466–2476
24. Widjaja AB, Tran A, Bailey M, Proper S: Correlation between Bankart and Hill-Sachs lesions in anterior shoulder dislocation. *ANZ J Surg*, 2006. 76(6): p. 436–438
25. Albers S, Farkhondeh Fal M, Kircher J: Arthroscopic Posterior HAGL Repair Using a Direct Transaxillary Portal. *Arthrosc Tech*, 2023. 12(7): p. e1027–e1031
26. Warner JJ, Beim GM: Combined Bankart and HAGL lesion associated with anterior shoulder instability. *Arthroscopy*, 1997. 13(6): p. 749–752
27. Farkhondeh Fal M, Heilmann LF, Kircher J: Instabilität des Schultergelenks – Teil 1: Pathophysiologie, Klassifikation und Diagnostik. *Orthopädie und Unfallchirurgie up2date* 2024; 19(05): 445–460
28. Kircher J, Heilmann LF, Farkhondeh Fal M: Instabilität des Schultergelenks – Teil 2: Therapie und Outcome. *Orthopädie und Unfallchirurgie up2date* 2024; 19(05): 461–482

Literatur zum Beitrag

Tobias C. Drenck, Alexander Korthaus, Lena Eggeling, Jannik Frings, Karl-Heinz Frosch, Ralph Akoto:

Die hintere Kreuzbandruptur Diagnostik, Begleitverletzungen und Therapieoptionen

1. Frosch K, Proksch N, Preiss A, Giannakos A: Treatment of bony avulsions of the posterior cruciate ligament (PCL) by a minimally invasive dorsal approach. *Oper Orthop Traumatol* 2012; 24:348–353
2. Yoon KH, Kim SG, Park JY: The amount of displacement can determine non-operative treatment in posterior cruciate ligament avulsion fracture. *Knee Surg Sports Traumatol Arthrosc* 2021; 29:1269–1275
3. Gopinath V, Mameri ES, Casanova FJ, et al.: Systematic Review and Meta-analysis of Clinical Outcomes After Management of Posterior Cruciate Ligament Tibial Avulsion Fractures. *Orthop J Sports Med* 2023; 11:23259671231188383
4. Migliorini F, Pintore A, Oliva F, Eschweiler J, Bell A, Maffulli N: Allografts as alternative to autografts in primary posterior cruciate ligament reconstruction: a systematic review and meta-analysis. *Knee Surg Sports Traumatol Arthrosc* 2023; 31:2852–2860
5. Migliorini F, Pintore A, Spiezia F, Oliva F, Hildebrand F, Maffulli N: Single versus double bundle in posterior cruciate ligament (PCL) reconstruction: a meta-analysis. *Sci Rep* 2022; 12:4160
6. Heitmann M, Gerau M, Hotzel J, Giannakos A, Frosch KH, Preiss A: Ligament bracing--augmented primary suture repair in multiligamentous knee injuries. *Oper Orthop Traumatol* 2014; 26:19–29
7. Drenck TC, Frings J, Alm L, Akoto R, Frosch K-H, Krause M: Concomitant instabilities associated with the posterior cruciate ligament: treatment of posterolateral instabilities. *Knie Journal*. 2020; 2:196–202
8. Weiss S, Krause M, Frosch KH: Clinical results after arthroscopic reconstruction of the posterolateral corner of the knee: A prospective randomized trial comparing two different surgical techniques. *Arch Orthop Trauma Surg* 2023; 143:967–975
9. Frosch KH, Akoto R, Heitmann M, Enderle E, Giannakos A, Preiss A: Arthroscopic reconstruction of the popliteus complex: accuracy and reproducibility of a new surgical technique. *Knee Surg Sports Traumatol Arthrosc* 2015; 23:3114–3120
10. Weiss S, Krause M, Frosch KH: Posterolateral corner of the knee: a systematic literature review of current concepts of arthroscopic reconstruction. *Arch Orthop Trauma Surg* 2020; 140:2003–2012
11. Krause M, Weiss S, Kolb JP et al.: Comparison of Arthroscopic versus Open Placement of the Fibular Tunnel in Posterolateral Corner Reconstruction. *J Knee Surg* 2023; 36:977–987
12. Frings J, Kolb JP, Drenck TC et al.: Anatomic Reconstruction of the Posterolateral Corner: An All-Arthroscopic Technique. *Arthrosc Tech* 2019; 8: 153–161
13. Frosch K-H, Krause M, Akoto R: Posterolaterale Instabilitäten am Kniegelenk. *Arthroskopie* 2018; 31(2):169–173
14. Jansson KS, Costello KE, O'Brien L, Wijdicks CA, Laprade RF: A historical perspective of PCL bracing. *Knee Surg Sports Traumatol Arthrosc* 2013; 21:1064–1070
15. Wang SH, Chien WC, Chung CH, Wang YC, Lin LC, Pan RY: Long-term results of posterior cruciate ligament tear with or without reconstruction: A nationwide, population-based cohort study. *PLoS One* 2018; 13:e0205118
16. Agolley D, Gabr A, Benjamin-Laing H, Haddad FS: Successful return to sports in athletes following non-operative management of acute isolated posterior cruciate ligament injuries: medium-term follow-up. *Bone Joint J* 2017; 99:774–778
17. Bedi A, Musahl V, Cowan JB: Management of Posterior Cruciate Ligament Injuries: An Evidence-Based Review. *J Am Acad Orthop Surg* 2016; 24:277–289
18. Pierce CM, O'Brien L, Griffin LW, Laprade RF: Posterior cruciate ligament tears: functional and postoperative rehabilitation. *Knee Surgery, Sports Traumatology, Arthroscopy* 2013; 21:1071–1084
19. Ahn JH, Lee SH, Choi SH, Wang JH, Jang SW: Evaluation of clinical and magnetic resonance imaging results after treatment with casting and bracing for the acutely injured posterior cruciate ligament. *Arthroscopy: The Journal of Arthroscopic & Related Surgery*. 2011; 27:1679–1687
20. Jung YB, Tae SK, Lee YS, Jung HJ, Nam CH, Park SJ: Active non-operative treatment of acute isolated posterior cruciate ligament injury with cylinder cast immobilization. *Knee Surgery, Sports Traumatology, Arthroscopy* 2008; 16:729–733
21. Jacobi M, Reischl N, Wahl P, Gautier E, Jakob RP: Acute isolated injury of the posterior cruciate ligament treated by a dynamic anterior drawer brace: a preliminary report. *J Bone Joint Surg Br* 2010; 92:1381–1384
22. Klose M, Forkel P, Imhoff A: Rehabilitation after reconstruction of the posterior cruciate ligament. *MMW Fortschr Med* 2018; 160:69–71

Literatur zum Beitrag

Katharina Walther, Titus Haselbeck

Ortho-geriatrische Zusammenarbeit am Klinikum Ingolstadt – ein Blick hinter die Kulissen

Eine Erfolgsstory zwischen Unfallchirurgie und Geriatrie

1. Beschluss des Gemeinsamen Bundesausschusses über eine Richtlinie zur Versorgung der hüftgelenknahen Femurfraktur BAnz AT 30.12.2020 B6
2. Kriterienkatalog AltersTraumaZentrum DGU_Kriterienkatalog_V1.3_01.07.2020.pdf

Literatur zum Beitrag

Henning Lange, Josef Heumann, Markus Peyerl:

Geriatrische Tibiakopffrakturen

Von konservativer Therapie bis zur primären Endoprothetik

1. Elsoe R, Larsen P, Nielsen NPH, Swenne J, Rasmussen S, Ostgaard SE: Population-based epidemiology of tibial plateau fractures. *Orthopaedics*. 2015;38(9):e780-e786
2. Rupp M, Walter N, Pfeifer C et al.: Inzidenz von Frakturen in der Erwachsenenpopulation in Deutschland. *Dtsch Arztebl Int*. 2021;118:665–669
3. Bogoch ER, Elliot-Gibson V, Beaton DE, Jamal SA, Josse RG, Murray TM: Effective initiation of osteoporosis diagnosis and treatment for patients with a fragility fracture in an orthopaedic environment. *JBJS*. 2006;88(1):25–34
4. He Q-f, Sun H, Shu L-y et al.: Tibial plateau fractures in elderly people: an institutional retrospective study. *Journal of Orthopaedic Surgery and Research*. 2018;13:1–8
5. Michael JW, Schlüter-Brust KU, Eysel P: The epidemiology, etiology, diagnosis, and treatment of osteoarthritis of the knee. *Deutsches Arzteblatt International*. 2010;107(9):152
6. Kösters C, Schliemann B, Raschke M: Tibiakopffrakturen im Alter. *Der Unfallchirurg*. 2011;3(114):251–262
7. Stahl D, Serrano-Riera R, Collin K, Griffing R, Defenbaugh B, Sagi HC: Operatively treated meniscal tears associated with tibial plateau fractures: a report on 661 patients. *Journal of orthopaedic trauma*. 2015;29(7):322–324
8. Berninger MT, Schüttrumpf JP, Barzen S et al.: S2k-Leitlinie Tibiakopffrakturen-Klassifikation, Diagnostik und Therapie. *Zeitschrift für Orthopädie und Unfallchirurgie*. 2024;162(05):510–520
9. Krause M, Alm L, Berninger M et al.: Bone metabolism is a key factor for clinical outcome of tibial plateau fractures. *European Journal of Trauma and Emergency Surgery*. 2020;46:1227–1237
10. Meinberg EG, Agel J, Roberts CS, Karam MD, Kellam JF: Fracture and dislocation classification compendium—2018. *Journal of orthopaedic trauma*. 2018;32:S1–S10
11. Schatzker J: Compression in the surgical treatment of fractures of the tibia. *Clinical Orthopaedics and Related Research*. 1974;105:220–239
12. Luo C-F, Sun H, Zhang B, Zeng B-F: Three-column fixation for complex tibial plateau fractures. *Journal of orthopaedic trauma*. 2010;24(11):683–692
13. Krause M, Preiss A, Müller G et al.: Intra-articular tibial plateau fracture characteristics according to the “Ten segment classification”. *Injury*. 2016;47(11):2551–7
14. Pape D, Hoffmann A, Gerich T, Van der Kerckhofe M, Weber M, Pape H-C: Frakturen des Kniegelenks im hohen Lebensalter. *Der Orthopäde*. 2014;4(43):365–373
15. Inden P, Krause M, Frosch KH: Primäre Knieendoprothese bei Tibiakopffrakturen? *Kniejournal*. 2022;4(3):174–180
16. Förch S, Lisitano L, Mayr E: Primär endoprothetische Versorgung von Kniegelenksfrakturen. *Zeitschrift für Orthopädie und Unfallchirurgie*. 2023;161(06):619–627
17. Kim J-K, Hwang K-T, Soh H-S, Shon O-J, Park K-C: Comparison of tibial plateau fracture surgical outcomes between young and elderly patients: are outcomes really poorer in the elderly? *Archives of Orthopaedic and Trauma Surgery*. 2022:1–9
18. Jiang L, Chen E, Huang L, Wang C: Arthroscopy-assisted reduction percutaneous internal fixation versus open reduction internal fixation for tibial plateau fracture: a systematic review and meta-analysis. *Orthopaedic Journal of Sports Medicine*. 2021;9(12):23259671211027838
19. Russell TA, Leighton RK, Group A-BTPFS: Comparison of autogenous bone graft and endothermic calcium phosphate cement for defect augmentation in tibial plateau fractures: a multicenter, prospective, randomized study. *JBJS*. 2008;90(10):2057–2061
20. Bajammal SS, Zlowodzki M, Lelwica A et al.: The use of calcium phosphate bone cement in fracture treatment: a meta-analysis of randomized trials. *JBJS*. 2008;90(6):1186–1196
21. Kammerlander C, Pfeuffer D, Lisitano LA, Mehaffey S, Böcker W, Neuberger C: Inability of older adult patients with hip fracture to maintain postoperative weight-bearing restrictions. *JBJS*. 2018;100(11):936–941
22. Bundesausschuss G: Richtlinie des Gemeinsamen Bundesausschusses über Maßnahmen zur Qualitätssicherung zur Versorgung von Patienten mit einer hüftgelenknahen Femurfraktur gemäß § 136 Absatz 1 Satz 1 Nummer 2 für nach § 108 SGB V zugelassene Krankenhäuser. Richtlinie zur Versorgung der hüftgelenknahen Femurfraktur/QSFFx-RL. 2023
23. Parkkinen M, Madanat R, Mustonen A, Koskinen S, Paavola M, Lindahl J: Factors predicting the development of early osteoarthritis following lateral tibial plateau fractures: mid-term clinical and radiographic outcomes of 73 operatively treated patients. *Scandinavian Journal of Surgery*. 2014;103(4):256–262
24. Gerich T, Blauth M, Witte F, Lobenhoffer P, Krettek C: Die Osteosynthese von Tibiakopffrakturen im höheren Alter. Eine Matched-pair-Analyse: Eine Matched-pair-Analyse. *Der Unfallchirurg*. 2001;104:50–56
25. Ali AM, El-Shafie M, Willett K: Failure of fixation of tibial plateau fractures. *Journal of orthopaedic trauma*. 2002;16(5):323–329
26. Wasserstein D, Henry P, Paterson JM, Kreder HJ, Jenkinson R: Risk of total knee arthroplasty after operatively treated tibial plateau fracture: a matched-population-based cohort study. *JBJS*. 2014;96(2):144–150
27. Aurich M: Korrekturen durch Gelenkersatz. *Trauma und Berufskrankheit*. 2016;18(Suppl 5):430–433
28. Tapper V, Toom A, Pamilo K et al.: Primary total knee replacement for tibial plateau fractures in older patients: a systematic review of 197 patients. *Archives of Orthopaedic and Trauma Surgery*. 2022;142(11):3257–3264
29. Wong MT, Bourget-Murray J, Johnston K, Desy NM: Understanding the role of total knee arthroplasty for primary treatment of tibial plateau fracture: a systematic review of the literature. *J Orthop Traumatol*. 2020;21(1):7

30. Abdelbadie A, El-Hennawy A, Sallam A: Primary Total knee Arthroplasty: A Viable Surgical Option for Complex Tibial Plateau Fractures in Elderly. *J Knee Surg.* 2020;33(5):496–503
31. Pasurka M, Krinner S, Gelse K: Osteosynthesis or arthroplasty of fractures near the knee joint in geriatric patients—a clinical-economical comparison. *Zeitschrift für Orthopädie und Unfallchirurgie.* 2020;158(03):283–290
32. Gelse K: Total knee arthroplasty following trauma of the knee. *Trauma und Berufskrankheit.* 2018;20:41–46

Literatur zum Beitrag

Yvonne Goldhahn, Jürgen Hauffen, Gudrun Schlewitz:

Weichteilverletzungen in der Alterstraumatologie Ein Spektrum komplexer Herausforderungen

1. Deutsche Gesellschaft für Geriatrie e.V., <https://www.dggeriatrie.de/ueber-uns/was-ist-geriatrie>. Zugegriffen: 25.02.2025
2. Kerscher M, Williams S, Effendy I: Physiologie der Hautalterung. In: Effendy I, Kerscher M (Hrsg): Haut und Alter. Stuttgart, Thieme Verlag KG, 2005: 3–5
3. Hierner R, Berger A: Prinzipien der Defektdeckung. In: Berger A, Hierner R (Hrsg): Plastische Chirurgie. Grundlagen, Prinzipien, Techniken. Berlin, Heidelberg, New York, Springer Verlag, 2003: 285–297
4. Andree C, Borges J, Stark GB: Wundheilung. In: Berger A, Hierner R (Hrsg): Plastische Chirurgie. Grundlagen, Prinzipien, Techniken. Berlin, Heidelberg, New York, Springer Verlag, 2003: 64f.
5. Olivari N: Praktische Plastische Chirurgie. Ein Operationsatlas. Heidelberg, Kaden Verlag. 2004: 716–773
6. Märker-Hermann E, von Kiel C: Immunsystem und immunsuppressive Therapie im Alter. Hessisches Ärzteblatt 2020; 81: 347–349
7. Wirtz DC, Kladny B: Definition der Orthogeriatric. In: Liener UC, Becker C, Rapp K, Raschke MJ, Kladny B, Wirtz DC (Hrsg): Weißbuch Alters-traumatologie und Orthogeriatric. Stuttgart: Kohlhammer Verlag, 2022: 43–45

Literatur zum Beitrag

Chantal Beatrice Zimmermann, Götz Schäfer, Thomas Roger Blattert:

Altersgerechte Verfahren an Wirbelsäule und Becken

1. Hadji P, Klein S, Gothe H et al.: The epidemiology of osteoporosis- Bone Evaluation Study (BEST): an analysis of routine health insurance data. *Dtsch Arztebl Int.* 2013;100:52–57
2. Ringe JD: Osteoporose. In: Füsigen I (Hrsg): *Der ältere Patient.* München – Jena: Urban & Fischer Verlag, 2000, 502–512
3. Schnake KJ, Hahn P, Ullrich B et al.: Multicenter data collection of hospital treatment for osteoporotic vertebral fractures. *Eur Spine J* 2012; 21: 2344
4. Terakado A, Orita S, Inage K et al.: A clinical prospective observational cohort study on the prevalence and primary diagnostic accuracy of occult vertebral fractures in aged women with acute lower back pain using magnetic resonance imaging. *Pain Res Manag* 2017; 2017: 9265259
5. Ito Z, Harada A, Matsui Y et al.: Can you diagnose for vertebral fracture correctly by plain X-ray? *Osteoporos Int* 2006; 17: 1584–1591
6. Schnake KJ, Blattert TR, Hahn P et al.: Classification of Osteoporotic Thoracolumbar Spine Fractures: Recommendations of the Spine Section of the German Society for Orthopaedics and Trauma (DGOU). *Global Spine J* 2018; 8: 465–495
7. Spiegl U, Bork H, Grüninger S et al.: Osteoporotische Frakturen der Brust- und Lendenwirbelsäule: Diagnostik und konservative Therapie. Ein systematisches Review. *Dtsch Arztebl Int* 2021; 118: 670–677
8. Schnake KJ, Hahn P, Franck A et al.: Development of a classification system (OF-classification) and of a score for therapeutic decision making (OF-score) for osteoporotic thoracolumbar fractures. *Eur Spine J* 2013; 22: 2590
9. Blattert TR, Schnake KJ, Gonschorek O et al.: Nonsurgical and surgical management of osteoporotic vertebral body fractures: Recommendations of the spine section of the German Society for Orthopaedics and Trauma (DGOU). *Global Spine J* 2018; 8: 505–555
10. Blattert TR, Schnake KJ, Gonschorek O et al.: Nichtoperative und operative Behandlung der osteoporotischen Wirbelkörperfraktur. *Orthopäde* 2019; 48, 84–91
11. Ullrich BW, Schnake KJ, Schenk P et al.: Clinical Evaluation of the Osteoporotic Fracture Treatment Score (OF-Score): Results of the Evaluation of the Osteoporotic Fracture Classification, Treatment Score and Therapy Recommendations (EOFTT) Study; *Global Spine Journal* 2023, Vol. 13(15) 295–355
12. Leitlinien Unfallchirurgie DGU Leitlinien Kommission Berlin 2018, AWMF-Nr. 12–028, letzte Bearbeitung 22.07.2018, S1 Expertenkonsens
13. Weerink LB, Folbert EC, Kraai M, Smit RS, Hegeman JH, van der Velde D: Thoracolumbar spine fractures in the geriatric fracture center: early ambulation leads to good results on short term and is a successful and safe alternative compared to immobilization in elderly patients with two-column vertebral fractures. *Geriatr Orthop Surg Rehabil* 2014; 5: 43–49
14. Spiegl UJ, Hauck S, Merkel P, Bühren V, Gonschorek O (2012) Long-term results of kyphoplasty with additive dorsal instrumentation of incomplete burst fractures of the thoracolumbar spine in the elderly, *Z Orthop Unfall*, 150(6):579–582
15. Homagk L, Hellweger A, Hofmann GO: Die Hybridstabilisierung und geriatrische Komplexbehandlung in der Therapie von A-Frakturen der Wirbelsäule. *Chirurg* (2020) 91, 878–885
16. Leslie WD, Giangregorio LM, Yogendran M et al.: A population based analysis of the post-fracture care gap 1996–2008: the situation is not improving. *Osteoporos Int* 2012; 23: 1623–1629
17. DVO-Leitlinie Osteoporose. 2023. <https://leitlinien.dv-osteologie.org/wp-content/uploads/2024/02/DVO-Leitlinie-zur-Diagnostik-und-Therapie-der-Osteoporose-Version-2.1.-2023-002.pdf> (Letzter Zugriff am 09.12.2024)
18. Nair VV, Kundnani V: Does early treatment with Teriparatide prevent the need for surgical intervention in osteoporotic vertebral compression fractures; *Global Spine J*; 2024; Vol. 0(0) 1–9
19. <https://viamedici.thieme.de/lernmodul/960795/529613/knöchernes+becken> (Letzter Zugriff am 09.12.2024)
20. Peh WC, Khong PL, Yin Y, Ho WY, Evans NS, Gilula LA, Yeung HW, Davies AM: Imaging of pelvic insufficiency fractures. *Radiographics.* 1996 Mar;16(2):335–348
21. Deutsche Gesellschaft für Orthopädie und Unfallchirurgie e.V.: *Verletzungen des Beckenrings: 2. Auflage/ 1. Version 07.09.2022: Verfügbar unter <https://www.awmf.org/leitlinien/detail/anmeldung/1/II/187-039.html>: Letzter Zugriff am 10.12.2024*
22. Schicho A, Seeber K, Eickhoff A, Gebhard F: 2015. Notwendigkeit der CT zur Diagnostik der Sacrumfraktur, *German medical science: GMS e-journal*
23. Spiegl UJA, Schnake KJ, Osterhoff G et al.: 2019 Radiologische Diagnostik von Stress- und Insuffizienzfrakturen des Sakrums, *Z Orthop Unfall*, 157: 144–153
24. Ullrich BW, Scheyerer MJ, Spiegl UAJ, Mendel T, Schnake KJ: Die OF-Pelvis-Klassifikation für osteoporotische Sakrum- und Beckenringfrakturen, *OUP* 2024; 13: 22–25
25. <https://klinikum-ingolstadt.de/news/3d-navigation-in-der-muskuloskelettalen-chirurgie-am-klinikum-ingolstadt/> (Letzter Zugriff am 09.12.2024)
26. Palm H-G, Groh J, Perl M: 2023, Zement am Becken: Wohl oder Wehe?, Indikationen und Grenzen der pelvinen Zementaugumentation. *Die Wirbelsäule* 2023; 07(04): 243–248
27. Hartensuer R, Grünweller N, Lodde MF, Evers J, Riesenbeck O, Raschke M: 2021, The S2-Alar-Iliac Screw for Pelvic Trauma. *Z OrthopUnfall*,159:522–532

Literatur zum Beitrag

Michael Wagner, Hans-Georg Palm:

G-BA-Richtlinie proximale Femurfrakturen

Vorgaben, Prüfverfahren und Umsetzung

1. Richtlinie des Gemeinsamen Bundesausschusses über Maßnahmen zur Qualitätssicherung zur Versorgung von Patienten mit einer hüftgelenknahen Femurfraktur gemäß § 136 Absatz 1 Satz 1 Nummer 2 für nach § 108 SGB V zugelassene Krankenhäuser, in der Fassung vom 22. November 2019, zuletzt geändert am 20. Juni 2024, veröffentlicht im Bundesanzeiger (Banz AT 19.09.2024 B2), in Kraft getreten am 20. September 2024; www.g-ba.de/downloads/62-492-3617/QSFFx-RL_2024-06-20_iK-2024-09-20.pdf
2. Richtlinie des Gemeinsamen Bundesausschusses über Maßnahmen zur Qualitätssicherung zur Versorgung von Patienten mit einer hüftgelenknahen Femurfraktur gemäß § 136 Absatz 1 Satz 1 Nummer 2 für nach § 108 SGB V zugelassene Krankenhäuser, in der Fassung vom 22. November 2019, zuletzt geändert am 20. Juni 2024, veröffentlicht im Bundesanzeiger (Banz AT 19.09.2024 B2), in Kraft getreten am 20. September 2024; www.g-ba.de/downloads/62-492-3617/QSFFx-RL_2024-06-20_iK-2024-09-20.pdf
3. Aktive QS-Verfahren des IQTIG; <https://iqtig.org/qs-verfahren/aktiv>
4. Hüftgelenkversorgung, IQTIG; [https://iqtig.org/qs-verfahren/qs-hgv/#:~:text=Das%20QS%2DVerfahren%20H%C3%BCftgelenkversorgung%20\(QS,und%20H%C3%BCftendoprothesenversorgung%20\(HEP\)%20ersetzt.](https://iqtig.org/qs-verfahren/qs-hgv/#:~:text=Das%20QS%2DVerfahren%20H%C3%BCftgelenkversorgung%20(QS,und%20H%C3%BCftendoprothesenversorgung%20(HEP)%20ersetzt.)
5. Muster-SOP; www.auc-online.de/unsere-angebote/zertifizierung/alters-traumazentrum-dgu
6. MD-Kontrollrichtlinie; www.g-ba.de/downloads/62-492-3209/MD-QK-RL_2023-05-12_iK-2023-08-11.pdf
7. www.g-ba.de/downloads/62-492-2340/Not-Kra-R_2020-11-20_iK-2020-11-01.pdf

Literatur zum Beitrag

Jakob Mayr, Marco Marchich, Jörg Scherer, Hans-Georg Palm:

Geriatrisches Polytrauma – alt und mobil, aber fragil!

1. Neubart R: Repetitorium Geriatrie: Geriatrische Grundversorgung – Zusatz-Weiterbildung Geriatrie – Schwerpunktbezeichnung Geriatrie. 2. Auflage. Springer Verlag
2. <https://viamedici.thieme.de/lernmodul/8674003/4954462/polytrauma>
3. <https://www.bmi.bund.de/DE/themen/heimat-integration/gleichwertige-lebensverhaeltnisse/demografie/demografischer-wandel/demografischer-wandel-node.html>
4. https://www.destatis.de/DE/Themen/Querschnitt/Demografischer-Wandel/_inhalt.html
5. Wurm S, Woltmann A, Perl M, Bühren V: Das geriatrische Polytrauma. Übersichtsarbeiten – OUP 01/2015
6. Gather A, Grützner PA, Münzberg M: Polytrauma im Alter – Erkenntnisse aus dem TraumaRegister DGU®. Die Chirurgie, Ausgabe 10/2019, SpringerMedizin
7. Jahresbericht 2024 des TraumaRegisters DGU®
8. Llompart-Pou JA, Pérez-Bárcena J, Chico-Fernández M, Sánchez-Casado M, Raurich JM: Severe trauma in the geriatric population. World J Crit Care Med. 2017 May 4;6(2):99–106
9. Peterer L, Ossendorf C, Jensen KO et al.: Implementation of new standard operating procedures for geriatric trauma patients with multiple injuries: a single level I trauma centre study. BMC Geriatr 19, 359 (2019)
10. https://www.destatis.de/DE/Im-Fokus/Fachkraefte/Demografie/_inhalt.html
11. De Simone B, Chouillard E, Podda M et al.: The 2023 WSES guidelines on the management of trauma in elderly and frail patients. World J Emerg Surg 19, 18 (2024)
12. Goldwag JL, Porter ED, Wilcox AR et al.: Geriatric All-Terrain Vehicle Trauma: An Unhelmeted and Severely Injured Population. J Surg Res. 2022 Feb;270:555–563
13. Scherer J, Kalbas Y, Ziegenhain F et al.: The GERtality Score: The Development of a Simple Tool to Help Predict in-Hospital Mortality in Geriatric Trauma Patients. J Clin Med. 2021 Mar 25;10(7):1362
14. Berk T, Thalmann M, Jensen KO: Implementation of a novel nursing assessment tool in geriatric trauma patients with proximal femur fractures. PLoS One. 2023 Jun 9;18(6):e0284320
15. Fuchs K, Backhaus R, Jordan MC et al.: Der schwer verletzte ältere Fahrradfahrer – Auswertung des Trauma-Register DGU®. Unfallchirurgie 126, 952–959 (2023)
16. Waydhas C, Bieler D, Hamsen U, Baacke M, Lefering R: TraumaRegister DGU. ISS alone, is not sufficient to correctly assign patients post hoc to trauma team requirement. Eur J Trauma Emerg Surg. 2022 Feb;48(1):383–392
17. Lefering R, Nienaber U, Paffrath T: Was ist ein Schwerverletzter? Differenzierte Betrachtung der Fallschwere eines Traumapatienten. Unfallchirurg 2017; 120: 898–901
18. Gross T, Amsler F: Schockraum- und Schwerverletztenversorgung als „Verlustgeschäft“. Unfallchirurg 124, 747–754 (2021)
19. Wong TH, Krishnaswamy G, Nadkarni NV et al.: Combining the new injury severity score with an anatomical polytrauma injury variable predicts mortality better than the new injury severity score and the injury severity score: a retrospective cohort study. Scand J Trauma Resusc Emerg Med 24, 25 (2016)
20. Rieck KM, Pagali S, Miller DM: Delirium in hospitalized older adults. Hosp Pract (1995). 2020 Mar;48(sup1):3–16
21. Niggli C, Vetter P, Hambrecht J, Pape HC, Mica L: The Road to Sepsis in Geriatric Polytrauma Patients-Can We Forecast Sepsis in Trauma Patients? J Clin Med. 2024 Mar 9;13(6):1570
22. Panossian VS, Lagazzi E, Rafaqat W et al.: Outcomes of severe isolated blunt chest trauma in young and geriatric patients. Eur J Trauma Emerg Surg. 2024 Oct;50(5):2471–2480
23. Egodage T, Ho VP, Bongiovanni T et al.: Geriatric trauma triage: optimizing systems for older adults-a publication of the American Association for the Surgery of Trauma Geriatric Trauma Committee. Trauma Surg Acute Care Open. 2024 Jul 16;9(1):e001395
24. Zhang C, Chang T, Chen D et al.: Acute Gastrointestinal Injury in Polytrauma: Special Attention to Elderly Patients. Int J Med Sci. 2024 Aug 26;21(12):2315–2323
25. van Wessem KJP, Leenen LPH: Geriatric polytrauma patients should not be excluded from aggressive injury treatment based on age alone. Eur J Trauma Emerg Surg. 2022 Feb;48(1):357–365
26. Sahin O: Polytrauma in the Geriatric Population: Analysis of Outcomes for Surgically Treated Multiple Fractures with a Minimum 2 Years of Follow-Up. Adv Ther. 2022 May;39(5):2139–2150
27. Halvachizadeh S, Gröbli L, Berk T et al.: The effect of geriatric comanagement (GC) in geriatric trauma patients treated in a level 1 trauma setting: A comparison of data before and after the implementation of a certified geriatric trauma center. PLoS One. 2021 Jan 11;16(1):e0244554