

**Literatur zum Beitrag:**  
Michael Ruf, Deborah Schray, Gregor Ostrowski, Tobias Pitzen

# Skoliose im Kindesalter (early onset scoliosis)

1. Akbarnia, B.A., et al., Dual growing rod technique followed for three to eleven years until final fusion: the effect of frequency of lengthening. *Spine (Phila Pa 1976)*, 2008. 33(9): p. 984–90
2. Akbarnia, B.A., et al., Next generation of growth-sparing techniques: preliminary clinical results of a magnetically controlled growing rod in 14 patients with early-onset scoliosis. *Spine (Phila Pa 1976)*, 2013. 38(8): p. 665–70
3. Berven S, Bradford DS. Neuromuscular scoliosis: causes of deformity and principles for evaluation and management. *Semin Neurol*. 2002;22(2):167–178
4. Bess, S., et al., Complications of growing-rod treatment for early-onset scoliosis: analysis of one hundred and forty patients. *J Bone Joint Surg Am*, 2010. 92(15): p. 2533–43
5. Campbell, R.M., Jr., VEPTR: past experience and the future of VEPTR principles. *Eur Spine J*, 2013. 22 Suppl 2(Suppl 2): p. S106–17
6. Charles, Y.P., et al., Progression risk of idiopathic juvenile scoliosis during pubertal growth. *Spine (Phila Pa 1976)*, 2006. 31(17): p. 1933–42
7. Dimeglio, A., Growth in pediatric orthopaedics. *J Pediatr Orthop*, 2001. 21(4): p. 549–55
8. Dimeglio, A., Canavese F, The growing spine: how spinal deformities influence normal spine and thoracic cage growth. *Eur Spine J*, 2012. 21(1): p. 64–70
9. Dimeglio A, Bonnel F. Growth of the spine. In Raimondi AJ (ed). *The pediatric spine, principles of pediatric neurosurgery*. Springer-Verlag 1989:39
10. Dobbs, M.B., et al., Prevalence of neural axis abnormalities in patients with infantile idiopathic scoliosis. *J Bone Joint Surg Am*, 2002. 84(12): p. 2230–4
11. El-Hawary, R. and B.A. Akbarnia, Early Onset Scoliosis – Time for Consensus. *Spine Deform*, 2015. 3(2): p. 105–106
12. Flynn, J.M., et al., Psychological dysfunction in children who require repetitive surgery for early onset scoliosis. *J Pediatr Orthop*, 2012. 32(6): p. 594–9
13. Gollogly, S., et al., The volume of lung parenchyma as a function of age: a review of 1050 normal CT scans of the chest with three-dimensional volumetric reconstruction of the pulmonary system. *Spine (Phila Pa 1976)*, 2004. 29(18): p. 2061–6.
14. Gupta, P., L.G. Lenke, and K.H. Bridwell, Incidence of neural axis abnormalities in infantile and juvenile patients with spinal deformity. Is a magnetic resonance image screening necessary? *Spine (Phila Pa 1976)*, 1998. 23(2): p. 206–10.
15. Karol, L.A., et al., Pulmonary function following early thoracic fusion in non-neuromuscular scoliosis. *J Bone Joint Surg Am*, 2008. 90(6): p. 1272–81.
16. Katz, D.E., et al., Brace wear control of curve progression in adolescent idiopathic scoliosis. *J Bone Joint Surg Am*, 2010. 92(6): p. 1343–52
17. Khoshbin, A., et al., Outcomes of bracing in juvenile idiopathic scoliosis until skeletal maturity or surgery. *Spine (Phila Pa 1976)*, 2015. 40(1): p. 50–5
18. McCarthy, R.E. and F.L. McCullough, Shilla Growth Guidance for Early-Onset Scoliosis: Results After a Minimum of Five Years of Follow-up. *J Bone Joint Surg Am*, 2015. 97(19): p. 1578–84
19. Mehta, M.H., Growth as a corrective force in the early treatment of progressive infantile scoliosis. *J Bone Joint Surg Br*, 2005. 87(9): p. 1237–47
20. Muirhead, A. and A.N. Conner, The assessment of lung function in children with scoliosis. *J Bone Joint Surg Br*, 1985. 67(5): p. 699–702
21. Pahys, J.M., A.F. Samdani, and R.R. Betz, Intraspinal anomalies in infantile idiopathic scoliosis: prevalence and role of magnetic resonance imaging. *Spine (Phila Pa 1976)*, 2009. 34(12): p. E434–8
22. Pehrsson, K., et al., Long-term follow-up of patients with untreated scoliosis. A study of mortality, causes of death, and symptoms. *Spine (Phila Pa 1976)*, 1992. 17(9): p. 1091–6.
23. Ridderbusch, K., et al., Preliminary Results of Magnetically Controlled Growing Rods for Early Onset Scoliosis. *J Pediatr Orthop*, 2017. 37(8): p. e575–e80.
24. Ruf, M., Kongenitale Skoliose, in *Wirbelsäule interdisziplinär*, F.M. Wolfgang Börm, Viola Bullmann, Christian Knop, Editor. 2017, Schattauer Verlag: Stuttgart. p. 369–74
25. Ruf, M., et al., Hemivertebra resection and osteotomies in congenital spine deformity. *Spine (Phila Pa 1976)*, 2009. 34(17): p. 1791–9.
26. Schreiber, S., et al., The effect of Schroth exercises added to the standard of care on the quality of life and muscle endurance in adolescents with idiopathic scoliosis—an assessor and statistician blinded randomized controlled trial: „SOSORT 2015 Award Winner“. *Scoliosis*, 2015. 10: p. 24
27. Stücker, R., [The growing spine : Normal and abnormal development]. *Orthopade*, 2016. 45(6): p. 534–9
28. Teoh, K.H., et al., Metallosis following implantation of magnetically controlled growing rods in the treatment of scoliosis: a case series. *Bone Joint J*, 2016. 98-b(12): 1662–7
29. Thurlbeck, W.M., Postnatal human lung growth. *Thorax*, 1982. 37(8): p. 564–71
30. Weinstein, S.L., et al., Design of the Bracing in Adolescent Idiopathic Scoliosis Trial (BrAIST). *Spine (Phila Pa 1976)*, 2013. 38(21): p. 1832–41
31. Wilkinson, J.T., et al., Curve Modulation and Apex Migration Using Shilla Growth Guidance Rods for Early-onset Scoliosis at 5-Year Follow-up. *J Pediatr Orthop*, 2019. 39(8): p. 400–5

## Literatur zum Beitrag

Tobias Pitzen, Ute Heiler, Holger Meinig, Michael Ruf:

# Die komplizierte Halswirbelsäule

1. Ghogawala Z, Coumans JV, Benzel EC, Stabile LM, Barker FG. Ventral versus dorsal decompression for cervical spondylotic myelopathy: surgeons' assessment of eligibility for randomization in a proposed randomized controlled trial: results of a survey of the Cervical Spine Research Society. *Spine* 2007 Feb 15;32(4):429–36.
2. Lawrence BD, Jacobs WB, Norvell DC, Hermsmeyer JT, Chapman JR, Brodke DS. Anterior versus posterior approach for treatment of cervical spondylotic myelopathy: a systematic review. *Spine* 2013 Oct 15;38(22 Suppl 1): S173–82
3. Liu X, Min S, Zhang H, Zhou Z, Wang H, Jin A. Anterior corpectomy versus posterior laminoplasty for multilevel cervical myelopathy: a systematic review and meta-analysis. *Eur Spine J*. 2014 Feb;23(2):362–72
4. Ogungbemi A, Elwell V, Choi D, Robertson F. Permanent endovascular balloon occlusion of the vertebral artery as an adjunct to the surgical resection of selected cervical spine tumors: A single center experience. *Interv Neuroradiol*. 2015 Aug;21(4):532–7
5. Papavero L, Schmeiser G, Kothe R, Boszczyk B, Heese O, Kawaguchi Y, MacDowall A, Olerud C, Paidakakos N, Panagiotou A, Pitzen T, Richter M, Riew KD, Stevenson A, Tan L, Ueshima R, Yau YH, Mayer M. Degenerative Cervical Myelopathy: A Seven-Letter Coding System That Supports Decision Making for the Surgical Approach. *Neurospine*. 2020 Mar;17(1):164–71
6. Pitzen T, Lane C, Goertzen D, Dvorak M, Fisher C, Barbier D, Steudel WI, Oxland T. Anterior cervical plate fixation: biomechanical effectiveness as a function of posterior element injury. *J Neurosurg*. 2003 Jul;99(1 Suppl):84–90
7. Pitzen T, Berthold C, Obid P, Ruf M. Osteotomy Techniques for the Cervical Spine: Correction within the Sagittal and Coronal Plane including Halo Traction. In: Koller H, Robinson Y: *Cervical Spine Surgery: Standard and advanced techniques*. Springer 2019.
8. Zoarski GH, Seth R. Safety of unilateral endovascular occlusion of the cervical segment of the vertebral artery without antecedent balloon test occlusion. *AJNR Am J Neuroradiol*. 2014 May; 35(5):856–61

## Literatur zum Beitrag

Janis Petrovics, Tobias Pitzen, Carl Hans Fürstenberg:

# Endoskopische Wirbelsäulenoperation bei lumbalem Bandscheibenvorfall

1. Burman MS. Myeloscopy or the direct visualization of the spinal canal and its contents J Bone Joint Surg 1931; 13:695–696
2. Chen X et al. Complication rates of different discectomy techniques for symptomatic lumbar disc herniation: a systematic review and meta-analysis. European Spine Journal (2020): 1–19
3. Gibson JNA, Subramanian AS, Scott CEH. A randomised controlled trial of transforaminal endoscopic discectomy vs microdiscectomy. Eur Spine J 2017; 26:847–56.
4. Kambin P, Brager MD. Percutaneous posterolateral discectomy. Anatomy and mechanism. Clin Orthop Relat Res;(223):145–54. 1987
5. Kambin P, Gellmann H. Percutaneous lateral discectomy of the lumbar spine: A preliminary report. Clin Orthop 174:127–132, 1983
6. Kapetanakis S, Gkantsinikoudis N, Chaniotakis C, Chratioudis G, Givissis P. Percutaneous transforaminal endoscopic Diskektomy for the treatment of lumbar disc herniations in obese Patients: Health – Related quality of life assessment in a 2-years follow-up. World Neurosurgery 113 (2018): e836-e649
7. Olinger A, Hildebrandt U, Mutschler W, et al. First clinical experience with an endoscopic retroperitoneal approach for anterior fusion of lumbar spine fractures from levels T12 to L5. Surg Endosc 1999; 13:1215–1219
8. Ooi Y, Satoh Y, Morisaki N. Myeloscopy: The possibility of observing the lumbar intrathecal space by use of an endoscope. Endoscopy 5:901–906, 1973
9. Ooi Y, Satoh Y, Morisaki N. Myeloscopy. Int Orthop 1:107–111, 1977
10. Pool JL. Direct visualization of dorsal nerve roots of the cauda equina by means of the myeloscope. Arch Neurol. Psychol 1938: 1308–1312
11. Pool JL. Myeloscopy: Diagnosis inspection of the cauda equina by means of the endoscope. Bu Neurol. Inst NY, 1983, 7:178–189
12. Pool JL. Myeloscopy: Intrathecal endoscopy. Surgery 11:169–182, 1942
13. Ruetten S, Komp M, Merk H, Godolias G. Full-endoscopic interlaminar and transforaminal lumbar discectomy versus conventional microsurgical technique: a prospective, randomized, controlled study. Spine 33(9):931 2008
14. Ruetten S, Komp M, Merk H, et al. Recurrent lumbar disc herniation after conventional discectomy: a prospective, randomized study comparing full-endoscopic interlaminar and transforaminal versus microsurgical revision. J Spinal Disord Tech 2009;22:122–9.
15. Ruetten S, Komp M, Merk H, et al. Use of newly developed instruments and endoscopes: full-endoscopic resection of lumbar disc herniations via the interlaminar and lateral transforaminal approach. J Neurosurg Spine 2007; 6:521–30
16. Sean M Barber, Jonathan Nakhla, Sanjay Konakondla, Jared S Fridley, Adetokunbo A Oyelese, Ziya L Gokaslan, Albert E Telfeian. Outcome of endoscopic discectomy compared with open microdiscectomy and tubular microdiscectomy for lumbar disc herniation: A meta – Analysis. J Neurosurg Spine 2019 Sep 6; 1–14
17. Sen RD, White-Dzuro G, Ruzevick J, et al. Intra- and Perioperative Complications Associated with Endoscopic Spine Surgery: A Multi-Institutional Study. World Neurosurg 2018;120:e1054–60.
18. Shen J. Fully endoscopic transforaminal discectomy under local anesthesia for thoracic disc herniation: A case serie. J Spine 2018, S7
19. Tacconi L et al. Endoscopic Approach Technique for Recurrent Lumbar Protruded Disc. NeuroQuantology 17.5 (2019)
20. Weinstein JN, Tosteson TD, Lurie JD, et al. Surgical vs nonoperative treatment for lumbar disk herniation: the Spine Patient Outcomes Research Trial (SPORT): a randomized trial. JAMA 2006;296:2441–50.

**Literatur zum Beitrag**  
Carl Hans Fürstenberg, Tobias Pitzen:

# Management der akuten traumatischen cervicalen Querschnittlähmung

1. Bauer D, Kowalski R: Effect of spinal immobilization devices on pulmonary function in the healthy, nonsmoking man. *Ann Emerg Med* 1988;17: 915–918
2. Bracken MB, Shepard MJ, Collins WF, et al: A randomized, controlled trial of methylprednisolone or naloxone in the treatment of acute spinal-cord injury. Results of the Second National Acute Spinal Cord Injury Study. *N Engl J Med* 1990;322: 1405–1411
3. Bracken MB, Shepard MJ, Holford TR, et al: Administration of methylprednisolone for 24 or 48 hours or tirlazad mesylate for 48 hours in the treatment of acute spinal cord injury. Results of the Third National Acute Spinal Cord Injury Randomized Controlled Trial. National Acute Spinal Cord Injury Study. *JAMA* 1997;277: 1597–1604
4. Burton JH, Dunn MG, Harmon NR, et al: A statewide, prehospital emergency medical service selective patient spine immobilization protocol. *J Trauma* 2006;61: 161–167
5. Casha S, Christie S: A systematic review of intensive cardiopulmonary management after spinal cord injury. *J Neurotrauma* 2011;28: 1479–1495
6. Catz A, Itzkovich M, Agranov E, et al: SCIM-spinal cord independence measure: a new disability scale for patients with spinal cord lesions. *Spinal Cord* 1997;35: 8506
7. Catz A, Itzkovich M, Tesio L, et al: A multicenter international study on the Spinal Cord Independence Measure, version III: Rasch psychometric validation. *Spinal Cord* 2007;45: 275–291
8. Davies G, Deakin C, Wilson A: The effect of a rigid collar on intracranial pressure. *Injury* 1996;27: 647–649
9. Del Rossi G, Heffernan TP, Horodyski M, et al: The effectiveness of extrication collars tested during the execution of spine-board transfer techniques. *Spine J* 2004;4: 619–623
10. Devivo MJ: Epidemiology of traumatic spinal cord injury: trends and future implications. *Spinal Cord* 2012;50: 365–372
11. Divi SN, Schroeder GD, Mangan JJ, et al: Management of acute traumatic central cord syndrome. A narrative review. *Global Spine J* 2019 May; 9(1 Suppl): 89S–97S
12. Fehlings MG, Vaccaro A, Wilson JR et al.: Early versus delayed decompression for traumatic cervical spinal cord injury: results of the Surgical Timing in Acute Spinal Cord Injury Study (STASCIS). *PLoS ONE* 2012;7(2): e32037
13. Hassid VJ, Schinco MA, Tepas JJ et al.: Definitive establishment of airway control is critical for optimal outcome in lower cervical spinal cord injury. *J Trauma* 2008;65: 1328–1332
14. Haut ER, Kalish BT, Efron DT et al.: Spine immobilization in penetrating trauma: more harm than good? *J Trauma* 2010;68: 115–120; discussion 20–21
15. Hoffman JR, Mower WR, Wolfson AB et al.: Validity of a set of clinical criteria to rule out injury to the cervical spine in patients with blunt trauma. National Emergency X-Radiography Utilization Study Group. *N Engl J Med* 2000;343: 94–99
16. Hurlbert RJ, Hadley MN, Walters BC et al.: Pharmacological therapy for acute spinal cord injury. *Neurosurgery* 2013;72(Suppl 2):93–105
17. Liew SC, Hill DA: Complication of hard cervical collars in multi-trauma patients. *Aust N Z J Surg* 1994;64: 139–140
18. Maynard FM Jr, Bracken MB, Creasey G et al.: International Standards for Neurological and Functional Classification of Spinal Cord Injury. American Spinal Injury Association. *Spinal Cord* 1997;35: 266–274
19. Ryken TC, Hadley MN, Walters BC et al.: Radiographic assessment. *Neurosurgery* 2013;72(Suppl 2): 54–72
20. Snyder EY, Teng YD: Stem cells and spinal cord repair. *N Engl J Med* 2012;366: 1940–1942
21. Theodore N, Hadley MN, Aarabi B et al.: Prehospital cervical spinal immobilization after trauma. *Neurosurgery* 2013;72(Suppl 2): 22–34
22. Yelamarty PKK, Chhabra HS, Vaccaro A et al.: Management and prognosis of acute traumatic cervical central cord syndrome: Systematic review and spinal cord-spine trauma study group position statement. *Eur Spine J* 2019 Oct;28(10): 2390–2407
23. [No authors listed]: Arbeitskreis Querschnittlähmung der Deutschen gesetzlichen Unfallversicherung (DGUV)
24. [No authors listed]: Facts and figures. Secondary facts and figures. <http://www.spinal-research.org/research-matters/spinal-cord-injury/facts-and-figures>
25. [No authors listed]: Spinal cord injury facts and figures at a glance. *J Spinal Cord Med* 2014;37: 479–480

**Literatur zum Beitrag:**  
Tobias Heck, Elena Boebel, Michael Fritz

# Multimodale Therapie bei chronischer Lumbago

1. Ballantine J, Opioid therapy in chronic pain. *Phys Med Rehabil Clin N Am.* 2015; 26:201–218
2. Baron R, Strumpf M: Praktische Schmerztherapie, Heidelberg: Springer Verlag 2007: 122–134
3. Brinkhaus B, Witt CM, Jena S et al.: Acupuncture in Patients with Chronic Low Back Pain A Randomized Controlled Trial. *Arch Intern Med.* 2006; 166:450–457
4. Bühren A, Flenker I, Jacobowsk C et al. Medikamente – schädlicher Gebrauch und Abhängigkeit. Leitfaden für die ärztliche Praxis. Online: <http://www.bundesaerztekammer.de/downloads/LeitfadenMedAbhaengigkeit.pdf>. Zugriffen: 31.03.2020
5. Catella-Lawson F et al.: Cyclooxygenase inhibitors and the antiplatelet effect of aspirin. *N Engl J Med.* 2001; 345(25):1809–1817
6. Chang MC: Efficacy of pulsed radio-frequency stimulation in patients with peripheral neuropathic pain: A narrative review. *Pain Physician* 2018; 21:E225-E234
7. Chenot J, Greitemann B, Kladny B, Petzke F, Pfingsten M, Schorr S. Nichtspezifischer Kreuzschmerz. *Dtsch Arztebl* 2017; 114: 883–890
8. Chou R, Turner JA, Devine EB et al. The effectiveness and risks of long-term opioid therapy for chronic pain: a systematic review for a National Institutes of Health Pathways to Prevention Workshop. *Ann Intern Med.* 2015;162(4):276–286
9. Chou R, Deyo R, Friedly J et al. Nonpharmacologic therapies for low back pain: A systematic review for an American College of Physicians Clinical Practice Guideline. *Ann Intern Med.* 2017;166:493–505
10. Dahl J, Lundgren T, Hayes S: Living Beyond Your Pain: Using Acceptance and Commitment Therapy to Ease Chronic Pain. Oakland, CA: New Harbinger Publications, 2006
11. Deer T: Atlas of Implantable Therapies for Pain Management, New York, Heidelberg: Springer Verlag 2011: 9–54
12. Delitto A, George SZ, Van Dillen L et al.: Low Back Pain: Clinical Practice Guidelines Linked to the International Classification of Functioning, Disability, and Health from the Orthopaedic Section of the American Physical Therapy Association. *J Orthop Sports Phys Ther.* 2012; 42: A1–57
13. Diener H-C, Maier C: Die Schmerztherapie, München: Verlag Urban u. Fischer 2009: 400–416
14. Eckardt A: Kreuzschmerzen – Epidemiologie, Klassifizierung und ein Überblick über die aktuellen Leitlinienempfehlungen. OUP 2012; 1:480–483
15. Endean A, Palmer K, Coggon D: Potential of MRI findings to refine case definition for mechanical low back pain in epidemiological studies: A systematic review. *Spine* 2011; 36:160–169
16. Enthoven WT, Roelofs PD, Deyo RA, van Tulder MW, Koes BW: Non-steroidal anti-inflammatory drugs for chronic low back pain. *Cochrane Database Syst Rev* 2016; 2: CD012087
17. Erdine S, Bilir A, Cosman ER, et a.: Ultrastructural changes in axons following exposure to pulsed radiofrequency fields. *Pain Pract* 2009; 9:407–417
18. Fischer J: Schmerztherapie mit Lokalanästhetika, Stuttgart: Thieme Verlag 2010: 114–129
19. Glombiewski JA: Expositionstherapie bei chronischen Rückenschmerzen. *Schmerz* 2018; 32: 274–282
20. Guzman J, Esmail R, Karjalainen K, et al.: Multidisciplinary rehabilitation for chronic low back pain: systematic review. *BMJ* 2001; 322:1511–1516
21. Haake M, Müller HH, Schade-Brittinger C et al.: German Acupuncture Trials (Gerac) For Chronic Low Back PainRandomized, Multicenter, Blinded, Parallel-Group Trial With 3 Groups. *Arch Intern Med.* 2007; 167:1892–1898
22. Hashmi JA et al.: Shape shifting pain: chronification of back pain shifts brain representation from nociceptive to emotional circuits. *Brain* 2013; 136; 2751–2768
23. Häuser W.: 2. Aktualisierung der S3 Leitlinie „Langzeitanwendungen von Opioiden bei chronischen nicht-tumorbedingten Schmerzen (LONTS). *Der Schmerz* 2020; 34 in Druck
24. Häuser W, Fitzcharles MA, Radbruch L et al.: Cannabinoids in der Schmerz- und Palliativmedizin. *Dtsch Arztebl* 2017; 114: 627–634
25. Hagiwara S, Iwasaka H, Takeshima N et al.: Mechanisms of analgesic action of pulsed radiofrequency on adjuvant-induced pain in the rat: roles of descending adrenergic and serotonergic systems. *Eur J Pain* 2009; 13:249–252
26. Hasenbring M, Hallner D, Klase B: Psychologische Mechanismen im Prozess der Schmerzchronifizierung — unter- oder überbewertet? *Schmerz* 2001; 6:442–447
27. Hatzenbühler M, Fresenius M, Heck M, Benrath J: Repetitorium Schmerztherapie, Heidelberg: Springer Verlag 2007: 153–160
28. Hayden JA, van Tulder MW, Malmivaara A et al.: Exercise therapy for treatment of non-specific low back pain. *Ann Intern Med.* 2005; 142:765–775
29. Hoch E, Friemel C, Schneider M (Hrsg.). Cannabis: Potenzial und Risiko Eine wissenschaftliche Bestandsaufnahme. Berlin, Heidelberg: Springer Verlag 2019
30. Jarvik JG , Hollingsworth W, Heagerty PJ, et al.: Three-year incidence of low back pain in an initially asymptomatic cohort: clinical and imaging risk factors. *Spine* 2005; 30:1541–8
31. Jerosch J, Heisel J: Das lumbale Facetsyndrom, Heidelberg: Springer Verlag 2006: 68–98, 103–138
32. Klessinger S, Legat M, Schneider M: Evidenzbasierte interventionelle Schmerztherapie. *Der Schmerz* 2020; 34:123–126
33. Krämer J: Bandscheibenbedingte Erkrankungen, Stuttgart: Thieme Verlag 2006: 220–303
34. Kröner-Herwig B: Schmerz – eine Gegenstandsbeschreibung. In: Basler HD, Franz C, Kröner-Herwig B, Rehfeldt HP (Hrsg): Psychologische Schmerztherapie. Berlin: Springer, 2004: 3–15

35. Kugler M: Neuromodulation in der Schmerztherapie, Stuttgart: Thieme Verlag 2014: 33–75, 99–101
36. Kumar K, Taylor RS, Jacques L: The effects of spinal cord stimulation in neuropathic pain are sustained: a 24-month follow-up of the prospective randomized controlled multicenter trial of the effectiveness of spinal cord stimulation. *Neurosurgery* 2008;63:762–770
37. Lépine J P, Briley M: The epidemiology of pain in depression. *Hum Psychopharmacol* 2004; 19 Suppl 1: S3–7
38. Liedl A, Knaevelsrud C: PTBS und chronische Schmerzen: Entstehung, Aufrechterhaltung und Zusammenhang – ein Überblick. *Der Schmerz* 2008; 22: 644–651
39. Lutz J, von Sachsen J, Arnold B et al.: Ist die interdisziplinäre multimodale Schmerztherapie in Gefahr? *Schmerz* 2020; 34:127–132
40. Manchikanti L, Fellows B, Singh, V: Understanding psychological aspects of chronic pain in interventional pain management. *Pain Physician* 2002; 5(1): 57–82
41. Meyer K, Sprott H, Mannion A: Cross-cultural adaptation, reliability and validity of the German version of the pain catastrophizing scale. *J Psychosom Res* 2008; 64(5): 469–478
42. Niemier K, Seidel W: Funktionelle Schmerztherapie des Bewegungssystems, Heidelberg: Springer Verlag 2009: 235–244
43. Nilges P, Rief W: F.45.41 Chronische Schmerzstörung mit somatischen und psychischen Faktoren. *Der Schmerz*; 24: 209–212
44. Nobis HG, Rolke R: Herausforderung Schmerz. In: Nobis HG, Rolke R, Graf-Baumann T (Hrsg) Schmerz – eine Herausforderung. Berlin, Heidelberg: Springer, 2016: 1–15
45. North RB, Kidd DH, Farrokhi F et al.: Spinal cord stimulation versus repeated lumbosacral spine surgery for chronic pain: a randomized, controlled trial. *Neurosurgery* 2005; 56:98–106
46. Otis JD, Keane TM, Kerns RD: An examination of the relationship between chronic pain and posttraumatic stress disorder. *J Rehabil Res Dev* 2003; 40(5): 397–406
47. Petri H: Interaktionspotenzial traditioneller NSAR und der Coxibe. *Dtsch Arztebl Int* 2019; 116: 140–144
48. Pfingsten M: Multimodale Verfahren – auf die Mischung kommt es an! *Schmerz* 2001; 15: 492–498
49. Pfingsten M: Vermeidungsverhalten und Rückenschmerzen – Ansätze für neue therapeutische Wege? *Phys Med Rehab Kuror* 2003; 13(5): 276–282
50. Pressemitteilung Barmer Baden-Württemberg: <https://www.barmer.de/presse/bundesaender-aktuell/baden-wuerttemberg/archiv/pressemitteilungen/archiv-2016/arzt-report-2016--50460>. Zugegriffen am 24.04.2020
51. Reinecke H, Weber C, Lange K, Simon M, Stein C, Sorgatz H: Analgesic efficacy of opioids in chronic pain: recent meta-analyses. *Br J Pharmacol* 2015; 172(2):324–333
52. Rommel O: Operative Eingriffe ohne interdisziplinäre Abklärung vermeiden. *Nervenarzt* 2019; 90:194–196
53. S3-Leitlinie „Funktionelle Körperbeschwerden“. AWMF-Reg.-Nr. 051–001. Online: [https://www.awmf.org/uploads/tx\\_szleitlinien/051-001\\_S3\\_Funktionelle\\_Koerperbeschwerden\\_2018-11.pdf](https://www.awmf.org/uploads/tx_szleitlinien/051-001_S3_Funktionelle_Koerperbeschwerden_2018-11.pdf). Zugegriffen am 09.04.2020
54. Schäfert R, Böltner R, Faber R et al.: Tangential, nicht frontal. Annäherung an eine schwierige Patientengruppe. *PiD* 2008; 9:252–259
55. Scharrer M, Ebenbichler G, Pieber K, et al.: A systematic review on the effectiveness of medical training therapy for subacute and chronic low back pain. *Eur J Phys Rehabil Med* 2012; 48:361–30
56. Schmidt CO, Raspe H, Pfingsten M et al.: Back pain in the German adult population: prevalence, severity, and sociodemographic correlation in a multiregional survey. *Spine* 2007; 32:2005–2011
57. Schneider M, Klessinger S: Diagnostische und therapeutische Interventionen an der Lendenwirbelsäule. OUP 2019; 8: 523–527
58. Schlereth T. et al., Diagnose und nicht interventionelle Therapie neuropathischer Schmerzen, S2k-Leitlinie, 2019, in: Deutsche Gesellschaft für Neurologie (Hrsg.), Leitlinien für Diagnostik und Therapie in der Neurologie. Online: [www.dgn.org/leitlinien](http://www.dgn.org/leitlinien). Zugegriffen am 20.04.2020
59. Sdrulla AD, Guan Y, Raja SN: Spinal cord stimulation: Clinical efficacy and potential mechanisms. *Pain Pract*. 2018; 18: 1048–1067
60. Sites BD, Beach ML, Davis M: Increases in the use of prescription opioid analgesics and the lack of improvement in disability metrics among users. *Reg Anesth Pain Med* 2014;39(1):6–12
61. Soyka M, Queri S, Küfner H, Rösner S: Wo verstecken sich 1,9 Millionen Medikamentenabhängige? *Der Nervenarzt* 2005; 76(1): 72–77
62. Taghizadeh H, Benrath J: Psychische und psychiatrische Komorbiditäten in der Schmerztherapie. In Taghizadeh H, Benrath J (Hrsg): Pocket Guide Schmerztherapie. Berlin, Heidelberg: Springer, 2019: 513–525
63. Tesarz J, Seidler G, Eich W: Schmerzen behandeln mit EMDR. Stuttgart: Klett-Cotta, 2018
64. Urquhart D, Wluka A, van Tulder M et al. Efficacy of Low-Dose Amitriptyline for Chronic Low Back Pain A Randomized Clinical Trial Intern Med. 2018; 178:1474–1481
65. van Tulder MW, Touray T, Furlan AD, et al. Muscle relaxants for non-specific low back pain. *Cochrane Database Syst Rev* 2003;(2):CD004252
66. Weinschenk S. Neural therapy—A review of the therapeutic use of local anesthetics. *Acupunct Relat Ther* 2012; 1: 5–9
67. Werber A., Schiltenwolf M.: Chronische Rückenschmerzen. *Nervenarzt* 2012 ; 83:243–258
68. Wiedemann M: Peripheres Biofeedback. In: Haus K, Held C, Kowalski A et al. (Hrsg): Praxisbuch Biofeedback und Neurofeedback. Berlin, Heidelberg: Springer, 2016: 25–43
69. Woby SR, Roach NK, Urmston M, Watson PJ: The relation between cognitive factors and levels of pain and disability in chronic low back pain patients presenting for physiotherapy. *Eur J Pain* 2007; 11(8): 869–877
70. Wolter D: Probleme der Opioidanalgetika-Therapie aus psychiatrischer Sicht. *DNP* 2019; 20(1): 36–41
71. Zhuk A, Schiltenwolf M, Neubauer E: Langfristige Wirksamkeit einer multimodalen Schmerztherapie bei chronischen Rückenschmerzen. *Nervenarzt* 2018; 89:546–551

## Literatur zum Beitrag

Stefanie Duchac, Christian Neuhäuser, Tobias Pitzen:

# Dysphagie als Komplikation nach einer Operation an der Halswirbelsäule

1. Apfelbaum, R. I., Kriskovich, M. D., & Heller, J. R. (2000). On the incidence, cause, and prevention of recurrent laryngeal nerve palsies during anterior cervical spine surgery. *Spine*, 25(22), 2906–2912.
2. Bazaz, R., Lee, M. J., & Yoo, J. U. (2002). Incidence of dysphagia after anterior cervical spine surgery: a prospective study. *Spine* 27(22), 2453–8.
3. Cho, S. K., Lu, Y., & Lee, D.-H. (2013). Dysphagia following anterior cervical spinal surgery: a systematic review. *The Bone & Joint Journal*, 95(7), 868–73.
4. Duchac, S., Hielscher-Fastabend, M., Müller, H. M., et al. (2017). Swallowing Physiology after Anterior and Posterior Cervical Spine Surgery: A Comparison on Videofluoroscopy Pre- and Post-surgery. *International Journal of Neuroscience and Behavioral Science*, 5(4), 71–79.
5. Duchac, S., Hofmayer, A., Lücking, C. & Wilmskötter, J. (2020): Videofluoroskopie des Schluckaktes. Ein sprachtherapeutisches Tutorial. Schulz-Kirchner Verlag, Idstein
6. Fix, C., Drumm, J., Wilmskötter, J. et al. (2015). Dysphagien nach ventralen Halswirbelsäulenoperationen. *Forum HNO*, 17, 126–133.
7. Grasso, G., Leone, L., & Torregrossa, F. (2019). Dysphagia Prevention in Anterior Cervical Discectomy Surgery: Results from a Prospective Clinical Study. *World neurosurgery*, 125, e1176-e1182.
8. Gutierrez, S., Iwanaga, J., Pekala, P., et al. (2020). The pharyngeal plexus: an anatomical review for better understanding postoperative dysphagia. *Neurosurgical Review*, 1–10.
9. Kang, S. H., Kim, D. K., Seo, K. M., Lee, S. Y., Park, S. W., & Kim, Y. (2016). Swallowing function defined by videofluoroscopic swallowing studies after anterior cervical discectomy and fusion: A prospective study. *Journal of Korean Medical Science*, 31(12), 2020–2025.
10. Kostas N. Fountas, Eftychia Z. Kapsalaki, Leonidas G. Nikolakakos, Hugh F. Smisson, Kim W. Johnston, Arthur A. Grigorian, Gregory P. Lee, † and Joe S. Robinson, Jr, Anterior Cervical Discectomy and Fusion Associated Complications. *Spine* 2007;32: 2310–2317
11. Liu J, Hai Y, Kang N, Chen X, Zhang Y. Risk factors and preventative measures of early and persistent dysphagia after anterior cervical spine surgery: a systematic review. *Eur Spine J*. 2018;27(6):1209–1218.
12. Martin-Harris, B., Logemann, J. A., McMahon, S., Schleicher, M., & Sandidge, J. (2000). Clinical Utility of the Modified Barium Swallow. *Dysphagia*, 15, 136–141.
13. Mayo, B. C., Massel, D. H., Bohl, D. D., et al. (2019). Dysphagia Following Anterior Cervical Spine Surgery: Assessment Using an Abridged SWAL-QOL. *International journal of spine surgery*, 13(1), 102–109.
14. McHorney, C. A., Bricker, D. E., Robbins, J., Kramer, A. E., Rosenbek, J. C., & Chignell, K. A. (2000). The SWAL-QOL Outcomes Tool for Oropharyngeal Dysphagia in Adults: II . Item Reduction and Preliminary Scaling, 133, 122–133.
15. Mekata, K., Takigawa, T., Matsubayashi, J., Hasegawa, Y., & Ito, Y. (2013). Cervical spine motion during swallowing. *European Spine Journal*, 22(11), 2558–63.
16. Miles, A., Jamieson, G., Shasha, L., & Davis, K. (2019). Characterizing dysphagia after spinal surgery. *The journal of spinal cord medicine*, 1–9.
17. Miyata M, Neo M, Fujibayashi S, Ito H, Takemoto M, Nakamura T. O-C2 angle as a predictor of dyspnea and/or dysphagia after occipitocervical fusion. *Spine (Phila Pa 1976)*. 2009;34(2):184–188.
18. Muss, L., Wilmskötter, J., Richter, K., et al. (2017). Changes in swallowing after anterior cervical discectomy and fusion with instrumentation: A pre-surgical versus postsurgical videofluoroscopic comparison. *Journal of Speech, Language, and Hearing Research*, 60(2), 785–793.
19. Neuhuber, W. (2007). Anatomie und funktionelle Neuroanatomie der oberen Halswirbelsäule. *Manuelle Medizin*, 45(4), 227–231.
20. Okano, I., Miller, C. O., Salzmann, S. N., et al. (2020). Minimal Clinically Important Differences of the Hospital for Special Surgery Dysphagia and Dysphonia Inventory and Other Dysphagia Measurements in Patients Undergoing ACDF. *Clinical Orthopaedics and Related Research®*.
21. Opsenak, R., Kolarovszki, B., Benco, M., et al. (2019). Dysphagia after anterior cervical discectomy and interbody fusion—prospective study with 1-year follow-up. *Rozhl Chir*, 98, 115–120.
22. Park, J. H., Lee, S. H., Kim, E. S., & Eoh, W. (2020). Analysis of postoperative dysphagia after anterior cervical decompression and fusion. *British Journal of Neurosurgery*, 1–6.
23. Rihn, J., Kane, J., Albert, T. J., Vaccaro, A. R., & Hilibrand, A. S. (2011). What is the incidence and severity of dysphagia after anterior cervical surgery? *Clinical Orthopaedics and Related Research*, 469(3), 658–65.
24. Riley, L. H., Vaccaro, A. R., Dettori, J. R., & Hashimoto, R. (2010). Postoperative dysphagia in anterior cervical spine surgery. *Spine*, 35(9), 76–85.
25. Sasegbon, A., & Hamdy, S. (2017). The anatomy and physiology of normal and abnormal swallowing in oropharyngeal dysphagia. *Neurogastroenterology & Motility*, 29(11), e13100.
26. Smith-Hammond, C. A., New, K. C., Pietrobon, R., Curtis, D. J., Scharver, C. H., & Turner, D. A. (2004). Prospective Analysis of Incidence and Risk Factors of Dysphagia in Spine Surgery Patients Lumbar Procedures. *Spine*, 29(13), 1441–1446.
27. Starmer, H. M., Riley, L. H., Hillel, A. T., Akst, L. M., Best, S. R., & Gourin, C. G. (2014). Dysphagia, Short-Term Outcomes, and Cost of Care After Anterior Cervical Disc Surgery. *Dysphagia*, 29(1), 68–77.
28. Tian W, Yu J. The role of C2-C7 and O-C2 angle in the development of dysphagia after cervical spine surgery. *Dysphagia*. 2013;28(2):131–138.
29. Vaishnav, A. S., Saville, P., McAnany, S. et al. (2020). Is the likelihood of dysphagia different in patients undergoing one-level versus two-level anterior cervical discectomy and fusion?. *The Spine Journal*.
30. von Heymann, W., & Smolenski, U. C. (2011). Die kramiomandibuläre Dysfunktion (CMD). *Manuelle Medizin*, 49(5), 347–360.