

Vollständige Literatur zu Harald Hempfling et al.: Talusantenläsionen – OUP 12-2016

Literatur

- Abdel-Wanis M, Tsuchiya H, Minato H, Morinaga T, Yamamoto N, Tomita K: Bilateral symmetrical cysts in the upper tibiae in a skeletally mature patient: Might they be simple bone cysts? *J Orthop Sci* 2001; 6: 59–60
- Alanen V, Taimela S, Kinnunen J, Koskinen SK, Karaharju E: Incidence and clinical significance of bone bruises after supination injury of the ankle. A double-blind, prospective study. *J Bone Joint Surg Br* 1998; 80: 513–515
- Anderson I, Crichton K, Grattan-Smith T, Cooper R, Brazier D: Osteochondral fractures of the dome of the talus. *J Bone Joint Surg Am* 1989; 71: 1143–1152
- Andreas A: Le lesioni condrali ed osteocondrali della troclea astragalica associate alle lesioni capsule-legamentose della tibio-tarsica. *Chir Organi Mov* 1990; 75: 41–51
- Ashhurst A, Broomer R: Classification and mechanism of fractures of the leg bones involving the ankle. *Arch Surg* 1922; 4: 51–129
- Berndt Al, Harty M: Transchondral fractures (osteochondritis dissecans) of the talus. *J Bone Joint Surg* 1959; 41A: 988.
- Bohndorf K: Imaging of acute injuries of the articular surface (chondral, osteochondral and subchondral fractures). *Skeletal Radiology* 1999; 28: 545–560
- Bohndorf K, Imhof H, Shibany N: Bildgebende Diagnostik akuter und chronischer osteochondraler Läsionen am Talus. *Orthopädie* 2001; 30: 12–19
- Bohndorf K, Imhof H, Fischer W: Radiologische Diagnostik der Knochen und Gelenke. Stuttgart: Thieme, 2006: 14–16
- Breitenseher M: Der MR-Trainer Untere Extremität. Stuttgart: Thieme, 2013
- Brill R, Wohlgemuth W, Hempfling H, Bohndorf K, Becker U, Welsch U, Kamp A et al.: Dynamic impact force and association with structural damage to the knee joint: an ex vivo study. *Ann Anat* 2014; 196: 456–63
- Brinckmann P, Frobin W, Leivseth G: Orthopädische Biomechanik. Stuttgart: Thieme, 2000: 44–60
- Brown K, Morrison W, Schweitzer M, Parellada J, Nothnagel H: MRI findings associated with distal tibiofibular syndesmosis injury. *AJR Am J Roentgenol* 2004; 182: 131–136
- Bruns J: Osteochondrosis dissecans. *Orthopäde* 1997; 26: 573–584
- Canale S, Belding R: Osteochondral lesions of the talus. *J Bone Joint Surg Am* 1980; 62: 97
- Chiodo C, Herbst S: Necrosis of the talus. *J Foot & Ankle Clin* 2004; 9: 745–755
- Clanton T, De Lee J: Osteochondritis dissecans: history, pathophysiology and current treatment concepts. *Clin Orthop* 1982; 167: 50–64
- Crane A, Scarano J: Synovial cysts (ganglia) of the bone: Report of two cases. *J Bone Joint Surg Am* 1967; 49: 355–361
- Crawford R, Sabokbar A, Wulke A, Murray D, Athanasou N: Expansion from an osteoarthritic cyst associated with wear debris. *J Bone Joint Surg Br* 1998; 80: 990–993
- Dienst M, Blauth M: Bone bruise of the calcaneus. A case report. *Clin Orthop Relat Res* 2000; 378: 202–205
- Dipaola J, Nelson D, Colville M: Characterizing osteochondral lesions by magnetic resonance imaging. *Arthroscopy* 1991; 7: 101–104
- Draijer F, Havemann D, Bielstein D: Verletzungsanalyse kindlicher Talusfrakturen. *Unfallchirurg* 1995; 98: 130–132
- Elias I, Jung W, Raikin S, Schweitzer M, Carrino J, Morrison W: Osteochondral lesions of the talus: change in MRI findings over time in talar lesions without operative intervention and implications for staging systems. *Foot Ankle Int* 2006; 27: 157–166
- Engel A, Hajek P, Kramer J, Hamilton A et al.: Magnetic resonance knee arthrography, enhanced contrast by gadolinium complex in the rabbits and in humans. *Acta Orthop Scand* 1990; 240: 1–57
- Etterlin P, Ytrehus B, Lundheim N, Heldmer E, Österberg J, Ekman S: Effects of free-range and confined housing on joint health in a herd of fattening pigs. *BMC Veterinary Research* 2014; 10: 208
- Ferkel R: Articular surface defects, loose bodies and osteophytes. In: Ferkel R: *Arthroscopic Surgery: The Foot and Ankle*. Raven: Lippincott Williams and Wilkins, 1996: 145–170
- Fischer W: MR-Atlas.com, Lehrbuch und Fallsammlung zur MRT des Bewegungsapparates, Zusmarshausen: mr-Verlag, 2014: 40
- Flick A, Gould N: Osteochondrosis of the talus (transchondral fractures of the talus): review of the literature and new surgical approach for medial dome lesions. *Foot Ankle Int* 1985; 5: 165–185
- Frost A, Roach R: Osteochondral injuries of the foot and ankle. *Sports Med Athrosc Rev* 2009; 17: 87–93
- Fründ H: Diskus- und Meniskuserkrankungen verschiedener Gelenke. *Zentralbib Chir* 1926; 53: 2987
- Furgeson A: Pathological changes in degenerative arthritis of the hip and treatment by rotational osteotomy. *J Bone Joint Surg Am* 1964; 46: 1337–1352
- Golano P, Vega J, De Leeuw P: Anatomy of ankle ligaments: a pictorial essay. *Knee Surg Sports Traumatol Arthrosc* 2010; 18: 557–569
- Griffith J, Lau D, Yeung D, Wong M: High-resolution MR imaging of alar osteochondral lesions with new classification. *Skeletal Radiol* 2012; 41: 387–399
- Guhl J: Arthroscopic treatment of Osteochondritis dissecans. *Clin Orthop* 1982; 167: 65–74
- Haliburton R, Sullivan C, Kelly P, Peterson L: The extraosseous and intraosseous blood supply of the talus. *J Bone Joint Surg* 1958; 40A: 1115–1120
- Harmon K: The ankle examination. *Prim Care* 2004; 31: 1025–1037
- Hembree WC, Wittstein JR, Vinson EN, Queen RM, Larose CR, Singh K, Easley ME: Magnetic resonance imaging features of osteochondral lesions of the talus. *Foot Ankle International* 2012; 33: 591–597
- Hempfling H: Klassifikation des Knorpelschadens – traumatisch versus nichttraumatisch. *Orthopädische Praxis* 2004; 40: 526–541
- Hempfling H, Weise K: Begutachtung osteochondraler Schäden am Sprunggelenk. *Trauma und Berufskrankheit* 2013; 15: 68–76
- Hepple S, Winson I, Glew D: Osteochondral lesions of the talus: a revised classification. *Foot Ankle Int* 1999; 20: 789–93
- Hermans J, Beumer A, Hop W: Tibiofibular syndesmosis in acute ankle fractures: additional value of an oblique MR image plane. *Skeletal Radiol* 2012; 41: 193–202
- Howald H: Zur Kenntnis der Osteochondrosis dissecans (Osteochondritis dissecans). *Archiv für orthopädische und Unfall-Chirurgie* 1942; 41: 730–788
- Imhoff A, König U: Arthroskopie – qualifizierte Stadieneinteilung der osteochondralen Läsion am Knie. *Arthroskopie* 2003; 16: 23–28
- Imhoff A, Minotti O, Schreiber A: 15-Jahres-Resultate nach konservativer und operativer Behandlung der Osteochondrosis dissecans am Knie. *Arthroskopie* 1992; 5: 10–18

45. Ittner G, Jaskulka R, Fasol P: Zur Behandlung der flake fracture des Talus. *Z Orthop Ihre Grenzgeb* 1989; 127: 183–186
46. Jakob R, Gaultier E: Komplexes Knie-trauma – Knorpelverletzungen. *Suisse Surgery* 1998; 4: 296–310
47. Johnson L, Uitvlugt G, Austin M, Detrisac D, Johnson C: Osteochondritis dissecans of the knee: arthroscopic compression screw fixation. *Arthroscopy* 1990; 6: 179–189
48. Kambolis C, Bullogh P, Jaffe H: Ganglionic cystic defects of the bone. *J Bone Joint Surg Am* 1973; 55: 496–505
49. Kapandji I: The physiology of the joints. Edinburgh: Churchill Livingstone, 1987: 164
50. Kappis M: Weitere Beiträge zur traumatisch-mechanischen Entstehung der „spontanen“ Knorpelablösungen, sogenannte Osteochondritis dissecans. *Dtsch Z Chir* 1922; 171: 13
51. Kehr H, Hierholzer G: Diagnostik und Therapie von Knorpelverletzungen des Kniegelenks. *Unfallheilkunde* 1977; 80: 95–99
52. König F: About free body in the joints. *Zeitschr Chir* 1888; 27: 90–109
53. Konradsen L, Voigt M, Højsgaard C: Ankle inversion injuries. The role of the dynamic defense mechanism. *Am J Sports Med* 1997; 25: 54–58
54. Kramer J, Stiglbauer R, Engel A, Prayer L, Imhof H: MR contrast arthrography (MRA) in osteochondrosis dissecans. *J Comput Assist Tomogr* 1992; 16: 254–260
55. Labovitz J, Schweitzer M: Occult osseous injuries after ankle sprains: incidence, location, pattern, and age. *Foot Ankle Int* 1998; 19: 661–66
56. Landells J: The bone cysts of osteoarthritis. *J Bone Joint Surg Br* 1953; 35: 643–649
57. Langner I, Frank M, Kuehn JP, Hinz P, Ekkernkamp A, Hosten N, Langner S: Acute inversion injury of the ankle without radiological abnormalities: assessment with high-field MR imaging and correlation of findings with clinical outcome. *Skeletal Radiol* 2011; 40: 423–43
58. Laor T, Zbolniewicz AM, Eismann EA, Wall EJ: Juvenile osteochondritis dissecans: is it a growth disturbance of the secondary physis of the epiphysis? *AJR* 2012; 199: 1121–1128
59. Lauge-Hansen N: Fractures of the ankle. *Arch Surg* 1946; 56: 259–317
60. Longo U, Loppini M, Romeo G, Van Dijk C, Maffulli N, Denaro V: Bone bruise associated with acute ankle ligament injury: do they need treatment? *Knee Surg Sports Traumatol Arthrosc* 2013; 21: 1261–1268
61. Loomer R, Fisher C, Lloyd-Smith R, Sisler J, Cooney T: Osteochondral lesions of the talus. *Am J Sports Med* 1993; 21: 13–19
62. Maffulli N, Longo U, Gougoulias N, Loppini M, Denaro V: Long-term health outcomes of youth sports injuries. *Br J Sports Med* 2010; 44: 21–25
63. Martinek V, Öttl G, Imhoff A: Chondrale und osteochondrale Läsionen am oberen Sprunggelenk. *Unfallchirurg* 1998; 101: 468–475
64. McCoy AM, Toth F, Dolvik NI, Ekman S, Ellermann J, Olstad K, Ytrehus B et al.: Articular Osteochondrosis: A Comparison of Naturally – Occurring Human and Animal Disease. *Osteoarthritis Cartilage* 2013; 21(11): 1638–47
65. McLaren D, Buckwalter K, Vahey T: The prevalence and significance of cyst-like changes at the cruciate ligament attachments in the knee. *Skeletal Radiol* 1992; 21: 365–369
66. Mink J, Deutsch A: Occult cartilage and bone injuries of the knee: detection, classification, and assessment with MR imaging. *Radiology* 1989; 170: 823–829
67. Mintz D, Tashjian G, Connell D, Deland J, O'Malley M, Potter H: Osteochondral lesions of the talus: a new magnetic resonance grading system with arthroscopic correlation. *Arthroscopy* 2003; 19: 353–9
68. Monro A: *Microgeologie*. Berlin: Billroth, 1856: 236
69. Morscher E: Traumatische Knorpelläsionen am Kniegelenk. *Chirurgie* 1979; 50: 599–604
70. Mulfinger G, Trueta J: The Blood Supply of the Talus. *J Bone Joint Surg* 1970; 52B: 160–167
71. Nelson D, Dipaola J, Colville M, Schmidgal J: Osteochondritis dissecans of the talus and knee: prospective comparison of MR and arthroscopic classifications. *J Comput Assist Tomogr* 1990; 14: 804–808
72. Nishimura G, Yamato M, Togawa M: Trabecular trauma of the talus and medial malleolus concurrent with lateral collateral ligamentous injuries of the ankle: evaluation with MR imaging. *Skeletal Radiol* 1996; 25: 49–54
73. O'Loughlin P, Heyworth B, Kennedy J: Current concepts in the diagnosis and treatment of osteochondral lesions of the ankle. *Am J Sports Med* 2010; 38: 392–404
74. Outerbridge R: The etiology of chondromalacia patellae. *J Bone Joint Surg* 1961; 43-B: 752–757
75. Paget J: On the production of some of the loose bodies in joints. *Saint Bartholomew's Hospital Reports* 1870
76. Pare A, Malgaigne J: Complete works of Ambroise Pare. Paris: J.-B. Baillie're 1840
77. Passl R, Spängler H, Wruhs O: Zur Problematik der sogenannten „Flake fractures“ der medialen Talusrollenkante. *Hefte Unfallheilkd* 1979; 134: 99
78. Peterson L, Goldie I, Lindell D: The arterial supply of the talus. *J Acta orthop scand* 1974; 45: 260–270
79. Pinar H, Akseki D, Kovanlikaya I, Arac, S, Bozkurt M: Bone bruises detected by magnetic resonance imaging following lateral ankle sprains. *Knee Surg Sports Traumatol Arthrosc* 1997; 5(2): 113–117
80. Pouders C, De Maeseneer M, Van Roy P, Gielen J, Goossens A, Shahabpour M: Prevalence and MRI–Anatomic Correlation of Bone Cysts in Osteoarthritic Knees. *AJR Am J Roentgenol* 2008; 190: 17–21
81. Pritsch M, Horoshovski H, Farine I: Arthroscopic treatment of osteochondral lesions of the talus. *J Bone Joint Surg* 1986; 68: 862–865
82. Raikin S, Elias I, Zoga A, Morrison W, Besser M, Schweitzer M: Osteochondral lesions of the talus: Localization and morphologic data from 424 patients using a novel anatomical grid scheme. *Foot Ankle International* 2007; 28: 154–161
83. Raith W: Durchblutungsverhältnisse der medialen Taluskante – eine anatomische Studie. Promotion Uni Ulm, 2005
84. Ramsey PL, Hamilton W: Changes in tibiotalar area of contact caused by lateral talar shift. *J Bone Joint Surg Am* 1976; 58: 356–357
85. Rendu A: Fracture intra-articulaire parcellaire de la poulaine astragaliene. *Lyon Med* 1932; 150: 220–222
86. Rhaney K, Lamb D: Cysts of osteoarthritis of the hip: A Radiological and Pathological Study. *J Bone Joint Surg Br* 1955; 37: 663–675
87. Ribbing S: Studies on hereditary, multiple epiphyseal disorder. *Acta Radiol* 1937; 34: 1–107
88. Rogers L: *Radiology of skeletal trauma*. Edinburgh: Churchill Livingstone, 1982
89. Sabokbar A, Crawford R, Murray DA, Athanasou NA: Macrophage-osteoclast differentiation and bone resorption in osteoarthrotic subchondral acetabular cysts. *Acta Orthop Scand* 2002; 71: 255–261
90. Sanal H, Chen L, Haghighi P, Trudell D, Resnick D: Carpal bone cysts: MRI, gross pathology, and histology correlation in cadavers. *Diagn Interv Radiol* 2014; 20: 503–506
91. Schajowicz F, Clavel Sainz M, Stullitel J: Juxta-articular bone cysts (intra-osseous ganglia): a clinicopathological study of eighty-eight cases. *J Bone Joint Surg Br* 1979; 61: 107–116
92. Schmalzried T, Akizuki K, Fedenko A, Mirra J: The role of access of joint fluid to bone in periarticular osteolysis. *J Bone Joint Surg Am* 1997; 79: 44–52
93. Schnittker F, May E, Thaiss S: Flake fractures der Talusrolle als Sportverletzung. *Dtsch Z Sportmed* 1984; 35: 346–356
94. Schultz K: Die Bedeutung der Vaskularisation für die Talusnekrose nach Frakturen. *Z Orthop* 1975; 113: 699–701

95. Shea K, Javobs J, Carey J, Anderson A, OxfordX J: Osteochondritis dissecans knee histology studies have variable findings and theories of etiology. *Clin Orthop Relat Res* 2013; 471: 1127–1136
96. Shepherd D, Seedhom B: Thickness of human articular cartilage in joints of the lower limb. *Ann Rheum Dis* 1999; 58: 27–30
97. Sijbrandij E, Van Gils A, Louwerens J, De Lange E: Posttraumatic subchondral bone contusions and fractures of the talotibial joint: occurrence of „kissing“ lesions. *AJR Am J Roentgenol* 2000; 175: 1707–1710
98. Spahn G, Wittig R: Spannungs- und Bruchverhalten des gesunden Gelenkknorpels unter axialer Belastung: Eine biomechanische Untersuchung. *Zentralbibliothek Chirurgie* 2003; 128: 78–82
99. Steinhagen J, Niggmeyer O, Bruns J: Ätiologie und Pathogenese der Osteochondrosis dissecans tali. *Orthopäde* 2001; 30: 20–27
100. Stone J: Osteochondral lesions of the talar dome. *J Am Acad Orthop Surg* 1996; 4: 63–73
101. Taga I, Shino K, Inoue M, Nakata K, Maeda A: Articular cartilage lesions in ankles with lateral ligament injury. An arthroscopic study. *Am J Sports Med* 1993; 21: 120–126
102. Takao M, Ochi M, Uchio Y, Naito K, Kono T, Oae K: Osteochondral lesions of the talar dome associated with trauma. *Arthroscopy* 2003; 19: 1061–1067
103. Taranow W, Bisignani G, Towers J, Conti S: Retrograde drilling of osteochondral lesions of the medial talar dome. *Foot & Ankle International* 1999; 20: 474–480
104. Tomatsu T, Imai N, Takeuchi N, Takahashi K, Kimura N: Experimental Produced Fractures of Articular Cartilage and Bone and Joint Surgery 1992; 74-B: 457–462
105. Toth F, Nissi MJ, Ellermann JM, Wang L, Shea KG, Polousky J, Carlson CS: Novel Application of Magnetic Resonance Imaging Demonstrates Characteristic Differences in Vasculature at Predilection Sites of Osteochondritis Dissecans. *Am J Sports Med* 2015; 43(10): 2522–2527
106. Van Dijk C, Lim L, Bossuyt P, Marti R: Physical examination is sufficient for the diagnosis of sprained ankles. *J Bone Joint Surg Br* 1996; 78: 958–962
107. Van Dijk CN, Bossuyt PM, Marti RK: Medial ankle pain after lateral ligament rupture. *J Bone Joint Surg Br* 1996; 78: 562–567
108. Van Dijk CN, Molenaar AH, Cohen RH, Tol JL, Bossuyt PM, Marti RK: Value of arthrography after supination trauma of the ankle. *Skeletal Radiol* 1998; 27: 256–261
109. Van Dijk CN, Reilingh M, Zengerink M, Van Bergen C: Osteochondral defects in the ankle: why painful? *Knee Surg Sports Traumatol Arthrosc* 2010; 18: 570–580
110. Vanhoenacker F, Van de Perre S, De Vuyst D, De Schepper A: Proceedings of the meeting of the KBVR-SRBR Osteo-Articular section, Brussels, June 21, 2003; cystic lesions around the knee. *JBR-BTR*, 2003; 86: 302–304
111. Verhagen R, Struijs P, Bossuyt P, Van Dijk CN: Systematic review of treatment strategies for osteochondral defects of the talar dome. *Foot Ankle Clin* 2003; 8: 223–242
112. Wan L, de Asla RJ, Rubash HE, Li G: Determination of in-vivo articular cartilage contact areas of human talocrural joint under weightbearing conditions. *Osteoarthritis Cartilage* 2006; 14: 1294–1301
113. Weber B: Die Verletzungen des oberen Sprunggelenkes. *Aktuelle Probleme in der Chirurgie*. Bd. 3. Bern, Stuttgart, Toronto: Huber, 1966
114. Wildenauer E: Die Blutversorgung des Talus. *Zeitschrift für Anatomie und Entwicklungsgeschichte* 1950; 115: 32–36
115. Woods C: Subchondral bone cysts. *J Bone Joint Surg Br* 1961; 43: 758–766
116. Yamine K, Fathi Y: Ankle „sprains“ during sport activities with normal radiographs: incidence of associated bone and tendon injuries on MRI findings and its clinical impact. *Foot (Edinb)* 2011; 21: 176–178
117. Ytrehus B, Ekman S, Carlson C, Teige J, Reinholt F: Focal changes in blood supply during normal epiphyseal growth are central in the pathogenesis of osteochondrosis in pigs. *Bone* 2004; 35(6): 1294–1306
118. Ytrehus B, Andreas Haga H, Mellum C, Mathisen L, Carlson CS, Ekman S, Teige J et al.: Experimental ischemia of porcine growth cartilage produces lesions of osteochondrosis. *J Orthop Res* 2004; 22(6): 1201–1209
119. Ytrehus B, Grindflek E, Teige J, Stubjoen E, Grondalen T, Carlson CS: The effect of parentage on the prevalence, severity and location of lesions of osteochondrosis in swine. *J Vet Med A Physiol Pathol Clin Med* 2004; 51: 188–195
120. Ytrehus B, Carlson CS, Ekman S: Etiology and pathogenesis of osteochondrosis. *Vet Pathol* 2007; 44: 429–448
121. Zanetti M, De Simoni C, Wetz HH, Zollinger H, Hodler J: Magnetic resonance imaging of injuries to the ankle joint: can it predict clinical outcome? *Skeletal Radiol* 1997; 26: 82–88
122. Zilch H, Friedebold G: Diagnostik und Therapie chondraler und osteochondraler Frakturen im Bereich des oberen Sprunggelenkes. *Unfallheilkunde* 1983; 86: 153–160